Ninety-Sixth

Annual Report of the Registrar-General for Scotland

1950

EDINBURGH : HER MAJESTY'S STATIONERY OFFICE

1953

TABLE OF CONTENTS

	PAGE
INTRODUCTORY LETTER	6

TEXT

SUMMARY	7
POPULATION	7
BIRTHS	
Sex Ratio	9
Monthly Rates	9
Fertility Rates	9
Multiple Births	11
Illegitimate Births	11
International Rates	12
MARRIAGES	
Civil Marriages	13
International Rates	13
Divorces	13
DEATHS	
Standardised Rates	13
Monthly Rates	16
International Rates	16
Age and Sex	16
Infant Mortality	16
International Rates	18
Mortality among Legitimate and Illegitimate Children	18
Neo-natal Mortality	19
Centenarians	20
Causes of Death	20
Certification	21
Principal Epidemic Diseases	21
Tuberculosis	22
Malignant Disease	24
Diabetes	27
Other General Diseases	27
Diseases of the Nervous System	27
Diseases of the Circulatory System	27
Diseases of the Respiratory System	28
Diseases of the Digestive System	28
Diseases of the Genito-Urinary System	28
Diseases of Pregnancy and Childbirth	28
Diseases of Skin and Cellular Tissue	29
Diseases of the Organs of Locomotion	29
Malformations	30
Diseases of Early Infancy	30
Senility	30
Violence	30
Accidents at Home and elsewhere	31
Relative Frequency of Cause of Death	34
Infant Deaths	34
Death-rates standardised to Population of Great Britain	35
APPENDICES	
I. Fertility of Women	
Report on information obtained under the Population (Statistics) Act, 1938, for the year 1950	36
II. Still-births	
Registration of Still-births	40

APPENDICES—*continued*

PAGE

III. Social Class
Births, Still-births and Infant Deaths according to the social class of father, 1950 47

IV. Marriages
Additional Statistics regarding Marriages registered during the year 1949 51

V. Parliamentary and Local Government Electors, 1950 58

VI. Weather
Report on the weather in Scotland for the year ended 31st December, 1950 59

VII. Alteration of Boundaries
Burghs, Landward Areas, Parishes and Registration Districts ... 62

VIII. Re-registration of Births
Adopted Children Register—Searches and Extracts 63

IX. International Classification of Causes of Still-births, 1950, with Scottish Classification, 1939-1949
Number of causes in both classifications according to 1950 experience 65

X. Classification of Causes of Death according to the Fifth Revision 72

XI. Inhabited Houses
Inhabited houses in each area in Scotland for the years 1939 and 1946 to 1950 78

TABLES

BIRTHS, DEATHS AND MARRIAGES

1. Population, Births, Still-births, Deaths and Marriages in Scotland, 1855 to 1950, with Quinquennial averages 80
2. Birth, Still-birth, Death and Marriage rates, Scotland, 1855 to 1950, with Quinquennial averages 82
3. Births, Still-births, Deaths and Marriages by Quarters, Scotland, 1940 to 1950 84
4. Birth, Still-birth, Death and Marriage rates, Scotland, Counties of Cities, Large Burghs and Counties, 1950... 85
5. Birth, Still-birth, Death and Marriage rates, Small Burghs, 1950 88
6. Birth, Still-birth, Death and Marriage rates, Landward Areas, 1950 ... 91

GENERAL REGISTRATION SUMMARY

7. Births, Still-births, Deaths, Marriages, Scotland, Counties of Cities, Counties, Large Burghs, 1950 92

BIRTHS

8. Birth-rate among married and unmarried women, Scotland, Counties of Cities, Large Burghs and Counties, 1950... 93
See also Tables 7 and 63

FERTILITY OF WOMEN

9. Births by sex and legitimacy and by year of age of mother, Scotland, 1950 95
10. Births by age of mother and duration of marriage, Scotland, 1950 96
11. Fertility by age of mother, Scotland, 1950 97
12. Interval between marriage and birth of first child, Scotland, 1950 98
13. Number of previous children by age of mother, Scotland, 1950 99
14. Births by duration of marriage and number of previous children, Scotland, 1950 100
15. Multiple confinements by age of mother, Scotland, 1950 101
16. Deaths of married women who died childless—age-groups, Scotland, 1950 102
17. Deaths of women by duration of marriage, and number who died childless, Scotland, 1950 103

STILL-BIRTHS

PAGE

18. Number and rates of still-births and neo-natal deaths, Scotland, Counties of Cities, Large Burghs and Counties, 1950 104
19. Still-births by age of mother and number of previous children, Scotland, 1950 106
20. Multiple confinements by age of mother, 1950 107
21. Still-births by cause and age of mother, Scotland, 1950 108
22. Still-births by cause and order of birth, Scotland, 1950 111
23. Still-births by cause and month of registration, Scotland, 1950 113
24. Still-births by cause in Public Health Districts of Scotland (Persons), 1950 115
25. Legitimate still-births by cause and social classification, Scotland, 1950 ... 119
26. Deaths of legitimate children under one year from selected causes by social classification, Scotland, 1950 121
27. Still-births by social classification, age of mother and number of previous children, Scotland, 1950 122
28. Live births by social classification, age of mother, and number of previous children, Scotland, 1950 123

DEATHS

29. Children under one year, deaths from selected causes, Scotland, 1950 ... 124
30. Children under one year, deaths from selected causes, by month of registration, Scotland, 1950 125
31. Children under one year, births, deaths and death-rates by age periods, Scotland, Counties of Cities, Large Burghs and Counties, 1950 ... 126
32. Children under one year, deaths by selected age-groups, Scotland, 1950 ... 128
33. Ages at death, Scotland, and aggregates of Counties of Cities, Large Burghs, Counties, ex Large Burghs, Small Burghs and Landward Areas, 1950 129
34. Deaths, male and female, by year of age and conjugal condition, Scotland, 1950 130
35. Deaths and death-rates from selected causes by age-groups, Scotland, 1950 132
36. Deaths and death-rates from selected causes, Scotland and aggregate of Counties of Cities, Large Burghs, Small Burghs and Landward Areas, 1950 135
37. Deaths from selected causes classified under the 5th Revision and in age-groups, Scotland, 1940-1950 137
38. Death-rates from selected causes classified under the 5th Revision and in age-groups, Scotland, 1940-1950 138
39. Deaths from principal epidemic and certain other diseases, Scotland, 1855-1950 139
40. Death-rates from principal epidemic and certain other diseases, Scotland, 1855-1950 140
41. Deaths from poison and under anaesthetics, Scotland, 1950 141
Detailed International List
42. Causes of death by age-groups (males and females), Scotland, 1950 ... 142
Intermediate International List
43. Causes of death by months (Persons), Scotland, 1950 202
44A. Deaths in Scotland by sex and age-groups, 1950 206
44B. Deaths in City over 1,000,000 population (Glasgow) by sex and age-groups, 1950 214
44C. Deaths in aggregate of Cities over 100,000 population (Edinburgh, Aberdeen and Dundee) by sex and age-groups, 1950 222
44D. Deaths in aggregate of Large Burghs in Scotland by sex and age-groups, 1950 230
44E. Deaths in aggregate of Small Burghs in Scotland by sex and age-groups, 1950 238
44F. Deaths in aggregate of Landward areas in Scotland by sex and age-groups, 1950 246
Abbreviated International List
45. Causes of deaths in Public Health Districts of Scotland (Persons), 1950 ... 254
46. Causes of death by age-groups in Public Health Districts of Scotland (males and females) 1950 (including separate particulars for the insular portions of Inverness and Ross and Cromarty Counties) 266
47. Statistical Abstract Population, Births, Still-births, Marriages, Deaths, Causes of Death, Ages at Death, Scotland, Counties, Counties of Cities, Burghs and Landward Areas, 1950 326

DEATHS—*continued*

	PAGE		PAGE
County of Aberdeen	326	County of Lanark	348
Do. Angus	328	Do. Midlothian	350
Do. Argyll	328	Do. Moray	352
Do. Ayr	330	Do. Nairn	352
Do. Banff	332	Do. Orkney	352
Do. Berwick	334	Do. Peebles	354
Do. Bute	336	Do. Perth	354
Do. Caithness	336	Do. Renfrew	356
Do. Clackmannan	336	Do. Ross and Cromarty ...	358
Do. Dunbarton	338	Do. Roxburgh	358
Do. Dumfries	338	Do. Selkirk	360
Do. East Lothian	340	Do. Stirling	360
Do. Fife	342	Do. Sutherland	362
Do. Inverness	346	Do. West Lothian	362
Do. Kincardine	346	Do. Wigtown	364
Do. Kinross	346	Do. Zetland...	364
Do. Kirkcudbright	348		

STANDARDISED RATES

48. Death rates standardised to population of Great Britain: Scotland: England and Wales, 1950 366

MARRIAGES

49. Method of celebration, etc., of marriages, 1855 to 1949 367
50. Ecclesiastical, Civil and Irregular Marriages, Scotland, Counties of Cities, Large Burghs and Counties, 1949 368
51. Marriages according to Church of Celebration, Scotland, Counties of Cities, Large Burghs and Counties, 1949 369
52. Conjugal Condition of Persons marrying, Scotland, Counties of Cities, Large Burghs and Counties, 1949 370
53. Ages of Men at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1949 372
54. Ages of Women at marriage, Scotland, Counties of Cities, Large Burghs and Counties, 1949 374
55. Ages in combination of men and women at marriage, Scotland, 1949 ... 376
56. Ages in combination of bachelors and spinsters at marriage, Scotland, 1949 377
57. Ages in combination of bachelors and widows at marriage, Scotland, 1949 378
58. Ages in combination of widowers and spinsters at marriage, Scotland, 1949 379
59. Ages in combination of widowers and widows at marriage, Scotland, 1949 380
59A. Ages in combination of divorced men and of women (all conjugal conditions) at marriage, Scotland, 1949 381
59B. Ages in combination of men (all conjugal conditions) and of divorced women at marriage, Scotland, 1949 382

See also Tables 7 and 63

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

60. Parliamentary Electors on the March, 1950, Register 383
61. Local Government Electors and analysis of local elections on the March, 1950, Register 386

INHABITED HOUSES

62. Return of Inhabited Houses in Scotland, 1939 and 1946-1950 397

METEOROLOGY

63. Meteorology of Scotland for 1950; also number of births, still-births, deaths, deaths under one year and marriages by months, with rates 403
64. Deaths, temperature and rainfall for each week of 1950—sixteen Large Burghs 404

See also Tables I to IV, pages

METEOROLOGICAL TABLES FOR APPENDIX VI

I. District Values of air temperature, rainfall and sunshine, 1950 405
II. Summary table of mean values of air temperature at the principal towns, Monthly values, 1950, also generalised figures for rain for the United Kingdom 406
III. Number of hours bright sunshine, Monthly values, 1950 407
IV. Rainfall, Monthly values, 1950 408

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1950

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
NEW REGISTER HOUSE,
EDINBURGH, *28th February*, 1953

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1950.

I am, Sir,

Your obedient Servant,

E. A. HOGAN,
Registrar-General

THE SECRETARY,
DEPARTMENT OF HEALTH FOR SCOTLAND

REPORT

SUMMARY

The total number of births in Scotland in the year 1950 was 92,530. The number has decreased each year since the exceptionally high total of 113,147 registered in 1947. In 1948 the number was 100,344; and in 1949, 95,674. The birth-rate per 1,000 of the population in 1950 was 17·88. This compares with rates of 22·02 in 1947, 19·41 in 1948 and 18·49 in 1949.

The birth-rate is approximately the same as that prevailing before the war, which was 17·65 in 1937 and 17·75 in 1938.

The number of marriages in 1950 was 40,483. There has been a steady drop in the number of marriages since 1945 but the 1950 figure is still well above the average for the pre-war years.

Deaths registered during the year numbered 63,996. The death-rate of 12·37 per 1,000 of the population was a little above the rate of 12·27 in 1949 but slightly less than the average. The infant mortality rate of 38·6 per 1,000 live births was the lowest ever recorded in Scotland.

Deaths from heart disease continue to increase and in 1950 constituted almost 32 per cent of the total deaths registered.

The decline in the number of deaths from tuberculosis, which started in 1948, was continued in 1950; and the mortality rate of 54 per 100,000 of the population, which compares with 67 in 1949, is the lowest ever recorded in Scotland.

Maternal deaths numbered 106, and this is the lowest on record.

The still-birth rate has fallen steadily from 42·2 per 1,000 total births in 1939, the first year in which still-births were registered in Scotland, to 26·9 in 1950.

POPULATION

The population of Scotland at 30th June, 1950, is estimated at 5,174,500. This estimate was made before and independently of the results of the census taken in April, 1951. It is made up of all persons in Scotland and of persons temporarily absent from Scotland while serving with the Mercantile Marine.

The population of Scotland on 8th April, 1951, according to the Preliminary Report* on the census, was 5,095,969. The census does not take account of anyone situated outside Scotland at the time it is taken and consequently the census figure is not so wide in its scope as the estimate for mid-1950. The census figure suggests that the estimate of population for mid-1950 was not very far out. It is on this estimate, and not on any figures ascertained through the census, that comparisons and rates quoted in this Report were made and calculated.

Table A (1) indicates how the estimated population of 5,174,500 at mid-1950 was distributed among the counties of cities, the large burghs, the small burghs and the landward areas. It also shows the corresponding distribution of population at the time of the censuses of 1921 and 1931.

* Preliminary Report on the Fifteenth Census of Scotland published by H.M. Stationery Office, price 3s.

EXPLANATORY NOTES

(1) *Unless otherwise stated the population is taken as the civil population (including members of the Mercantile Marine at home and abroad) plus members of the armed forces stationed in the country. Birth, death and marriage rates are calculated accordingly.*

(2) *Unless otherwise stated, any averages given in this Report are the averages of the annual rates for the five years 1945 to 1949.*

(3) *"Year" means "calendar year" except where otherwise stated.*

There was a natural increase of 31,499 in the population in the year ended 30th June, 1950. This was materially reduced by a balance of outward over inward migration estimated at 19,572 of which, according to the estimates, 10,377 was overseas and 9,195 to other parts of the United Kingdom.

BIRTHS

Numbers.—The number of living children whose births were registered in Scotland during the year 1950 was 92,530 (47,822 males and 44,708 females). This is 3,144 less than in 1949 and is the lowest number of births in the post-war years. It is greater, however, than in any pre-war year since 1930.

Still-births are dealt with in Appendix II (Tables 18-25 and 27).

Rates.—The birth-rate for the year was 17·88 per 1,000 population—0·6 below the rate for 1949 and 1·54 below the average. In the counties of cities it was 17·5, in the large burghs 18·4, in the small burghs 17·7 and in the landward districts 18·1. The Scottish birth-rate reached its peak of 35·62 in 1876. Prior to the war of 1914-18 it had never been less than 25, but it fell continuously during the war from 26·11 in 1914 to 20·26 in 1917. Thereafter it rose until in the post-war period it reached 28·07 in 1920. From 1920 the rate fell steadily to 17·62 in 1933. The next six years showed comparatively little change and in 1939 it was 17·36. During the war years there was a steady rise, from 17·12 in 1940 to 18·49 in 1944, probably associated with the increase in the number of marriages prior to and in the early years of the war. In 1945 the rate dropped suddenly to 16·86, the lowest Scottish birth-rate ever recorded,

---

TABLE A (1).—Population of Scotland in 1950

Group of Districts	Estimated Population at 30th June, 1950	Census 1931 (Resident)			Census 1921 (Enumerated)		
	Persons	Persons	Males	Females	Persons	Males	Females
Counties of Cities ...	1,944,500	1,892,302	889,235	1,003,067	1,807,785	856,994	950,791
Large Burghs	847,600	775,588	377,222	398,366	777,402	382,998	394,404
Small Burghs	825,300	737,132	342,344	394,788	782,656	359,725	422,931
Landward	1,557,100	1,437,958	716,722	721,236	1,514,654	747,925	766,729
Scotland	5,174,500	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855
Males	2,503,100						
Females	2,671,300						

TABLE A (2).—Migration, 1950

	From Scotland to other parts of the United Kingdom	To Scotland from other parts of the United Kingdom	Net Movement	From Scotland to places abroad	To Scotland from abroad	Net Movement	Total Net Movement
1st Quarter	17,426	15,878	−1,548	9,905	5,632	−4,273	−5,821
2nd Quarter	19,285	18,697	−588	6,499	9,098	+2,599	+2,011
3rd Quarter	22,292	16,518	−5,774	13,618	11,227	−2,391	−8,165
4th Quarter	21,591	17,992	−3,599	13,743	7,468	−6,275	−9,874
	80,594	69,085	−11,509	43,765	33,425	−10,340	−21,849

but this was temporary for the rate increased to 20·33 in 1946 and 22·02 in 1947. It dropped to 19·41 in 1948, 18·49 in 1949 and again in 1950 to 17·88 but this rate is still above the average prevailing before the last war.

Birth-rates for each county of city, large burgh and county will be found in Table 4. In the counties of cities and large burghs the birth-rate ranged from 25·1 in Port Glasgow, 22·4 in Clydebank and 22·1 in Coatbridge to 15·5 in Dunfermline, 15·4 in Falkirk and 15·3 in Ayr. In the counties this rate ranged from 21·1 in West Lothian, 19·9 in Wigtown and 19·5 in Clackmannan to 14·9 in Roxburgh, 13·8 in Bute and 12·4 in Peebles.

Ratio of Male to Female Births.—There were 1,070 males to every thousand females among the children born alive in 1950. This differs little from the figures for immediately previous years, e.g., 1,058 in 1949, 1,070 in 1948, 1,052 in 1947, 1,065 in 1946, 1,062 in 1945 and 1,067 in 1944.

Monthly Birth-rates.—As will be seen from Table 63 the average monthly birth-rate was higher in the first than in the second half of the year.

Fertility Rates.—Table 8 contains the birth-rate for Scotland and for each county and large burgh calculated, not on the total population, but on the number of women of child-bearing age and the number of married women of child-bearing age, thus providing a truer index of fertility than does the ordinary birth-rate quoted in Table 2. Table B (2) summarises these rates for Scotland for triennial periods around the census years from 1860-62 to 1940-42. The rates in both Tables are, however, dependent on estimates of the age and conjugal distribution of the female population, and do not have the authority of rates based on actual enumerations in census years.

The rates in Table B (2) show that fertility was diminishing up to the period 1940-42 and that the decline was more pronounced for legitimate births per

TABLE B (1).—Birth-rate in Scotland and its Groups of Public Health Districts in 1950

Groups of Districts	Live Births					Birth-rate per 1,000 of Estimated Population			Illegitimate Births per 100 Live Births
	Total	Legitimate		Illegitimate		Total	Legitimate	Illegitimate	
		Males	Females	Males	Females				
Counties of Cities ...	34,102	16,682	15,534	1,013	873	17·54	16·57	0·97	5·53
Large Burghs	15,609	7,702	7,211	350	346	18·42	17·59	0·82	4·46
Small Burghs	14,626	7,211	6,684	375	356	17.72	16.84	0·89	5·00
Landward ...	28,193	13,694	12,975	795	729	18.11	17·13	0·98	5·41
Scotland ...	92,530	45,289	42,404	2,533	2,304	17·88	16·95	0·93	5·23

	Still-births			Rate per 1,000 Births (including Still-births)		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
Counties of Cities ...	960	875	85	27·4	26·4	43·1
Large Burghs	484	456	28	30·1	29·7	38·7
Small Burghs	351	336	15	23·4	23·6	20·1
Landward ...	762	716	46	26·3	26·1	29·3
Scotland ...	2,557	2,383	174	26·9	26·5	34·7

1,000 married women than for all births per 1,000 women, married and unmarried. As will be seen from column 3 of the following summary, however, there was a steady improvement in the general fertility rate from 1940 to 1947, interrupted only temporarily in 1945. There was, however, a decrease in the rate for 1948 and 1949, and 1950 shows a further decrease. The general trend of the rate per 1,000 married women is fairly similar although in several instances it shows a decline in a year when the general fertility rate increased. The illegitimate birth-rate per 1,000 unmarried women rose steadily from 1940 to 1945 but has fallen since the termination of the war.

	Crude Birth-rate per 1,000 Population	Births per 1,000 Women aged 15-44	Legitimate births per 1,000 Married Women aged under 45	Illegitimate births per 1,000 Unmarried Women aged 15-44
1931	19·0	79·8	168·3	10·3
1932	18·6	78·4	164·3	9·9
1933	17·6	74·5	154·7	9·2
1934	18·0	76·5	156·8	9·4
1935	17·8	74·9	152·4	9·0
1936	17·9	75·1	151·4	9·1
1937	17·6	73·7	147·2	8·6
1938	17·7	74·0	146·1	8·7
1939	17·4	72·1	141·1	8·3
1940	17·1	71·4	137·0	8·3
1941	17·5	73·5	138·1	9·6
1942	17·6	74·2	135·9	10·7
1943	18·4	78·7	140·6	12·3
1944	18·5	79·9	141·5	13·1
1945	16·9	73·1	126·1	13·3
1946	20·3	89·5	158·0	12·6
1947	22·0	99·1	171·5	12·2
1948	19·4	88·7	150·2	11·5
1949	18·5	85·4	144·0	10·6
1950	17·9	83·4	139·8	10·0

With the exception of the rate per 1,000 married women, all the 1950 rates are higher than those for the years immediately prior to 1939. For example, the rate per 1,000 women for 1950 is 13 per cent above that for 1938 and the rate per 1,000 unmarried women 15 per cent above. The crude rate increased by only 1 per cent in the same period.

TABLE B (2).—Birth-rate in Scotland, per 1,000 Women aged 15-44, 1861-1941

Year	Births per 1,000 Women aged 15-44			Legitimate Births per 1,000 Married Women aged under 45		
	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62	Rate	Percentage of Rate for Preceding Period	Percentage of Rate for 1860-62
1860-62 ...	144·6	—	100	316·0	—	100
1870-72 ...	149·4	103·3	103·3	319·4	101·1	101·1
1880-82 ...	145·8	97·6	100·8	311·5	97·5	98·6
1890-92 ...	132·5	90·9	91·6	296·4	95·2	93·8
1900-02 ...	121·9	92·0	84·3	271·8	91·7	86·0
1910-12 ...	107·3	88·0	74·2	233·2	85·8	73·8
1920-22 ...	105·1	97·9	72·7	226·7	97·2	71·7
1930-32 ...	80·1	76·2	55·4	169·0	74·5	53·5
1940-42 ...	73·0	91·1	50·5	136·9	81·0	43·3

In the counties of cities and large burghs the number of births per 1,000 married women aged 16-44 ranged from 196·2 in Port Glasgow, 167·4 in Coatbridge and 164·0 in Dumbarton to 116·3 in Ayr, 109·5 in Falkirk and 107·0 in Dunfermline. In the counties the range was from 195·7 in Ross and Cromarty, 187·7 in Sutherland and 185·8 in Inverness to 127·0 in Roxburgh, 122·2 in Berwick and 108·4 in Peebles. In the counties of cities the rate was 130·5 and in the large burghs 137·7 compared with 141·7 in the small burghs and 153·4 in the landward areas. As usual the rates were highest in the industrial towns of the west and in the Northern Counties (Table 8).

Multiple Births.—The total number of women giving birth to living children in 1950 was 91,287, of whom 90,058 or 98·65 per cent gave birth to single children, 1,215 or 1·33 per cent to twin children and 14 or 0·02 per cent to triplets. These births refer only to children born alive and single births here include multiple births in which only one child was live born. Appendix II which analyses the still-births registered in Scotland in 1950 provides further particulars regarding multiple births, live and still, from which the total frequency of plural births can be estimated.

The percentage of mothers who gave birth to two or more children was 1·35 and compares with 1·33 in 1949. From 1855 until about 1895 this percentage tended to decrease. It was 1·08 in 1895 but in the following 20 or 25 years it increased, attaining a quinquennial maximum of 1·39 in 1916-20. Since then the trend has been downward, reaching a rate of 1·17 for 1942, the lowest since 1899. The mean of the rates for the quinquennium 1946-50, 1·29, is a little higher than the means (1·22 and 1·24) for the two preceding quinquennia 1936-40 and 1941-45. The 1950 rate is the highest since 1930.

Illegitimate Births.—These numbered 4,837 and constituted 5·23 per cent of the total living births, compared with 5,223 and 5·46 per cent in 1949. The percentage of illegitimate births is the lowest rate ever recorded.

In the counties of cities this rate was 5·5 and in the large burghs 4·5 compared with 5·7 and 4·4 in 1949. It was 5·0 in the small burghs and 5·4 in the landward districts. Relating these births to the estimated number of unmarried women and widows aged 15-44, the rate for Scotland was 10·0 per thousand, that for the counties of cities being 9·6, for the large burghs 9·1, for the small burghs 9·3 and for the landward areas 11·6. The corresponding Scottish rate for 1949 was 10·6 (Tables 1-4 and 8).

TABLE C.—Birth-rate per 1,000 Women aged 15-44, 1950

Groups of Districts	Estimated Number of Women aged 15-44	Births	Birth-rate per 1,000 of Population		Birth-rate per 1,000 Women aged 15-44	
		Number	Rate	Relative Quantity, Scotland being=100	Rate	Relative Quantity, Scotland being=100
Counties of Cities ...	443,100	34,102	17·54	98·1	77·0	92·3
Large Burghs	184,600	15,609	18·42	103·0	84·5	101·3
Small Burghs	176,400	14,626	17·72	99.1	82·9	99·4
Landward ...	305,200	28,193	18·11	101·3	92·4	110·8
Scotland ...	1,109,300	92,530	17·88	100·0	83·4	100·0

International Rates.—The following table shows birth-rates in certain other countries:—

BIRTH-RATES PER 1,000 POPULATION, 1950

Ceylon	40·3	Netherlands	22·7
Israel	32·9†	Northern Ireland ...	21·1
Chile	32·4	Eire	21·0
Northern Rhodesia ...	29·4*	France	20·7§
Japan	28·5	Spain	19·9
Southern Rhodesia ...	27·4*	Norway	19·3
Canada	26·5	Italy	19·2
India	25·9	Denmark	18·6
Union of South Africa ...	25·7*	Switzerland	18·2
New Zealand	24·6‡	**Scotland**	**17·9**
Finland	24·0	Belgium	16·5
Portugal	23·8	Sweden	16·3
United States of America	23·4	England and Wales ...	15·8
Australia	23.3	Austria	15·1

* European population only. † Jewish population only.
‡ Excluding Maoris.
§ Excluding infants born alive but dying before registration of birth.

MARRIAGES

There were 40,483 marriages in Scotland in 1950. This was 1,225 fewer than in the previous year and equalled a rate of 7·82 marriages per 1,000 of the population.

The Scottish marriage-rate fluctuated between 6 and 7 per 1,000 population until 1914 when it was 7·38. It moved within narrow limits during the 1914-18 war, but rose suddenly to 9·14 in 1919 and to 9·61 in 1920, thereafter declining sharply to its former average of 6 or 7 per 1,000 which held good during the years between the wars. It was 7·75 in 1938, rose to 9·23 in 1939 and continued high until 1942 (9·21) after which it fell abruptly to 7·40 in 1943 and 7·13 in 1944. It recovered in 1945 to the high figure of 9·43, dropping gradually to 8·92 in 1946, 8·63 in 1947, 8·46 in 1948, 8·06 in 1949 and 7·82 in 1950.

During 1950 the marriage rate was highest in the months of March (12·2), July (10·6), June (9·3) and September (8·8) and lowest in May (3·2). (Table 63).

The marriage-rate was 9·1 per thousand in the counties of cities, 9·1 in the large burghs, 8·8 in the small burghs and 5·1 in the landward districts. Marriages, however, are not corrected in any way by transfer to place of usual residence and for this reason these rates may not in fact show the real difference between the relative frequency of marriage in the respective areas, and the higher rate in the large burghs may be due, to some extent, to a tendency on the part of persons living in the counties to resort to the larger centres for the purpose of celebrating the marriage. (Table 4).

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1950

Groups of Districts	Marriages	Marriage-rate per 1,000 of Population	
	Number	Rate	Relative Quantity, Scotland being = 100
Counties of Cities ...	17,645	9·07	116·0
Large Burghs... ...	7,710	9·10	116·4
Small Burghs... ...	7,189	8·76	112·0
Landward	7,939	5·07	64·8
Scotland ...	40,483	7·82	100·0

Civil Marriages.—The following table shows the number of ecclesiastical and civil marriages registered in large burghs, small burghs and landward areas in 1950:—

	Scotland	Counties of Cities	Large Burghs	Small Burghs	Landward
All Marriages	40,483	17,645	7,710	7,228	7,900
Solemnised by a minister of religion:—					
Preceded by Banns or Publication of Notice	33,084	13,074	6,228	6,197	7,585
Authorised by Sheriff's Licence	137	69	25	19	24
Irregular Marriages:—					
Decree of Declarator (Court of Session) ...	8	3	1	—	4
Civil Marriages:—					
Preceded by Publication of Notice ...	6,816	4,190	1,377	965	284
Authorised by Sheriff's Licence	438	309	79	47	3

Civil marriages constituted 17·9 per cent of all marriages registered in Scotland, this percentage being 25·5 for the counties of cities, 18·9 for the large burghs, 14·0 for the small burghs and 3·6 for landward areas. In 1949 civil marriages constituted 17·2 per cent of all marriages (24·9 per cent for the counties of cities, 17·8 for the large burghs, 13·4 for the small burghs and 3·5 for landward areas).

International Rates.—The following table shows marriage-rates in other countries so far as these are available:—

MARRIAGE-RATES PER 1,000 POPULATION, 1950

Israel	14·0*	France	8·0
United States of America	11·2	Switzerland	8·0
Australia	9·2	Chile	7·9
New Zealand	9·2†	**Scotland**	**7·8**
Austria	9·1	Portugal	7·6
Denmark	9·1	Sweden	7·6
Canada	9·0	Italy	7·5
Norway	8·3	Spain	7·4
Belgium	8·2	Ceylon	6·8
England and Wales ...	8·2	Northern Ireland ...	6·6
Netherlands	8·2	Eire	5·4

* Jewish population only. † Maoris excluded

Divorce.—By decrees pronounced in Scotland during the year 1950, 2,204 marriages were dissolved, 2,186 by divorce, 10 by decrees of nullity and 8 by dissolution of marriage (presumption of death). Compared with 1949 this is a decrease of 233 divorces, a decrease of 1 dissolution and a decrease of 9 nullities. As will be seen from Table E, the number of divorces showed a steady increase since 1855. In the years 1855-64 the average annual number was only 17 but the numbers rose, particularly during and following the war of 1914-18, until in 1935-44 they (including decrees of nullity) averaged 906 per annum. Marked increases occurred in 1938, the year in which the Divorce (Scotland) Act was passed, and in every year since, except 1940 and 1941, until they reached a peak of 2,934 in 1946. They then dropped to 2,533 in 1947 and 2,057 in 1948, increased in 1949 to 2,447 and decreased again in 1950 to 2,204.

DEATHS

The total number of deaths registered during the year was 63,996—an increase of 508 compared with 1949. The death-rate for the year is 12·4 per 1,000 population. It is 0·1 above the rate for 1949.

STANDARDISED DEATH-RATES

The following table shows for each year since 1931 the crude death-rate for Scotland as a whole and also a standardised death-rate based on the standard population devised for the purpose by the International Statistical Institute.

This standard was arrived at by reference to the distribution by age and sex of the combined populations of a number of European countries as ascertained at Censuses nearest in point of time to the year 1900. The object of presenting a standardised death-rate is to eliminate the main factors vitiating comparison of death-rates between one country and another or the same country at different times.

While the movement of the crude death-rate has been irregular since 1931, the trend of the standardised rate, in spite of year-to-year fluctuations, has been definitely downwards. It was 12·45 in 1931, 11·13 in 1938, 9·63 in 1945, 8·57 in 1948 and 8·52 in 1950. The disparity between the crude and the standardised rates because of the ageing of the population was increasing up to 1939, and the gap between the rates widened still more rapidly during the war. In 1946, 1947 and 1948, however, the difference between crude and standardised rates was less than in 1945, but still not as small as in the years preceding the war. The disparity in the two rates for 1949 was the same as in 1945, but for 1950 the gap again widens.

When the death-rates are standardised separately for each sex it is found that between 1931 and 1937 both male and female rates moved irregularly but within narrow limits. Except for a temporary rise in 1940 and 1941 the male rate fell steadily between 1939 and 1948 but the rate for 1949 showed a slight increase of 0·11. The rate in 1950 declined and is the lowest so far recorded. The female rate showed the same temporary increase in 1940 and 1941, the subsequent trend being generally downwards, and, as for males, the value for 1950 is the lowest observed.

TABLE E.—Number of Divorces, etc., in Scotland, 1855-1950

Ten Year	Average Number of Decrees of Divorce and Nullity of Marriage	Year	Annual Number of Decrees of		
			Divorce	Nullity of Marriage	Dissolution of Marriage (Presumption of Death)
		1934	465	3	
1855–64	17	1935	494	4	
1865–74	14	1936	633	9	
1875–84	60	1937	642	7	
1885–94	100	1938	783	5	1
1895–1904	159	1939	882	2	6
1905–14	222	1940	772	8	2
1915–24	458	1941	757	5	2
1925–34	488	1942	1010	7	3
1935–44	906	1943	1300	12	5
		1944	1721	10	8
		1945	2208	15	4
		1946	2902	22	10
		1947	2495	18	20
		1948	2028	19	10
		1949	2419	19	9
		1950	2186	10	8

Death-rates for Scotland per 1,000 Population

	PERSONS		MALES		FEMALES	
	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate	Crude Rate	Standardised Rate
1931	13·26	12·45	13·86	13·74	12·71	11·28
1932	13·53	12·65	13·94	13·76	13·14	11·64
1933	13·20	12·22	13·79	13·50	12·66	11·04
1934	12·92	11·98	13·51	13·23	12·37	10·84
1935	13·19	11·99	13·76	13·30	12·66	10·80
1936	13·44	12·14	14·16	13·57	12·77	10·83
1937	13·85	12·33	14·59	13·82	13·17	10·98
1938	12·61	11·13	13·22	12·39	12·04	10·00
1939	12·87	11·10	13·68	12·62	12·11	9·73
1940*	14·86	12·46	16·59	14·32	13·40	10·78
1941*	14·74	12·30	16·75	14·02	13·11	10·71
1942*	13·34	10·70	15·24	12·26	11·81	9·27
1943*	13·98	10·71	15·93	12·21	12·43	9·34
1944*	13·57	10·22	15·65	11·74	11·95	8·82
1945*	13·20	9·63	15·11	11·07	11·70	8·32
1946*	13·07	9·82	14·14	11·15	12·15	8·61
1947	12·88	9·53	13·62	10·83	12·20	8·36
1948	11·80	8·57	12·33	9·70	11·30	7·56
1949	12·27	8·70	12·71	9·81	11·86	7·70
1950	12·37	8·52	12·86	9·68	11·91	7·47

* Civilian death-rates.

The male rates—both crude and standardised—are invariably higher than the female. The male excess in the standardised rate, which was 33 per cent in 1944 and 1945, has fallen to 30 per cent. in 1950.

Local Death-rates (standardised)

For local death-rates the standardising factors are not derived from the international standard but from the age and sex distribution of the population of Scotland as ascertained at the 1931 census. The effect of this standardisation is to adjust the local death-rate to allow for difference between the local age and sex distribution in 1931 and that of Scotland as a whole in the same year. The crude rates do not vary greatly between urban and rural areas, being 12·8 per 1,000 in the counties of cities, 11·9 in the large burghs, 13·3 in the small burghs and 11·6 in the landward areas; but when standardised for differences of age and sex constitution there is appreciable excess urban mortality, the rates for these aggregates being respectively 13·7, 12·7, 12·2 and 10·8.

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1950

Groups of Districts	Deaths		Death-rate per 1,000 of Population	
	Registered Number	Corrected for Transfers	Corrected for Transfers	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931
Counties of Cities	27,363	24,926	12·82	13·67
Large Burghs	10,318	10,084	11·90	12·71
Small Burghs	9,156	10,979	13·30	12·15
Landward	17,159	18,007	11·56	10·84
Scotland	63,996	63,996	12·37	—

In the counties of cities and large burghs the standardised rate ranged from 14·5 in Glasgow and Rutherglen, and 13·7 in Kilmarnock, Kirkcaldy and Motherwell and Wishaw to 11·2 in Perth, 11·1 in Inverness and 10·9 in Dunfermline. In the counties it ranged from 13·2 in Selkirk, 13·1 in Renfrew and 12·8 in Lanark to 9·5 in Orkney, 9·2 in Sutherland and 9·0 in Moray. (Table 4).

Monthly Death-rates

The highest death-rates of the year occurred in January, February and December and the lowest in July, August and September. They ranged from 16·5 in February to 9·9 in August. (Table 63).

International Death-rates

The following table gives the crude death-rates for a certain number of countries, so far as available, but it should be pointed out that some of these countries have a population younger on the average than that in Scotland and that their death-rates would be higher if standardised for age and sex.

Death-rates per 1,000 Population, 1950

India	16·7	Switzerland	10·1
Chile	15·7	Sweden	10·0
France	12·6*	Italy	9·8
Ceylon	12·6	Australia	9·6
Eire	12·6	United States of America	9·6
Belgium	12·4	New Zealand	9·3†
Scotland	**12·4**	Denmark	9·2
Austria	12·3	Union of South Africa	9·1
Portugal	12·1	Canada	9·0
England and Wales	11·6	Norway	8·9
Northern Ireland	11·5	Netherlands	7·5
Japan	11·0	Southern Rhodesia	6·9‡
Spain	10·8	Israel	6·5§
Finland	10·2	Northern Rhodesia	5·2‡

* Excluding infants born alive but dying before registration of birth.
† Excluding Maoris. ‡ White population only.
§ Jewish population only.

Age and Sex.—The death-rates by age-groups show a rapid decline from the high rates in infancy to a minimum in age-group 10-14. After that there is an increase in the rate, gradual at first but becoming more pronounced at higher ages.

Table 35 shows the death-rates for each sex in the various age-groups, and it will be observed that the male death-rate exceeds the female in each age-group except at 15-24 and 25-34 years.

Table G (1) shows the population estimates on which these rates have been calculated. In Table G (2) there are shown death-rates by age and sex for the years 1936 to 1950 and for groups of years back to 1911-15. (Tables 35, 37 and 38).

Infant Mortality.—Deaths of children aged under one year numbered 3,569. When related to the 92,530 live births in 1950 this gives an infant mortality rate for 1950 of 38·6 per 1,000 live births. This is the lowest infant mortality rate ever recorded in Scotland. Up to the year 1915 it had never been below 100. In 1916 it was 97·1 and it fluctuated rather irregularly until 1922 when for the last time it exceeded 100. Thereafter it dropped to 79 in 1923 but did not again touch so low a figure until 1934 when it was 78, but by 1939 it had fallen to 68·5. During the early war years the rates were fluctuating but thereafter fell to 65 in 1943 and 1944, 45 in 1948 and to its record low level of 38·6 in 1950. Among male children the rate was 43·0 and among female children 33·8, the male rate being 3·2, the female 2·5 below that for 1949.

The monthly infant mortality rate was highest in January, February and December and lowest in June, July and August. In 1949 the highest rates were also recorded in January, February and December and the lowest in June, July and August. (Tables 1, 2 and 63).

The rate is 40 in the counties of cities, 41 in the large burghs and 37 for both the small burghs and landward areas. In 1949 these rates were respectively 43, 46, 36 and 40. The landward areas, however, are by no means uniformly rural in character. In the Central Industrial Belt of Scotland* there are considerable areas which are distinctly urban although not within the boundaries of a burgh. The Census of 1931 showed that no less than 58·6 per cent of the landward population in the Central Industrial Belt was enumerated in towns or villages which, though not burghs, had a population of 1,000 or more. The corresponding percentage in the rest of the country was no higher than 3·7.

* The Central Industrial Belt comprises:—
East Central Division: Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian, East Lothian and the City of Dundee.
West Central Division: Counties of Lanark, Dunbarton, Renfrew and Ayr.
The Counties lying to the north and west of the Central Industrial Belt are referred to as the Northern Division; those lying to the south and east of it as the Southern Division.

TABLE G (1).—Estimated Population of Scotland, by Age and Sex, 1950

Age	Both Sexes	Males	Females	Age	Both Sexes	Males	Females
0	91,400	47,100	44,300	45—54	659,000	305,000	354,000
1—4	388,700	198,100	190,600	55—64	500,200	220,800	279,300
5—9	408,200	206,200	202,000	65—74	340,900	150,400	190,500
10—14	400,000	202,500	197,500	75—84	154,200	65,600	88,600
15—24	756,300	367,300	389,000	85 & over	22,700	7,500	15,100
25—34	708,000	368,700	339,300				
35—44	744,800	363,900	381,000	All ages	5,174,500	2,503,100	2,671,300

TABLE G (2).—Age-group Death-rates per 1,000 of Population from 1911 to 1950

Years	Males												Females											
	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	...	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	...
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	...	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	...
1921–25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	252·6
1926–30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	271·4
1931–35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·8	117·4	260·6
1936–40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	282·3
1941–45	82·1	4·6	1·9	1·4	3·3	4·2	6·1	11·7	24·4	54·1	129·1	290·3	62·0	4·2	1·5	1·2	3·0	3·3	4·0	7·5	16·5	41·0	101·1	261·4
1946–50	56·0	2·6	1·1	0·9	1·8	2·4	3·4	10·6	24·5	54·2	117·8	258·5	42·6	2·1	0·8	0·7	1·5	3·0	3·3	6·5	15·3	41·2	98·0	237·9
1936	98·6	7·9	2·4	1·5	2·8	3·5	6·1	12·6	24·6	61·2	145·4	318·6	75·6	7·3	1·9	1·2	2·6	3·2	4·9	9·2	18·9	47·8	117·4	263·5
1937	96·2	7·2	2·2	1·5	2·8	3·8	6·3	12·8	25·8	63·0	150·3	351·2	73·5	6·6	1·9	1·2	2·7	3·4	4·9	9·1	19·5	50·0	121·2	288·6
1938	81·6	7·0	1·9	1·4	2·5	3·2	5·6	11·6	23·8	57·0	137·7	319·9	65·7	6·2	1·9	1·3	2·5	3·0	4·4	8·3	18·2	45·2	108·6	261·0
1939	82·1	4·8	1·9	1·4	2·5	3·2	5·6	12·0	25·2	59·5	146·1	356·2	61·5	4·1	1·7	1·1	2·3	3·0	4·3	8·5	17·8	45·6	114·9	281·2
1940‡	95·0	7·0	2·4	1·5	3·3	4·1	6·6	13·2	27·8	63·6	156·1	408·7	68·3	6·4	2·1	1·3	2·7	3·3	4·6	8·5	19·7	48·6	122·3	317·3
1941‡	100·5	6·5	2·5	1·7	3·7	4·9	6·8	13·3	26·6	58·4	146·3	299·0	75·8	6·6	2·0	1·6	3·2	3·5	4·6	8·5	18·0	45·3	113·4	274·5
1942‡	85·4	4·6	1·7	1·4	3·3	4·0	5·8	11·9	23·9	54·0	132·4	278·3	65·2	4·1	1·4	1·2	3·0	3·3	4·0	7·2	16·5	40·3	100·7	246·7
1943‡	79·1	4·4	1·9	1·4	3·5	4·4	6·3	11·6	23·9	53·8	131·0	300·7	60·9	3·9	1·6	1·2	3·2	3·3	4·1	7·5	17·0	40·9	100·0	272·9
1944‡	80·5	4·0	1·8	1·4	3·2	3·8	5·8	11·0	24·1	52·5	121·3	289·3	60·8	3·2	1·4	1·1	2·9	3·1	3·7	7·1	15·7	38·9	97·3	256·3
1945‡	65·0	3·5	1·5	1·2	2·9	4·1	5·6	10·8	23·7	51·6	118·2	284·9	47·2	3·0	1·1	1·0	2·6	3·1	3·5	7·0	15·4	39·8	95·8	257·3
1946‡	73·2	3·5	1·4	1·1	2·3	2·6	4·8	11·4	24·4	54·4	121·2	279·3	56·5	2·8	1·1	0·9	2·4	3·3	3·4	6·8	15·8	40·7	98·1	271·0
1947	64·3	3·1	1·3	0·9	2·0	2·6	4·5	11·1	24·5	54·2	124·4	305·1	48·8	2·7	1·0	1·0	2·5	3·2	3·4	6·5	15·6	41·1	97·5	267·1
1948	51·8	2·5	1·1	1·0	1·8	2·5	4·3	10·1	23·5	50·8	108·9	242·4	37·2	1·9	0·8	0·8	2·3	3·0	3·3	6·4	14·8	39·5	91·1	217·5
1949	46·8	2·1	1·1	0·7	1·6	2·3	4·2	10·3	24·6	55·1	115·6	242·4	36·5	1·8	0·7	0·6	2·1	2·9	3·2	6·4	15·1	42·5	99·6	224·5
1950	43·7	2·0	0·8	0·6	1·5	2·0	3·7	10·3	25·3	56·4	119·4	239·4	34·1	1·6	0·6	0·4	1·6	2·5	3·2	6·3	15·4	42·4	103·6	221·2

‡ 1940-1946—Civilians only.

The infant mortality for 1950 in landward areas was 40 per 1,000 in the Central Industrial Belt as compared with 39 per 1,000 in the rest of Scotland.

The following table shows the infant mortality rates for the years 1949 and 1950 for the large burghs (including counties of cities) and small burghs in Scotland and also for the landward areas of the four main geographical divisions*.

The rate for the large burghs is largely influenced by the rate in Glasgow in which 41 per cent of the births in the large burghs occurred. The rates for Glasgow are therefore shown separately in the table.

	1949	1950		1949	1950
Scotland	**41**	**39**	Landward	40	37
Large burghs	44	40	Northern...	33	32
Glasgow	49	44	East Central*	41	40
Other large burghs ...	41	37	West Central*	43	40
Small burghs	36	37	Southern	42	33

This analysis shows a decrease in Scottish infant mortality during 1950 in every aggregate except small burghs where an insignificant increase has occurred. The main factor in the decrease was a fall in the rates for the large burghs and particularly in the rate for Glasgow. The rate in the large burghs was 62 per 1,000 live births in 1945, 59 in 1946, 64 in 1947 and 48 in 1948. In Glasgow the rates were 68 in 1945, 67 in 1946, 77 in 1947 and 56 in 1948. The groups are arranged in descending order in the following table:—

	1949	1950		1949	1950
Glasgow	49	44	Small burghs	36	37
Landward (Central) ...	42	40	Landward (Northern and Southern)	35	32
Other large burghs ...	41	37			

In individual large burghs the rate ranged from 57 in Coatbridge, 53 in Port Glasgow and 50 in Airdrie and in Dundee to 29 in Aberdeen and in Edinburgh, 24 in Perth and 23 in Rutherglen. In the counties it ranged from 55 in Kinross and Sutherland, 46 in Wigtown and 43 in Berwick to 26 in Perth, 25 in East Lothian and 21 in Peebles.

International Rates.—The following table shows Infant Mortality rates in other countries so far as these are available:—

INFANT MORTALITY PER 1,000 BIRTHS, 1950

Chile	153	Northern Ireland	39
Portugal	94	**Scotland**	**39**
Spain	69	Union of South Africa ...	36‡
Austria	64	Southern Rhodesia	35‡
Italy	63	Denmark	31
Japan	60	Switzerland	31
Belgium	59	England and Wales	30
France	47†	United States of America ...	29
Israel	46§	Northern Rhodesia	26‡
Eire	45	Netherlands	25
Finland	44	Australia	24
Canada	41	New Zealand	23¶
		Sweden	20

† Excluding infants born alive but dying before registration of birth
‡ White population only § Jewish population only ¶ Maoris excepted

Mortality among Legitimate and Illegitimate Children.—Among legitimate children the infant mortality rate was 38 per thousand live births, being 39 in counties of cities, 40 in the large burghs and 36 in the counties. In 1949 the rates were 40 for Scotland, 41 in the counties of cities, 44 in the large burghs and 37 in the counties. Among illegitimate children the rate was 54, being 55 in counties of cities, 50 in the large burghs and 54 in the counties. In 1949 the rates were 71 for Scotland, 78 in the counties of cities, 88 in the large burghs and 60 in the counties.

* See note * p. 17

Infant Mortality.—Age at Death.—Table 31 classifies the number of deaths and the death-rates per 1,000 births by age in days, weeks and months during the first year of life. It shows that more infants died in the first day of life than in the remaining six days of the first week, and 49 per cent of the children who died before reaching one year of age did not survive the first week. When ages are stated in months it is found that the rate falls suddenly from 23·0 per 1,000 births at ages under a month to 5·9 at 1–2 months and to 1·7 at 9–11 months.

Infant death-rates at ages under 1 month are highest in the large burghs. The rates for the counties of cities and counties show little difference. At ages over 1 month the rates for the counties of cities and large burghs are in excess of the county rate.

In Tables 29 and 30 infant deaths are classified according to selected causes of death and according to month of registration. (See also page 34).

Neo-Natal Mortality.—Deaths at ages under one month are shown in Tables 29 and 31. The following table shows the variations in the Infant Mortality rate since 1911 and how much of the rate has been attributable to neo-natal mortality. In the quinquennium 1911-15 the rate at ages 1–11 months was very much higher than the neo-natal rate, but that position was gradually reversed because, while the former rate was decreasing very rapidly between 1911 and 1941, the neo-natal rate improved only slowly. The rates tended towards equality in the years 1942 to 1945 but with that for 1 to 11 months slightly lower. Since 1948 the difference between the two rates has widened and in 1950 the rate for 1 to 11 months (15·6) was appreciably below the neo-natal rate (23·0).

NEO-NATAL MORTALITY PER 1,000 BIRTHS

	Deaths under 1 year			Deaths under 1 month		
	Total	Legitimate	Illegitimate	Total	Legitimate	Illegitimate
1911–15	112·8	—	—	43·0	—	—
1916–20	99·0	—	—	40·5	—	—
1921–25	91·8	—	—	38·2	—	—
1926–30	85·4	—	—	36·5	—	—
1931–35	80·8	—	—	36·8	—	—
1936–40	75·8	73·3	113·3	36·9	35·8	54·5
1941–45	67·7	64·4	108·6	33·8	32·3	53·0
1942	69·3	65·8	115·1	35·1	33·4	56·5
1943	65·2	61·7	108·0	32·9	31·2	53·4
1944	65·0	61·4	107·9	32·8	31·2	51·5
1945	56·2	53·2	88·3	28·5	27·0	44·8
1946	53·8	51·3	89·5	29·9	29·1	41·3
1947	55·8	53·6	91·7	28·5	27·5	45·8
1948	44·7	43·1	70·6	25·1	24·4	37·6
1949	41·4	39·7	70·8	23·2	22·2	40·8
1950	38·6	37·7	53·5	23·0	22·5	32·0

Since 1936 infant deaths have been, for certain purposes, separately classified according to legitimacy and this classification is shown in the table above. The illegitimate infant mortality rates have not followed quite the same course as the legitimate. The rate for ages 1-11 months was until 1947 higher than the neo-natal rate, with the exception of the year 1945. It was however lower in 1948, 1949 and 1950.

The causes of death in infancy will be found in Table 29 and are discussed later. (See page 34).

See Appendix III for Neo-Natal Mortality according to Social Class.

Centenarians.—Nineteen deaths of reputed centenarians were registered during the year, two males and seventeen females. In eighteen cases the age was verified as being at least 100 years, the verified age being 100 years in seven cases, 101 in five cases, 102 in three cases, 103 in two cases and 104 in one case. In one case such evidence as was available was rather against the claim. Since 1910, when enquiries regarding such cases were begun, 562 have been registered as those of centenarians, 92 of males, and 470 of females. The age has been verified as being at least 100 years in 326 cases (43 males and 283 females); in 100 the evidence was rather against the claim; while in 136 cases no satisfactory evidence of age could be found. The number registered in 1950 (19) equals that registered in 1918 and these are so far the highest numbers recorded in any one year. The greatest age verified since 1921 was one of 109 years and 14 days in 1936.

CAUSES OF DEATH

Causes of death in the numbered tables in this report are classified according to the Sixth Revision of the International Lists of Diseases and Causes of Death, except for tables 37 and 38 and Appendix X where classification is according to the Fifth Revision.

Any changes in classification of causes of death, made necessary by the advance of knowledge or by the need for improved grouping of individual diseases, inevitably introduce a certain amount of incomparability between present and past figures; but in general it has been possible hitherto, usually by amalgamation of the latter, to make effective comparisons with previous mortality experience. The new list introduced in 1950, however, is not confined to an extension of previous lists, and the production of greater detail. Very considerable changes have been made and there is as a result difficulty (in some cases impossibility) in obtaining accurate comparisons for individual causes with the figures for previous years. The following notes are therefore based upon the data for the year under review coded according to the Fifth Revision. It seems profitable to do this in order to complete the decennial period ending 1950, especially as there are not yet in Scotland any means available to make even tentative acceptable corrections.

In the general death tables the following additional ones have been inserted to comply with Article 6 of the World Health Organisation regulations. These are classified according to the International Intermediate List as adapted for Scotland by sex and age:—

1. Scotland.
2. Glasgow (aggregate of towns over 1,000,000 population).
3. Edinburgh, Aberdeen and Dundee (aggregate of towns over 100,000 population).
4. Large burghs.
5. Small burghs.
6. Landward areas.

In compliance with Article 8 of the regulations a special tabulation is made for Scotland for infant mortality in the age-group specified.

In introducing a new Revision of the International List of Classification of Deaths it has hitherto been the practice in Scotland to publish an appendix showing the detailed list adapted for Scotland and compared with the previous Revision. Owing to the magnitude of the changes in the Sixth Revision compared with that of the Fifth Revision, it has not been found possible to show the changes in time for publication in this report. Moreover, although

deaths in Scotland have been classified according to both Revisions for the two years 1950 and 1951, experience has shown that the double classification for 1951 would be more valuable as a bridge than that for the earlier year. The publication of the Appendix showing the relationship between the two classifications has accordingly been postponed until the Registrar General's Annual Report for 1951.

Certification.—Of the 63,996 deaths registered in 1950, 99·9 per cent were certified as to cause by a registered medical practitioner, by an officer of the Forces or other similarly authorised person, or by Procurator Fiscal's report, and 52 or 0·1 per cent were uncertified. As will be observed from Table H the percentage of uncertified deaths approximately halved itself in every decade from 1881—reaching 0·3 per cent in 1936 and remaining at that figure until 1944. Standing at 0·2 for the succeeding three years, it dropped to 0·1 in the years 1948 and 1949. As usual these uncertified deaths were more numerous in counties in which the population is widely scattered; Ross and Cromarty (16) and Inverness (11). (Table 7).

The cause of death was specified in 63,229 cases or 98·8 per cent of the total deaths, while in 767 or 1·2 per cent it was either ill-defined or not specified. Of the latter 503 were ascribed to heart failure and 159 to other ill-defined causes. In 37 cases no cause was specified. In 68 of these the death was described as sudden. The percentage of ill-defined and unspecified causes fluctuated between 1·3 and 1·9 in the period 1929 to 1948. In 1949 it was 1·2.

Principal Epidemic Diseases.—This group consists of typhoid and paratyphoid fever, cerebro-spinal meningitis, scarlet fever and whooping-cough, diphtheria, influenza and measles. The total number of such deaths was 526, the equivalent death-rate being 10 per 100,000 population, which compares with 11 in 1949 and 14 for the mean for the preceding quinquennium. There were 35 fewer deaths from whooping-cough than in 1949 and this is the third successive year with fewer than 100 deaths from this cause. Diphtheria deaths, 3 in number, continuing their remarkable decline, are now almost at vanishing point. The majority of deaths from epidemic diseases nowadays (388) were classified to influenza, the numbers here being almost the same as in 1949. Table J (1) shows in addition the number of deaths certified in which influenza was mentioned merely as a contributory cause.

TABLE H.—Deaths from Uncertified Causes, 1881-1950

Year	Uncertified Causes	Percentage of Uncertified to Total	Year	Uncertified Causes	Percentage of Uncertified to Total
1881–1890 ...	6061	8·2	1938 ...	181	0·3
1891–1900 ...	3239	4·1	1939 ...	172	0·3
1901–1910 ...	1839	2·4	1940 ...	223	0·3
1911–1920 ...	1239	1·7			
1921–1930 ...	499	0·8	1941 ...	218	0·3
1931–1940 ...	235	0·4	1942 ...	174	0·3
			1943 ...	187	0·3
1931 ...	333	0·5	1944 ...	178	0·3
1932 ...	303	0·5	1945 ...	144	0·2
1933 ...	272	0·4			
1934 ...	225	0·4	1946 ...	98	0·2
1935 ...	230	0·4	1947 ...	135	0·2
1936 ...	213	0·3	1948 ...	40	0·1
1937 ...	199	0·3	1949 ...	55	0·1
			1950 ...	52	0·1

TABLE J (1).—Deaths associated with Influenza but not classified as such, 1950

Short List No.	Cause of Death	Total	Males	Females	Ages: Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over
B1	Tuberculosis of respiratory system ...	4	2	2	–	–	–	–	–	1	–	1	–	2	–	–
B2	Tuberculosis—other forms	1	1	—	–	–	–	1	–	–	–	–	–	–	–	–
B17	Other infective and parasitic diseases...	3	2	1	–	–	–	–	–	–	1	–	–	1	1	–
B18	Malignant neoplasms	5	1	4	–	–	–	–	–	–	–	2	2	–	1	–
B20	Diabetes Mellitus	3	—	3	–	–	–	–	–	–	–	–	–	3	–	–
B21	Anæmias	4	1	3	–	–	–	–	–	–	–	–	1	1	2	–
B46.1	Other general diseases	2	1	1	1	–	–	–	–	–	–	–	–	1	–	–
B22	Vascular lesions affecting central nervous system	4	1	3	–	–	–	–	–	–	–	–	1	1	2	–
B23	Non-meningococcal meningitis ...	1	1	—	1	–	–	–	–	–	–	–	–	–	–	–
B46.2	Other diseases of nervous system ...	2	1	1	–	–	–	–	–	–	–	–	1	1	–	–
B25	Chronic rheumatic heart disease ...	2	1	1	–	–	–	–	–	1	1	–	–	–	–	–
B26	Arteriosclerotic and degenerative heart disease...	58	32	26	–	–	1	–	–	1	–	3	8	17	22	6
B27	Other diseases of heart	7	3	4	–	1	–	–	–	–	–	1	–	3	2	–
B31	Pneumonia	1	—	1	–	–	–	–	–	–	–	–	–	–	–	1
B32	Bronchitis	7	4	3	1	–	–	–	–	–	–	1	2	2	1	–
B46.4	Other respiratory diseases	1	1	—	–	–	–	–	–	–	–	1	–	–	–	–
B38	Nephritis and nephrosis	1	1	—	–	–	–	–	–	–	–	–	–	1	–	–
B39	Hyperplasia of prostate	1	1	—	–	–	–	–	–	–	–	–	–	–	1	–
B46.7	Other diseases of genito-urinary system	2	2	—	–	–	–	–	–	–	–	–	–	–	2	–
B41	Congenital malformations	2	1	1	–	–	–	–	1	–	–	1	–	–	–	–
	All Causes	111	57	54	3	1	1	1	1	3	2	10	15	33	34	7

Deaths from cerebro-spinal fever were only 35, three more than in 1949, but an extremely low figure compared with even immediate post-war experience. There were no deaths from enteric or paratyphoid fevers. Measles accounted for only 38 of the epidemic disease deaths, rather more than in 1949 but again a most favourable experience. There was only one death from scarlet fever. It is of interest to note that deaths in the whole of this group now constitute less than 1 per cent of all deaths in Scotland. (Tables 35-40).

Tuberculosis.—Deaths from all forms of tuberculosis numbered 2,780 compared with 3,484 in 1949 and with a prior quinquennial average of 3,853, a decline of 28 per cent. The rate was 54 per 100,000 population compared with 67 the previous year and 77 in the previous five years. In this continuance of recent improvement both sexes participated. (Tables 35, 37, 38).

Since the beginning of registration mortality ascribed to tuberculosis has continuously improved decade by decade with slight retardation in the rate of decline in the first war and a noteworthy retrogression in the second. The rate rose from a minimum of 69 in 1938 to 85 in 1941 and this unfavourable level was almost maintained until 1947. Since then, however, improvement set in once more and the deaths from this cause are perceptibly below even the record figure for 1938.

Heaviest mortality from this cause is found at ages 45-64 in males and at 15-34 years in females. (Table 35).

Tuberculosis deaths were most numerous in January, February and March, but there was no pronounced seasonal variation. (Table 43).

The rate in the counties of cities was 75 per 100,000, in the large burghs 56, in the small burghs 35 and in the landward areas 36. The range was from 12 in the County of Aberdeen to 95 in Dumbarton and Glasgow. In the counties of cities and large burghs the highest rates were recorded in Dumbarton and

Glasgow (95), Coatbridge and Greenock (83) and Paisley (77) and the lowest in Aberdeen (23), Kilmarnock (21) and Dumfries (15). In the counties (excluding large burghs) they ranged from 57 in Caithness, 55 in Lanark and Zetland and 54 in Renfrew to 15 in Wigtown, 14 in Banff, Kincardine, Selkirk and Sutherland and 12 in Aberdeen. (Table 4).

Over 80 per cent of all tuberculosis deaths are respiratory, deaths here being 2,437 compared with 3,084 in 1949 and an average value of 3,210 for the preceding five years. The rate was 47 per 100,000 (males 52, females 42) compared with 60 in 1949 (males 65, females 55). The majority of all tuberculosis deaths being respiratory, the trend since the beginning of registration is practically identical with that already described. The heaviest death-rates in males are found at ages 45-64, in females at 15-34, minimal values in each sex being recorded at 5-15 years. (Tables 35, 37, 38).

Deaths were most numerous in January, February and March and fewest in August and October. The range of monthly numbers was from 134 in August to 254 in January. (Table 43).

The rate in the counties of cities was 67 per 100,000, in the large burghs 48, in the small burghs 31 and in the landward areas 31. It was highest in the large burghs of the West, Glasgow 84, Coatbridge 73, Dumbarton 70, Paisley 69 and Greenock 67. The lowest respiratory rates occurred generally in the Northern and Border counties and in the Burgh of Dumfries: 8 per 100,000 in Aberdeen County, 9 in Selkirk, 14 in Banff, Kincardine and Sutherland, 15 in Dumfries Burgh, Perth County and Wigtown, and 17 in Roxburgh. (Table 4).

Deaths from non-pulmonary forms of tuberculosis numbered 343 compared with 400 in 1949 and an average of 643 in the previous five years. These deaths in 1950 are only one-third of the number (1,058) registered in 1941, the peak of the recent retrogression in trend of mortality from this cause. The rate is now only 7 for males and 6 for females per 100,000. (The rates in 1941 were 23 for males and 20 for females). The rate for non-pulmonary tuberculosis averaged more than 100 per 100,000 population up until 1880, fell rapidly to 72 in 1883, more gradually but persistently thereafter, reaching a value of 60 per 100,000 prior to the first world war. There was no arrest of the decline during these years, and by 1920 the rate had fallen to less than 40, and at the outbreak of war in 1939 mortality had reached 16 per 100,000. As in respiratory tuberculosis, the decline was interrupted for a few years but has now reached record low figures. (Tables 35, 37, 38).

Mortality from this cause is highest in each sex at ages under five years. Thirty-seven per cent of deaths from non-respiratory forms of tuberculosis occurred at ages under 10 and the following table shows the distribution at these younger ages in the past 13 years. It will be observed that the age incidence of deaths from this cause has entirely altered since 1938. Until the last few years the highest rate was at age under 1 year but since 1946 in males (1944 in females) this age-group has shown a lower death-rate than for ages 1-4 years.

Most of the deaths in this group are from tubercular meningitis. Over the past ten years the general improvement in non-pulmonary deaths is shown in varying degree by deaths in most sites, but outstandingly so in abdominal and disseminated tuberculosis, relatively less in meningeal tuberculosis. Deaths from the genito-urinary forms are above the average of the past ten years.

DEATH-RATES PER 100,000 FROM NON-RESPIRATORY FORMS OF TUBERCULOSIS

	MALES				FEMALES			
	Under One year	1–4	5–9	10 and over	Under One year	1–4	5–9	10 and over
1938	73	63	26	12	78	50	24	12
1939	78	53	20	13	67	40	23	12
1940	109	77	23	14	72	62	19	14
1941	100	69	26	16	75	77	23	15
1942	92	65	27	14	88	63	21	13
1943	76	68	21	16	58	63	27	15
1944	76	57	24	16	51	62	36	14
1945	54	51	27	13	59	58	26	13
1946	57	54	29	9	54	48	27	10
1947	40	44	24	9	31	52	22	10
1948	29	34	16	7	16	29	13	7
1949	21	30	14	5	19	27	7	6
1950	11	23	6	5	14	23	6	5

Other Infective and Parasitic Diseases.—Deaths from syphilitic and parasyphilitic diseases numbered 170, of which nearly half are from aortic aneurysm and one quarter each to the nervous affections (locomotor ataxia and general paralysis of insane) and to syphilis, mainly congenital.

Other deaths in this group included 5 from erysipelas, 8 from tetanus, 44 from septicæmia and 14 deaths from dysentery. There were 65 deaths from acute poliomyelitis and polioencephalitis (only 14 in 1949), 58 from lethargic encephalitis and 23 from other diseases due to viruses. (Table 42).

TABLE J (2).—Deaths from Syphilitic and Parasyphilitic Diseases, 1855-1950 (Decennial Averages, 1855-1940)

	Total	Syphilis	General Paralysis of the Insane	Locomotor Ataxia (Tabes Dorsalis)	Aneurysm of Aorta
1855–1860 ...	—	87	—	—	—
1861–1870 ...	—	157	—	—	—
1871–1880 ...	—	210	—	—	—
1881–1890 ...	—	237	—	—	—
1891–1900 ...	—	203	—	—	—
1901–1910 ...	—	218	220	70	149*
1911–1920 ...	—	202	248	76	136*
1921–1930 ...	—	141	191	71	139*
1931–1940 ...	—	88	116	56	128*
1940 ...	297	58	108	45	86
1941 ...	262	84	74	28	76
1942 ...	306	104	76	30	96
1943 ...	283	90	67	31	95
1944 ...	214	51	66	26	71
1945 ...	229	56	61	37	75
1946 ...	218	44	56	34	84
1947 ...	204	37	53	25	89
1948 ...	166	37	30	21	78
1949 ...	172	32	30	22	88
1950 ...	170	35	33	21	81†

NOTE.—The symbol—indicates the number is not available.
The numbers for decennial periods are annual averages. * Aneurysm (all sites).
† Excludes dissecting aneurysm unqualified.

Malignant Disease.—Deaths from this group of diseases numbered 9,723, equivalent to a death-rate of 188 per 100,000. This is 3 above the rate for the previous year and 5 above that for the preceding five years.

The increase in the crude rate since 1931 is substantial and was accelerated during the recent war. The increase is attributable mainly to changes in the age constitution of the population. This was accentuated by the withdrawal to the Services during the war of a large number of young men and women, the remaining civilian population thus being loaded with an increased proportion of persons at ages wherein mortality from malignant disease is heavy.

The following table shows the crude rates and rates standardised to the 1931 (Scottish) population for each year since 1931. The crude rates increased appreciably during the pre-war years but the standardised rate varied within narrow limits and in 1939 was the same as in 1931. Since 1939 the rapid rise in the crude rate has been accompanied by an almost stationary standardised rate. Owing to the inclusion of Hodgkin's disease, leukæmia, aleukæmia and mycosis fungoides with the malignant neoplasms in the 1950 classification, the rates are not quite comparable with previous years. The rates both crude and standardised have therefore been calculated for 1950 on the 1938 and the 1948 Revision.

DEATH-RATE PER 100,000 OF POPULATION FROM MALIGNANT DISEASE

Year	Crude	Standardised to Scotland 1931	Effect of Standardisation
1931	148	148	—
1932	153	151	− 2
1933	153	151	− 2
1934	153	149	− 4
1935	157	152	− 5
1936	159	151	− 8
1937	157	147	−10
1938	162	151	−11
1939	161	148	−13
1940	170	149	−21
1941	174	149	−25
1942	179	149	−30
1943	185	147	−38
1944	186	146	−40
1945	192	149	−43
1946	180	145	−35
1947	176	146	−30
1948	181	148	−33
1949	185	151	−34
(1950 (5th Revision)	188	151	−37)
(1950 (6th Revision)	194	157	−37)

From the following table which gives the separate sex rates, it will be observed that in males the crude rate increased rapidly between 1931 and 1945, but fell slightly in the following four years, the rate in 1950 being again higher and almost equal to the heavy crude rates of 1944-5. In females, on the other hand, the crude rate rose more slowly and steadily and the value recorded in 1950 is the highest of the series. The trend, however, when correction is made for differences of age constitution throughout the period, is quite different. In males the standardised rate rose only slowly between 1931 and the outbreak of war, but since then the upward trend is rather more rapid. In females, however, the trend from 1931 was, with interruptions, generally downwards to 1947, the rates in the last three years (1948-50) being rather above this low level in 1947.

The table also shows for the separate sexes 1950 rates based on the 1938 and the 1948 Revision.

DEATH-RATE FROM MALIGNANT DISESASE PER 100,000 OF POPULATION

Year	Males Crude	Males Standardised	Females Crude	Females Standardised
1931	140	150	155	147
1932	145	153	160	150
1933	147	155	159	147
1934	148	154	158	146
1935	152	158	162	148
1936	155	158	163	146
1937	151	152	163	144
1938	152	153	170	150
1939	156	155	165	143
1940	175	158	165	141
1941	184	159	166	140
1942	193	162	168	138
1943	199	160	173	137
1944	205	162	171	134
1945	209	163	178	138
1946	190	162	171	130
1947	183	165	170	130
1948	185	165	178	134
1949	188	167	183	137
(1950 (5th Revision) ...	194	171	182	136)
(1950 (6th Revision) ...	201	178	187	139)

In more than half of the deaths from cancer the site was in some part of the digestive system, this including the stomach, intestines, liver and œsophagus. These deaths in all numbered 4,938 (2,468 males and 2,470 females) compared with 5,053 (2,517 males and 2,536 females) in 1949.

Of individual sites within the group, for both males and females the greatest number of deaths are from cancer of the stomach, intestines, rectum, œsophagus, pancreas and liver. The number of male deaths from cancer of the stomach was 877 in 1931 and of female deaths 822. In 1950 they had increased to 951 and 878 respectively. Deaths from cancer of the intestines have in each sex been increasing slowly but persistently since 1931. Deaths from cancer of the rectum also have been steadily if slowly rising since 1931, from 220 to 351 male deaths and from 170 to 235 female deaths. Both male and female deaths from cancer of the liver and gall bladder have declined.

The digestive sites which show the most marked increase in number compared with 1931 are rectum, intestines and stomach for males, and intestines, rectum and œsophagus for females, in that order. The number of male deaths from cancer of the rectum has increased by 60 per cent since 1931 while the number of female deaths has increased by 38 per cent. For cancer of the pancreas the number of male deaths has increased by 96 per cent and the number of female deaths by 74 per cent. For cancer of the intestines the number of male deaths has increased by 19 per cent and the number of female deaths by 21 per cent. For cancer of the oesophagus the number of male deaths has increased by 33 per cent and the number of female deaths by 76 per cent. The only site for which deaths have decreased since 1931 is the liver and gall bladder. Male deaths fell by 38 per cent and female deaths by 26 per cent. The number of both male and female deaths from cancer of all digestive organs has increased by 18 per cent since 1931.

The location was in some part of the respiratory system in 1,540 cases (1,203 males and 337 females). In 1949 this group of cancer deaths numbered 1,325. Next in numerical order comes cancer of the breast, deaths from which numbered 829 as against 823 in 1949. The uterus was specified in 465 cases (455 in 1949). There was a steady increase in cancer of this site until 1942 since when there has been some improvement.

Cancer of the buccal cavity and pharynx accounted for 326 deaths as compared with 321 in 1949. Of these 239 were of males and 87 of females. There has been since 1941 a marked and fairly steady decline in the number of male deaths from cancer of sites associated with the buccal cavity. The total for all these sites was 357 in 1941 compared with 239 in 1950, a decrease of 33 per cent.

Deaths from cancer of the urinary organs numbered 320 (201 males and 119 females) and of the male genital organs 380 of which 317 were of the prostate. Cancer of the female genital organs, other than specified above, numbered 275 (270 in 1949).

Comparing 1949 and 1950 the number of male deaths decreased for sites associated with the buccal cavity, digestive organs, urinary organs and skin, and increased for all other groups of sites; decreases were recorded in the number of female deaths from cancer of the digestive organs, urinary organs, brain and nervous system.

Diabetes.—Deaths from this cause numbered 566, 163 males and 403 females. This number is slightly higher than in 1949, but the annual fluctuations in the past ten years have not been great. The much heavier female rate is most in evidence at the highest age-groups. (Tables 35 and 37).

Other General Diseases.—In addition to the foregoing there were 56 deaths from acute rheumatism (including acute rheumatic heart conditions) and 105 from chronic rheumatism, 45 deaths from exophthalmic goitre (31 in 1949) and from other diseases of thyroid and of parathyroid glands 58 (46 in 1949). There were 222 deaths from pernicious and 125 from other forms of anæmia.

Diseases of the Nervous System.—In this group there were 9,667 deaths of which the majority (8,673) were from vascular lesions affecting the central nervous system. Most of the latter are certified as either cerebral hæmorrhage (4,728) or cerebral embolism and thrombosis (3,625). A further 203 of those were from hemiplegia or other paralysis of unstated origin. Apart from these, though much less important numerically, the main nervous diseases were paralysis agitans, disseminated sclerosis, epilepsy and mental disorders or deficiency. Non-meningococcal meningitis deaths numbered only 56, and is a continuation of a fairly steady improvement manifest in this cause over recent years.

The vascular lesions of the central nervous system show a heavier crude death-rate in females but for other diseases of the central nervous system there is little sex difference.

Diseases of the Circulatory System.—Deaths in this group numbered 21,995, of which 20,236 were ascribed to heart disease. The latter is the highest number ever recorded in Scotland. The number increased steadily from 9,535 in 1931 to 16,503 in 1940. Change of classification reduced this number slightly (about 1 per cent) and in the two following years there was a substantial diminution in deaths allocated here. Since then there has been an irregular increase. The vast majority of the deaths from heart disease are ascribed to some form of myocarditis or myocardial degeneration, the numbers being 10,650 compared with 10,840 in 1949. There were 41 deaths from acute endocarditis and 1,438 from all forms of valvular disease. The number of deaths from angina pectoris and disease of the coronary arteries was 6,695 compared with 5,994 in 1949. These deaths, which in 1931 numbered only 823, have since then shown a progressive increase in numbers. There has been a

tendency, no doubt accelerated by official practice, to certify deaths as due to coronary thrombosis which previously might have been recorded merely as angina pectoris. From 1931 to 1945 all certificates specifying the cause of death as angina pectoris were returned to the certifier to ask if coronary disease was actually present. In the majority of instances this was so. The result was that only 184 deaths were classified to angina pectoris in 1941, 123 in 1942, 94 in 1943, 37 in 1944 and 44 in 1945. Angina is no longer treated as a separate sub-heading, deaths from this cause being classified to diseases of the coronary arteries. There is, however, no doubt of the marked increase in deaths from this cause since in 1941 there were 2,803 deaths registered as due to either angina or coronary disease while in 1950 there were no less than 6,695. Male deaths are much more frequent than females from this cause.

Circulatory diseases apart from the heart are much less important. In 1950 there were 971 ascribed to arteriosclerosis and 307 to high blood pressure. Other causes are much less frequent.

The new list of causes of death has resulted in alteration especially of the Short List. Of the total deaths from diseases of the heart, the vast majority are arteriosclerotic or degenerative (17,662), rheumatic heart disease (942) and other diseases of the heart (1,249) being of considerably less importance. Hypertension caused close on a thousand (989) deaths, rather less than half being associated with heart disease.

Diseases of the Respiratory System.—Deaths from these causes accounted for 5,586 deaths, a number similar to that for the previous year (5,637). Of these the principal individual causes were bronchitis (2,371), broncho-pneumonia (1,582) and lobar pneumonia (436). Deaths particularly from the two latter conditions have improved appreciably over recent years. (Under the new list deaths from influenza are included under diseases of the respiratory system).

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease and tuberculosis, numbered 2,330 compared with 2,521 in 1949. The principal conditions causing death under this heading are ulcer of stomach (300) and duodenum (332) and diarrhœa under 2 years of age (299). In the latter there has been a considerable reduction of mortality over recent years. Deaths from appendicitis numbered 154 and from hernia and intestinal obstruction 340.

Diseases of Genito-urinary System.—These collectively numbered 1,924 deaths compared with 2,070 in 1949. The numbers here have shown a slight but fairly steady decline during the past decennium. The principal components of the group are chronic nephritis (847) and diseases of the prostate (542), and it is to the former that the slight decline in the group as a whole is attributable, deaths from the latter having remained fairly steady in recent years.

Diseases of Pregnancy and Childbirth.—These numbered only 106 and form a new low record. They are only one-quarter of what were so registered ten years ago. The most prominent constituents are accidents of childbirth, eclampsia, puerperal embolism and thrombo-phlebitis and abortion (including post-abortive sepsis). The total deaths represent a rate only fractionally above 1 per 1,000 total births.

In addition to the deaths classified as due to puerperal conditions there were 35 which occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not specified as the primary cause of death. These are shown in detail in Table K. The number in 1950 is 10 fewer than in 1949.

TABLE K.—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1950

International Short List No.	Cause of Death	All Ages	Ages 15–19	20–24	25–29	30–34	35–39	40–44	45 and over
B1	Tuberculosis of respiratory system	2	—	—	2	—	—	—	—
B12	Acute poliomyelitis	2	—	1	—	—	1	—	—
B17	Other infective and parasitic diseases	1	—	—	1	—	—	—	—
B18	Malignant neoplasms	2	—	—	1	—	1	—	—
B20	Diabetes mellitus	3	—	—	—	—	—	2	1
B21	Anæmias	1	—	—	1	—	—	—	—
B46.1	Other general diseases	1	—	—	—	—	1	—	—
B22	Vascular lesions affecting central nervous system	2	—	—	1	—	1	—	—
B46.2	Other diseases of nervous system ...	2	1	—	—	—	1	—	—
B25	Chronic rheumatic heart disease ...	2	—	—	1	—	1	—	—
B26	Arteriosclerotic and degenerative heart disease	2	—	—	2	—	—	—	—
B27	Other diseases of heart	2	—	—	1	1	—	—	—
B30	Influenza	1	—	—	1	—	—	—	—
B31	Pneumonia	1	—	—	—	1	—	—	—
B32	Bronchitis	2	—	—	—	2	—	—	—
B46.4	Other respiratory diseases	1	—	—	1	—	—	—	—
B33	Ulcer of stomach and duodenum ...	1	—	—	—	1	—	—	—
B34	Appendicitis	1	—	—	1	—	—	—	—
B35	Intestinal obstruction and hernia ...	1	—	—	—	—	1	—	—
B36.1	Gastritis and duodenitis	1	—	—	—	—	—	1	—
B46.6	Other digestive diseases	1	—	—	—	—	1	—	—
B38	Nephritis and nephrosis	1	—	—	—	—	1	—	—
BE49	Suicide	1	—	—	—	1	—	—	—
BE48.1	Other violence	1	—	—	1	—	—	—	—
	All Causes	35	1	1	14	6	9	3	1

Diseases of Skin and Cellular Tissue.—There were only 83 deaths from these causes compared with 98 in 1949 and 234 in 1941. There were over 300 deaths in this group in 1936 and 1937, and the general trend since that date has been steadily downwards. The reduction is mainly in deaths from cellulitis.

Diseases of Bones and Organs of Locomotion.—These, too, are comparatively unimportant causes of death, 58 deaths only being registered during the year.

TABLE L.—Deaths from Congenital Malformations in 1950

	Persons	Males	Females	Under 1 day	1–6 days	1 week	2 weeks	3 and 4 weeks	1–2 months	3–5 months	6–8 months	9–11 months	1–4 years	5–9 years	10–14 years	15–24 years	25 years and over
Congenital Hydrocephalus	55	27	28	16	4	3	4	2	4	4	2	2	9	—	1	1	3
Spina Bifida, Meningocele	122	41	81	16	29	19	8	7	19	10	3	1	7	1	—	1	1
Congenital Heart Disease	216	120	96	23	51	14	7	3	41	14	9	3	16	8	4	11	12
Congenital Pyloric Stenosis	27	18	9	—	1	2	—	3	19	1	1	—	—	—	—	—	—
Other Congenital Defects	193	110	83	32	45	15	7	2	20	17	8	2	9	2	2	4	28
Total	613	316	297	87	130	53	26	17	103	46	23	8	41	11	7	17	44

Malformations.—There were 614 deaths from these compared with 607 in 1949. Congenital malformations of the heart were the most frequent (221) and spina bifida (122) and hydrocephalus (55) accounted for most of the remaining conditions specified. The vast majority (80 per cent) of these deaths took place in the first year of life.

Table L shows these deaths classified to the Sixth Revision and distributed in age-groups. Of the 613 who died from congenital causes, 493 died at ages under one year and of these 217 did not survive a week. The following table shows for each of the principal causes in the group and also for certain diseases of early infancy the rate per 1,000 births in each quinquennium since 1936 and for individual years since 1946. This rate was 6·62 in 1950 compared with 6·34 in 1949. A more accurate rate is obtained by limiting the deaths to those which occurred in the first year of life, but this does not materially affect the trend of the rates.

	1936–40	1941–45	1946–50	1946	1947	1948	1949	1950
Congenital Malformations (all ages) ...	6·87	7·28	6·58	6·68	6·79	6·44	6·34	6·62
Do. (under 1 year)	6·20	6·33	5·47	5·56	5·82	5·46	5·11	5·33
Hydrocephalus	0·70	0·74	0·64	0·66	0·77	0·50	0·68	0·59
Spina Bifida, Meningocele ...	1·89	1·93	1·38	1·29	1·42	1·36	1·48	1·32
Congenital Heart Disease ...	2·26	2·26	2·11	2·30	2·09	2·04	1·77	2·33
Congenital Pyloric Stenosis	2·02	2·34	0·48	0·57	0·53	0·57	0·43	0·29
Other Congenital Defects			1·97	1·86	1·98	1·97	1·99	2·09
Diseases of Early Infancy ...	30·61	27·74	20·24	23·64	21·24	18·90	17·55	19·45
Debility	7·09	5·22	1·93	2·99	2·23	1·90	1·26	1·09
Premature Birth	16·79	15·07	10·39	13·63	11·75	9·57	9·03	7·38
Injury at Birth	3·22	3·19	2·94	2·93	2·66	2·89	2·96	3·31
Asphyxia at Birth	3·50	4·27	2·99	2·54	3·02	2·90	2·87	3·69
Other specified causes			2·00	1·55	1·58	1·63	1·42	*3·99
Total (all ages)	37·48	35·02	26·83	30·32	28·03	25·33	23·89	26·08

* Includes pneumonia of newborn and diarrhœa of newborn.

Diseases of Early Infancy.—Deaths from this group of causes totalled 1,618 compared with 1,679 in 1949 and 1,896 in 1948, and there has been a steady improvement in mortality from such causes during recent years. The most important individual component of this group is prematurity, deaths from which numbered 855, or just over half of the total. Birth injury, asphyxia and congenital debility are next in order of importance. Mortality ascribed to prematurity and, more so, congenital debility has shown remarkable improvement recently, but deaths from injury at birth have shown no such favourable change.

Senility.—Only 1,376 deaths were so attributed. In spite of the ageing of the population the numbers here have shown fairly steady diminution, and it is clearly due to transfer to other cause groups, presumably as a result of more specific certification.

Violence.—These numbered 2,601, a slight increase over the figure for 1949 of 2,572. Of these 639 were transport accidents, 20 more than in 1949. The majority were motor vehicle accidents (492), an increase of 24 on the number for the previous year. Of the remainder 65 were from railway accidents, 42 from road transport fatalities (other than with motor vehicles), 23 in water transport accidents and 17 in air transport. For motor vehicles and other road transport accidents, male deaths greatly exceed those of females, and the heaviest mortality rates are found in pre-school and early school years and in older age-groups, 75 and over. The greatest number of deaths is for males in ages 1-9 and 15-35 years; in females at 1-9 and 65 and over.

DEATHS FROM ROAD TRANSPORT ACCIDENTS

		All Ages	Under 15	15–34	35–54	55 and over
MALES	1934–38 (average) ...	515	128	169	93	125
	1939–45 „ ...	709	154	183	154	218
	1945	436	156	94	79	107
	1946	429	140	122	62	105
	1947	402	105	98	85	114
	1948	374	120	75	71	108
	1949	367	103	87	71	106
	1950	397	108	107	73	109
FEMALES	1934–38 (average) ...	162	58	25	24	55
	1939–45 „ ...	188	65	29	30	64
	1945	135	51	21	23	40
	1946	163	58	19	18	68
	1947	162	61	23	20	58
	1948	164	62	24	16	62
	1949	150	55	19	21	55
	1950	133	47	14	18	54

Apart from transport accidents, important fatal accidents are found in accidental falls, crushing, etc., accidental drowning, accidental inhalation of poisonous vapours, suffocation and burns.

A full list of deaths by accidental poisoning, by suicidal poisoning and under anæsthetics will be found in Table 41.

A special tabulation has been made of all accidents classified from Nos. 870 to 936 of the 1948 International Statistical Classification. Table M (1) shows accidents at home and Table M (2) accidents elsewhere.

Of the total 1,638 fatal accidents in 1950 no less than 964, or over 50%, occur in the home, the proportion among female (79%) being very much greater than among male accidental deaths (42%). The importance of domestic to total fatal accidents, too, differs widely according to age. Thus, among both male and female deaths in infancy the vast majority are domestic in origin. At pre-school ages domestic and non-domestic accidents are nearly equally frequent among males but domestic are still much the more important in young female children. At school ages in both sexes non-domestic accidents predominate. In earlier adult life, 15-44 years, non-domestic accidents outnumber the domestic in males by 5 to 1 but in females of the same ages the numbers in the two groups are approximately equal. At 45-64 years non-domestic are still in excess of domestic among males but the relative excess is less than at earlier years, whereas among females at this period of life domestic are now appreciably more frequent than non-domestic. At ages over 65 years domestic accidents are decidedly more frequent than non-domestic even in males, while in the elderly females domestic accidents are over 6 times as frequent as those originating outside the home. The nature of the accidents too differs widely in home and other fatal accidents. Over half of those occurring in the home are allocated to the group, falls, crushings, etc., the other two important groups being poisonings by gases and vapours and suffocation. The latter are predominantly among infants and pre-school children among whom burning accidents also stand out prominently. In accidents originating outside the home the most important are drownings and falls and crushings.

TABLE M (1).—Accidents at Home, 1950

International Long List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	20	—	2	—	—	1	2	2	6	6	1	—	—	—
		F.	11	—	1	1	—	1	—	2	3	2	—	1	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	70	—	—	—	2	2	5	5	13	11	13	16	3	—
		F.	96	1	1	—	—	1	2	7	10	15	22	29	8	—
900–904, 910	Accidental falls, crushing, etc.	M.	148	—	3	5	—	1	2	2	6	8	22	70	29	—
		F.	347	—	2	1	—	—	—	2	2	11	54	169	106	—
916–918	Accidents caused by fire, explosion, hot substance, radiation, etc.	M.	23	1	8	—	—	1	—	—	1	2	1	5	4	—
		F.	61	2	10	—	1	1	1	3	4	5	12	14	8	—
919	Accidental injury by fire-arms	M.	11	—	—	—	—	2	1	2	4	1	—	1	—	—
		F.	1	—	—	—	—	—	—	1	—	—	—	—	—	—
921–925	Accidental and mechanical suffocation	M.	77	67	2	—	1	2	—	—	2	1	2	—	—	—
		F.	62	53	6	—	1	—	—	—	—	1	—	1	—	—
926	Lack of care of infants under 1 year of age ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion	M.	6	4	1	—	—	—	1	—	—	—	—	—	—	—
		F.	3	—	2	—	—	—	—	—	—	—	—	—	1	—
913, 914, 920, 936	Other and unspecified accidents	M.	21	—	2	2	2	3	4	1	2	2	—	3	—	—
		F.	5	—	—	—	—	1	—	—	1	1	2	—	—	—
	Total	M.	376	72	18	7	5	12	15	12	34	31	39	95	36	—
		F.	588	58	22	2	2	4	3	15	20	35	90	214	123	—

TABLE M (2).—Accidents elsewhere than at Home, 1950

International Long List Nos.	Cause of Death		Total	Under 1	1–4	5–9	10–14	15–24	25–34	35–44	45–54	55–64	65–74	75–84	85 and over	Not stated
870–888	Accidental poisoning by solid and liquid substances	M.	8	—	—	—	—	—	1	1	5	1	—	—	—	—
		F.	7	—	—	—	—	—	1	1	2	1	2	—	—	—
890–895	Accidental poisoning by gases and vapours ...	M.	15	—	—	—	—	—	4	2	3	3	3	—	—	—
		F.	7	—	—	—	—	—	1	—	—	2	1	3	—	—
900–904, 910	Accidental falls, crushing, etc.	M.	148	—	3	2	8	10	14	21	24	24	22	14	6	—
		F.	41	—	—	—	—	—	1	2	1	3	8	19	7	—
911	Accident caused by vehicle	M.	9	—	—	—	—	—	1	2	2	2	2	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
912	Accident caused by machinery	M.	35	—	—	—	—	6	5	9	7	4	3	1	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
915	Accident caused by explosion of pressure vessel	M.	4	—	—	—	—	—	—	3	1	—	—	—	—	—
		F.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	M.	13	—	2	—	—	—	2	—	3	1	1	4	—	—
		F.	12	—	—	—	—	—	—	1	—	2	4	5	—	—
919	Accidental injury by fire-arms	M.	14	—	—	—	—	4	1	6	2	1	—	—	—	—
		F.	5	—	—	—	—	4	1	—	—	—	—	—	—	—
921–925	Accidental mechanical suffocation	M.	42	8	1	1	—	5	8	8	8	3	—	—	—	—
		F.	15	12	—	—	—	—	—	1	—	—	2	—	—	—
926	Lack of care of infants under one year of age ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F.	2	2	—	—	—	—	—	—	—	—	—	—	—	—
929	Accidental drowning and submersion (excluding water transport) ...	M.	168	1	16	21	8	16	19	11	26	15	25	8	1	1
		F.	57	—	10	5	1	2	2	8	10	8	8	1	1	1
913, 914, 920, 927, 928, 930–936	Other unspecified accidents	M.	64	—	—	2	2	12	16	10	7	10	2	3	—	—
		F.	8	—	—	2	—	1	—	—	—	2	1	1	1	—
	Total ...	M.	520	9	22	26	18	53	71	73	88	64	58	30	7	1
		F.	154	14	10	7	1	7	6	13	13	18	26	29	9	1

The accompanying table M (3) shows the death-rates calculated by broad age-groups for each sex. For home accidents it will be observed that although the male rate irrespective of age is appreciably less than the corresponding female rate, the male rate is in excess in every individual group except for age 65 and over where the female rate is nearly twice as high. For accidents elsewhere than at home the total male rate is three and a half times that of the female rate, the difference being even greater in the age-groups from 5 to 64.

TABLE M (3)—Death-rate per 100,000 from Accidental Deaths classified to Nos. 870 to 936 of the 1948 International List

		All ages	0–4	5–14	15–44	45–64	65 and over
Accidents at Home	Male	15	37	3	4	12	76
	Female	22	34	1	2	9	145
Accidents Elsewhere	Male	21	13	11	18	29	43
	Female	6	10	2	2	5	22
Total	Male	36	49	14	21	41	119
	Female	28	44	3	4	14	167

The following table N shows accidents in coal mines and quarries analysed by age-groups and cause.

TABLE N.—Accidents in Coal Mines and Quarries, 1950

International Long List Nos.	Cause of Death	Total	15–24	25–34	35–44	45–54	55–64	65–74
870–888	Accidental poisoning by solid and liquid substances	—	—	—	—	—	—	—
890–895	Accidental poisoning by gases and vapours	3	—	1	2	—	—	—
900–904, 910	Accidental falls, crushing, etc. ...	16	1	2	4	4	4	1
915	Accidental explosion of pressure vessel	—	—	—	—	—	—	—
916–918	Accident caused by fire, explosion, hot substance, radiation, etc.	3	—	1	—	2	—	—
919	Accidental injury by firearms ...	2	1	—	—	1	—	—
921–925	Accidental and mechanical suffocation	20	—	5	5	7	3	—
913, 914, 920, 936	Other and unspecified accidents	14	2	6	5	1	—	—
	Total	58	4	15	16	15	7	1

Suicide.—Deaths from suicide numbered 269, 170 males and 99 females. This is equivalent to a death-rate of only 5 per 100,000 and is the lowest recorded for many years. (Tables 41 and 42).

Relative Frequency of Cause of Death.—As in recent years the commonest causes or cause groups of death are, in descending order, heart disease, malignant disease, vascular lesions of the central nervous system, tuberculosis, violence, pneumonia, bronchitis and congenital causes. These together account for 81 per cent of the total deaths in 1950.

TABLE O.—Relative Frequency of Causes of Death, 1950

Causes of Death	Number	Per cent of Total
Heart Disease	20,303	31·73
Cancer	10,029	15·67
Cerebral hæmorrhage, etc.	8,732	13·64
Tuberculosis (all forms)	2,775	4·34
Violence	2,598	4·06
Pneumonia (all ages)	2,263	3·54
Bronchitis	2,259	3·53
Congenital malformations and diseases of early infancy	2,232	3·49
Nephritis	699	1·09
	51,890	81·08

Infant Deaths.—Table 29 contains an analysis of deaths at age-periods under one year classified according to cause of death. For all causes of death the infant death-rates and the neo-natal rates (referring to children aged under one month) will be found on page 19 for years and combinations of years back to 1911, but Table 29 shows for 1950 a finer analysis by age with classification according to cause of death. Of the 3,569 children who died before reaching one year of age, 875 had died before they were a day old; 1,731 did not survive a week and no fewer than 2,131 had died before they were a month old. The changes in recent years in the number of deaths from congenital defects and from conditions associated with early infancy (debility, premature birth, etc.) have already been referred to (page 30). Compared with 1949 deaths from whooping-cough decreased by 32, from pneumonia by 119 and from diarrhœa by 95.

Of all deaths under one year of age pneumonia accounts for the largest number followed by congenital malformations, asphyxia and atelectasis and diarrhœa in that order. (Table 29).

Month of Registration.—Table 30 shows deaths from the same causes as are shown in Table 29 but classified according to calendar month of registration. The rates by calendar month for all infant deaths have already been referred to (page 17). These deaths were at a maximum in January, showing a downward trend to a minimum in August and rising abruptly in December. The incidence of individual causes throughout the year generally conforms to this pattern. (Tables 30 and 63).

Deaths of Illegitimate Children.—These have been separately classified since 1936, and differences in rates (all causes) have already been referred to in page 19. It will there be seen that the rate among illegitimate children is 42 per cent above that for legitimate children—54 per 1,000 live births against 38 per 1,000 live births.

In Table 31 will be found for each large burgh and county the infant deaths classified by ages under one year, with equivalent rates for individual ages under one year, and mortality among illegitimate infants. But it may be pointed out that many of these rates, being based on small numbers, are subject to large chance fluctuations. The neo-natal rates for Scotland as a whole have

already been dealt with (see page 19) but in Table P there will be found for Scotland the death-rates for certain age-groups within the first year of life for 1950 and previous years.

TABLE P.—Deaths under One Year per 1,000 Births in Scotland, 1922–1950

Year	Males						Females					
	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months	Under 1 year	Under 1 week	1 week and under 1 month	1 month and under 3 months	3 months and under 6 months	6 months and under 12 months
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·3	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	13·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4
1942	77·9	27·0	12·9	14·1	13·1	10·8	60·2	19·8	10·3	10·0	11·4	8·8
1943	73·0	25·3	11·8	13·3	12·3	10·3	57·0	18·7	9·8	9·1	10·0	9·4
1944	73·0	24·7	12·3	13·3	13·1	9·5	56·4	17·8	10·4	9·4	10·4	8·4
1945	64·7	23·6	9·0	12·4	11·5	8·2	47·3	17·5	6·6	8·9	8·2	6·0
1941–45	76·4	25·9	12·4	14·1	13·4	10·6	58·5	19·2	9·9	10·0	10·2	9·2
1946	60·0	25·1	8·1	10·0	9·5	7·3	47·3	19·4	7·0	7·2	7·8	5·9
1947	62·9	22·4	9·4	11·8	10·3	9·1	48·2	17·5	7·6	7·7	7·8	7·6
1948	51·3	21·6	6·9	8·9	8·1	5·8	37·7	15·5	5·9	5·9	5·8	4·6
1949	46·2	21·0	5·3	8·3	6·6	5·0	36·3	15·4	4·4	6·3	5·9	4·2
1950	43·0	21·0	4·6	6·5	6·4	4·5	33·8	16·2	4·0	5·3	4·4	3·9
1946–50	53·2	22·3	7·0	9·2	8·3	6·4	41·1	16·9	5·9	6·5	6·4	5·3

Death-rates Standardised to Population of Great Britain in the Year of Experience.—Precise comparisons between the death-rates in England and Wales and those in Scotland cannot be made from an examination of the crude death-rates in the two countries. By agreement between the two Registrars-General death-rates for Scotland and for England and Wales have been standardised according to populations based upon the age and sex distribution of Great Britain for the year of observation.

Table 48 gives the standardised death-rates for the two countries for all causes and for certain specified diseases for the year 1950. It is not possible as in previous reports to show a series of years because of the difficulty of comparison with the introduction of the 1948 International Classification of Causes of Death. A new series will therefore begin with 1950. It will be observed that the standardised death-rates for Scotland are generally materially in excess of those for England and Wales.

APPENDIX I

REPORT ON INFORMATION OBTAINED FOR THE YEAR 1950 UNDER THE POPULATION (STATISTICS) ACT, 1938

This Appendix contains an analysis of the statistics obtained in respect of the year 1950.

The crude birth-rate for the year is 17·9, 0·6 below the rate for 1949. This fall in the birth-rate is reflected in a drop in the net reproduction rate which was 1,150, indicating however that during 1950 the population of Scotland was more than reproducing itself.

The crude birth-rates and the gross and net reproduction rates for each year from 1940 are as follows:—

Year	Crude Birth-rate	Gross Reproduction rate	Net Reproduction rate
1940	17·1	1·042	0·896
1941	17·5	1·058	0·893
1942	17·6	1·087	0·948
1943	18·4	1·162	1·012
1944	18·5	1·183	1·041
1945	16·9	1·088	0·978
1946	20·3	1·336	1·192
1947	22·0	1·496	1·346
1948	19·4	1·317	1·208
1949	18·5	1·268	1·168
1950	17·9	1·233	1·150

Table 10 shows the number of births analysed by age of mother, and, so far as legitimate births are concerned, by the duration of marriage. As is usual more children were born to mothers aged between 25 and 29 than to those in any other quinquennial age-group, and the single ages which contributed the greatest number of children were 24 years, 25 years and 26 years (in that order). At age 31 the number was much smaller. The largest number of legitimate births was to mothers aged 24 years, 25 years and 26 years in that order and the largest number of illegitimate births was to mothers aged 21, 22, 20 and 24 in that order.

Year	Total Legitimate Births	Number of Legitimate Births by quinquennial age-groups 20-34			Proportion compared with 1939		
		20–24	25–29	30–34	20–24	25–29	30–34
1939 ...	81,669	18,605	25,661	19,267	100	100	100
1940 ...	81,248	19,086	26,068	18,619	103	102	97
1941 ...	83,800	19,933	26,038	19,410	107	101	101
1942 ...	84,187	20,827	25,396	19,459	112	99	101
1943 ...	87,450	21,285	24,417	21,361	114	95	111
1944 ...	88,308	21,614	23,402	22,062	116	91	115
1945 ...	89,398	18,940	21,163	19,791	102	82	103
1946 ...	97,465	22,228	29,070	24,450	119	113	127
1947 ...	106,836	25,804	33,600	24,795	139	131	129
1948 ...	94,568	24,117	30,001	20,255	130	117	105
1949 ...	90,451	23,586	29,628	17,949	127	115	93
1950 ...	87,693	23,168	27,964	18,193	125	109	94

The following Tables summarise the figures in Table 11 for the twelve years 1939 to 1950.

TABLE F (a).—Fertility Rates by Age of Mother

LEGITIMATE BIRTHS PER 1,000 MARRIED WOMEN

Year	All Ages (16–49)	16–19	20–24	25–29	30–34	35–39	40–44
1939 ...	119·8	525·7	336·6	220·0	140·5	82·7	25·8
1940 ...	115·2	448·9	322·7	213·6	131·3	77·4	25·0
1941 ...	116·4	376·6	300·8	211·1	134·9	82·6	27·7
1942 ...	114·3	354·3	290·9	208·3	133·3	82·0	26·8
1943 ...	117·9	357·8	283·4	209·6	146·9	90·6	30·2
1944 ...	118·3	340·9	284·8	210·0	153·8	92·4	31·3
1945 ...	105·2	322·7	246·9	192·9	139·1	82·4	27·6
1946 ...	131·6	385·0	290·7	264·9	180·5	98·6	28·5
1947 ...	142·9	481·6	330·5	288·6	188·4	100·5	29·5
1948 ...	125·2	472·6	305·1	238·5	159·6	87·9	26·6
1949 ...	119·7	536·3	306·3	221·6	148·1	83·7	23·6
1950 ...	116·0	496·2	307·7	200·6	153·4	81·1	22·5

ILLEGITIMATE BIRTHS PER 1,000 UNMARRIED WOMEN

Year	All Ages (15–49)	15–19	20–24	25–29	30–34	35–39	40–44
1939 ...	7·7	5·3	12·0	11·5	10·6	7·7	2·8
1940 ...	7·7	4·7	12·5	12·0	10·7	7·6	3·1
1941 ...	8·8	5·1	14·4	15·0	13·3	8·5	2·6
1942 ...	10·0	5·2	16·3	18·6	15·3	9·9	3·4
1943 ...	11·4	5·6	19·0	24·1	17·7	10·8	4·0
1944 ...	12·1	5·2	19·8	29·7	20·1	11·6	3·6
1945 ...	12·3	5·1	20·2	30·3	20·6	12·5	3·4
1946 ...	11·5	5·1	18·0	29·3	19·0	11·9	3·6
1947 ...	11·0	4·6	17·3	30·5	19·2	11·7	3·8
1948 ...	10·3	4·7	14·9	29·3	20·8	11·1	3·8
1949 ...	9·5	4·2	13·6	25·1	23·4	10·5	3·5
1950 ...	9·0	4·0	12·4	24·2	22·0	10·7	3·5

On comparing the legitimate rates for 1949 and 1950 it will be observed that there is a decrease at all age-groups with the exception of 20-24 and 30-34. The illegitimate fertility rates also show a decrease at all ages except the rate for age-groups 35-39 and 40-44.

Table 12 shows the interval between marriage and the birth of the first child for all first children born in 1950 according to the age of mother, and the following Table gives a summary for the years 1939 to 1950 of the percentage of first births occurring within eight months of marriage.

TABLE F (b).—Percentage of First Births taking place within Eight Months of Date of Marriage

Year				All ages	Age of Mother: Under 20	20–24	25–29	30–34
1939	...	...	...	28·8	70·1	40·3	17·0	10·0
1940	...	...	...	24·9	61·3	34·8	14·6	9·2
1941	...	...	...	18·5	53·6	24·2	10·4	8·5
1942	...	...	...	17·0	52·3	21·2	9·5	7·4
1943	...	...	...	14·4	49·0	17·4	7·9	6·2
1944	...	...	...	14·3	51·1	17·0	7·8	6·2
1945	...	...	...	15·2	51·1	18·5	8·3	6·5
1946	...	...	...	13·4	51·4	17·2	7·8	6·1
1947	...	...	...	15·1	50·8	18·9	9·6	7·7
1948	...	...	...	19·1	56·6	23·7	11·6	8·4
1949	...	...	...	20·4	59·8	24·3	11·3	8·7
1950	...	...	...	20·2	60·0	24·6	10·0	8·1

The percentage of first births taking place within eignt months of marriage is slightly lower than that for 1949. If we add the number of so-called pre-nuptial conceptions to the number of illegitimate births, however, the combined total is about 2,300 below that for 1939; and about 900 below that for last year.

In the Report for 1949 a summary of Table 13 was given for the years 1939, and 1942 to 1949 (Table F (c)). This Table is now repeated for the years 1939 and 1942 to 1950.

TABLE F (c).—Number of Births by Present Husband which are First, Second, etc.

Number of previous children (including still-born and dead)	1939	1942	1943	1944	1945	1946	1947	1948	1949	1950
0	28,976	33,628	33,835	32,390	29,321	38,531	44,369	36,492	34,177	31,843
1	19,473	19,724	21,919	23,395	21,017	25,789	27,962	26,697	25,893	25,284
2	11,757	11,326	12,094	12,786	11,410	14,028	15,016	13,717	13,474	13,804
3	7,391	6,942	6,893	7,308	6,540	7,358	7,811	7,069	6,955	6,926
4	4,771	4,420	4,406	4,393	3,995	4,326	4,434	3,872	3,838	3,770
More than 4	9,301	8,145	8,303	8,036	7,106	7,413	7,244	6,668	5,9 9	5,886
Not stated	—	2	—	—	9	20	—	53	135	180
TOTAL	81,669	84,187	87,450	88,308	79,398	97,465	106,836	94,568	90,451	87,693

In 1950 there has been a decrease of 2,758 legitimate births compared with 1949 and first births have been responsible for 2,334 of these so that, while all legitimate births have decreased by 3 per cent, first births have decreased by 7 per cent, second births by 2 per cent, while third births have increased by 2 per cent.

On examining the proportion which first births bear to the total births for the year as set out in Table F (c) it is found that the percentage increased steadily from 35·5 in 1939 to 39·9 in 1942. In 1943 it was 38·7, in 1944 36·7 and it increased steadily to 41·5 in 1947. Since then however the rate has decreased, being 38·6 in 1948, 37·8 in 1949 and 36·3 in 1950.

Table 14 shows legitimate births by duration of marriage and number of previous children. It also indicates the trend of family size. The following Table covering the years 1939 to 1950 (relating to children by present husband only) gives average family size—but only for those families having a child in the year under observation. The figures shown include the birth in the particular year referred to as well as previous births. They show that the average size of family into which a child was born decreased from 1939 to 1942, and remained practically stationary until 1945. The average decreased substantially in 1946 and 1947, rose slightly in 1948 but declined a little again in 1949. The figure for 1950 (2·45) is ·03 higher than that for 1949 and ·01 less than in 1946. The trend since 1939 has therefore been downward.

Duration of Marriage	Average number of children by present husband in family including still-born and dead											
	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Under one year ...	1·03	1·02	1·02	1·03	1·03	1·03	1·03	1·04	1·03	1·03	1·03	1·03
1 ...	1·29	1·26	1·19	1·17	1·16	1·17	1·18	1·15	1·17	1·23	1·23	1·24
2 ...	1·77	1·76	1·73	1·58	1·55	1·55	1·60	1·55	1·56	1·69	1·71	1·73
3 ...	2·14	2·14	2·08	2·00	1·88	1·85	1·85	1·79	1·82	1·96	2·01	2·06
4 ...	2·48	2·42	2·42	2·35	2·23	2·12	2·09	1·95	2·00	2·22	2·25	2·30
5 ...	2·77	2·81	2·71	2·64	2·53	2·48	2·34	2·13	2·17	2·38	2·49	2·53
6 ...	3·17	3·11	3·05	2·94	2·81	2·74	2·71	2·39	2·39	2·54	2·65	2·76
7 ...	3·50	3·41	3·41	3·25	3·06	3·00	3·01	2·76	2·67	2·74	2·81	2·94
8 ...	3·83	3·75	3·67	3·59	3·38	3·29	3·27	3·09	3·06	3·02	3·02	3·08
9 ...	4·10	4·12	4·12	3·86	3·72	3·58	3·57	3·40	3·34	3·40	3·37	3·26
10–14 ...	5·06	4·98	4·87	4·77	4·61	4·51	4·41	4·27	4·22	4·32	4·29	4·18
15–19 ...	6·93	6·79	6·65	6·50	6·33	6·13	6·07	6·02	5·98	6·08	6·15	6·13
20–24 ...	8·94	8·50	8·50	8·29	8·21	7·98	7·84	7·94	7·93	7·93	7·78	7·91
25 and over ...	10·68	10·96	11·15	10·29	10·37	9·92	9·15	10·00	9·07	9·62	9·54	9·53
Total Present Husband...	2·79	2·70	2·68	2·60	2·60	2·61	2·59	2·46	2·37	2·43	2·42	2·45

Table 15 sets out the number of multiple confinements classified by age of mother and type of birth. It also shows the number of mothers who gave birth to twins as a percentage of all mothers.

Tables 16 and 17 contain statistics of women who have been married but at the time of death are stated to have had no children. The results are summarised in the following Table F (d). It will be seen that the percentage of women who die childless does not vary greatly from year to year but has tended to decrease since 1943. The number of deaths among divorced women is too small to give a reliable rate for individual years. The lower percentage of widows who die childless is due in part to the fact that the average age at death of widows is higher than among married women up to age 45 or 50. In 1950, 15 per cent of the married women who died were under 45 years of age, whereas less than one per cent of widows died under that age.

TABLE F (d).—Percentage of Women who have been Married and who at Death are stated to have had No Children

	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Married	15·4	16·1	16·9	17·4	17·8	17·7	17·3	17·0	17·1	16·7	16·6	16·3
Widowed	13·8	13·5	14·4	14·5	14·7	14·6	14·3	14·3	14·5	14·6	14·2	14·3
Divorced	35·0	29·1	9·1	33·3	22·7	31·4	24·5	31·1	24·3	26·5	23·9	26·5
All women who had been married ...	14·6	14·7	15·5	15·9	16·2	16·1	15·7	15·6	15·7	15·6	15·3	15·2

APPENDIX II

REGISTRATION OF STILL-BIRTHS

The total number of still-births registered during the year 1950 was 2,557 and with 92,530 live births registered during the same period these still-births are equivalent to a rate of 26·9 per 1,000 total births, live and still, as compared with 42·2 in 1939, 28·7 in 1948 and 27·1 in 1949. There has been a continuous reduction in the rate since 1939, the first year in which still-births were registered in Scotland, and the rate for 1950 is the lowest so far recorded.

The geographical distribution of these live and still-births (together with neo-natal deaths among live born infants) and the corresponding rates for still-births, neo-natal deaths and for the two groups combined are shown in Table 18. For Local Authority aggregates the highest still-birth rate is recorded for large burghs, the lowest for county districts, the value for the principal cities being intermediate. The neo-natal death-rates show practically no difference in these aggregates. The slight decline in the still-birth rate compared with 1949 is confined to the aggregate of counties, the rate for large burghs (inclusive of principal cities) being 28·2, the corresponding value for the previous year being 27·7. The aggregate rates for 1950, showing a definite urban excess, are in this respect in line with the general experience of preceding years.

As in previous years the rates for individual large burghs and counties show wide variations, but in some, owing to the comparatively small numbers involved, the annual rates are not very stable. Among large burghs the highest rates for the year are observed in Dumbarton (44), Coatbridge (43) and Inverness (37), the lowest in Aberdeen and Ayr (22), Perth (20) and Arbroath (16). In the counties the highest rates were in Peebles (45) and Clackmannan (36), the lowest in the smaller counties (Nairn, Bute, Zetland, Kinross, Caithness and Sutherland) and in Aberdeen. For the combined still-birth and neo-natal rate, the lowest rates (all under 40 per 1,000) are found in the burghs of Aberdeen and Perth and in the counties of Bute, Caithness, Kincardine, Perth and Zetland, while the heaviest rates (over 60 per 1,000) are in the counties of Dunbarton, Inverness and Sutherland and in the large burghs of Dumbarton, Dumfries, Inverness, Coatbridge and Port Glasgow.

In Table SB (A) will be found the still-birth rates aggregated for the four geographical divisions of Scotland. Contrary to the usual finding the rate in the Southern group of counties is highest with that for the West Central second, while the rate for the Northern district is lowest of all. (From Table 18 it will be seen that for the more comprehensive rate for still-births and neo-natal deaths the rates for the West Central and Southern county groups are practically alike and the lowest is again in the North). The rates for large burghs are heavier than those for county districts in the West Central, East Central and the North, the main difference being between the two groups in the first-named aggregate.

TABLE SB (A).—Still-birth Rates per 1,000 Total Births by Divisions, 1950

Division*	Total	Large Burghs	Counties (excluding large burghs)
Northern	22·7	23·2	22·5
East Central...	25·9	26·7	25·0
West Central	28·8	29·7	26·9
Southern	29·7	28·6	29·8
SCOTLAND	26·9	28·2	25·3

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

Still-births and Neo-Natal Deaths.—Table 18 (replacing Tables 38 and 39 of previous reports) shows the numbers and rates for still-births and neo-natal deaths (under 1 month of age) separately and combined for individual Local Authority areas and administrative and geographical aggregates thereof. For Scotland as a whole in 1950, out of every 1,000 born alive or dead after the 28th week of pregnancy, 49·3 died before or within one month of birth. This figure compares with 53·9 in 1947-9 and with 77·3 in 1939. The rates for individual years since the beginning of still-birth registrations are as follows:—

DEATH-RATES PER 1,000 TOTAL BIRTHS, LIVE AND STILL.

Year	Still-Births	Neo-natal Deaths*	Total
1939 ...	42·2	35·0	77·3
1940 ...	42·1	35·7	77·8
1941 ...	39·6	38·4	77·9
1942 ...	38·2	33·7	71·9
1943 ...	35·6	31·7	67·3
1944 ...	32·5	31·7	64·2
1945 ...	32·8	27·6	60·4
1946 ...	32·3	28·9	61·2
1947 ...	30·5	27·7	58·2
1948 ...	28·7	24·4	53·1
1949 ...	27·1	22·5	49·7
1950 ...	26·9	22·4	49·3

* These neo-natal rates, being based on Total Births, do not quite correspond with those based on live births only, which will be found elsewhere in this Report.

Both rates have declined since 1939, the still-birth rate rather more regularly than the neo-natal rate but each is now rather less than two-thirds of the value registered 11 years ago.

Age of Mother and Number of Previous Children.—Table 19 shows legitimate and illegitimate still-births classified according to age of mother, and legitimate still-births according to the number of children already born to the mother. For all births, legitimate and illegitimate, the rate is 26·9 per 1,000 total births, this rate being at its lowest when the mother was aged 20-24 years and rising thereafter with increasing age of the mother. These latest figures confirm the experience of earlier years which is that the younger the mother in general the less risk there is of still-birth; the exception being that youngest mothers (under 20 years) show rather a heavier rate than mothers of 20-24. For every age-group under 40 years the illegitimate still-birth rates are higher than the corresponding legitimate rates. They are based on small numbers, but exhibit a similar general trend as the legitimate rates, viz., a fairly steady increase with increasing age of mother after 20.

Table SB (B) has been prepared from the distribution of still-births by age and parity shown in Table 19 in order to contrast first births with all subsequent births at different ages of mother. This shows that the rate for primiparous is appreciably higher than for multiparous births at every age of the mother.

Among the multiparous births themselves, as will be observed from Table 19, the relative frequency of still-birth varies widely, being least in the case of a second birth and thereafter increasing with increase in the number of previous children born to the mother.

TABLE SB (B).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), 1950

Age of mother	Children of all married mothers	Primiparæ (first births)	Multiparæ (one or more previous births)
Under 20	21	22	16
20—	19	21	16
25—	23	27	21
30—	27	40	24
35—	40	51	38
40 and over	61	77	59
ALL AGES	26	27	26

To examine separately the influence of parity and of age of mother, Table SB (C) has been compiled. The parity groups are aggregated to obtain more stable rates. For each parity group the still-birth rate tends to increase with increasing age of mother and when the experience of mothers of similar ages is examined, it is found that as a rule the rate increases with increasing number of previous children, an important exception being for first births in which are found higher rates than for 1-3 previous children. The still-birth rate for first births is above the average rate for each maternal age-group.

TABLE SB (C).—Legitimate Still-births per 1,000 Legitimate Births (Live and Still), (Age of Mother and Number of Previous Children), 1950

Number of previous children	Age of mother						
	All ages	—20	20—	25—	30—	35—	40 and over
None	27	22	21	27	40	51	77
1–3	23	16	15	20	22	33	53
4–6	39	—	38	26	30	46	63
7–9	45	—	—	34	21	49	58
10 and over ...	64	—	—	—	—	56	73
TOTAL ...	26	21	19	23	27	40	61

No rate has been calculated where the number of births (live and still) is less than 50.

Illegitimate Still-births.—Of the 2,557 still-births, 175 or 6·8 per cent were illegitimate, this being an appreciably greater proportion than among living births, namely 5·2. The still-birth rate was 34·9 per 1,000 total illegitimate births but it varied with age of mother, being 34 for young unmarried women under 20 years, 29 at ages 20-24, the highest rates of all being in the later ages. The corresponding general rate for legitimate infants was 26·4 per 1,000 and this better experience was apparent, with negligible exception, when individual age-groups are contrasted.

The percentages of illegitimate still-births and live births are compared for individual years as follows:—

Year	Percentage of Illegitimate to Total Births: Still-births	Live Births
1939	6·8	6·0
1940	7·2	5·9
1941	8·3	6·6
1942	8·8	7·1
1943	9·0	7·6
1944	10·0	7·9
1945	9·9	8·6
1946	8·2	6·6
1947	7·8	5·6
1948	7·2	5·8
1949	7·1	5·5
1950	6·8	5·2

Multiple Births.—In Table 20 will be found a detailed analysis of multiple births in which at least one child was still-born. All statistics referring to multiple births published in Tables 1 and 2 of these reports include only cases of children born alive. Thus the birth of two children, one of which was born alive, is there counted as a single birth, while the triplet birth with two living children and one still-born is counted as a twin birth. In the former part of this report it was stated that 1,215 mothers gave birth to twin living children and 14 to triplets; but if still-born children are included it is found that there were 134 additional cases of the birth of twins in 111 of which one was still-born (the other being included among the single births of Table 1) and in 23 of which both were still-born. In addition to the 14 cases of living triplets there were 2 cases in which one child was still-born (the other two children ranking as twin births in Table 1).

Adding the number of still-births to the living births, it is found that the total number of children born was 95,087 of whom 92,530 were live born and 2,557 still-born, the total number of confinements being 93,708. Of these confinements 92,345 resulted in a single birth, 1,347 in a twin birth and 16 in a triplet birth. Of the 2,694 twin children 157 were still-born—a rate of 58 per 1,000 twin children compared with 27 for all children and 26 for single births. The total confinements according to plurality or otherwise are summarised below.

TABLE SB (D).—Multiple Births, 1950

Number of children born	Confinements	Living born Children	Still-born Children
1 living	89,947	89,947	—
1 still-born	2,398	—	2,398
2 living	1,213	2,426	—
1 living, 1 still-born ...	111	111	111
2 still-born	23	—	46
3 living	14	42	—
2 living, 1 still-born ...	2	4	2
TOTAL ...	93,708	92,530	2,557

Certification.—In the great majority of the 2,557 still-births registered, the cause of death was certified by a medical practitioner (2,516) and in only 38 by a certified midwife. There were 3 cases of registration following receipt of a Schedule of Result of Precognition by the Procurator-Fiscal, and there was no case in which it was necessary for a statutory declaration to be made by the informant that the child was not born alive. The percentage certified by a medical practitioner and by a midwife were 98·4 and 1·5 respectively. In 1949 the corresponding figures were 98·2 and 1·8, and in 1939, 94·4 and 5·3 respectively.

Principal Causes of Still-birth.—The causes of still-birth, shown separately by sex of child and age of mother, are dealt with in detail in Table 21 and rates per 1,000 total births are given in Table SB (E) in summarised form. (The new International List is adopted here and it differs in some respects from that previously used in Scottish reports, but for causes of still-birth the differences between the old and new lists are not severe and comparability with past experience is thus in great part maintained for this group of deaths). Of the 2,557 still-births, 512 were attributed to difficult labour, 461 to fœtal defects, 444 to ill-defined causes, 368 to antepartum hæmorrhage and 218 to toxæmias of pregnancy. The order of importance of these several groups is as in recent past experience.

In group 1 (acute and chronic diseases of mother) only 79 cases are included, of which the chief individual components are syphilis (15 cases), diseases of the circulatory system (14) and influenza (10). Deaths from toxæmia, of which 81 per cent were eclampsia, numbered 218, compared with 236 in 1949 and 215 in 1948. Fœtal deaths attributed to difficulties at birth numbered 512, of which 99 were certified as birth injury alone and a further 10 as birth injury associated with immaturity. Of the remainder the most frequently stated causes were malposition of fœtus (176 cases of which 26 were also stated to be immature), abnormality of forces of labour (99 with 9 stated as immature) and disproportion (70, with 22 immature). (The individual causes within this group are not readily comparable with these in the list in use in previous years.) Antepartum hæmorrhage leading to still-birth is preponderantly accidental hæmorrhage, only one-fifth of this whole group being ascribed to placenta prævia. Of still-births ascribed to congenital defect, the most important individual defects were anencephalus (224) and hydrocephalus (135) these accounting jointly for nearly four-fifths of the whole group. Placental and cord complications (apart from antepartum hæmorrhage) accounted for a total of 386 deaths, roughly equal numbers being found for prolapse and torsion of cord and placental infarct. Ill-defined and unknown causes still constitute 17 per cent of still-births (15 per cent in 1949, but 33 per cent at the outset of registration in 1939).

For the principal cause groups the rates per 1,000 births by age of mother are shown in Table SB (E). For acute and chronic diseases of mother, toxæmia and placental and cord conditions the rates rise steadily with age of mother. For the remaining groups, the rates in the first age-group (under 20 years) are rather higher than at 20-24 years but thereafter, as in other groups, these rates also progressively increase with advance of maternal age.

TABLE SB (E).—Still-births per 1,000 Births (Live and Still) by Age and Disease Groups, 1950

Age of mother	All Causes	Acute and chronic disease in mother	Toxæmias	Antepartum hæmorrhage	Other Placental and Cord Conditions	Fœtal defects	Difficult labour	Other defined causes	Ill-defined or unknown causes
Under 20	23	0·5	1·2	3·9	2·9	5·4	4·9	0·5	4·2
20—	19	0·6	1·5	2·4	3·3	3·7	3·2	0·5	4·0
25—	23	0·7	1·7	3·3	3·5	4·2	4·9	0·8	4·3
30—	27	1·0	2·4	4·2	4·2	4·9	5·1	1·1	4·4
35—	41	0·9	4·2	6·8	5·5	6·3	9·1	1·8	6·3
40 and over	60	2·5	6·4	7·1	8·7	11·7	13·5	1·8	8·2
All Ages	27	0·8	2·3	3·9	4·1	4·8	5·4	0·9	4·7

Sex Ratios.—The ratio of male to female still-births (1949 rates in brackets) for cause groups are as follows:—

Acute and chronic disease of mother ...	1·14 (1·52)
Toxæmia	1·32 (1·30)
Antepartum hæmorrhage	1·30 (1·39)
Disease of placenta and cord	1·26 (1·32)
Congenital defects	0·61 (0·69)
Difficult labour	1·27 (1·37)
Other defined causes...	1·07 (1·15)
Ill-defined and unknown causes	1·02 (0·97)
All Causes	1·07 (1·11)

For 1950 the ratio of male : female still-births was 1·07, the corresponding ratio for live births being also 1·07. This ratio throughout the years from 1939 has fluctuated between 1·06 and 1·27, but during the same period the ratio for live births has been much more stable, varying only between 1·05 and 1·07. The excess of males is (as in previous years) more pronounced for the cause groups diseases of mother, toxæmias, antepartum hæmorrhage and difficulties at birth; but for fœtal defects there is a decided female excess.

Causes of Still-birth by Parity.—Table SB (F) shows the still-birth rates for broad cause groups for all married women and separately among primiparous and multiparous births. The heavier general rate among primiparous births is chiefly attributable to difficult labour and toxæmia and, in less degree, to ill-defined and unknown causes and other placental and cord conditions. The rates among them are more favourable than in the multiparous for antepartum hæmorrhage, fœtal defects, and other defined causes.

TABLE SB (F).—Still-birth Rates per 1,000 Births (Live and Still) among Married Mothers, 1950

	All married mothers	Primiparæ	Multiparæ
Acute and chronic disease in mother	0·7	0·6	0·8
Toxæmias	2·2	3·0	1·8
Antepartum hæmorrhage	3·9	2·8	4·5
Other placental and cord conditions	4·1	4·7	3·8
Fœtal defects	4·9	4·3	5·2
Difficult labour	5·2	6·5	4·5
Other defined causes...	0·9	0·4	1·2
Ill-defined and unknown causes ...	4·5	5·1	4·2
All Causes	26·4	27·4	25·9

Illegitimate Still-births by Cause.—The number of illegitimate still-births analysed by cause is shown in the last column of Table 22. There were in all 175 still-births from unmarried mothers, the rate being 34·9 per 1,000 compared with 26 among infants of married mothers. The greatest absolute and relative excess in the rates for illegitimates are found in difficult labour, ill-defined and unknown causes, general diseases of mother and toxæmias.

Month of Registration.—Still-births are classified by cause of death and month of registration in Table 23. The monthly rate for all causes fluctuates between 24 in July and 30 in September, the quarterly rate for the first quarter being highest and for the second lowest, but there are no marked or regular seasonal fluctuation either for all or for individual cause groups of still-births. (Table SB (G)).

Still-births by Cause and Local Authority Area.—With the introduction of the new cause list, it has been decided to amplify the tabular information on still-births and in Table 24 the still-births in each Local Authority area in Scotland are shown sub-divided according to the full list of causes now in use. Live births for these areas are given in Table 46. While a detailed geography of individual causes will not result until a longer experience than of one year becomes available, the table will be published annually as offering opportunity for study of individual causes or groups of causes in different combinations or types of Local Authority area.

TABLE SB (G).—Still-birth Rates per 1,000 Births (Live and Still), 1950

	All Causes	Acute and Chronic Disease in Mother	Toxæmias	Antepartum hæmorrhage	Other Placental and Cord Conditions	Fœtal Defects	Difficult Labour	Other Defined Causes	Ill-defined and Unknown Causes
1st Quarter	28	1·4	2·5	3·6	4·9	4·5	5·0	1·2	4·5
2nd Quarter	26	0·7	2·3	4·2	3·6	4·9	4·8	0·6	5·2
3rd Quarter	27	0·6	2·2	3·4	3·9	4·9	7·0	1·0	4·0
4th Quarter	27	0·6	2·2	4·2	3·8	5·1	4·8	1·0	4·9
YEAR	27	0·8	2·3	3·9	4·1	4·8	5·4	0·9	4·7

APPENDIX III

BIRTHS, STILL-BIRTHS AND INFANT DEATHS ACCORDING TO SOCIAL CLASS OF FATHER, 1950

The five social classes are those into which occupations have previously been grouped in vital statistical investigations. Class I represents the professional and financially independent section of the population, Class III represents the skilled artisan and analogous workers, and Class V labourers and workers in other unskilled callings. Classes II and IV are intermediate, comprising occupations of mixed types or types not readily assignable to the class on either side.

STILL-BIRTHS AND INFANT MORTALITY ACCORDING TO SOCIAL CLASS OF FATHER, 1950

Social Class	Numbers				Rates			
	Live Births	Still-births	Deaths		Still-births per 1000 Total Births (Live & Still)	Neo-Natal Deaths per 1000 Live Births	Post-Natal Deaths per 1000 Live Births	Total Infant Mortality per 1000 Live Births
			Under 1 month	Aged 1-11 months				
SCOTLAND								
I.	3,201	53	64	19	16·3	20·0	5·9	25·9
II.	10,171	235	168	78	22·6	16·5	7·7	24·2
III.	49,488	1,341	1,121	710	26·4	22·7	14·3	37·0
IV.	18,563	557	462	352	29·1	24·9	19·0	43·9
V.	11,107	371	316	279	32·3	28·5	25·1	53·6
TOTAL	92,530	2,557	2,131	1,438	26·9	23·0	15·5	38·6
LARGE BURGHS								
I.	1,710	31	35	8	17·8	20·5	4·7	25·1
II.	4,471	110	72	34	24·0	16·1	7·6	23·7
III.	28,678	810	630	437	27·5	22·0	15·2	37·2
IV.	7,676	236	194	162	29·8	25·3	21·1	46·4
V.	7,176	257	217	201	34·6	30·2	28·0	58·2
TOTAL	49,711	1,444	1,148	842	28·2	23·1	16·9	40·0
COUNTIES (EX. LARGE BURGHS)								
I.	1,491	22	29	11	14·5	19·5	7·4	26·8
II.	5,700	125	96	44	21·5	16·8	7·7	24·6
III.	20,810	531	491	273	24·9	23·6	13·1	36·7
IV.	10,887	321	268	190	28·6	24·7	17·5	42·1
V.	3,931	114	99	78	28·2	25·2	19·8	45·0
TOTAL	42,819	1,113	983	596	25·3	23·0	13·9	36·9

Numbers and rates are shown in the foregoing Table for Scotland as a whole, for all large burghs and for all counties (excluding large burghs).

Analysis of the figures for 1950 confirms the conclusions to which that of previous years had pointed, viz.: that social class has a much more marked

effect on Infant Mortality than on the incidence of still-births, and that it is a more important factor in post-natal than in neo-natal deaths. These conclusions are borne out not only by the figures for Scotland as a whole but also by those for the large burghs and for the counties.

Comparing the Scottish rates for 1949 with those for 1950 it is found that the fall in the Infant Mortality rate from 41·4 to 38·6 was shared by all classes with the exception of class I. Classes IV and V benefited to the greatest extent. The post-natal mortality rate fell from 18·2 in 1949 to 15·5 in 1950, a fall which affected all classes except class I. The neo-natal rate fell from 23·2 to 23·0 in 1950, a fall which affected classes II and V.

Age and Parity Distribution of Births in Different Social Classes.—Since age of mother and previous parity each have an influence on the outcome as regards still-birth frequency and since explanation of the differences of still-birth rates in the social classes is of importance, it has been decided to incorporate in this section detailed tables from which, inter alia, social class differences of parity and maternal age among the births each year can be observed and thus offer opportunity of assessing the influence, if any, of such differences on the crude still-birth rates. Tables 27 and 28 show total births and still-births separately thus subdivided for each of the five social classes.

The main points of note here are the higher proportion of first births and the lower proportion of parities of higher order (five and over) in class I compared with classes IV or V and the progressive regular change in this respect with descent in the social scale. Such differences of distribution would tend to produce favourable rates in classes I and II compared with the remainder. With age of mother, the social class differences are of opposite character as regards influence on the crude still-birth rates, in the first two classes the proportion of births to mothers in earlier age groups being smaller, in older ages correspondingly higher than in the remaining classes. This difference would, other things being equal, tend to produce heavier still-birth rates in the upper classes. Moreover for specific previous parities, the tendency is for the average age to be higher in classes I and II than elsewhere.

It is not considered worthwhile calculating correction factors on each year's figures: but as an illustration of the magnitude of the effects of these social class differences of age and parity constitution, the following figures based on similar tables for the whole period for which such data are available (though not so far published) are of interest. These are the correcting factors found in standardising the still-birth rates in the five social classes for age of mother and parity separately and jointly.

	Correcting factors		
Class	Age	Parity	Age and Parity
I.	0·96	1·08	0·97
II.	0·93	1·05	0·94
III.	1·02	1·02	1·02
IV.	1·01	0·97	1·01
V.	0·98	0·94	0·97

Correction for differences of age would lower the rates in classes I and II to a slight degree and alter the rates for other classes in even less measure. Parity differences considered above produce more obvious and regular differences, but simultaneous correction for both age and parity results in factors akin to those for age alone and of a size to suggest that these are not very important factors in any explanation of the observed differences between social classes in respect of the crude still-birth rates. What slight corrections have to be made would actually emphasise the current superiority of classes I and II in this respect.

Causes of Still-births in Different Social Classes.—The relative importance of the several broad cause groups of fœtal death have already been noted. In Table 25, which is published for the first time, the registered causes of still-births are shown (in detail in respect of legitimate still-births only) for each of the five social classes.

The percentage social class distribution of total legitimate births in Scotland is as follows: class I 3·5, class II 11·1, class III 53·7, class IV 19·3 and class V 12·3 per cent. From these figures and those in Table 25, the following condensed table of numbers and rates per 10,000 total births offers some indication of the causes to which general social class differences in the total still-birth rates are attributable.

	No. of Still-births			Rate per 10,000 Births		
	I and II	III	IV and V	I and II	III	IV and V
Disease of mother ...	11	28	27	8	6	9
Toxæmia	24	117	60	18	24	21
Antepartum hæmorrhage ...	47	176	125	36	36	44
Other placental and cord conditions ...	46	180	145	35	37	51
Fœtal defects	49	248	141	37	51	50
Difficult labour ...	58	254	157	44	53	55
Other defined causes ...	4	52	25	3	11	9
Ill-defined and unknown	41	214	152	31	44	53
All causes ...	280	1269	832	212	263	292

While the rates for the five social classes increase progressively from class I to V it is not possible to treat individual causes or even the broader cause groups in this fashion on the basis of one year's experience. The above condensed version does show, however, to some extent in what groups the greatest differences are found. Thus, relatively, the greatest divergences between the two extreme pairs of social class are in ill-defined and unknown causes where the rate for class IV and V exceeds that for I and II by over 70 per cent, in placental and cord conditions where the excess is 46 per cent and in congenital defects where there is a 35 per cent excess in the rate for classes IV and V. These same cause groups account for the greater part (roughly two-thirds) of the absolute difference between the extremes of social class and in that same order. There is also a heavier rate for difficult labour and antepartum hæmorrhages, each of just over 20 per cent, but no appreciable difference in the rate for general diseases of the mother. In spite of these differences there is a general similarity in the broad pattern of causes of still-births in the classes. In each class, actual difficulty in delivery is the most important, with antepartum hæmorrhages and placental and cord conditions and fœtal defects as the next most frequent of the defined conditions. Ill-defined and unknown causes are prominent in all, but least so in classes I and II. They take fifth place in these classes, but second in classes IV and V.

Causes of Infant Mortality in Different Social Classes.—The causes of death in the first year of life in legitimate infants in the five social classes are shown in Table 26. For any one year the number of deaths for a given cause in individual social classes is often small (especially in classes I and II) so that several of the cause rates must be unreliable. It is, however, intended to publish similar information annually, so that soon a very useful body of

reliable information will be built up. The total infant mortality, as has been indicated above, is directly related to social class and, using only the three social groups as in the table below, it will be observed that the mortality of classes IV and V is 93% higher than that in I and II. The difference between the rates for causes of early infant deaths and those generally occurring at a later date in the first year of life is also clear. Thus, for the neo-natal causes as a whole, and for other causes the rates per 10,000 are these:—

	I and II	III	IV and V
Neo-natal	174	229	268
Other causes	58	117	179

Relatively and absolutely the difference in infant mortality between the extremes of social class is greater for the later death-rate of infancy, neo-natal causes being 54% higher in classes IV and V than in I and II, other causes being rather more than three times as high, and of the total absolute difference between the rate for class extremes, a smaller contribution to this is made by the earlier causes (94 as compared with 121 per 10,000 for other causes).

For individual diseases or groups, mortality in infancy is consistently heavier in classes IV and V, relatively least for congenital malformations, birth injury and other infantile diseases (with excess varying from 20% in the first to 60% in the last named), relatively greatest in the infectious diseases, bronchitis and pneumonia, convulsion and diarrhœa. The greatest contributions to the absolute difference in the total rate are made, however, by bronchitis and pneumonia, other infantile diseases, diarrhoea and birth injury, which jointly contribute nearly two-thirds of the divergence of 215 per 10,000 births in the rates for all causes.

INFANT MORTALITY RATES (PER 10,000) BY CAUSE IN SOCIAL CLASS

	I and II	III	IV and V
Principal epidemic disease	2	6	12
Tuberculosis	—	3	4
Meningitis	2	1	4
Convulsions	2	6	12
Bronchitis and pneumonia	19	44	64
Other respiratory diseases	2	4	5
Diarrhœa	13	23	38
Other digestive diseases	1	2	4
Congenital malformations	44	55	51
Birth injury, etc.	55	61	80
Pneumonia of newborn	4	12	21
Diarrhœa of newborn	1	2	5
Other infantile diseases	70	99	111
Suffocation	9	13	15
Other violence	—	1	1
Other causes	7	13	18
ALL CAUSES	232	346	447

APPENDIX IV

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1949.

A preliminary statement regarding the marriages registered in Scotland during the year 1949 was incorporated in the Ninety-fifth Annual Report, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted. It is now supplemented by this detailed report on these marriages, which includes the method of publication (Banns, Notice or Sheriff's Licence), the type of marriage, the church of celebration and the ages and conjugal condition of those marrying.

In the Ninety-fifth Annual Report it was stated that the number of marriages registered in Scotland in 1949 was 41,709, but after complete examination of the registers the corrected number is found to be 41,708. This is 2,010 less than the number in 1948, but is much above the average numbers registered annually before 1939. The number of marriages, however, has decreased steadily during the last four years from 48,642 in 1945, 45,785 in 1946, 44,360 in 1947, and 43,718 in 1948 to 41,708 in 1949. The greatest number of marriages ever registered in Scotland was in 1940 when the total was 53,522.

The marriages in 1949 represent a rate of 8·06 per 1,000 population as against 8·46 in 1948.

Ecclesiastical, Civil and Irregular Marriages.—Of the 41,708 marriages registered 34,526 or 82·78 per cent were solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 7,176 or 17.21 per cent were civil marriages under the Act of 1939, and 6 or 0·01 per cent were irregular. Percentages in 1948 were 82·88, 17·10 and 0·03.

Civil marriages accounted for 22·7 per cent of marriages in the counties of cities and large burghs and 8·1 per cent in the counties, as against 22·1 and 8·5 respectively in 1948. This percentage ranged in the counties of cities and large burghs from 33·7 in Edinburgh, 32·6 in Perth and 32·5 in Dunfermline to 8·8 in Dumbarton, 8·3 in Coatbridge, and 1·4 in Port Glasgow. In Glasgow it was 20·9 and in Aberdeen 25·1. In the counties it ranged from 23·2 in Kinross, 20·1 in Selkirk and 17·7 in Moray to 3·9 in Renfrew, 3·2 in Stirling and 0·6 in Kincardine.

TABLE Q.—Ecclesiastical Marriages in Scotland in 1949, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff

Church of Celebration	Number					Percentage of Total for each Church, etc.				Percentage of Total Ecclesiastical Marriages
	Total	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	Banns	Publication of Notice	Banns and Publication	Licence granted by Sheriff	
Church of Scotland	24,590	22,639	1,057	796	98	92·1	4·3	3·2	0·4	71·2
United Free Church	462	355	81	24	2	76·8	17·5	5·2	0·4	1·3
Free Church ...	251	158	74	17	2	62·9	29·5	6·8	0·8	0·7
Roman Catholic Church	5,694	587	4,865	172	70	10·3	85·4	3·0	1·2	16·5
Scottish Episcopal Church	1,065	546	436	78	5	51·3	40·9	7·3	0·5	3·1
Congregational Church	1,073	745	280	42	6	69·4	26·1	3·9	0·6	3·1
Baptist Church ...	425	282	124	18	1	66·4	29·2	4·2	0·2	1·2
Methodist Church ...	361	208	134	17	2	57·6	37·1	4·7	0·6	1·0
Jews	116	4	112	—	—	3·4	96·6	—	—	0·3
All other Ecclesiastical Marriages ...	489	215	245	28	1	44·0	50·1	5·7	0·2	1·4
All Ecclesiastical Marriages... ...	34,526	25,739	7,408	1,192	187	74·5	21·5	3·5	0·5	100·0

All the 6 irregular marriages were registered on the authority of Decree of Declarator of the Court of Session.

Method of Publication.—Of the 34,526 ecclesiastical marriages (i.e., those with a religious ceremony) 74·5 per cent were solemnised after proclamation of banns, 21·5 per cent after publication of notice, 3·5 per cent after proclamation of banns for one party and publication of notice for the other, while 0·5 per cent were after Sheriff's licence under the special provisions of the Act of 1939. In the case of the counties of cities and large burghs these four percentages were respectively 68·3, 27·5, 3·6 and 0·6 while in the counties they were 83·3, 13·0, 3·3 and 0·4.

Table Q shows the frequency of banns or of publication of notice in the case of marriages solemnised according to the forms of each of the principal churches. In the Church of Scotland proclamation of banns was the most usual preliminary (92·1 per cent of all Church of Scotland marriages). In the United Free Church 76·8 per cent of the marriages celebrated were preceded by banns and in the Congregational Church 69·4 per cent. On the other hand 85·4 per cent of Roman Catholic marriages and 96·6 per cent of Jewish marriages were preceded by publication of notice.

Of the 7,176 civil marriages registered 6,655 were preceded by publication of notice at the office of the Registrar, while 521 were after Sheriff's licence under a provision of the Act of 1939 whereby publication of notice may be dispensed with in certain circumstances of emergency. (Tables R, 49 and 50).

Church of Celebration.—Of the 34,526 ecclesiastical marriages those according to the forms of the Church of Scotland numbered 24,590 or 71·2 per cent, those according to the forms of the Roman Catholic Church 5,694 or 16·5 per cent and of the Congregational Church 1,073 or 3·1 per cent. (Tables Q and S).

TABLE R.—Ecclesiastical, Civil and Irregular Marriages in 1949

	Number			Percentage of Total Marriages		
	Scotland	Counties of Cities and Large Burghs	Other Districts	Scotland	Counties of Cities and Large Burghs	Other Districts
Ecclesiastical Marriages—						
Church of Scotland ...	24,590	13,223	11,367	59·0	50·9	72·3
United Free Church ...	462	242	220	1·1	0·9	1·4
Free Church	251	107	144	0·6	0·4	0·9
Roman Catholic Church ...	5,694	3,973	1,721	13·7	15·3	10·9
Scottish Episcopal Church	1,065	767	298	2·6	3·0	1·9
Congregational Church ...	1,073	752	321	2·6	2·9	2·0
Baptist Church	425	280	145	1·0	1·1	0·9
Methodist Church ...	361	287	74	0·9	1·1	0·5
Jews	116	88	28	0·3	0·3	0·2
All other Ecclesiastical Marriages	489	351	138	1·2	1·4	0·9
Irregular Marriages ...	6	2	4	0·0	0·0	0·0
Civil Marriages	7,176	5,908	1,268	17·2	22·7	8·1
Total Marriages	41,708	25,980	15,728	100·0	100·0	100·0

From Table 49 it will be seen that there has not been any marked change from year to year in the proportions of those married according to the forms of the principal churches. Compared with 1948 the percentage of marriages celebrated according to the forms of the Church of Scotland and the Scottish Episcopal Church show decreases but the Roman Catholic Church and other forms have increased slightly. There is, however, a small increase in the percentage of civil marriages. The local distribution according to ecclesiastical forms, and the numbers and proportion of non-ecclesiastical marriages, are set out in Table 51. Church of Scotland marriages constituted 59·0 per cent of all marriages in Scotland. The proportion was 50·9 in the counties of cities and large burghs and 72·3 in the counties. In individual large burghs the percentage was 68·6 in Rutherglen, 68·3 in Arbroath and 64·5 in Kilmarnock. In the counties it was highest in Kincardine (94·3), Kirkcudbright (84·4) and Perth (83·6). Roman Catholic marriages made up 13·7 per cent of all Scottish marriages, the percentage being 15·3 in the counties of cities and large burghs and 10·9 in the counties. It was 44·3 in Port Glasgow, 38·5 in Dumbarton and 36·4 in Coatbridge. In the counties it was 24·8 in Dunbarton, 20·7 in Lanark and 19·9 in Renfrew. (Table 51).

Conjugal Condition of those Marrying.—Of the 41,708 males marrying during the year 37,881 or 90·8 per cent were bachelors, 2,274 or 5·5 per cent were widowers and 1,553 or 3·7 per cent had been divorced. Of the same number of females 38,549 or 92·4 per cent were spinsters, 1,744 or 4·2 per cent were widows and 1,415 or 3·4 per cent had been divorced. Compared with the previous year there is a slight decrease in the percentage of bachelors and widows and an increase in the percentage of spinsters, widowers and

divorced females. The following Table shows the marriages registered during 1949 arranged according to the conjugal conditions of the contracting parties:—

	Spinsters	Widows	Divorced Women	All Women
Bachelors	35,985	892	1,004	37,881
Widowers	1,431	660	183	2,274
Divorced men	1,133	192	228	1,553
All men	38,549	1,744	1,415	41,708

From the above it will be seen that of the bachelors who married during the year 95 per cent married spinsters and 2 per cent married widows, while

---

TABLE S.—Marriages in Scotland in 1949 by Denominations, etc., in Order of Frequency

1. Church of Scotland ...	24,590	16. Reformed Presbyterian Church	17
2. Roman Catholic Church ...	5,694	17. Unitarian Church	16
3. Congregational Church ...	1,073	18. Apostolic Church	16
4. Scottish Episcopal Church	1,065	19. Wesleyan Reform Union ...	15
5. United Free Church ...	462	20. Foursquare Gospel Church	14
6. Baptist Church	425	21 Church of God	10
7. Methodist Church	361	22. Church of England ...	8
8. Free Church	251	23. Other Religious Forms ...	63
9. Christian Brethren ...	139		
10. Jews	116		
11. Salvation Army	58	All Religious Forms ...	34,526
12. Free Presbyterian Church	56	Irregular Marriages ...	6
13. Church of the Nazarene ...	29	Civil Marriages	7,176
14. Original Secession Church	25		
15. Church of Christ	23	All Marriages	41,708

of widowers 63 per cent married spinsters and 29 per cent married widows. Of divorced men 73 per cent married spinsters, 12 per cent married widows and 15 per cent married divorced women. Some 93 per cent of the spinsters marrying during 1949 married bachelors, of the widows 51 per cent married bachelors and 38 per cent married widowers, and of the divorced women who remarried 71 per cent married bachelors, 13 per cent married widowers and 16 per cent married men who had also been divorced. These proportions do not differ materially from those observed in 1948. The number of cases in which both parties had been divorced rose from 42 in 1942 to 264 in 1947, but fell to 254 in 1948 and further decreased in 1949 to 228. (Table 52).

The following Table shows the civil condition of those marrying as compared with previous years. From about 1880 there was an almost continuous decline in the percentage of widowed persons of both sexes remarrying. In the case of males this decline was arrested in 1941, the trend thereafter being somewhat irregular. In 1940 the percentage of widows remarrying had fallen to 2·5, as against an average of 4·8 for the decennium 1921-30. From 1941 to 1948 the trend has been upward, but the rate for 1949 shows a decrease of 0·4 compared with that for 1948. The percentage of persons marrying who had been divorced was appreciably larger in 1947 than in any year since marriages of divorced persons were separately tabulated in 1933, but the rates for 1948 and 1949 show a slight decrease.

All Marriages		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse)
		Bachelors	Widowers	Divorced *	Spinsters	Widows	Divorced *	
1855–1860	100·0	84·3	11·2	—	90·1	5·4	—	4·5
1861–1870	100·0	87·3	11·5	—	93·6	5·2	—	1·2
1871–1880	100·0	87·8	12·0	—	93·5	6·3	—	0·2
1881–1890	100·0	88·6	11·4	—	94·2	5·8	—	0·0
1891–1900	100·0	90·1	9·9	—	94·6	5·3	—	0·0
1901–1910	100·0	91·4	8·5	—	95·0	4·9	—	0·0
1911–1920	100·0	91·7	8·3	—	93·4	6·6	—	0·0
1921–1930	100·0	92·6	7·4	—	95·2	4·8	—	0·0
1931–1940	100·0	93·4	5·9	0·7	96·3	3·0	0·7	0·0
1931	100·0	92·9	7·1	—	96·4	3·6	—	0·0
1932	100·0	93·5	6·5	—	96·6	3·4	—	0·0
1933	100·0	92·9	6·5	0·6	96·1	3·2	0·7	0·0
1934	100·0	93·1	6·3	0·6	96·1	3·3	0·6	0·0
1935	100·0	93·4	5·9	0·7	96·6	2·8	0·6	0·0
1936	100·0	93·4	5·9	0·7	96·3	2·9	0·8	0·0
1937	100·0	93·2	5·9	0·9	96·1	3·0	0·9	0·0
1938	100·0	93·4	5·6	1·0	96·0	3·0	1·0	0·0
1939	100·0	93·6	5·4	1·0	96·2	2·8	1·0	0·0
1940	100·0	94·4	4·7	0·9	96·6	2·5	0·9	0·0
1941	100·0	93·6	5·3	1·1	95·8	3·2	1·0	0·0
1942	100·0	93·6	5·3	1·1	95·4	3·5	1·1	0·0
1943	100·0	91·9	6·3	1·7	94·2	4·3	1·5	0·0
1944	100·0	91·5	6·5	2·0	93·5	4·6	1·9	0·0
1945	100·0	92·5	5·5	2·0	93·8	4·2	2·0	0·0
1946	100·0	90·7	6·1	3·1	92·1	5·3	2·7	0·0
1947	100·0	90·2	5·7	4·1	91·2	5·3	3·5	0·0
1948	100·0	90·9	5·4	3·7	92·0	4·6	3·3	0·0
1949	100·0	90·8	5·5	3·7	92·4	4·2	3·4	0·0

*—Previous to 1933 classified as Bachelors and Spinsters respectively.

The following Table shows the number of divorces notified in each year since 1933 and some detail regarding marriages of divorced persons. From

Year	Divorces*	Re-marriage of Divorced Persons		Divorced Persons Remarried per 100 Divorced in previous year	
		Males	Females	Males	Females
1932	488	—	—	—	—
1933	510	203	253	41·6	51·8
1934	468	240	238	47·1	46·7
1935	498	258	244	55·1	52·1
1933–35				*47·8*	*50·1*
1936	642	274	288	55·0	57·8
1937	649	346	347	53·9	54·0
1938	788	387	362	59·6	55·8
1936–38				*56·3*	*55·7*
1939	884	480	460	60·9	58·4
1940	780	513	500	58·0	56·6
1941	762	531	471	68·1	60·4
1939–41				*62·2*	*58·4*
1942	1,017	505	507	66·3	66·5
1943	1,312	660	585	64·9	57·5
1944	1,731	757	707	57·7	53·9
1942–44				*62·2*	*58·2*
1945	2,223	959	956	55·4	55·2
1946	2,924	1,442	1,217	64·9	54·7
1947	2,513	1,798	1,557	61·5	53·2
1945–47				*61·0*	*54·2*
1948	2,047	1,607	1,464	63·9	58·3
1949	2,438	1,553	1,415	75·9	69·1

* Including nullities

1934 until 1940 the annual number of divorced men and women who remarried was roughly equal, but in every year since with the exception of 1942 and 1945 there has been a substantial excess of males.

Ages of those Marrying.—The average age of all men marrying in 1949 was 29·0 and of all women 26·0. Among men this age was 29·7 in 1938 and 29·1 in 1948 and among women 26·7 in 1938 and 26·1 in 1948. In the counties of cities the average was 29·4 for men and 26·4 for women, in the large burghs it was 28·6 and 25·7 and in the counties 28·7 and 25·5. (Tables 53 and 54).

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Average ages of—	Spinsters	Widows	Divorced Women	All Women
Bachelors marrying	27·1	36·2	32·5	27·4
Widowers marrying	46·8	55·2	47·9	49·3
Divorced men marrying	36·1	41·1	38·7	37·1
All men marrying	28·1	43·9	35·5	29·0

Average ages of—	Bachelors	Widowers	Divorced Men	All Men
Spinsters marrying	24·3	37·3	29·8	25·0
Widows marrying	36·1	49·4	38·7	41·4
Divorced women marrying	31·9	40·0	35·0	33·4
All women marrying	24·8	41·1	31·7	26·0

These do not show any marked differences compared with 1948. The average age of widowers and divorced men marrying has increased slightly. The average age of women who married widowers in 1949 is slightly higher than in 1948.

For all marriages the average age of the bridegrooms was 3·0 years greater than that of the brides—a figure which scarcely varies from year to year. It was 3·0 in 1943 and 1944, 2·8 in 1945 and 3·0 in 1946, 1947 and 1948. In the case of bachelors and spinsters this excess was 2·8 (2·7 in 1948), of widowers and spinsters 9·5 (8·9) and of widowers marrying widows 5·8 (5·4). In cases where either party had been divorced the average age of the bridegrooms was always higher than that of the brides.

The youngest bridegrooms of the year were 5 bachelors aged 16 and 85 aged 17 who all married spinsters. The youngest brides were 184 spinsters aged 16. Of these 182 married bachelors and 2 married widowers. There were 784 brides aged 17, all spinsters. (Tables 55-59B).

The oldest man who married during the year was a widower aged 86 who married a spinster aged 42. The oldest bride was a spinster aged 79 who married a widower aged 76. (Tables 55-59B).

In the counties of cities and large burghs the average age at marriage among males ranged from 30·8 in Inverness, 30·2 in Edinburgh and 29·7 in Perth to 28·1 in Dumfries, Dunfermline and Greenock, 27·6 in Hamilton and 26·9 in Port Glasgow. In the counties it ranged from 31·8 in Ross and Cromarty, 31·7 in Inverness and 30·9 in Sutherland to 27·9 in Fife and in Roxburgh, 27·6 in West Lothian and 27·5 in East Lothian. Among females the average age in the counties of cities and large burghs ranged from 27·1 in Edinburgh, 26·8 in Inverness and 26·4 in Ayr and in Perth to 25·2 in Dumbarton, 25·0 in Greenock and Hamilton and 24·5 in Port Glasgow. In the counties the range was from 27·4 in Inverness and in Ross and Cromarty, 27·2 in Argyll and 26·8 in Perth and in Zetland to 24·7 in West Lothian, 24·6 in Aberdeen and 24·5 in East Lothian.

The following Table shows in age-groups the number of persons married in each year from 1938 to 1949. Compared with 1948 all the male age-groups show a reduction with the exception of the under 20 age-group, the largest decrease being in the group 25-29. The age-group 20-24 showed the largest decrease in the number of females married, but all other female groups except under 20 show decreases compared with 1948. The number of females married in the age-group under 20 was greater in 1949 than in 1948.

Age at Marriage, 1938-49

	Year	All Ages	Under 20	20–24	25–29	30-34	35–44	45 and over
Males	1938	38,716	812	10,028	14,292	7,215	4,205	2,164
	1939	46,236	1,237	12,478	16,996	8,419	4,782	2,324
	1940	53,522	1,376	15,456	19,694	9,226	5,412	2,358
	1941	47,620	1,654	14,682	15,747	7,883	5,134	2,520
	1942	47,402	1,856	16,611	14,323	6,997	5,164	2,451
	1943	38,177	1,661	14,048	10,228	5,442	4,458	2,340
	1944	37,017	1,582	14,412	9,443	5,031	4,220	2,329
	1945	48,642	1,658	17,691	14,775	6,872	4,992	2,654
	1946	45,785	1,216	14,309	14,901	7,239	5,348	2,772
	1947	44,360	1,013	14,264	14,881	6,685	4,911	2,606
	1948	43,718	977	14,848	14,774	5,861	4,716	2,542
	1949	41,708	993	14,834	13,857	5,251	4,288	2,485
	1949 per cent of 1938	107·7	122·3	147·9	97·0	72·8	102·0	114·8

	Year	All Ages	Under 20	20–24	25–29	30-34	35-44	45 and over
Females	1938	38,716	4,846	14,219	10,927	4,804	2,819	1,101
	1939	46,236	6,327	16,925	13,197	5,365	3,260	1,162
	1940	53,522	7,040	21,161	14,526	5,886	3,666	1,243
	1941	47,620	6,694	19,559	11,652	4,956	3,460	1,299
	1942	47,402	7,040	21,183	9,889	4,466	3,526	1,298
	1943	38,177	6,180	16,729	7,216	3,686	3,087	1,279
	1944	37,017	5,816	16,759	6,729	3,412	2,988	1,313
	1945	48,642	6 827	22,139	10,154	4,486	3,589	1,447
	1946	45,785	5,728	19,414	10,698	4,715	3,667	1,563
	1947	44,360	5,560	19,221	10,370	4,191	3,521	1,497
	1948	43,718	5,755	19,420	10,027	3,668	3,339	1,509
	1949	41,708	5,945	18,741	9,387	3,154	3,061	1,420
	1949 per cent of 1938	107·7	122·7	131·8	85·9	65·7	108·6	129·0

APPENDIX V

PARLIAMENTARY AND LOCAL GOVERNMENT ELECTORS

Tables 60 and 61 summarise certain electoral statistics which are related to the Register of Electors compiled under the provisions of the Representation of the People Acts and published on the 15th March, 1950, with reference to the qualifying date, the 1st December, 1949.

The figures contained in Table 60 have been compiled from returns furnished by the electoral registration officers of the several areas. The table shows the total number of parliamentary electors in each parliamentary constituency in Scotland; separate figures are given for the civilian residents and service voters. There were two by-elections held on the basis of the March, 1950, register.

The figures contained in Table 61 have been compiled from returns furnished by Town Clerks and County Clerks. The Table shows the numbers of local government electors in the counties, burghs, landward areas and districts (district council areas) respectively. Additional figures show to what extent seats on Councils were contested and what proportion of the electorate voted at the local elections held in 1950.

APPENDIX VI

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER, 1950

Supplied by the Meteorological Office, Edinburgh

Under the heading of "Meteorological Notes" a descriptive account of the weather is given in the "Quarterly Returns" published by authority of the Registrar General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations (pages 405-9).

General.—The outstanding features of the year are indicated in the course of the Report. The most notable were:—

1. The mildness of March and June contrasting with unusual cold in November and December.
2. The high rainfall in summer and autumn, especially in September, which was the wettest in Scotland for 74 years.
3. An excess of sunshine, despite the excessive rain.
4. The unusual occurrence of a blue sun and blue moon on September 26th.

Gales.—Winds rose to gale force on 141 days, considerably less than in 1949. As usually happens, many storms with high gusts were experienced in January and February. Gusts attained 70-80 miles per hour at Bell Rock Lighthouse on February 1st-3rd and 17th-18th. Easter was the stormiest in Scotland for many years, while September had the highest frequency of gales in 1950, the storms being at times of almost winter severity. A bad gale occurred on November 22nd/23rd. Throughout a period of 32 hours mean hourly wind speed never fell below gale force (39 m.p.h.) at Bell Rock and gusts of 54 m.p.h. or above occurred hourly.

Temperature.—Mean temperature in 1950 was slightly below the long-period average, the excess in the very mild months—March and June—being off-set by the large deficits in November and December.

In January the mildness of the first fortnight contrasted sharply with the cold weather which followed. Though the month was frost-free on eleven nights, low temperatures were recorded in many places on the 22nd, notably at Glenlivet, which had 25 degrees of air frost. February, however, was predominantly cold and wintry, and it broke the long run of mild months which began with September, 1948. Frosts of unusual severity occurred on the 27th. At Glenlivet there were 29 degrees of ground frost and that morning the waters of Portree Bay were frozen. March, on the other hand, was exceptionally mild. It was the fourth mildest March in Scotland in records going back to 1857. But a cool April followed, there being frequent West and North-west winds. The highest temperature of the month was only 62°—a very low value for April.

Temperatures in May were only moderate, but there was a hot spell in the first week of June when shade readings rose well above 80°. In Glasgow and Ruthwell 88° was recorded on the 6th, which was the hottest day of the year. Maxima in July were considerably below this value—indeed the "extremes", all below 75°, were the lowest for this month since 1922. August, too, was notable for an absence of high temperatures. The month, however, was slightly milder than usual.

September had about average temperature and, though October began with mild South-west winds, cold easterlies set in after the 19th and there was a sharp snap on the 26th-30th. The country had its coldest November for 25 years, while December, with a mean value nearly 6° below average, was its coldest for 64 years. It was bitterly cold about the middle of December when the lowest temperatures since March, 1947, were recorded. On the 15th, −1° F. was registered at Dalwhinnie. This was the lowest December reading since 1937.

Rainfall.—Only locally on Deeside and in Berwickshire was rainfall below average in 1950. Considerable areas in the North and West received 120 per cent of average. For the country as a whole it was the third successive wet year. May, with only 2 inches, was the driest month whereas September, which had over 10 inches, was easily the wettest.

January opened with wet weather and there were appreciable snowfalls at the close. February was mainly unsettled and wet. Shetland had its wettest February for 20 years. March was dry in inland districts, but in April there was an appreciable excess practically everywhere. It was the reverse in May which had a long dry period in the first half of the month. June, too, began with two weeks of fine weather, but July was wet, the wettest in Scotland for ten years. In August, frequent rains occurred in the West but there was a large dry area in the East. September broke records of high rainfall which had stood for 74 years. Large totals for the month were 30·41 inches at Loch Sloy Dam, 25·35 at Kinlochquoich and 20·55 at Glenquoich.

Broadly speaking, October was dry in East Scotland and wet in the West, but the dry and wet areas were reversed in November. Though heavy snow occurred at times during the first and third weeks of December, the month was relatively dry.

Snow.—Heavier snowfall occurred than in the preceding two years. On January 30th/31st snow lay 9 inches deep at Carter's Bar and up to 6 inches deep on the Perth-Inverness road. A good deal fell in February, some roads being blocked on the 1st and 8th. Appreciable falls were reported later in the month. There was little in March. Fort William and parts of Skye had 2-4 inches on April 25th. It fell a few inches deep in some districts on November 16th-18th. December, however, brought the heaviest storms of the year. Road services were disorganized in the first and third weeks, drifts in places being 5-6 feet deep. On high ground snow lay deeply throughout the month and even in the Lowlands it persisted in patches.

Thunder.—Thunderstorms were reported on 110 days, the highest number since 1943. July, August and September had each about double the usual frequency of outbreaks. The most widely reported were those in the South on April 12th. Storms were widespread also in both East and West Scotland on July 14th, 17th and 21st and on August 22nd, 26th and 28th. In the last quarter, those on October 9th were rather widely reported.

Flooding.—Prolonged and heavy downpours caused flooding and a good deal of damage in 1950. Many rivers were in spate on February 16th/17th. The Earn rose 2 feet per hour while the Tay at Aberfeldy was up by 11½ feet on the 17th. In the West 3·72 inches fell in 24 hours at Conaglen, 3·93 at Kinlochourn and 3·70 at Glenquoich. About a month later—on March 18th—there was flooding after heavy rains in the South-west. Thundery rains on July 13th gave 3·97 inches at Loch Sloy and there were more floods in September. The most badly hit areas were the West and South-west on the 6th, the Doon Valley on the 18th and many river basins on the 25th/26th. September 6th was probably the worst day of the year. Intense rains in Kirkcudbrightshire gave over 3 inches of rain in 24 hours at Laggan of Dee and at Forrest Lodge.

Sunshine.—As in the preceding year, 1950 had more than the normal sunshine and only a few districts were duller than usual. The Shetlands and coastal areas in Fife recorded an excess of 200 hours while at many other places on the East Coast the excess reached 100 hours. The sunniest places were Leuchars (1,636 hours), Arbroath (1,635), St. Andrews (1,621), Craibstone (1,583) and Dyce (1,555).

In January, sunshine aggregates were about average for mid-winter. Records were well above average on the East Coast in February and March. April, however, was a dull month. In May, West Scotland was the favoured area, and the South and much of the East had good records in June. Edinburgh, with an aggregate of 240 hours for the month, was the sunniest place in Scotland.

July and August were mainly sunny but a very dull September followed, and October had less than the average, except in the North-east, where Nairn enjoyed its sunniest October for 35 years. November and December were sunny in most places. Aberdeen recorded its highest November aggregate on "record" while Ruthwell had its sunniest December since 1917.

Fog.—Fog occurred on 180 days, more than in any year since 1944. The months with the highest frequencies were January, November and December, but the worst fog of the year occurred on March 7th. Practically all shipping was at a standstill on the Clyde owing to dense fog. Visibility was down to zero between Greenock and Clydebank. Air services and road traffic were seriously hampered by poor visibility during the closing weeks of October and November.

Aurora.—The year will be remembered for the appearance of a blue sun and blue moon on September 26th giving rise to much interest at the time. The phenomena were no doubt the result of smoke which drifted eastwards from forest fires in Canada.

The aurora borealis was seen on 83 nights, the most colourful displays being those on April 5th and August 19th. A mock sun was observed from Skye at 10 p.m. on July 5th.

(*For Statistical Tables see pages 405-409*).

APPENDIX VII

ALTERATIONS OF BOUNDARIES OF BURGHS, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1950

Area	Nature of Alteration	Population at Census 1931					
		Before Alteration			After Alteration		
		Persons	Males	Females	Persons	Males	Females
I. BURGHS							
Innerleithen	Extension within Civil Parish of Innerleithen	2,359	1,068	1,291	2,369	1,072	1,297
Bathgate	Extension within Civil Parish of Bathgate	10,097	5,052	5,045	10,127	5,069	5,058
Kirkcudbright	Extension within Civil Parish of Kirkcudbright	2,311	1,085	1,226	2,327	1,091	1,236
Dalbeattie	Extension within Civil Parish of Urr	3,011	1,434	1,577	3,022	1,440	1,582
Bonnyrigg and Lasswade	Extension within Civil Parishes of Lasswade and Cockpen	4,552	2,191	2,361	4,600	2,212	2,388
Kirkcaldy	Extension within Civil Parish of Kirkcaldy and Dysart	44,559	21,040	23,519	44,745	21,139	23,606
II. LANDWARD AREAS							
Peebles County	Extension of Burgh of Innerleithen	6,761	3,208	3,553	6,751	3,204	3,547
West Lothian County	Extension of Burgh of Bathgate	48,043	25,175	22,868	48,013	25,158	22,855
Kirkcudbright County	Extension of Burghs of Dalbeattie and Kirkcudbright	20,643	10,117	10,526	20,616	10,105	10,511
Midlothian County	Extension of Burgh of Bonnyrigg and Lasswade	50,624	26,132	24,492	50,576	26,111	24,465
Fife County	Extension of Burgh of Kirkcaldy	99,654	50,576	49,078	99,468	50,477	48,991
III. COUNTIES	None						
IV. CIVIL PARISHES	None						
V. REGISTRATION DISTRICTS							
597 Kilmarnock	A portion (no population) of the Burgh of Kilmarnock situated in the Registration District of Kilmaurs transferred to the Registration District of Kilmarnock	—	—	—	—	—	—
598 Kilmaurs	See above	—	—	—	—	—	—

APPENDIX VIII

RE-REGISTRATION OF BIRTHS

Registration of Births, etc. (Scotland) Amendment Act, 1934

This Act, which came into force on 1st January, 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

Year	*No.*
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716
1942	742
1943	687
1944	737
1945	719
1946	729
1947	717
1948	648
1949	534
1950	552

ADOPTED CHILDREN REGISTER

The Adoption of Children (Scotland) Act, 1930, provided for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. An amending Act (Adoption of Children Act, 1949) came into force on 1st January, 1950, and the enactments relating to the adoption of children were consolidated by the Adoption Act, 1950, which came into force on 1st October, 1950. The Adopted Children Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The original Act came into operation on 1st October, 1930, and the following Table shows the number of Adoptions recorded in each year:—

Year	*No.*	*Year*	*No.*
1930	3	1941	1,222
1931	347	1942	1,563
1932	492	1943	1,747
1933	437	1944	1,681
1934	602	1945	1,876
1935	683	1946	2,292
1936	704	1947	1,890
1937	820	1948	2,073
1938	812	1949	1,764
1939	1,100	1950	1,289
1940	1,424		

RECORDS IN GENERAL REGISTRY OFFICE

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland kept under the provisions of the Scottish Registration Act, 1854-1938, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1891 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each year since 1937:—

SEARCHES AND EXTRACTS

Year	Total Searches	Official Searches	Paid Searches	Extracts	Total Fees received		
					£	s.	d.
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6
1942	46,636	33,454	13,182	12,734	2,006	19	8
1943	43,567	30,070	13,497	12,395	2,009	3	10
1944	49,986	35,534	14,452	13,408	2,167	16	7
1945	59,405	42,460	16,945	16,430	2,543	4	6
1946	118,861	95,838	23,023	22,889	3,485	12	4
1947	89,732	65,694	24,038	23,911	3,677	18	4
1948	88,208	64,609	23,599	26,658	3,640	16	2
1949	83,516	59,727	23,789	25,063	3,592	4	1
1950	73,832	50,691	23,141	25,136	3,453	9	7

The 50,691 official searches made in 1950 include 22,887 for the purposes of the Family Allowances Act, 1945; 25,845 for contributory, non-contributory and Service pensions purposes; 502 for the purposes of the Service Departments; and 1,457 for other Government Departments. The number of Extracts shown for 1950 includes 6,647 abbreviated certificates of birth issued under Section 4 of the Registration of Births, etc. (Scotland) Amendment Act, 1934.

APPENDIX IX

CAUSES OF STILL-BIRTH, BEING THE 1948 INTERNATIONAL CLASSIFICATION AS ADAPTED FOR USE IN SCOTLAND

NOTES.—(1) Sub-headings indicated by letters (a, b, c, etc.) apply to the Scottish list only.
(2) The Scottish classification in use from 1939 to 1949 is also given, showing the alterations between the two lists.
(3) For comparison purposes see accompanying table.

International Classification 1950			Scottish Classification 1939-1949	
International Nos.	Scottish Nos.			
		CHRONIC DISEASE IN MOTHER		
Y30.0	1	Syphilis	1	Syphilis
Y30.1	2	Tuberculosis	2	Tuberculosis
Y30.2	3	Diabetes	9	Other general diseases (part of)
Y30.3	4	Chronic disease of circulatory system	11 12	Diseases of heart Other diseases of circulatory system
Y30.4	5	Chronic disease of genito-urinary system	16 17	Chronic nephritis Other diseases of genito-urinary system
Y30.5	6	Other chronic disease	3 6 7 8 9 10 15	Other chronic infectious diseases Exophthalmic goitre Other diseases of ductless glands (part of) Diseases of blood (part of) Other general diseases (part of) Diseases of nervous system (part of) Diseases of digestive system (part of)
		ACUTE DISEASE IN MOTHER		
Y31.1	7	Influenza	4	Influenza
Y31.2	8	Pneumonia	13	Bronchitis and pneumonia (part of)
Y31.3	9	Other acute respiratory disease	13 14	Bronchitis and pneumonia (part of) Other diseases of respiratory system
Y31.0 – Y31.4	10	Other acute disease or condition	5 7 8 9 10 15	Other acute infectious diseases Other diseases of ductless glands (part of) Diseases of blood (part of) Other general diseases (part of) Diseases of nervous system (part of) Diseases of digestive system (part of)
		DISEASES AND CONDITIONS OF PREGNANCY AND CHILDBIRTH		
Y32.1	11	Ectopic gestation	30·2	Other causes in mother (part of)
Y32.3a	12	Eclampsia	18	Eclampsia pre-eclampsia
Y32.3b	13	Nephritic toxæmia	19	Nephritic toxæmia
Y32.3c	14	Toxæmia not stated	23	Toxæmia other or not stated (part of)

International Classification 1950			Scottish Classification 1939-1949	
International Nos.	Scottish Nos.			
DISEASES AND CONDITIONS OF PREGNANCY AND CHILDBIRTH—*continued*				
Y32.4a	15	Acute yellow atrophy of liver	21	Acute yellow atrophy of liver
Y32.4b	16	Hyperemesis gravidarum	22	Hyperemesis gravidarum
Y32.5a	17	Pyelitis	20	Pyelitis
Y32.5b	18	Infection	23	Toxæmia other or not stated (part of)
Y33	19	Absorption of toxic substance from mother	30·2	Other causes in mother (part of)
Y34.0a	20	Abnormality of bones of pelvis with mention of immaturity	43	Malformation of pelvis (part of)
Y34.0b	21	Without mention of immaturity		As 20
Y34.1a	22	Disproportion with mention of immaturity	43 45 53	Malformation of pelvis (part of) Prolonged labour (part of) Multiple pregnancy (part of)
Y34.1b	23	Disproportion without mention of immaturity		As 22
Y34.2a	24	Malposition of fœtus with mention of immaturity	42	Abnormal presentation of fœtus (part of)
Y34.2b	25	Malposition of fœtus without mention of immaturity		As 24
Y34.3a	26	Abnormality of forces of labour with mention of immaturity	45 46 47 50	Prolonged labour (part of) Uterine inertia (part of) Post maturity (part of) Precipitate labour (part of)
Y34.3b	27	Abnormality of forces of labour without mention of immaturity		As 26
Y34.4a	28	Operative delivery with mention of immaturity	49	Other obstetrical operations (part of)
Y34.4b	29	Operative delivery without mention of immaturity		As 28
Y34.5a	30	Abnormality of organs or tissues of pelvis with mention of immaturity	9 15 17 43 45	Other general diseases (part of) Diseases of digestive system (part of) Other diseases of genito-urinary system Malformation of pelvis (part of) Prolonged labour (part of)
Y34.5b	31	Abnormality of organs or tissues of pelvis without mention of immaturity		As 30
Y34.6a	32	Difficult labour without mention of condition but with mention of immaturity	45	Prolonged labour (part of)
Y34.6b	33	Difficult labour without mention of condition and without mention of immaturity		As 32

International Classification 1950			Scottish Classification 1939-1949	
International Nos.	Scottish Nos.			
		OTHER CAUSES IN MOTHER		
Y35.0	34	Fall	29	Other violent causes (part of)
Y35.1, Y32.0	35	Other accidents or violence		As 34
Y35.2	36	Over exertion	27 28	Over-exertion as a result of over-work Other over-exertion
Y35.3	37	Other and ill-defined causes in mother	30.2	Other causes in mother (part of)
		PLACENTAL AND CORD CONDITIONS		
Y36.0a	38	Prolapse of cord	41 44	Placental infarct disease, etc. (part of) Prolapse of cord
Y36.0b	39	Torsion of cord	40	Torsion of cord
Y36.1, Y36.3	40	Placenta prævia	24	Placenta prævia
Y32.2, Y36.2, Y36.4	41	Accidental hæmorrhage	25 26	Accidental hæmorrhage Other antepartum hæmorrhage
Y36.5	42	Placental infarct	41	Placental infarct disease, etc. (part of)
Y36.6	43	Others of placenta and cord		As 42
Y37a	44	Birth injury (including cerebral hæmorrhage) with immaturity	42 43 45 46 47 48 49 50 52	Abnormal presentation of fœtus (part of) Malformation of pelvis (part of) Prolonged labour (part of) Uterine inertia (part of) Post-maturity (part of) Operations causing mutilation Other obstetrical operations (part of) Precipitate labour (part of) Injury at birth (including cerebral hæmorrhage)
Y37b	45	Birth injury (including cerebral hæmorrhage) without immaturity		As 44
		CONGENITAL MALFORMATION OF FŒTUS		
Y38.0	46	Anencephalus	37	Anencephalus
Y38.1	47	Hydrocephalus	31	Hydrocephalus
Y38.2	48	Spina bifida	32	Spina bifida
Y38.3	49	Other malformations of the central nervous system	38	Other specified defects (part of)
Y38.4	50	Malformation of the cardio-vascular system	33	Congenital heart disease

International Classification 1950			Scottish Classification 1939-1949	
International Nos.	Scottish Nos.			
		CONGENITAL MALFORMATION OF FŒTUS—*continued*		
Y38.5	51	Malformation of other specified system	38	Other specified defects (part of)
Y38.6	52	Monster	39	Malformation monster (type not stated)
Y38.7	53	Other and unspecified malformations	36 38	Multiple malformations and defects Other specified defects (part of)
		DISEASES OF FŒTUS AND ILL-DEFINED CAUSES		
Y39.2	54	Erythroblastosis	30.1 54	Rhesus factor Other defined causes (part of)
Y39.0 Y39.1 Y39.3	55	Other diseases of fœtus	54	Other defined causes (part of)
Y39.4	56	Maceration	60	Maceration
Y39.5a	57	Prematurity (cause not stated)	55	Prematurity
Y39.5b	58	Debility	57	Debility
Y39.5c	59	Asphyxia	58	Asphyxia
Y39.5d	60	Other ill-defined	34 35 51 54 56 59 61	Hydramnios Oligohydramnios Rupture of membranes Other defined causes (part of) Habit abortion Atelectasis Cause unknown (part of)
Y39.6	61	Cause unknown	61	Cause unknown (part of)

The following table will enable a comparison to be made between the Scottish list of causes of still-birth which has been in use from 1939 to 1949 and the International List of causes of still-birth which has been adapted for 1950. The still-birth causes for 1950 have been classified both on the old and on the new list. As some of the changes are far reaching, it is only possible to show certain diseases grouped together.

1950 International Nos.	Scottish Nos.		No. of causes in 1950	1939-1949 Scottish List No.		No. of causes in 1950
		CHRONIC DISEASE IN MOTHER				
Y30.0	1	Syphilis	15	1	Syphilis	15
Y30.1	2	Tuberculosis	3	2	Tuberculosis	3
Y30.3	4	Chronic disease of circulatory system ...	14	11 12	Diseases of heart (1) ... Other diseases of circulatory system (13)	14
Y30.4	5	Chronic disease of genito-urinary system ...	3	16 17	Chronic nephritis (3)... ... *Other diseases of genito-urinary system (–)	3

International Classification 1950				Scottish Classification 1939-1949		
1950 International Nos.	Scottish Nos.		No. of causes in 1950	1939-1949 Scottish List No.		No. of causes in 1950
		CHRONIC DISEASE IN MOTHER—*continued*				
Y30.2 Y30.5 Y30.0& Y31.4	3 6 10	Diabetes (8) ... ... Other chronic disease (14) Other acute disease or condition (3) ...	25	3	Other chronic infectious diseases (–)	25
				5	Other acute infectious diseases (2)	
				6	Exophthalmic goitre (1)	
				7	Other diseases of ductless glands (–)	
				8	Diseases of blood (11)	
				9	†Other general diseases (9)	
				10	Diseases of nervous system (1)	
				15	‡Diseases of digestive system (1)	

* Part of old group No. 17 Other diseases of genito-urinary system is included in Y34.5a and Y34.5b but no deaths from this disease occurred in 1950.

† 11 deaths were classified to No. 9 Other general diseases in the old list, 1 of these will be found in the new group which includes Y34.5a and the other in Y34.5b.

‡ Part of the old group No. 15 Diseases of digestive system is included in Y34.5a and Y34.5b, but no deaths from the digestive system were classified to this group in 1950.

		ACUTE DISEASE IN MOTHER				
Y31.1	7	Influenza	10	4	Influenza	10
Y31.2 Y31.3	8 9	Pneumonia (7) ... Other acute respiratory disease (2)	9	13 14	Bronchitis, pneumonia (8) ... Other diseases of respiratory system (1)	9
		DISEASES AND CONDITIONS OF PREGNANCY AND CHILDBIRTH				
Y32.1 Y33 Y35.3	11 19 37	Ectopic gestation (–) ... Absorption of toxic substance from mother (–) Other and ill-defined causes in mother (8)	8	30.2	Other causes in mother ...	8
Y32.3a	12	Eclampsia	176	18	Eclampsia pre-eclampsia ...	176
Y32.3b	13	Nephritic toxæmia ...	6	19	Nephritic toxæmia	6
Y32.4a	15	Acute yellow atrophy of liver	2	21	Acute yellow atrophy of liver	2
Y32.4b	16	Hyperemesis gravidarum	2	22	Hyperemesis gravidarum ...	2
Y32.5a	17	Pyelitis	2	20	Pyelitis	2
Y32.3c Y32.5b	14 18	Toxæmia not stated (29) Infection (1)	30	23	Toxæmia other or not stated	30

International Classification 1950			Scottish Classification 1939-1949		
1950 International Nos.	Scottish Nos.	No. of causes in 1950	1929-1940 Scottish List No.		No. of causes in 1950
DISEASES AND CONDITIONS OF PREGNANCY AND CHILDBIRTH—*continued*					
Y34.0a	20 Abnormality of bones of pelvis with mention of immaturity (2)		9	Other general diseases (2)	
Y34.0b	21 Abnormality of bones of pelvis without mention of immaturity (11)		15	Diseases of digestive system (–)	
Y34.1a	22 Disproportion with mention of immaturity (22)		17	Other diseases of genito-urinary system (–)	
Y34.1b	23 Disproportion without mention of immaturity (48)		42	Abnormal presentation of fœtus (178)	
Y34.2a	24 Malposition of fœtus with mention of immaturity (26)		43	Malformation of pelvis (contracted pelvis) (22)	
Y34.2b	25 Malposition of fœtus without mention of immaturity (150)		45	Prolonged labour (53)	
Y34 3a	26 Abnormality of forces of labour with mention of immaturity (9)		46	Uterine inertia (25)	512
Y34.3b	27 Abnormality of forces of labour without mention of immaturity (90)	512	47	Post maturity (24)	
Y34.4a	28 Operative delivery with mention of immaturity (–)		48	Operation causing mutilation (14)	
Y34.4b	29 Operative delivery without mention of immaturity (13)		49	Other obstetrical operations (13)	
Y34.5a	30 Abnormality of organs or tissues of pelvis with mention of immaturity (2)		50	Precipitate labour (27)	
Y34.5b	31 Abnormality of organs or tissues of pelvis without mention of immaturity (10)		52	Injury at birth (including cerebral hæmorrhage (94)	
Y34.6a	32 Difficult labour without mention of condition but with mention of immaturity (5)		53	Multiple pregnancy (60)	
Y34.6b	33 Difficult labour without mention of condition and without mention of immaturity (15)				
Y37a	44 Birth injury (including cerebral hæmorrhage) with immaturity (10)				
Y37b	45 Birth injury (including cerebral hæmorrhage) without mention of immaturity (99)				

International Classification 1950				Scottish Classification 1939-1949		
1950 International Nos.	Scottish Nos.		No. of causes in 1950	1939-1949 Scottish List No.		No. of causes in 1950
		OTHER CAUSES IN MOTHER				
Y35.0 Y35.1& Y32.0	34 35	Fall (7) ... ... Other accidents or violence (2)	9	29	Other violent causes	9
Y35.2	36	Over-exertion	7	27 28	Over-exertion as a result of overwork (5) ... ... Other over-exertion (2)	7
		PLACENTAL AND CORD CONDITIONS				
Y36.0a Y36.5 Y36.6	38 42 43	Prolapse of cord (119) Placental infarct (110) Others of placenta and cord (54)	283	41 44	Placental infarct disease, etc. (168) ... ... Prolapse of cord (115)	283
Y36.0b	39	Torsion of cord ...	103	40	Torsion of cord	103
Y36.1 & Y36.3	40	Placenta prævia ...	76	24	Placenta prævia	76
Y32.2 Y36.2 & Y36.4	41	Accidental hæmorrhage	292	25 26	Accidental hæmorrhage (219) Other antepartum hæmorrhage (73)	292
		CONGENITAL MALFORMATION OF FŒTUS				
Y38.0	46	Anencephalus	224	37	Anencephalus...	224
Y38.1	47	Hydrocephalus ...	135	31	Hydrocephalus	135
Y38.2	48	Spina bifida	27	32	Spina bifida	27
Y38.3 Y38.5 Y38.7	49 51 53	Other malformation of the central nervous system (13) ... Malformation of other specified system (19) Other and unspecified malformations (30)	62	36 38	Multiple malformations or defects (4) ... ... Other specified defects (58)	62
Y38.4	50	Malformation of the cardiovascular system	12	33	Congenital heart disease ...	12
Y38.6	52	Monster...	1	39	Malformation monster (type not stated)...	1
		DISEASES OF FŒTUS AND ILL-DEFINED CAUSES				
Y39.4	56	Maceration	105	60	Macerated fœtus	105
Y39.5a	57	Prematurity (cause not stated)	65	55	Prematurity	65
Y39.5b	58	Debility	8	57	Debility	8
Y39.5c	59	Asphyxia	101	58	Asphyxia	101
Y39.2 Y39.0 Y39.1& Y39.3 Y39.5d Y39.6	54 55 60 61	Erythroblastosis (62) ... Other diseases of fœtus (3) Other ill-defined (66) Cause unknown (99)	230	30.1 34 35 51 54 56 59 61	Rhesus factor (18) ... ... Hydramnios (19) Oligohydramnios (–) Rupture of membranes (4) Other defined causes (47) Habit abortion (2) Atelectasis (39) Cause unknown (101)	230
		Total causes	2,557		Total causes	2,557

APPENDIX X

CAUSES OF DEATH IN SCOTLAND DURING 1950 CLASSIFIED ACCORDING TO THE 1938 REVISION

		International Long List	Both Sexes	Males	Females
		ALL CAUSES—Both Sexes	**63,996**	—	—
		Males	—	**32,191**	—
		Females	—	—	**31,805**
		I. INFECTIVE AND PARASITIC DISEASES ...	**3,799**	**2,023**	**1,776**
		Diseases due to Bacteria—			
1.	01.	Typhoid fever	—	—	—
2.	01.	Paratyphoid fevers	—	—	—
6.	02.	Cerebro-spinal (meningococcal) meningitis ...	35	20	15
8.	03.	Scarlet fever	1	—	1
9.	04.	Whooping-cough	61	35	26
10.	05.	Diphtheria	3	2	1
11.	11.	Erysipelas	5	2	3
12.	11.	Tetanus...	8	7	1
		Tuberculosis— (Total)	2,780	1,476	1,304
13.	06.	Respiratory system	2,437	1,307	1,130
14.	07.	Central nervous system	191	89	102
15.	07.	Intestines and peritoneum	28	12	16
16.	07.	Vertebral column	28	13	15
17.	07.	Other bones and joints	11	7	4
18.	07.	Skin and sub-cutaneous tissue	9	4	5
19.	07.	Lymphatic system	2	—	2
20.	07.	Genito-urinary system	40	21	19
21.*a*	07.	Addison's dis. (specified as tuberc.)	3	3	—
b	07.	Other organs	1	1	—
22.	07.	Disseminated	30	19	11
24.	11.	Purulent infection and septicæmia	44	24	20
26.	11.	Other bacterial diseases (3-5, 7, 23, 25) ...	2	1	1
		Dysentery—			
27.	11.	Dysentery	14	7	7
		Diseases due to Protozoa—			
28.	11.	Malaria (29)	2	1	1
		Diseases due to Spirochætes—			
30.*a*	08.	Locomotor ataxia (tabes dorsalis)	21	19	2
b	08.	General paralysis of insane	26	24	2
c	08.	Aneurysm of aorta	81	57	24
d	08.	Syphilis, congenital or unspecified	42	26	16
32.	11.	Other spirochætal diseases (31)	6	6	—
		Diseases due to Filterable Viruses—			
		Influenza— (Total)	388	154	234
33.*a*.1	09.	With pneumonia	152	70	82
2	09.	With other respiratory complications ...	83	24	59
b.1	09.	With non-respiratory complications ...	13	3	10
2	09.	Without stated complications	140	57	83
35.	10.	Measles	38	19	19
36.	11.	Acute poliomyelitis and polioencephalitis ...	65	40	25
37.*a*	11.	Lethargic encephalitis—acute	15	6	9
c	11.	Other or unspecified lethargic encephalitis (*b*) ...	43	27	16
38.	11.	Other diseases due to viruses (34)	23	10	13

		International Long List	Both Sexes	Males	Females
		Diseases due to Rickettsia—			
39.	11.	Typhus fever	1	—	1
		Diseases due to Helminths—			
42.	11.	Diseases due to helminths (40, 41)	2	1	1
		Diseases due to Fungi—			
43.	11.	Mycoses	3	2	1
		Other infective or parasitic diseases—			
44.*b*	11.	Pernicious lymphogranulomatosis (Hodgkin's disease)	87	55	32
d	11.	Other infective or parasitic diseases (*a*, *c*) ...	3	2	1
		II. CANCER AND OTHER TUMOURS ...	**9,948**	**4,937**	**5,011**
		Cancer and other malignant tumours— (Total)	9,723	4,851	4,872
45.	12.	Buccal cavity and pharynx	326	239	87
46.	12.	Digestive organs and peritoneum	4,938	2,468	2,470
47.	12.	Respiratory system	1,540	1,203	337
48.	12.	Uterus	465	—	465
49.	12.	Other female genital organs	275	—	275
50.	12.	Breast	829	8	821
51.	12.	Male genital organs	380	380	—
52.	12.	Urinary organs	320	201	119
53.	12.	Skin (scrotum excepted)...	100	46	54
54.	12.	Brain and nervous system	147	91	56
55.	12.	Other or unspecified organs	403	215	188
		Tumours, non-malignant or of undetermined nature (56)			
57.*a*	13.	Ovaries	26	—	26
b	13.	Uterus	25	—	25
c	13.	Other female genital organs	—	—	—
d	13.	Brain and nervous system	77	29	48
e.1	13.	Bladder	23	17	6
2	13.	Other and unspecified organs	74	40	34
		III. RHEUMATISM, DISEASES OF NUTRITION, AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES	**904**	**248**	**656**
58.*c*	14.	Acute rheumatic heart conditions (*a*, *b*) ...	47	14	33
d	14.	Other forms of acute rheumatism	9	2	7
59.	16.	Chronic rheumatism and other rheumatic diseases	105	20	85
61.	15.	Diabetes mellitus...	566	163	403
62.	16.	Diseases of the pituitary gland	13	4	9
63.*b*	16.	Exophthalmic goitre	45	8	37
c	16.	Myxœdema and cretinism	52	6	46
e	16.	Other diseases of thyroid and parathyroid (*a*, *d*)	6	2	4
64.	16.	Diseases of thymus (including status lymphaticus)	9	5	4
65.*a*	16.	Addison's disease (not tuberculous)	7	2	5
b	16.	Other diseases of adrenal glands	3	—	3
66.	16.	Other general diseases (60)	26	14	12
		Vitamin deficiency diseases—			
70.	16.	Rickets	2	2	—
71.	16.	Other vitamin deficiency diseases (67, 68, 69)	14	6	8

		International Long List	Both Sexes	Males	Females
		IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS	**606**	**282**	**324**
72.	16.	Purpura, hæmophilia	20	12	8
73.*a*	16.	Pernicious anæmia (*b*)	222	94	128
d	16.	Other anæmias (*c*)	125	46	79
74.	16.	Leukæmia, aleukæmia	200	113	87
75.	16.	Diseases of spleen	24	9	15
76.	16.	Other diseases of blood and of blood-forming organs	15	8	7
		V. CHRONIC POISONING AND INTOXICATION	**14**	**10**	**4**
77.	16.	Alcoholism	14	10	4
78.	16.	Lead poisoning	—	—	—
79.	16.	Chronic poisoning by other mineral and organic substances	—	—	—
		VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS	**9,667**	**4,084**	**5,583**
80.*a*	19.	Intra-cranial abscess	17	13	4
b	19.	Other forms of encephalitis (non-epidemic) ...	19	10	9
81.	17.	Meningitis (not meningococcal)	56	29	27
82.1	17.	Motor neurone disease	80	53	27
2	17.	Sub-acute combined degeneration	9	4	5
3	17.	Myelitis of unstated origin	14	7	7
4	17.	Other diseases of medulla and of spinal cord ...	10	7	3
83.*a*	18.	Cerebral hæmorrhage, apoplexy	4,728	1,886	2,842
b	18.	Cerebral embolism and thrombosis	3,625	1,580	2,045
c	18.	Softening of brain	86	38	48
d	18.	Hemiplegia and other paralyses of unstated origin	203	87	116
e	18.	Other intra-cranial effusions	31	12	19
84.	19.	Mental disorders and deficiency	88	31	57
85.	19.	Epilepsy	125	65	60
86.	19.	Convulsions (age under 5 years)	79	44	35
87.*a*	19.	Chorea	1	—	1
b	19.	Neuritis	15	10	5
c	19.	Paralysis agitans	185	80	105
d	19.	Disseminated sclerosis	142	52	90
e	19.	Other diseases of nervous system	121	57	64
88.	19.	Diseases of organs of vision	5	2	3
89.*a*	19.	Otitis and other diseases of ear	21	13	8
b	19.	Diseases of mastoid	7	4	3
		VII. DISEASES OF CIRCULATORY SYSTEM	**21,995**	**10,921**	**11,074**
		Heart diseases— (Total)	20,236	10,053	10,183
90.*a*	20.	Chronic rheumatic pericarditis	2	2	—
b	20.	Other pericarditis	21	9	12
91.*a*	20.	Acute bacterial endocarditis (*b*)	27	14	13
c	20.	Other acute endocarditis	14	9	5
92.*a*	20.	Aortic valvular disease (without mitral) ...	169	99	70
b	20.	Mitral and oth. spec. valvular dis. (including sequelæ of rheum. fever)	760	261	499
c	20.	Valvular disease, endocarditis—unspecified ...	509	220	289
93.*a*	20.	Acute myocarditis	182	85	97
b	20.	Chronic rheumatic myocarditis	42	15	27
c.1	20.	Cardio-vascular degeneration	4,702	2,025	2,677
2	20.	Fatty degeneration of heart	46	8	38
3	20.	Chronic myocarditis, other myocardial degeneration	3,885	1,618	2,267

		International Long List	Both Sexes	Males	Female s
d	20.	Myocarditis, not specified as acute or chronic...	1,793	790	1,003
94.1	20.	Diseases of coronary arteries	6,695	4,230	2,465
2	20.	Angina pectoris	—	—	—
95.*b*	20.	Rheumatic heart disease (undefined)	53	17	36
c	20.	Other diseases of heart (*a*)	1,336	651	685
96.	21.	Aneurysm (heart and aorta excepted)	32	21	11
97.	21.	Arterio-sclerosis	971	479	492
98.	21.	Gangrene	211	130	81
99.	21.	Other diseases of arteries	99	50	49
100.	21.	Diseases of veins	124	43	81
101.	21.	Diseases of lymphatic system	2	—	2
102.	21.	High blood pressure (idiopathic)	307	137	170
103.	21.	Other diseases of circulatory system	13	8	5
VIII.		**DISEASES OF RESPIRATORY SYSTEM** ...	**5,586**	**3,184**	**2,402**
104.	24.	Diseases of nasal fossæ and annexa	7	4	3
105.	24.	Diseases of larynx	6	3	3
106.		Bronchitis— (Total)	2,371	1,458	913
1	22.	With heart disease secondary	1,183	720	463
2	22.	With chronic nephritis secondary	8	7	1
3	22.	Otherwise defined	1,180	731	449
107.	23.	Broncho-pneumonia	1,582	810	772
108.	23.	Lobar pneumonia	436	262	174
109.	23.	Pneumonia (unspecified)	244	128	116
110.	24.	Pleurisy	61	36	25
111.*a*	24.	Pulmonary embolism, thrombosis, infarct ...	137	59	78
c	24.	Congestion of lung (*b*)	160	54	106
112.	24.	Asthma	341	174	167
113.	24.	Pulmonary emphysema	51	40	11
114.*a*	24.	Occupational diseases of respiratory system (*b*)	119	111	8
e.1	24.	Chronic interstitial pneumonia (not occupational)	45	20	25
2	24.	Other diseases of respiratory system (*c*, *d*) ...	26	25	1
IX.		**DISEASES OF DIGESTIVE SYSTEM** ...	**2,330**	**1,310**	**1,020**
115.*a*	30.	Diseases of teeth and gums	4	2	2
b	30.	Septic sore throat	6	2	4
c	30.	Other diseases of pharynx and tonsils	13	6	7
d	30.	Other diseases of buccal cavity	9	1	8
116.	30.	Diseases of œsophagus	11	3	8
117.*a*	25.	Ulcer of stomach	300	218	82
b	25.	Ulcer of duodenum	332	296	36
118.	30.	Other diseases of stomach	84	49	35
119.	26.	Diarrhœa, enteritis (under 2 years of age) ...	299	171	128
120.*a*	26.	Diarrhœa, enteritis (over 2 years of age) ...	102	34	68
b	26.	Ulceration of intestines	50	18	32
121.	27.	Appendicitis	154	81	73
122.*a*	30.	Hernia	178	91	87
b	30.	Intestinal obstruction	162	85	77
123.	30.	Other diseases of intestines	103	45	58
124.	28.	Cirrhosis of liver	163	98	65
125.*a*	29.	Acute yellow atrophy of liver (not associated with pregnancy)	17	6	11
b	29.	Other diseases of liver	47	21	26
126.	29.	Biliary calculi	69	16	53
127.	29.	Other diseases of gall bladder and bile ducts ...	156	38	118
128.	30.	Diseases of pancreas	37	10	27
129.	30.	Peritonitis without stated cause	34	19	15

	International Long List		Both Sexes	Males	Females
	X. DISEASES OF URINARY AND GENITAL SYSTEMS		**1,924**	**1,238**	**686**
	(Not Venereal or connected with Pregnancy or the Puerperium)				
130.	31.	Acute nephritis	50	24	26
131.	31.	Chronic nephritis	847	414	433
132.	31.	Nephritis unspecified (over 10 years of age) ...	163	95	68
133.	32.	Other diseases of kidney and ureters	147	70	77
134.	32.	Calculi of urinary passages	32	19	13
135.	32.	Diseases of bladder	83	56	27
136.	32.	Diseases of urethra, urinary abscess	17	14	3
137.	32.	Diseases of prostate	542	542	—
138.	32.	Diseases of other male genital organs	4	4	—
139.*a*	32.	Diseases of ovaries, Fallopian tubes and parametria	9	—	9
b	32.	Diseases of uterus	28	—	28
c	32.	Diseases of breast	1	—	1
d	32.	Other diseases of female genital organs ...	1	—	1
	XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE		**106**	—	**106**
140.	33.	Post-abortive sepsis	8	—	8
141.	34.	Abortion not specified as septic...	7	—	7
142.	34.	Ectopic gestation	2	—	2
143.*a*	34.	Placenta prævia (pregnancy)	—	—	—
b	34.	Accidental hæmorrhage of pregnancy	—	—	—
c	34.	Other and unspecified hæmorrhages of pregnancy	4	—	4
144.*a*	34.	Eclampsia of pregnancy	13	—	13
b	34.	Albuminuria and nephritis of pregnancy ...	—	—	—
c	34.	Acute yellow atrophy of liver with pregnancy	4	—	4
d.1	34.	Uncontrollable vomiting	—	—	—
2	34.	Other toxæmias of pregnancy	5	—	5
145.	34.	Other diseases and accidents of pregnancy ...	—	—	—
146.*a*	34.	Placenta prævia (with childbirth)	2	—	2
b	34.	Accidental hæmorrhage of childbirth	1	—	1
c	34.	Other hæmorrhages of childbirth	1	—	1
d	34.	Other hæmorrhages after childbirth	7	—	7
147.*b*	33.	Puerperal sepsis (*a*)	3	—	3
d	33.	Puerperal embolism and thrombo-phlebitis (*c*)	16	—	16
148.*a*	34.	Puerperal eclampsia	2	—	2
b	34.	Puerperal albuminuria and nephritis ...	—	—	—
c	34.	Acute yellow atrophy of liver (post-partum) ...	—	—	—
d	34.	Other puerperal toxæmias	—	—	—
149.	34.	Other accidents of childbirth	25	—	25
150.	34.	Other or unspecified conditions of childbirth and the puerperal state	6	—	6
	XII. DISEASES OF SKIN AND CELLULAR TISSUE		**83**	**41**	**42**
151.	35.	Carbuncle, boils	6	5	1
152.	35.	Cellulitis, acute abscess	23	12	11
153.	35.	Other diseases of skin and cellular tissue ...	54	24	30
	XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT		**58**	**34**	**24**
154.	35.	Osteomyelitis and periostitis	14	11	3
155.	35.	Other diseases of bones	15	6	9
156.	35.	Diseases of joints and other organs of movement	29	17	12

		International Long List	Both Sexes	Males	Females
		XIV. CONGENITAL MALFORMATIONS	**614**	**317**	**297**
157.*a*	36.	Congenital hydrocephalus	55	27	28
b	36.	Spina bifida and meningocele	122	41	81
c	36.	Congenital malformation of heart	221	120	101
e	36.	Congenital pyloric stenosis	27	18	9
j	36.	Other or unspecified congenital malformations (*d, f, g, h, i*)	189	111	78
		XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE	**1,618**	**963**	**655**
158.	36.	Congenital debility	111	71	40
159.	36.	Premature birth	855	495	360
160.	36.	Injury at birth	306	199	107
161.*a*	36.	Asphyxia at birth, atelectasis	168	104	64
b	36.	Maternal toxæmia	54	25	29
c	36.	Infections of newly born	14	9	5
d	36.	Melæna neonatorum	29	15	14
e.	36.	Other specified diseases	81	45	36
		XVI. SENILITY	**1,376**	**518**	**858**
162.	37.	Senility, senile dementia	1,376	518	858
		XVII. DEATHS FROM VIOLENCE	**2,601**	**1,595**	**1,006**
164.	38.	Suicide (163)	269	170	99
168.	40.	Homicide (165-167)	29	14	15
		Accidental deaths—			
169.	40.	Railway accidents	65	58	7
170.	39.	Motor vehicle accidents	492	369	123
171.	39.	Other road transport accidents	42	31	11
172.1	40.	Water transport accidents—Drowning ...	1	—	1
2	40.	,, ,, ,, Otherwise ...	22	21	1
173.	40.	Air transport accidents	17	17	—
174.	40.	Accidents in mines and quarries	66	66	—
176.	40.	Accidents caused by machinery	32	32	—
177.	40.	Food poisoning	4	4	—
178.	40.	Accidental absorption of poisonous gas ...	185	82	103
179.	40.	Other acute accidental poisoning	46	28	18
180.	40.	Conflagration	18	7	11
181.	40.	Accidental burns (conflagration excepted) ...	87	26	61
182.	40.	Accidental mechanical suffocation	153	77	76
183.	40.	Drowning—accidental and unspecified (excluding water transport)	235	174	61
184.	40.	Accidental injury by firearms	29	23	6
186.	40.	Accidental fall, crushing, etc.	667	279	388
189.	40.	Hunger or thirst	—	—	—
190.	40.	Weather agencies (191, 192)	4	2	2
193.	40.	Electricity (lightning excepted)	21	19	2
195.*a*	40.	Vaccinia	7	3	4
d	40.	Other and unspecified accidents (175, 185, 187, 188, 194, 195, *b, c*)	99	82	17
		Other violent deaths—			
196.	40.	War operations—Military	9	9	—
197.	40.	,, ,, —Civilian	—	—	—
198.	40.	Execution	2	2	—
		XVIII. ILL-DEFINED CAUSES OF DEATH	**767**	**486**	**281**
199.	41.	Sudden death	68	42	26
200.*a*.1	41.	Heart failure	503	317	186
2	41.	Other ill-defined causes	159	105	54
c	41.	Cause not specified (*b*)	37	22	15

Note.—Sub-headings indicated by letters (*a, b, c,* etc.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, etc.) apply to the Scottish List only.

APPENDIX XI

INHABITED HOUSES

Table 62, which is introduced for the first time, gives the numbers, as entered in the Valuation Rolls, of inhabited houses in each county of city, large burgh, small burgh and landward area in Scotland for the year 1939 and for each year from 1946 to 1950.

The table has been compiled from statements received from Town Clerks and County Clerks.

TABLES

TABLE 1.—Population of Scotland, estimated in the middle of each year, with the Numbers of Births, Still-births, Deaths and Marriages registered in each year, 1855-1950

Year	Estimated Mid-Year Population	Live-Births						Still-births	Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Twin Births	Triplet Births	Total		Total	Males	Fem.	Under 1 Year
1855	2,978,065	93,349	47,804	45,545	7,357	—	—	—	19,680	62,004	30,626	31,378	11,691
1856	2,995,771	101,821	52,239	49,582	8,695	1,267	12	—	20,740	58,529	29,418	29,111	12,058
1857	3,012,310	103,415	53,158	50,257	8,859	1,300	*16	—	21,369	61,906	30,937	30,969	12,191
1858	3,027,665	104,018	53,694	50,324	9,354	1,262	17	—	19,655	63,539	31,652	31,887	12,622
1859	3,041,812	106,543	54,628	51,915	9,715	1,335	11	—	21,201	61,714	30,588	31,126	11,523
1860	3,054,738	105,629	54,409	51,220	9,736	1,247	23	—	21,225	68,170	33,610	34,560	13,413
1855-60	*3,018,000*	*102,462*	*52,655*	*49,807*	*8,953*	*1,282*	**16*	—	*20,645*	*62,644*	*31,139*	*31,505*	*12,250*
1861	3,069,403	107,009	54,606	52,403	9,929	1,249	18	—	20,896	62,341	30,890	31,451	11,869
1862	3,098,008	107,069	55,257	51,812	10,376	1,279	18	—	20,597	67,195	33,179	34,016	12,556
1863	3,126,879	109,341	56,226	53,115	10,948	1,267	6	—	22,234	71,481	35,631	35,850	13,125
1864	3,156,023	112,333	57,374	54,959	11,197	1,332	12	—	22,725	74,416	37,010	37,406	14,180
1865	3,185,439	113,070	58,220	54,850	11,262	1,364	9	—	23,611	70,891	35,190	35,701	14,099
1861-65	*3,127,000*	*109,764*	*56,336*	*53,428*	*10,742*	*1,298*	*13*	—	*22,013*	*69,265*	*34,380*	*34,885*	*13,166*
1866	3,215,130	113,667	58,360	55,307	11,673	1,366	12	—	23,688	71,348	35,355	35,993	13,915
1867	3,245,101	114,044	58,517	55,527	11,148	1,365	*13	—	22,618	69,068	34,363	34,705	13,521
1868	3,275,353	115,514	59,222	56,292	11,354	1,443	15	—	21,855	69,416	34,662	34,754	13,600
1869	3,305,889	113,354	58,321	55,033	11,066	1,407	15	—	22,144	75,875	37,868	38,007	14,654
1870	3,336,712	115,390	58,959	56,431	11,108	1,384	9	—	23,854	74,165	36,866	37,299	14,166
1866-70	*3,276,000*	*114,394*	*58,676*	*55,718*	*11,270*	*1,393*	**13*	—	*22,832*	*71,974*	*35,823*	*36,151*	*13,971*
1871	3,368,926	116,128	60,029	56,099	11,077	1,299	17	—	24,019	74,712	36,827	37,885	15,134
1872	3,404,799	118,765	61,293	57,472	10,927	1,383	11	—	25,641	75,794	37,939	37,855	14,720
1873	3,441,057	119,700	61,467	58,233	10,925	1,410	15	—	26,748	76,946	39,037	37,909	14,950
1874	3,477,704	123,711	63,602	60,109	10,991	1,512	13	—	26,390	80,720	40,678	40,042	15,447
1875	3,514,744	123,578	63,432	60,146	10,786	1,477	9	—	25,974	81,767	40,323	41,444	16,320
1871-75	*3,441,000*	*120,376*	*61,964*	*58,412*	*10,941*	*1,416*	*13*	—	*25,754*	*77,988*	*38,961*	*39,027*	*15,314*
1876	3,552,182	126,534	64,819	61,715	11,029	1,463	20	—	26,579	74,129	37,404	36,725	15,340
1877	3,590,021	126,822	65,089	61,733	10,568	1,429	12	—	25,817	73,937	37,173	36,764	14,571
1878	3,628,268	126,773	65,200	61,573	10,641	1,367	12	—	24,358	76,793	38,389	38,404	15,599
1879	3,666,923	125,730	64,346	61,384	10,727	1,452	20	—	23,519	73,347	36,296	37,051	13,571
1880	3,705,994	124,570	63,786	60,784	10,589	1,438	8	—	24,505	75,803	38,055	37,748	15,523
1876-80	*3,629,000*	*126,086*	*64,648*	*61,438*	*10,711*	*1,430*	*14*	—	*24,956*	*74,801*	*37,463*	*37,338*	*14,921*
1881	3,742,564	126,171	64,720	61,451	10,484	1,418	13	—	26,004	72,325	36,097	36,228	14,198
1882	3,770,656	126,158	64,505	61,653	10,546	1,415	7	—	26,596	72,989	36,325	36,664	14,883
1883	3,798,961	124,458	63,879	60,579	10,114	1,370	18	—	26,869	76,891	38,296	38,595	14,812
1884	3,827,476	129,157	66,379	62,778	10,439	1,457	19	—	26,106	75,168	37,556	37,612	15,228
1885	3,856,207	126,100	64,543	61,557	10,680	1,423	14	—	25,304	74,607	36,932	37,675	15,200
1881-85	*3,799,000*	*126,409*	*64,805*	*61,604*	*10,453*	*1,417*	*14*	—	*26,176*	*74,396*	*37,041*	*37,355*	*14,864*
1886	3,885,154	127,890	65,910	61,980	10,506	1,331	10	—	24,515	73,640	36,432	37,208	14,797
1887	3,914,318	124,418	63,842	60,576	10,380	1,335	18	—	24,876	74,546	36,805	37,741	15,202
1888	3,943,701	123,269	63,129	60,140	9,968	1,380	12	—	25,305	71,174	34,953	36,221	13,945
1889	3,973,304	122,783	63,303	59,480	9,770	1,423	10	—	26,344	73,238	36,328	36,910	14,895
1890	4,003,131	121,526	62,187	59,339	9,241	1,421	13	—	27,469	79,004	39,130	39,874	15,877
1886-90	*3,944,000*	*123,977*	*63,674*	*60,303*	*9,973*	*1,378*	*13*	—	*25,702*	*74,320*	*36,729*	*37,591*	*14,943*
1891	4,036,245	125,986	64,769	61,217	9,647	1,372	14	—	27,969	83,573	41,122	42,451	16,110
1892	4,078,910	125,043	64,356	60,687	9,248	1,468	17	—	28,670	75,545	37,463	38,082	14,693
1893	4,122,029	127,110	65,010	62,100	9,467	1,469	10	—	27,145	79,670	39,585	40,085	17,286
1894	4,165,606	124,367	63,857	60,510	9,064	1,450	13	—	27,604	71,113	35,153	35,960	14,516
1895	4,209,645	126,494	64,799	61,695	9,204	1,342	12	—	28,422	81,852	40,663	41,189	16,874
1891-95	*4,122,000*	*125,800*	*64,558*	*61,242*	*9,326*	*1,420*	*13*	—	*27,962*	*78,350*	*38,797*	*39,553*	*15,896*
1896	4,254,153	129,172	66,214	62,958	9,393	1,493	21	—	30,270	70,677	35,321	35,356	14,924
1897	4,299,132	128,877	65,817	63,060	9,068	1,375	15	—	31,050	79,144	39,506	39,638	17,773
1898	4,344,589	130,861	66,814	64,047	8,870	1,450	14	—	32,112	78,397	39,344	39,053	17,566
1899	4,390,530	130,733	66,778	63,955	8,486	1,463	15	—	32,978	79,593	39,903	39,690	17,132
1900	4,436,958	131,401	67,147	64,254	8,534	1,544	15	—	32,444	82,296	41,276	41,020	16,888
1896-1900	*4,345,000*	*130,209*	*66,554*	*63,655*	*8,870*	*1,465*	*16*	—	*31,771*	*78,021*	*39,070*	*38,951*	*16,857*

* Including one case of quadruplets

TABLE 1—*continued*

Year	Estimated Mid-Year Population	Live-Births						Still-births	Marriages	Deaths			
		Total	Males	Fem.	Illegit.	Twin Births	Triplet Births	Total		Total	Males	Fem.	Under 1 Year
1901	4,479,104	132,192	67,753	64,439	8,359	1,547	13	—	31,387	80,107	40,213	39,894	17,104
1902	4,507,220	132,267	67,442	64,825	8,300	1,620	25	—	31,913	77,941	39,183	38,758	15,004
1903	4,535,513	133,525	68,087	65,438	8,295	1,604	*13	—	32,351	76,002	38,136	37,866	15,693
1904	4,563,985	132,603	67,794	64,809	9,010	1,603	18	—	32,271	77,981	38,851	39,130	16,329
1905	4,592,636	131,410	66,750	64,660	9,082	1,619	17	—	31,270	74,536	37,196	37,340	15,275
1901-05	*4,536,000*	*132,399*	*67,565*	*64,834*	*8,609*	*1,599*	**17*	—	*31,838*	*77,313*	*38,716*	*38,597*	*15,881*
1906	4,621,466	132,005	67,461	64,544	9,306	1,524	21	—	33,142	75,635	37,731	37,904	15,174
1907	4,650,478	128,840	65,901	62,939	8,791	1,676	*14	—	33,298	77,296	38,240	39,056	14,140
1908	4,679,671	131,362	66,826	64,536	9,111	1,675	15	—	31,606	77,838	38,864	38,974	15,900
1909	4,709,048	128,669	65,725	62,944	9,370	1,627	12	—	30,108	74,632	37,094	37,538	13,856
1910	4,738,611	124,059	63,144	60,915	9,049	1,541	8	—	30,902	72,268	36,049	36,219	13,436
1906-10	*4,680,000*	*128,987*	*65,811*	*63,176*	*9,125*	*1,609*	**14*	—	*31,811*	*75,534*	*37,596*	*37,938*	*14,501*
1911	4,751,132	121,850	62,274	59,576	9,200	1,552	11	—	31,844	71,732	35,823	35,909	13,707
1912	4,741,077	122,790	62,931	59,859	8,989	1,524	13	—	32,506	72,340	36,072	36,268	12,949
1913	4,728,132	120,516	61,464	59,052	8,548	1,527	21	—	33,676	73,069	36,504	36,565	13,214
1914	4,747,167	123,934	62,974	60,960	8,879	1,634	16	—	35,028	73,557	36,757	36,800	13,710
1915	4,770,798	114,181	58,392	55,789	7,875	1,451	15	—	36,233	81,631	41,110	40,521	14,441
1911-15	*4,748,000*	*120,654*	*61,607*	*59,047*	*8,698*	*1,538*	*15*	—	*33,857*	*74,466*	*37,253*	*37,213*	*13,604*
1916	4,794,708	109,942	56,471	53,471	7,797	1,419	6	—	31,419	70,640	35,649	34,991	10,674
1917	4,810,338	97,441	50,011	47,430	7,295	1,274	7	—	30,421	69,483	35,361	34,122	10,473
1918	4,812,274	98,554	50,373	48,181	7,854	1,357	10	—	34,529	78,372	39,144	39,228	9,836
1919	4,820,077	106,268	54,771	51,497	8,424	1,584	*14	—	44,060	75,149	37,500	37,649	10,795
1920	4,864,396	136,546	69,719	66,827	10,204	1,822	15	—	46,754	68,179	34,619	33,560	12,565
1916-20	*4,820,000*	*109,750*	*56,269*	*53,481*	*8,315*	*1,491*	**10*	—	*37,437*	*72,365*	*36,455*	*35,910*	*10,869*
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	—	39,243	66,210	33,085	33,125	11,130
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	—	34,375	72,905	36,244	36,661	11,664
1923	4,888,100	111,902	57,332	54,570	7,477	1,491	9	—	35,200	63,283	31,682	31,601	8,825
1924	4,862,200	106,900	54,919	51,981	7,086	1,400	13	—	32,328	70,357	35,168	35,189	10,446
1925	4,867,100	104,137	53,426	50,711	6,831	1,309	7	—	32,456	65,507	33,036	32,471	9,430
1921-25	*4,879,600*	*112,245*	*57,516*	*54,729*	*7,606*	*1,459*	*10*	—	*34,720*	*67,652*	*33,843*	*33,809*	*10,299*
1926	4,864,300	102,449	52,362	50,087	7,046	1,279	*12	—	31,244	63,780	32,021	31,759	8,514
1927	4,853,100	96,672	49,314	47,358	6,978	1,237	9	—	32,553	65,830	33,097	32,733	8,576
1928	4,847,900	96,822	49,584	47,238	7,158	1,201	15	—	32,948	65,271	32,577	32,694	8,299
1929	4,832,200	92,880	47,769	45,111	7,165	1,157	12	—	32,967	70,917	35,386	35,531	8,061
1930	4,828,000	94,549	48,069	46,480	6,950	1,265	9	—	33,315	64,285	32,448	31,837	7,852
1926-30	*4,845,100*	*96,674*	*49,419*	*47,255*	*7,059*	*1,228*	*11*	—	*32,605*	*66,017*	*33,106*	*32,911*	*8,260*
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	—	32,652	64,229	32,238	31,991	7,544
1932	4,883,100	91,000	46,579	44,421	6,456	1,106	17	—	33,157	66,045	32,743	33,302	7,840
1933	4,912,400	86,546	44,767	41,779	5,964	1,067	10	—	34,201	64,848	32,593	32,255	7,019
1934	4,934,300	88,836	45,414	43,422	6,119	1,034	15	—	36,934	63,741	32,093	31,648	6,901
1935	4,952,500	87,928	44,965	42,963	5,777	1,058	5	—	37,988	65,331	32,822	32,509	6,754
1931-35	*4,905,000*	*89,306*	*45,739*	*43,567*	*6,195*	*1,076*	*12*	—	*34,986*	*64,839*	*32,498*	*32,341*	*7,212*
1936	4,966,300	88,928	45,323	43,605	5,744	1,047	7	—	37,896	66,749	33,873	32,876	7,315
1937	4,976,600	87,810	45,035	42,775	5,404	1,035	10	—	38,334	68,942	34,964	33,978	7,050
1938	4,993,100	88,627	45,447	43,180	5,449	1,058	3	—	38,716	62,953	31,806	31,147	6,163
1939	5,006,700	86,913	44,687	42,226	5,244	1,080	13	3,832	46,236	64,413	33,002	31,411	5,955
1940†	4,841,200	86,392	44,234	42,158	5,144	1,051	4	3,799	53,522	72,775	37,649	35,126	6,766
1936-40	—	*87,734*	*44,945*	*42,789*	*5,397*	*1,054*	*7*	—	*42,941*	*67,166*	*34,259*	*32,907*	*6,650*
1941†	4,819,400	89,748	46,104	43,644	5,948	1,061	14	3,698	47,620	72,558	37,690	34,868	7,426
1942†	4,751,000	90,703	46,405	44,298	6,516	1,044	7	3,602	47,402	64,963	33,813	31,150	6,283
1943†	4,661,600	94,669	48,473	46,196	7,219	1,153	10	3,494	38,177	66,733	34,326	32,407	6,174
1944†	4,653,600	95,920	49,519	46,401	7,612	1,190	*12	3,221	37,017	64,603	33,323	31,280	6,237
1945†	4,673,900	86,924	44,774	42,150	7,526	1,098	10	2,949	48,642	62,655	32,001	30,654	4,889
1941-45	*4,711,900*	*91,593*	*47,055*	*44,538*	*6,964*	*1,109*	*11*	*3,393*	*43,772*	*66,302*	*34,230*	*32,072*	*6,202*
1946†	4,900,800	104,413	53,857	50,556	6,948	1,319	15	3,483	45,785	64,605	32,717	31,888	5,621
1947	5,138,700	113,147	58,010	55,137	6,311	1,397	14	3,563	44,360	66,200	33,801	32,399	6,309
1948	5,169,200	100,344	51,858	48,486	5,776	1,218	9	2,966	43,718	60,979	30,844	30,135	4,486
1949	5,175,000	95,674	49,183	46,491	5,223	1,235	16	2,666	41,708	63,488	31,851	31,637	3,961
1950	5,174,500	92,530	47,822	44,708	4,837	1,215	14	2,557	40,459	63,996	32,191	31,805	3,569
1946-50	—	*101,222*	*52,146*	*49,076*	*5,819*	*1,277*	*14*	*3,047*	*43,206*	*63,854*	*32,281*	*31,573*	*4,789*

* Including one case of quadruplets † Mean civilian population for year

F

TABLE 2.—Birth-, Still-birth-, Death-, and Marriage-rates in Scotland, 1855-1950

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1855	31·346	6·608	20·820	21·62	20·03	10·53	7·88	1049	—	125·2	—
1856	33·988	6·923	19·537	20·65	18 50	14·45	8·54	1053	1·27	118·4	—
1857	34·331	7·094	20·551	21·61	19·58	13·78	8·58	1057	1·29	117·9	—
1858	34·356	6·492	20 986	22·02	20·05	13·37	8·99	1066	1·25	121·3	—
1859	35·026	6·969	20·288	21·20	19·40	14·74	9·12	1052	1·28	108·2	—
1860	35·578	6·948	22·316	23·21	21·50	13·26	9·22	1062	1·22	127·0	—
1855-60	*34·104*	*6·839*	*20·750*	*21·72*	*19·84*	*13·36*	*8·74*	*1057*	*1·26*	*119·6*	—
1861	34·863	6·808	20·310	21·25	19·46	14·55	9·28	1042	1·20	110·9	—
1862	34·561	6·648	21·690	22·60	20·87	12·87	9·69	1066	1·23	117·3	—
1863	34·968	7·160	22·860	24·02	21·81	12·11	10·01	1058	1·18	120·0	—
1864	35·594	7·200	23·579	24·70	22·56	12·02	9·97	1044	1·21	126·2	—
1865	35·496	7·412	22·255	23·25	21·35	13·24	9·96	1061	1·23	124·7	—
1861-65	*35·096*	*7·046*	*22·139*	*23·16*	*21·21*	*12·96*	*9·79*	*1054*	*1·21*	*119·9*	—
1866	35·354	7·367	22·191	23·13	21·34	13·16	10·27	1055	1·23	122·4	—
1867	35·063	6·970	21·284	22·26	20·40	13·78	9·78	1054	1·22	118·6	—
1868	35·267	6·673	21·193	22·22	20·25	14·07	9·83	1052	1·28	117·7	—
1869	34·288	6·698	22·951	24·04	21·96	11·34	9·76	1059	1·27	129·3	—
1870	34·582	7·149	22·227	23·17	21·37	12·36	9·63	1044	1·22	122·8	—
1866-70	*34·911*	*6·971*	*21·969*	*22·96*	*21·06*	*12·94*	*9·85*	*1053*	*1·24*	*122·1*	—
1871	34·470	7·130	22·177	22·90	21·51	12·29	9·54	1070	1·15	130·3	—
1872	34·882	7·531	22·261	23·33	21·00	12·62	9·20	1066	1·19	123·9	—
1873	34·786	7·773	22·361	23·72	21·11	12·43	9·13	1055	1·20	124·9	—
1874	35·573	7·588	23·211	24·44	22·08	12·36	8·88	1058	1·25	124·9	—
1875	35·160	7·390	23·264	23·94	22·63	11·90	8·73	1055	1·22	132·1	—
1871-75	*34·974*	*7·482*	*22·655*	*23·67*	*21·67*	*12·32*	*9·09*	*1061*	*1·20*	*127·2*	—
1876	35·621	7·482	20·869	21·96	19·86	14·75	8·72	1050	1·19	121·2	—
1877	35·326	7·191	20·595	21·57	19·69	14·73	8·33	1054	1·15	114·9	—
1878	34·940	6·713	21·165	22·02	20·37	12·78	8·39	1059	1·10	123·0	—
1879	34·288	6·414	20·002	20·58	19·47	14·29	8·53	1048	1·18	107·9	—
1880	33·613	6·612	20·454	21·33	19·64	13·16	8·50	1049	1·17	124·6	—
1876-80	*34·758*	*6·882*	*20·617*	*21·49*	*19·81*	*13·94*	*8·49*	*1052*	*1·16*	*118·3*	—
1881	33·712	6·948	19·325	20·02	18·68	14·39	8·31	1053	1·15	112·5	—
1882	33·458	7·053	19·357	19·98	18·77	14·10	8·36	1046	1·14	118·0	—
1883	32·761	7·073	20·240	20·90	19·61	12·52	8·13	1054	1·13	119·0	—
1884	33·745	6·821	19·639	20·32	18·97	14·11	8·08	1057	1·16	117·9	—
1885	32·700	6·562	19·347	19·83	18·87	13·35	8·47	1049	1·15	120·5	—
1881-85	*33·275*	*6·891*	*19·582*	*20·21*	*18·98*	*13·69*	*8·27*	*1052*	*1·15*	*117·6*	—
1886	32·918	6·310	18·954	19·40	18·50	13·96	8·21	1063	1·06	115·7	—
1887	31·785	6·355	19·044	19·44	18·63	12·74	8·34	1054	1·10	122·2	—
1888	31·257	6·417	18·048	18·32	17·75	13·21	8·09	1050	1·14	113·1	—
1889	30·902	6·630	18·433	18·88	17·96	12·47	7·96	1064	1·18	121·3	—
1890	30·358	6·862	19·736	20·26	19·25	10·62	7·60	1048	1·19	130·6	—
1886-90	*31·444*	*6·515*	*18·843*	*19·26*	*18·42*	*12·60*	*8·04*	*1056*	*1·13*	*120·5*	—
1891	31·214	6·929	20·706	21·11	20·33	10·51	7·66	1058	1·11	127·9	—
1892	30·656	7·029	18·521	19·01	18·06	12·14	7·40	1060	1·20	117·5	—
1893	30·837	6·585	19·328	19·87	18·82	11·51	7·45	1047	1·18	136·0	—
1894	29·856	6·627	17·071	17·45	16·72	12·79	7·29	1055	1·19	116·7	—
1895	30·049	6·752	19·444	19·95	18·96	10·61	7·28	1050	1·08	133·4	—
1891-95	*30·522*	*6·784*	*19·014*	*19·48*	*18·58*	*11·51*	*7·41*	*1054*	*1·15*	*126·4*	—
1896	30·364	7·115	16·614	17·14	16·12	13·75	7·27	1052	1·19	115·5	—
1897	29·977	7·222	18·409	18·96	17·89	11·57	7·04	1044	1·09	137·9	—
1898	30·120	7·391	18·045	18·67	17·46	12·08	6·78	1043	1·13	134·2	—
1899	29·776	7·511	18·128	18·72	17·57	11·65	6·49	1044	1·14	131·0	—
1900	29·615	7·312	18·548	19·15	17·98	11·07	6·49	1045	1·20	128·5	—
1896-1900	*29·970*	*7·310*	*17·949*	*18·53*	*17·40*	*12·02*	*6·81*	*1046*	*1·15*	*129·5*	—

TABLE 2—*continued*

Year	Rates per 1,000 of Population						Illegit. Births per cent of Live Births	Male Births per 1,000 Female Births	Percentage of Mothers who had Multiple Births	Deaths of Children under one year per 1,000 Live Births	Still-births per 1,000 Births (including Still-births)
	Birth-rate (Living Children)	Mar-riage-rate	Death-rate			Natural Increase (excess of Births over Deaths)					
			Total	Males	Fem.						
1901	29·513	7·007	17·885	18·47	17·33	11·63	6·32	1051	1·19	129·4	—
1902	29·346	7·080	17·292	17·89	16·73	12·05	6·28	1040	1·26	113·4	—
1903	29·440	7·133	16·757	17·31	16·24	12·68	6·21	1040	1·23	117·5	—
1904	29·054	7·071	17·086	17·53	16·67	11·97	6·79	1046	1·24	123·1	—
1905	28·613	6·809	16·229	16·68	15·81	12·38	6·91	1032	1·26	116·2	—
1901-05	*29·193*	*7·020*	*17·050*	*17·58*	*16·56*	*12·14*	*6·50*	*1042*	*1·24*	*119·9*	—
1906	28·563	7·171	16·366	16·82	15·94	12·20	7·05	1045	1·18	115·0	—
1907	27·705	7·160	16·621	16·94	16·32	11·08	6·82	1047	1·33	109·7	—
1908	28·071	6·754	16·633	17·11	16·18	11·44	6·94	1035	1·30	121·0	—
1909	27·324	6·394	15·849	16·24	15·48	11·48	7·28	1044	1·29	107·7	—
1910	26·180	6·521	15·251	15·68	14·84	10·93	7·29	1037	1·26	108·3	—
1906-10	*27·569*	*6·800*	*16·144*	*16·56*	*15·75*	*11·43*	*7·07*	*1042*	*1·27*	*112·4*	—
1911	25·647	6·702	15·098	15·55	14·67	10·55	7·55	1045	1·30	112·5	—
1912	25·899	6·856	15·258	15·68	14·86	10·64	7·32	1051	1·27	105·5	—
1913	25·489	7·122	15·454	15·90	15·04	10·04	7·09	1041	1·30	109·6	—
1914	26·107	7·379	15·495	15·93	15·08	10·61	7·16	1033	1·35	110·6	—
1915	23·933	7·595	17·111	17·77	16·49	6·82	6·90	1047	1·30	126·5	—
1911-15	*25·415*	*7·131*	*15·683*	*16·17*	*15·23*	*9·73*	*7·21*	*1043*	*1·30*	*112·8*	—
1916	22·930	6·553	14·733	15·37	14·13	8·20	7·09	1056	1·31	97·1	—
1917	20·257	6·324	14·445	15·24	13·71	5·81	7·49	1054	1·33	107·5	—
1918	20·480	7·175	16·286	16·96	15·67	4·19	7·97	1045	1·41	99·8	—
1919	22·047	9·141	15·591	16·20	15·02	6·46	7·93	1064	1·53	101·6	—
1920	28·070	9·611	14·016	14·81	13·28	14·05	7·47	1043	1·36	92·0	—
1916-20	*22·757*	*7·761*	*15·014*	*15·72*	*14·36*	*7·74*	*7·58*	*1052*	*1·39*	*99·0*	—
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3	—
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4	—
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9	—
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7	—
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6	—
1921-25	*23·001*	*7·114*	*13·864*	*14·44*	*13·34*	*9·14*	*6·78*	*1051*	*1·33*	*91·8*	—
1926	21·061	6·423	13·112	13·73	12·55	7·95	6·88	1045	1·28	83·1	—
1927	19·919	6·707	13·564	14·22	12·96	6·35	7·22	1041	1·31	88·7	—
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7	—
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8	—
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0	—
1926-30	*19·951*	*6·730*	*13·626*	*14·25*	*13·05*	*6·32*	*7·30*	*1046*	*1·30*	*85·4*	—
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8	—
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2	—
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1	—
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7	—
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8	—
1931-35	*18·207*	*7·133*	*13·219*	*13·77*	*12·71*	*4·99*	*6·94*	*1050*	*1·23*	*80·8*	—
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3	—
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3	—
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5	—
1939	17·359	9·235	12·865	13·68	12·11	4·49	6·03	1058	1·27	68·5	42·2
1940*	17·124	10·609	14·863	16·59	13·40	2·26	5·95	1049	1·24	78·3	42·1
1936-40	*17·557*	*8·586*	*13·526*	*14·45*	*12·70*	*4·03*	*6·15*	*1050*	*1·22*	*75·8*	—
1941*	17·501	9·284	14·741	16·75	13·11	2·76	6·63	1056	1·21	82·7	39·6
1942*	17·632	9·215	13·343	15·24	11·81	4·29	7·18	1048	1·17	69·3	38·2
1943*	18·355	7·402	13·977	15·93	12·43	4·38	7·63	1049	1·24	65·2	35·6
1944*	18·485	7·134	13·574	15·65	11·95	4·91	7·94	1067	1·27	65·0	32·5
1945*	16·855	9·432	13·200	15·11	11·70	3·65	8·66	1062	1·29	56·2	32·8
1941-45	*17·766*	*8·493*	*13·767*	*15·14*	*12·20*	*4·00*	*7·61*	*1056*	*1·24*	*67·7*	*35·7*
1946*	20·334	8·917	13·074	14·14	12·15	7·26	6·65	1065	1·29	53·8	32·3
1947	22·019	8·633	12·883	13·62	12·20	9·14	5·58	1052	1·26	55·8	30·5
1948	19·412	8·457	11·797	12·33	11·30	7·62	5·76	1070	1·24	44·7	28·7
1949	18·488	8·059	12·268	12·71	11·86	6·22	5·46	1058	1·33	41·4	27·1
1950	17·882	7·819	12·368	12·86	11·91	5·51	5·23	1070	1·35	38·6	26·9
1946-50	*19·627*	*8·377*	*12·478*	*13·13*	*11·88*	*7·15*	*5·74*	*1063*	*1·29*	*46·9*	*29·1*

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

TABLE 3.—Births, Still-births, Deaths and Marriages in Scotland, 1940-1950

	Numbers							Rates						
	Live Births		Still-births	Marriages	Deaths			Per 1,000 of Estimated Population			Illegit. Births per 100 Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality-rate per 1,000 Live Births	Still-births per 1,000 Total Births incl. Still-births
	Total	Illegitimate			All Ages	Under One Year	Under Four Weeks	Births (living children)	Marriages	Deaths				
1st Quarter, 1940	22,110	1,307	1,016	11,988	25,936	2,474	—	17·6	9·6	21·4	5·9	112	—	44
2nd " "	23,295	1,474	960	12,953	16,002	1,568	—	18·6	10·3	13·2	6·3	67	—	40
3rd " "	21,151	1,218	915	15,604	14,209	1,215	—	16·7	12·3	11·5	5·8	57	—	41
4th " "	19,836	1,145	908	12,977	16,628	1,509	—	15·6	10·2	13·4	5·8	76	—	44
Year 1940*	**86,392**	**5,144**	**3,799**	**53,522**	**72,775**	**6,766**	**—**	**17·1**	**10·6**	**14·9**	**6·0**	**78**	**—**	**42**
1st Quarter, 1941	22,255	1,374	1,039	10,732	23,332	2,435	—	17·6	8·5	19·3	6·2	109	—	45
2nd " "	23,425	1,477	961	12,358	18,999	1,965	—	18·3	9·7	15·5	6·3	84	—	39
3rd " "	22,657	1,632	869	13,052	14,464	1,424	—	17·5	10·1	11·6	7·2	63	—	37
4th " "	21,411	1,465	829	11,478	15,763	1,602	—	16·6	8·9	12·7	6·8	75	—	37
Year 1941*	**89,748**	**5,948**	**3,698**	**47,620**	**72,558**	**7,426**	**—**	**17·5**	**9·3**	**14·7**	**6·6**	**83**	**—**	**40**
1st Quarter, 1942	21,886	1,544	970	12,710	19,444	1,960	—	17·3	10·0	16·3	7·1	90	—	42
2nd " "	24,144	1,775	931	12,209	16,298	1,544	—	18·8	9·5	13·4	7·4	64	—	37
3rd " "	22,588	1,691	835	11,888	13,783	1,322	—	17·4	9·2	11·2	7·5	59	—	36
4th " "	22,085	1,506	866	10,595	15,438	1,457	—	17·0	8·2	12·6	6·8	66	—	38
Year 1942*	**90,703**	**6,516**	**3,602**	**47,402**	**64,963**	**6,283**	**—**	**17·6**	**9·2**	**13·3**	**7·2**	**69**	**—**	**38**
1st Quarter, 1943	23,274	1,647	940	9,267	17,746	1,756	844	18·3	7·3	15·1	7·1	75	36	39
2nd " "	25,435	1,897	886	9,697	15,874	1,479	821	19·8	7·5	13·3	7·5	58	32	34
3rd " "	23,317	1,900	825	10,203	14,243	1,283	644	17·9	7·8	11·8	8·1	55	28	34
4th " "	22,643	1,775	843	9,010	18,870	1,656	807	17·4	6·9	15·8	7·8	73	36	36
Year 1943*	**94,669**	**7,219**	**3,494**	**38,177**	**66,733**	**6,174**	**3,116**	**18·4**	**7·4**	**14·0**	**7·6**	**65**	**33**	**36**
1st Quarter, 1944	23,226	1,828	816	9,020	17,988	1,756	892	18·0	7·0	15·2	7·9	76	38	34
2nd " "	25,612	2,050	874	9,243	15,288	1,462	838	19·9	7·2	12·9	8·0	57	33	33
3rd " "	23,400	1,862	751	9,847	14,745	1,510	694	17·9	7·5	12·3	8·0	65	30	31
4th " "	23,682	1,872	780	8,907	16,582	1,509	722	18·2	6·8	13·9	7·9	64	30	32
Year 1944*	**95,920**	**7,612**	**3,221**	**37,017**	**64,603**	**6,237**	**3,146**	**18·5**	**7·1**	**13·6**	**7·9**	**65**	**33**	**32**
1st Quarter, 1945	21,642	1,911	746	9,747	18,674	1,465	658	17·0	7·6	16·0	8·8	68	30	33
2nd " "	22,577	1,971	774	12,362	15,364	1,234	681	17·6	9·6	13·0	8·7	55	30	33
3rd " "	21,342	1,896	671	13,622	13,082	979	533	16·4	10·5	10·9	8·9	46	25	30
4th " "	21,363	1,748	758	12,911	15,535	1,211	606	16·4	10·0	12·9	8·2	57	28	34
Year 1945*	**86,924**	**7,526**	**2,949**	**48,642**	**62,655**	**4,889**	**2,478**	**16·9**	**9·4**	**13·2**	**8·7**	**56**	**29**	**33**
1st Quarter, 1946	22,910	1,818	810	9,971	19,741	1,579	759	18·1	7·9	16·3	7·9	69	33	34
2nd " "	25,851	1,887	864	11,466	15,185	1,221	710	20·2	9·0	12·2	7·3	47	27	32
3rd " "	27,033	1,746	854	12,839	13,594	1,222	725	20·9	9·9	10·8	6·5	45	27	31
4th " "	28,619	1,497	955	11,509	16,085	1,599	925	22·1	8·9	12·7	5·2	56	32	32
Year 1946*	**104,413**	**6,948**	**3,483**	**45,785**	**64,605**	**5,621**	**3,119**	**20·3**	**8·9**	**13·1**	**6·7**	**54**	**30**	**32**
1st Quarter, 1947	30,479	1,615	1,018	9,497	21,198	1,915	1,006	24·1	7·5	16·8	5·3	63	33	32
2nd " "	30,366	1,700	913	11,241	15,653	1,609	854	23·7	8·8	12·2	5·6	53	28	29
3rd " "	27,028	1,651	853	12,747	13,447	1,353	709	20·8	9·8	10·4	6·1	50	26	31
4th " "	25,274	1,345	779	10,875	15,902	1,432	660	19·5	8·4	12·3	5·3	57	26	30
Year 1947	**113,147**	**6,311**	**3,563**	**44,360**	**66,200**	**6,309**	**3,229**	**22·0**	**8·6**	**12·9**	**5·6**	**56**	**29**	**31**
1st Quarter, 1948	25,324	1,417	760	9,959	16,825	1,303	653	19·8	7·8	13·1	5·6	51	26	29
2nd " "	26,561	1,642	775	10,490	14,698	1,144	680	20·7	8·2	11·4	6·2	43	26	28
3rd " "	24,389	1,392	711	13,509	13,652	972	592	18·7	10·4	10·5	5·7	40	24	28
4th " "	24,070	1,325	720	9,760	15,804	1,067	596	18·5	7·5	12·2	5·5	44	25	29
Year 1948	**100,344**	**5,776**	**2,966**	**43,718**	**60,979**	**4,486**	**2,521**	**19·4**	**8·5**	**11·8**	**5·8**	**45**	**25**	**29**
1st Quarter, 1949	24,230	1,381	707	10,638	19,222	1,225	632	19·0	8·4	15·1	5·7	51	26	28
2nd " "	25,424	1,442	710	9,209	15,274	913	545	19·7	7·1	11·8	5·7	36	21	27
3rd " "	23,324	1,274	642	12,786	13,119	823	496	17·9	9·8	10·1	5·5	35	21	27
4th " "	22,696	1,126	607	9,075	15,873	1,000	544	17·4	7·0	12·2	5·0	44	24	26
Year 1949	**95,674**	**5,223**	**2,666**	**41,708**	**63,488**	**3,961**	**2,217**	**18·5**	**8·1**	**12·3**	**5·5**	**41**	**23**	**27**
1st Quarter, 1950	23,542	1,185	673	11,111	18,647	1,080	580	18·5	8·7	14·7	5·0	46	25	28
2nd " "	24,646	1,359	659	8,680	14,986	841	521	19·1	6·7	11·6	5·5	34	21	26
3rd " "	22,498	1,195	627	11,847	13,341	737	487	17·3	9·1	10·2	5·3	33	22	27
4th " "	21,844	1,098	598	8,821	17,022	911	543	16·8	6·8	13·1	5·0	42	25	27
Year 1950	**92,530**	**4,837**	**2,557**	**40,459**	**63,996**	**3,569**	**2,131**	**17·9**	**7·8**	**12·4**	**5·2**	**39**	**23**	**27**

* Death-rates from 1940 to 1946 are based on civilian population and civilian deaths

Counties, Counties of Cities and Large Burghs	Estimated Population 1950	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (Live and Still)
		Birth-rate	Marriage-rate	Death-rate												
				Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
SCOTLAND ...	**5,174,459**	**17·9**	**7·8**	**12·4**	**12·4**	**0·54**	**0·47**	**0·10**	**1·94**	**0·87**	**0·50**	**0·10**	**5·2**	**39**	**23**	**27**
Counties of Cities	1,944,496	17·5	9·1	12·8	13·7	0·75	0·67	0·09	2·17	1·09	0·53	0·11	5·5	40	23	27
Large Burghs ...	847,572	18·4	9·1	11·9	12·7	0·56	0·48	0·06	1·84	0·90	0·45	0·08	4·5	41	23	30
Counties (ex. Counties of Cities and Large Burghs)	2,382,391	18·0	6·4	12·2	11·3	0·36	0·31	0·13	1·78	0·68	0·50	0·11	5·3	37	23	25
Small Burghs ...	825,270	17·7	8·8	13·3	12·2	0·35	0·31	0·13	2·00	0·75	0·52	0·08	5·0	37	Not available	23
Landward ...	1,557,121	18·1	5·1	11·6	10·8	0·36	0·31	0·13	1·67	0·65	0·48	0·12	5·4	37		26
Aberdeen County...	333,035	18·0	8·4	11·9	11·2	0·18	0·15	0·09	1·94	0·95	0·53	0·10	7·0	29	19	21
Aberdeen C. of C.	187,961	17·2	9·9	12·1	12·2	0·23	0·20	0·09	2·09	1·03	0·56	0·10	5·3	29	16	22
Remainder of Co.	145,074	19·2	6·4	11·8	10·2	0·12	0·08	0·10	1·76	0·85	0·50	0·11	9·0	30	22	19
Angus County ...	277,102	17·4	8·0	13·7	12·8	0·51	0·46	0·03	2·31	1·00	0·70	0·08	6·1	46	27	28
Dundee C. of C. ...	178,349	17·8	8·9	13·5	13·5	0·62	0·58	0·03	2·51	0·96	0·77	0·06	6·6	50	29	31
Arbroath Burgh ...	19,422	18·5	9·0	14·4	11·9	0·36	0·31	—	2·27	1·54	0·57	0·05	3·3	47	36	16
Remainder of Co.	79,331	16·4	5·7	13·8	11·4	0·28	0·23	0·04	1·88	0·97	0·57	0·13	5·7	37	22	25
Argyll County ...	67,320	15·2	5·1	14·7	10·9	0·43	0·34	0·21	2·12	0·46	0·40	0·03	5·3	31	22	24
Ayr County ...	325,148	17·8	7·5	11·5	11·8	0·23	0·20	0·13	1·65	0·68	0·54	0·10	4·1	38	24	23
Ayr Burgh ...	43,490	15·3	10·2	11·7	12·1	0·30	0·25	0·07	1·49	0·74	0·60	0·14	3·8	39	29	22
Kilmarnock Burgh	42,724	16·6	8·1	12·7	13·7	0·21	0·19	0·12	1·73	1·01	0·73	0·09	4·6	45	28	23
Remainder of Co.	238,934	18·5	6·9	11·2	11·4	0·23	0·19	0·14	1·66	0·62	0·49	0·10	4·1	36	22	23
Banff County ...	51,000	18·4	6·4	11·6	10·4	0·14	0·14	0·14	1·75	0·47	0·43	0·08	8·6	40	26	30
Berwick County ...	26,069	15·0	5·7	14·9	12·7	0·27	0·23	0·12	1·80	0·42	0·84	0·19	6·6	43	36	13
Bute County ...	20,504	13·8	4·6	14·9	10·6	0·29	0·29	—	1·51	1·17	0·39	—	5·7	35	28	7

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles, and influenza.

TABLE 4.—*continued*

Counties, Counties of Cities and Large Burghs	Estimated Population 1950	Rates per 1,000 of Population											Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Neo-natal Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (Live and Still)
				Death-rate												
		Birth-rate	Marriage-rate	Crude (Corrected for Transfers)	Standardised for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Total Epidemic Diseases*	Malignant Neoplasms	Bronchitis and Pneumonia	Total Violence	Road Transport Accidents				
Caithness County...	22,791	18·8	7·0	14·8	11·1	0·57	0·48	0·31	2·02	0·66	0·48	0·09	8·4	30	16	18
Clackmannan Co. ...	37,058	19·5	8·1	12·1	12·0	0·40	0·35	0·13	1·59	0·76	0·70	0·19	4·7	35	18	36
Dunbarton County	163,716	19·3	6·4	11·9	12·7	0·50	0·43	0·12	1·85	0·64	0·56	0·13	4·2	40	26	34
Clydebank Burgh†	44,039	22·4	7·2	11·3	—	0·50	0·43	0·07	1·79	0·73	0·64	0·11	4·5	39	24	31
Dumbarton Burgh	24,319	20·7	5·9	12·0	12·5	0·95	0·70	—	1·93	0·37	0·21	0·08	4·8	40	18	44
Remainder of Co.	95,358	17·6	6·1	12·2	12·1	0·39	0·37	0·17	1·86	0·67	0·61	0·15	3·9	41	29	33
Dumfries County ...	87,622	17·5	7·6	12·4	11·3	0·26	0·22	0·08	1·91	0·80	0·41	0·14	6·9	34	22	27
Dumfries Burgh ...	27,048	17·6	10·5	12·8	12·6	0·15	0·15	0·07	2·51	0·81	0·33	0·15	6·5	44	36	29
Remainder of Co.	60,574	17·4	6·3	12·2	10·8	0·31	0·25	0·08	1·63	0·79	0·45	0·13	7·1	29	16	27
East Lothian Co. ...	51,678	18·4	6·6	10·9	10·8	0·31	0·29	0·14	1·78	0·48	0·39	0·02	5·4	25	18	26
Fife County ...	310,276	18·2	7·7	12·4	12·4	0·39	0·34	0·12	1·88	0·68	0·48	0·11	4·6	39	22	28
Dunfermline Burgh	47,725	15·5	8·3	10·7	10·9	0·31	0·25	0·04	1·78	0·42	0·29	0·04	4·9	30	14	28
Kirkcaldy Burgh...	49,425	18·1	10·0	13·6	13·7	0·55	0·42	0·14	2·00	1·01	0·22	0·06	4·8	41	23	29
Remainder of Co.	213,126	18·9	7·1	12·6	12·6	0·37	0·33	0·13	1·88	0·66	0·58	0·13	4·5	41	24	28
Inverness County...	88,624	16·7	7·5	13·2	10·2	0·42	0·37	0·21	2·12	0·63	0·42	0·06	7·4	38	30	35
Inverness Burgh ...	28,477	17·6	15·9	12·7	11·1	0·46	0·39	0·04	2·18	0·70	0·35	—	7·6	36	30	37
Remainder of Co.	60,147	16·3	3·5	13·4	9·9	0·40	0·37	0·30	2·09	0·60	0·45	0·08	7·2	40	30	34
Kincardine County	28,852	17·2	5·1	12·1	9·8	0·14	0·14	0·03	2·32	0·35	0·45	0·14	6·6	28	18	22
Kinross County ...	7,620	16·7	5·9	14·8	12·1	0·39	0·26	—	1·84	1·57	0·66	—	5·5	55	39	16
Kirkcudbright Co.	30,732	17·6	7·1	13·0	10·8	0·42	0·42	0·07	1·72	0·49	0·46	0·10	5·9	37	22	34
Lanark County ...	1,622,676	18·7	8·6	12·4	14·1	0·84	0·74	0·09	1·95	1·09	0·45	0·11	4·9	43	25	30
Glasgow C. of C. ...	1,089,303	18·4	9·1	12·9	14·5	0·95	0·84	0·09	2·12	1·22	0·47	0·11	5·5	44	25	29
Airdrie Burgh ...	30,530	18·4	9·2	10·9	12·5	0·49	0·49	0·07	1·93	1·11	0·23	0·10	3·0	50	27	33
Coatbridge Burgh	48,252	22·1	8·2	10·6	12·0	0·83	0·73	0·04	1·51	1·04	0·31	0·04	3·1	57	35	43
Hamilton Burgh ...	40,645	19·7	9·0	11·0	12·5	0·66	0·59	0·02	1·85	0·79	0·47	0·10	3·7	44	21	24
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
Motherwell and Wishaw Burgh...	70,051	18·7	9·0	11·5	13·7	0·74	0·59	0·06	1·41	1·06	0·40	0·03	4·5	38	21	29
Rutherglen Burgh	24,953	15·8	11·0	13·2	14·5	0·68	0·60	0·12	1·96	1·08	0·12	—	3·0	23	18	34
Remainder of Co.	318,942	19·4	6·6	11·3	12·8	0·55	0·49	0·10	1·56	0·72	0·47	0·11	3·6	41	24	30
MIDLOTHIAN COUNTY	588,183	16·1	8·5	12·4	12·4	0·50	0·46	0·11	2·13	0·96	0·56	0·11	5·0	32	20	23
Edinburgh C. of C.	488,883	15·7	8·7	12·6	12·5	0·53	0·48	0·11	2·20	1·00	0·58	0·11	5·3	29	18	24
Remainder of Co.	99,300	18·2	7·3	11·2	11·8	0·34	0·31	0·10	1·77	0·74	0·46	0·09	3·9	42	26	20
MORAY COUNTY ...	49,759	18·9	6·8	10·8	9·0	0·30	0·30	0·16	1·63	0·52	0·44	0·06	8·3	34	24	24
NAIRN COUNTY ...	8,933	16·6	5·7	12·6	9·6	0·45	0·22	0·11	2·13	0·11	0·67	0·34	10·1	41	41	—
ORKNEY COUNTY ...	21,830	17·5	7·1	14·1	9·5	0·37	0·32	0·41	1·51	0·92	0·55	0·05	4·2	34	18	30
PEEBLES COUNTY ...	15,277	12·4	6·3	13·2	11·1	0·46	0·39	0·07	1·77	0·39	0·79	0·07	2·1	21	5	45
PERTH COUNTY ...	129,852	16·0	7·5	12·6	10·6	0·22	0·19	0·10	2·00	0·55	0·64	0·15	7·0	25	13	21
Perth Burgh ...	41,052	17·6	12·7	12·0	11·2	0·29	0 29	0·10	1·95	0·51	0·61	0·07	6·7	24	14	20
Remainder of Co.	88,800	15·2	5·1	12·9	10·4	0·19	0·15	0·10	2·03	0·56	0·65	0·18	7·2	26	13	22
RENFREW COUNTY ...	333,364	18·0	7·2	12·2	13·1	0·68	0·59	0·08	1·93	0·78	0·49	0·10	3·6	43	23	28
Greenock Burgh ...	80,291	20·1	7·7	11·8	12·7	0·83	0·67	0·05	1·81	0·75	0·55	0·11	4·1	48	23	29
Paisley Burgh ...	97,112	17·4	8·4	12·1	13·1	0·77	0·69	0·09	1·94	0·78	0·53	0·07	4·2	37	17	33
Pt. Glasgow Burgh	21,713	25·1	7·0	11·9	13·4	0·55	0·55	—	1·89	1·06	0·55	0·09	2·6	53	37	29
Remainder of Co.	134,248	16·1	6·1	12·5	13·1	0·54	0·48	0·11	2·00	0·76	0·42	0·13	3·0	42	25	23
ROSS AND CROMARTY COUNTY	63,149	16·7	4·2	13·7	9·7	0·43	0·29	0·17	2·28	0·68	0·40	0·10	4·9	32	20	20
ROXBURGH COUNTY	47,050	14·9	6·5	12·5	11·2	0·17	0·17	0·09	1·96	0·47	0·43	0·13	6·0	33	23	33
SELKIRK COUNTY ...	22,026	15·3	6·9	15·0	13·2	0·14	0·09	0·09	2·22	0·77	0·64	0·09	3·9	33	21	29
STIRLING COUNTY ...	189,021	18·1	7·0	11·2	12·0	0·39	0·33	0·10	1·70	0·84	0·43	0·11	4·8	39	21	23
Falkirk Burgh ...	38,206	15·4	9·2	11·8	13·0	0·39	0·26	0·03	2·07	0·89	0·50	0·18	4·9	32	20	31
Stirling Burgh ...	28,098	17·2	8·6	11·7	11·7	0·36	0·32	—	1·67	0·82	0·39	0·04	6·4	33	19	28
Remainder of Co.	122,717	19·2	5·9	10·9	11·7	0·40	0·35	0·15	1·59	0·82	0·42	0·10	4·4	41	22	20
SUTHERLAND COUNTY	13,951	16·8	4·5	14·4	9·2	0·14	0·14	0·22	1·36	0·57	0·43	—	8·1	55	51	17
WEST LOTHIAN CO. ...	87,645	21·1	7·9	10·2	11·7	0·50	0·44	0·05	1·38	0·72	0·39	0·09	4·3	30	20	25
WIGTOWN COUNTY ...	32,727	19·9	6·8	11·2	9·9	0·15	0·15	0·21	1·50	0·67	0·46	0·03	14·6	46	26	34
ZETLAND COUNTY ...	19,869	15·5	5·9	17·2	11·2	0·55	0·50	0·25	2·67	0·65	0·81	0·05	4·9	36	29	10

* Includes typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles, and influenza.
† On account of evacuation the 1931 age distribution is unsuitable for use as a standardising factor.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1950

Small Burghs	Estimated Population 1950	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen County—											
Ballater	1,209	11·6	6·6	9·9	7·4	—	—	—	21·4	—	67
Ellon	1,401	15·0	37·1	11·4	8·2	—	—	—	9·5	—	—
Fraserburgh ...	10,618	20·6	7·7	9·7	10·6	—	—	—	4·6	18	5
Huntly	3,899	21·8	11·3	14·9	11·1	—	—	0·51	16·5	94	56
Inverurie ...	4,805	16·6	9·4	12·1	10·5	—	—	0·21	5·0	50	—
Kintore	796	13·8	10·1	7·5	5·5	—	—	—	9·1	—	—
Oldmeldrum ...	1,006	16·9	19·9	18·9	12·5	0·99	0·99	—	17·6	—	—
Peterhead ...	13,159	20·0	9·0	11·9	12·0	0·08	0·08	0·08	6·8	38	30
Rosehearty ...	1,120	27·7	1·8	23·2	17·4	0·89	—	—	3·2	32	31
Turriff	2,719	23·2	16·2	16·6	12·5	—	—	—	9·5	48	45
Angus County—											
Brechin	7,093	19·3	10·4	18·9	13·8	0·70	0·70	—	5·8	29	42
Carnoustie ...	5,014	15·0	3·0	20·1	14·3	0·20	0·20	—	4·0	67	26
Forfar	10,227	17·2	9·6	13·6	11·4	0·10	—	—	8·0	23	17
Kirriemuir ...	3,475	11·2	11·5	19·6	12·8	0·58	0·29	0·29	5·1	26	—
Monifieth ...	3,405	17·6	4·1	19·4	16·9	—	—	0·29	1·7	50	16
Montrose... ...	11,282	16·4	7·4	16·6	12·7	0·44	0·35	—	3·2	49	11
Argyll County—											
Campbeltown ...	7,203	18·5	10·7	13·5	11·9	0·56	0·28	—	1·5	23	29
Dunoon	10,302	14·0	6·0	17·5	12·0	0·19	0·19	0·19	3·5	21	14
Inveraray ...	511	19·6	15·7	19·6	15·0	—	—	—	20·0	100	—
Lochgilphead ...	1,258	20·7	11·9	10·3	7·3	1·59	1·59	—	3·8	38	—
Oban	6,790	13·0	7·1	13·0	11·7	0·29	0·15	—	2·3	57	33
Tobermory ...	790	17·7	1·3	21·5	14·7	—	—	—	—	—	—
Ayr County—											
Ardrossan ...	8,920	22·2	5·9	8·7	9·5	0·45	0·45	0·45	8·6	40	15
Cumnock and Holmhead ...	4,608	21·1	12·2	12·8	12·2	0·65	0·43	—	1·0	10	20
Darvel	3,389	14·5	7·7	12·1	11·7	—	—	0·30	—	41	—
Galston	4,926	19·5	9·3	12·0	12·8	0·61	0·41	—	3·1	63	20
Girvan	5,952	18·5	6·6	17·3	15·0	0·50	0·50	—	5·5	55	9
Irvine	15,101	19·6	8·2	9·6	10·5	0·33	0·26	0·20	6·4	20	10
Kilwinning ...	6,382	24·0	10·7	9·2	10·2	0·16	0·16	—	0·7	65	44
Largs	7,143	12·7	7·8	20·0	14·1	0·14	0·14	—	3·3	44	22
Maybole	4,888	18·4	7·0	13·1	12·9	0·20	0·20	—	10·0	22	22
Newmilns and Greenholm ...	4,169	13·4	5·8	12·5	11·9	—	—	0·24	1·8	54	18
Prestwick ...	11,320	16·5	7·1	14·5	12·0	0·18	0·18	0·09	2·7	48	11
Saltcoats ...	12,872	19·7	7·3	11·6	11·7	0·16	0·16	0·23	3·5	16	27
Stewarton ...	2,892	15·6	7·6	11·8	11·0	0·35	0·35	0·35	2·2	44	43
Troon	9,888	16·7	6·9	12·8	12·6	0·30	0·20	—	5·5	42	18
Banff County—											
Aberchirder ...	844	30·8	7·1	16·6	11·4	—	—	—	3·8	77	71
Banff	3,218	20·8	11·8	15·5	12·4	—	—	0·31	13·4	—	—
Buckie	8,081	16·2	8·4	10·4	10·5	—	—	0·25	5·3	38	51
Aberlour ...	1,123	15·1	10·7	11·6	11·8	—	—	—	11·8	—	56
Cullen	1,599	13·8	6·3	10·6	8·8	—	—	—	—	—	—
Dufftown ...	1,337	15·0	7·5	18·0	12·2	—	—	—	15·0	100	91
Findochty ...	1,710	22·2	5·3	9·9	11·3	0·58	0·58	—	2·6	53	—
Keith	4,311	19·3	8·6	10·0	8·5	0·46	0·46	—	10·8	36	—
Macduff	3,265	15·0	9·5	13·5	11·0	0·61	0·61	—	4·1	41	58
Portknockie ...	1,521	18·4	—	13·1	13·1	—	—	—	7·1	—	—
Portsoy	1,636	21·4	7·3	15·3	11·5	—	—	—	—	57	—
Berwick County—											
Coldstream ...	1,219	23·8	9·8	21·3	16·1	0·82	0·82	—	3·4	69	—
Duns	1,997	21·0	11·0	15·0	11·2	—	—	—	11·9	48	23
Eyemouth ...	2,334	14·6	7·3	10·7	10·3	0·43	0·43	—	—	29	—
Lauder	606	23·1	8·3	18·2	13·1	—	—	—	7·1	—	—
Bute County—											
Millport	1,861	9·7	1·6	18·8	14·1	—	—	1·07	11·1	—	—
Rothesay ...	11,211	14·5	5·8	13·7	9·8	0·18	0·18	0·09	5·5	49	6
Caithness County—											
Thurso	2,963	16·9	14·5	14·8	12·0	0·67	0·67	—	8·0	60	20
Wick	6,974	23·7	9·5	14·1	12·5	0·86	0·57	0·29	7·3	36	24
Clackmannan County—											
Alloa	14,495	17·3	10·6	11·5	12·1	0·41	0·41	0·07	6·4	24	53
Alva	4,475	11·4	7·4	13·2	11·4	0·22	0·22	—	—	—	56
Dollar	1,606	15·6	2·5	14·9	11·3	—	—	—	12·0	—	—
Tillicoultry ...	3,483	22·1	10·6	13·8	12·1	—	—	—	3·9	26	38
Dunbarton County											
Cove & Kilcreggan	907	16·5	7·7	22·1	14·8	—	—	1·10	6·7	—	—
Helensburgh ...	8,972	14·4	8·8	16·0	13·9	0·67	0·67	—	8·5	23	51
Kirkintilloch ...	15,274	20·5	7·7	10·3	11·3	0·20	0·20	0·13	2·6	32	22
Milngavie ...	7,352	19·2	5·6	14·8	14·2	0·68	0·54	0·14	1·4	35	7

NOTE.—Some of the rates in this table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found in Table 47.

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles, and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1950	Rates per 1,000 of Population: Birth-rate (Living Children)	Marriage-rate	Death-rate: Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*	Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
Dumfries County—											
Annan	4,597	17·6	9·1	15·4	14·2	0·22	0·22	—	9·9	25	—
Langholm ...	2,385	14·3	3·8	16·4	12·2	—	—	—	17·6	—	29
Lochmaben ...	1,156	19·9	17·3	11·2	8·6	—	—	—	4·3	—	80
Lockerbie ...	2,778	14·0	9·0	15·1	13·5	—	—	—	5·1	51	—
Moffat	2,053	15·6	6·3	20·0	14·9	0·49	0·49	0·49	6·3	31	111
Sanquhar ...	2,028	20·2	11·8	9·4	8·9	0·49	0·49	—	7·3	—	24
East Lothian Co.—											
Cockenzie and Port Seton ...	3,213	20·2	5·0	10·6	12·1	0·62	0·62	—	6·2	—	15
Dunbar	3,975	19·1	10·1	11·3	9·6	0·50	0·50	0·25	2·6	13	38
East Linton ...	924	16·2	5·4	20·6	13·5	—	—	—	6·7	—	—
Haddington ...	4,523	15·9	12·4	13·5	11·9	0·22	0·22	—	6·9	14	40
North Berwick ...	3,436	11·9	7·3	18·9	15·5	0·58	0·58	—	2·4	73	—
Prestonpans ...	2,929	19·8	17·8	9·2	10·3	0·68	0·68	—	5·2	—	—
Tranent	5,679	24·5	9·9	9·7	11·2	—	—	—	6·5	29	21
Fife County—											
Auchtermuchty	1,231	17·9	15·4	24·4	16·5	—	—	1·62	4·5	—	—
Buckhaven and Methil	20,558	22·1	9·7	11·8	14·1	0·49	0·44	0·24	4·8	57	24
Burntisland ...	5,806	13·4	6·2	13·3	12·4	0·17	0·17	—	2·6	64	25
Cowdenbeath ...	13,652	17·2	8·6	11·7	14·0	0·44	0·44	0·07	1·7	38	13
Crail	1,106	10·8	11·8	19·0	11·3	0·90	0·90	—	—	—	—
Culross	566	21·2	44·2	17·7	14·8	—	—	—	—	—	77
Cupar	5,172	17·2	13·0	13·9	10·9	0·77	0·58	—	6·7	45	22
Elie and Earlsferry	1,037	8·7	3·9	25·1	15·9	—	—	—	11·1	—	100
Falkland ...	897	6·7	10·0	14·5	10·5	—	—	—	16·7	—	—
Inverkeithing ...	3,808	18·4	9·5	13·7	14·0	0·26	0·26	—	10·0	—	14
Kilrenny, Anstruther Easter & Anstruther Wester	3,153	13·6	5·7	18·4	14·1	0·32	0·32	0·32	—	47	23
Kinghorn ...	2,186	11·0	8·7	16·9	16·1	—	—	—	12·5	167	—
Ladybank ...	1,164	15·5	12·9	13·7	10·5	—	—	0·86	5·6	—	53
Leslie	2,633	12·9	4·9	17·9	16·4	0·76	0·76	—	—	29	81
Leven	8,654	17·3	10·9	9·9	9·7	0·23	0·23	0·23	4·7	20	32
Lochgelly ...	9,696	16·4	9·6	11·7	13·8	0·10	0·10	0·21	7·5	38	30
Markinch ...	2,286	16·6	12·2	17·5	16·9	0·87	0·87	0·44	—	53	26
Newburgh ...	2,341	17·9	6·4	15·0	11·7	0·43	0·43	—	—	24	106
Newport	3,076	15·9	6·5	19·2	13·4	0·33	0·33	0·33	4·1	20	20
Pittenweem ...	1,602	15·6	8·1	23·7	19·1	0·62	0·62	—	4·0	80	—
St. Andrews ...	8,548	13·7	10·3	17·3	15·4	0·35	0·35	0·12	6·0	17	41
St. Monance ...	1,622	11·7	4·3	11·7	9·9	0·62	0·62	—	—	—	50
Tayport ...	3,328	13·2	2·7	13·8	11·5	0·90	0·60	0·30	6·8	23	—
Inverness County—											
Fort William ...	3,154	14·3	16·2	9·8	9·9	—	—	0·32	4·4	67	—
Kingussie ...	1,064	21·6	7·5	19·7	15·8	0·94	0·94	—	—	43	42
Kincardine Co.—											
Banchory ...	2,044	10·3	10·3	13·2	9·4	—	—	—	14·3	—	—
Inverbervie ...	1,014	7·9	17·8	7·9	6·4	—	—	—	—	—	—
Laurencekirk ...	1,432	18·9	10·5	22·3	13·1	—	—	0·70	7·4	37	—
Stonehaven ...	4,560	18·2	7·2	16·7	11·4	0·66	0·66	—	3·6	24	12
Kinross County—											
Kinross	2,681	15·7	7·8	15·7	13·7	0·37	—	—	—	95	23
Kirkcudbright Co.—											
Castle Douglas ...	3,252	18·1	11·4	14·1	12·3	0·62	0·62	—	5·1	17	48
Dalbeattie ...	3,356	19·7	10·7	17·0	13·9	0·30	0·30	—	4·5	30	57
Gatehouse ...	905	24·3	3·3	23·2	14·1	1·10	1·10	—	18·2	182	—
Kirkcudbright ...	2,487	21·7	12·1	10·5	8·2	0·40	0·40	—	3·7	37	36
New Galloway ...	314	6·4	6·4	28·7	20·4	3·18	3·18	—	50·0	—	—
Lanark County—											
Biggar	1,350	25·2	9·6	15·6	10·9	0·74	0·74	—	—	29	—
Lanark	6,274	18·2	15·9	14·3	13·1	0·32	0·32	0·32	4·4	26	42
Midlothian Co.—											
Bonnyrigg and Lasswade ...	5,619	18·5	7·1	13·9	13·4	0·36	0·36	0·53	4·8	29	10
Dalkeith	8,556	21·9	10·5	12·5	12·5	0·35	0·23	—	2·7	48	5
Loanhead ...	4,733	22·8	9·1	12·0	13·7	0·21	0·21	—	2·8	28	18
Musselburgh ...	18,686	16·3	7·9	10·7	11·9	0·43	0·43	0·11	5·6	26	32
Penicuik	4,511	21·7	8·6	13·5	12·1	0·89	0·89	—	1·0	82	10
Moray County—											
Burghead ...	1,421	23·2	5·6	9·9	8·2	—	—	—	9·1	30	57
Elgin	10,579	18·0	13·6	12·2	10·5	0·28	0·28	0·09	8·4	11	16
Forres	4,751	19·6	14·1	16·4	12·7	0·63	0·63	—	11·8	75	31
Grantown-on-Spey	1,638	18·9	7·9	11·0	8·8	0·61	0·61	0·61	9·7	—	31
Lossiemouth and Branderburgh...	4,939	22·7	7·7	10·3	9·6	0·20	0·20	0·40	3·6	45	9
Rothes	1,400	20·7	5·0	11·4	8·7	—	—	0·71	20·7	34	33

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles, and influenza.

TABLE 5.—*continued*

Small Burghs	Estimated Population 1950	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Nairn County—											
Nairn	4,656	17·8	10·3	14·8	10·9	0·64	0·43	0·21	4·8	36	—
Orkney County—											
Kirkwall ...	4,461	21·7	15·0	14·1	9·9	0·45	0·22	1·12	5·2	62	—
Stromness ...	1,653	16·9	8·5	10·9	7·9	—	—	0·60	3·6	—	—
Peebles County—											
Innerleithen ...	2,383	10·5	5·0	14·3	11·8	0·84	0·84	—	—	40	107
Peebles	6,056	12·1	9·1	14·4	11·9	0·17	0·17	0·17	1·4	14	14
Perth County—											
Aberfeldy ...	1,554	18·7	9·0	11·6	8·5	—	—	—	3·4	34	—
Abernethy ...	667	10·5	15·0	12·0	7·8	—	—	—	14·3	—	222
Alyth	1,994	14·0	12·5	21·6	14·0	1·50	1·00	—	3·6	36	67
Auchterarder ...	2,350	14·9	9·8	12·3	8·8	—	—	—	—	29	—
Blairgowrie ...	5,226	16·3	10·0	18·0	12·6	0·57	0·38	0·19	10·6	24	12
Callander ...	1,593	15·7	9·4	16·9	13·8	—	—	—	—	160	74
Coupar Angus ...	2,191	16·0	3·2	18·3	13·3	—	—	—	11·4	—	28
Crieff	5,617	11·7	6·1	10·1	7·9	—	—	—	9·1	—	29
Doune	873	11·5	19·5	18·3	14·9	—	—	—	—	—	91
Dunblane ...	2,885	13·5	8·7	16·6	11·9	—	—	0·35	2·6	—	—
Pitlochry† ...	2,383	23·1	5·0	12·6	—	—	—	0·42	14·5	18	35
Renfrew County—											
Barrhead ...	13,173	21·0	8·0	12·3	13·7	0·53	0·46	0·30	2·5	51	14
Gourock	9,467	13·2	7·2	17·0	16·7	0·95	0·74	0·21	2·4	32	31
Johnstone ...	15,961	21·9	9·3	12·0	13·0	0·88	0·75	—	3·7	66	17
Renfrew	17,731	16·6	6·2	11·6	13·6	0·45	0·39	—	1·0	51	17
Ross and Cromarty County—											
Cromarty ...	789	20·3	6·3	12·7	8·6	—	—	—	—	63	—
Dingwall ...	3,404	19·7	9·4	9·4	7·5	0·29	—	0·29	3·0	15	29
Fortrose ...	868	15·0	9·2	19·6	11·4	—	—	—	—	—	—
Invergordon ...	1,541	13·6	3·9	15·6	13·7	—	—	—	4·8	—	—
Stornoway ...	5,115	15·6	6·6	13·5	11·0	0·20	0·20	—	5·0	75	—
Tain	1,672	16·7	17·3	16·1	11·1	—	—	0·60	—	36	—
Roxburgh County—											
Hawick	17,615	15·1	7·8	13·6	13·1	0·28	0·28	0·11	4·5	45	26
Jedburgh ...	3,910	18·4	9·5	12·3	12·2	—	—	—	2·8	56	40
Kelso	4,106	13·6	6·8	10·0	7·8	—	—	—	7·1	18	34
Melrose	2,010	12·4	9·5	16·4	11·9	0·50	0·50	—	4·0	—	38
Selkirk County—											
Galashiels ...	12,897	14·4	7·4	14·6	13·0	0·16	0·08	—	2·7	32	16
Selkirk	5,900	15·4	8·0	16·8	13·9	0·17	0·17	0·34	4·4	33	52
Stirling County—											
Bridge-of-Allan ...	3,095	17·8	8·1	16·2	12·6	0·97	0·97	—	1·8	36	18
Denny and Dunipace ...	6,795	23·1	7·2	9·1	10·7	0·29	0·15	—	4·5	19	25
Grangemouth ...	15,806	15·2	7·1	10·9	12·2	0·25	0·25	0·06	5·4	50	8
Kilsyth	10,229	18·5	7·2	10·8	12·7	0·10	0·10	0·10	1·1	48	26
Sutherland Co.—											
Dornoch	732	13·7	15·0	16·4	13·3	—	—	—	—	—	91
West Lothian Co.—											
Armadale ...	5,819	22·7	12·7	9·3	11·4	0·52	0·34	0·17	6·1	38	8
Bathgate... ...	10,779	19·0	9·6	10·7	12·6	0·93	0·83	—	3·4	20	28
Bo'ness	10,546	20·2	7·6	11·5	13·5	0·66	0·66	0·19	4·7	19	36
Linlithgow ...	3,810	20·7	10·2	13·1	13·1	—	—	—	3·8	13	37
Queensferry ...	2,276	21·5	10·5	11·0	11·7	0·44	0·44	—	6·1	61	20
Whitburn ...	4,534	26·5	6·8	8·8	10·2	1·32	0·88	—	3·3	33	32
Wigtown County—											
Newton-Stewart	2,030	16·3	17·2	15·3	12·6	—	—	0·49	18·2	30	29
Stranraer ...	8,456	18·3	9·3	12·2	11·2	0·12	0·12	0·35	10·3	58	37
Whithorn ...	990	18·2	20·2	18·2	12·8	—	—	—	27·8	56	100
Wigtown ...	1,376	20·3	5·1	18·2	13·7	—	—	—	14·3	107	34
Zetland County—											
Lerwick	5,872	15·7	11·9	15·2	11·7	0·68	0·68	0·34	4·3	87	—

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles, and influenza.
† No standardising factor available.

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1950

County Landward Areas	Estimated Population 1950	Rates per 1,000 of Population							Illegitimate Births per cent of Live Births	Infant Mortality Rate per 1,000 Live Births	Still-births per 1,000 Total Births (including Still-births)
		Birth-rate (Living Children)	Marriage-rate	Death-rate							
				Crude (Corrected for Transfers)	Corrected and adjusted for Age and Sex	All Tuberculosis	Tuberculosis of Respiratory System	Principal Epidemic Diseases*			
Aberdeen	104,342	18·9	4·9	11·6	9·9	0·13	0·09	0·11	9·5	27	18
Angus	38,835	16·2	3·4	10·3	9·3	0·21	0·18	0·03	6·4	35	29
Argyll	40,466	15·0	3·2	14·5	10·4	0·47	0·40	0·30	6·9	31	26
Ayr	136,484	18·5	6·2	10·3	10·9	0·18	0·15	0·14	3·9	36	25
Banff	22,355	19·0	4·2	10·7	9·7	0·09	0·09	0·18	10·6	47	32
Berwick	19,913	13·7	4·6	14·9	12·9	0·25	0·20	0·15	7·0	44	14
Bute	7,432	13·7	3·6	15·6	10·9	0·54	0·54	—	4·9	20	10
Caithness	12,854	16·6	3·9	15·2	10·4	0·39	0·39	0·39	9·3	19	14
Clackmannan ...	12,999	24·6	5·7	11·5	12·0	0·62	0·46	0·31	3·8	53	21
Dunbarton	62,853	17·1	5·4	11·7	11·8	0·37	0·35	0·18	4·0	46	38
Dumfries	45,577	17·7	5·5	11·3	10·1	0·35	0·26	0·09	6·6	32	25
East Lothian ...	26,999	18·0	3·4	9·4	9·7	0·26	0·22	0·22	5·3	31	30
Fife	109,004	20·9	5·0	11·3	11·8	0·34	0·30	0·09	4·4	41	28
Inverness	55,929	16·3	2·7	13·5	9·8	0·41	0·38	0·30	7·6	38	36
Kincardine ...	19,802	18·1	3·0	10·5	9·2	0·05	0·05	—	7·0	31	27
Kinross	4,939	17·2	4·9	14·4	11·4	0·40	0·40	—	8·2	35	12
Kirkcudbright ...	20,418	16·6	5·4	11·8	10·0	0·34	0·34	0·10	5·6	33	29
Lanark	311,318	19·4	6·4	11·2	12·8	0·56	0·49	0·09	3·6	42	30
Midlothian	57,195	17·5	6·3	10·7	11·3	0·28	0·24	0·09	4·0	44	21
Moray	25,031	18·1	2·5	9·2	7·6	0·28	0·28	0·08	7·7	35	26
Nairn	4,277	15·2	0·7	10·3	8·0	0·23	—	—	16·9	46	—
Orkney	15,716	16·4	4·6	14·4	9·6	0·38	0·38	0·19	3·9	27	45
Peebles	6,838	13·5	4·4	11·7	10·1	0·58	0·44	—	3·3	22	52
Perth	61,467	15·3	3·6	12·0	10·[illegible]	0·18	0·15	0·08	7·1	27	18
Renfrew	77,916	14·4	5·0	12·3	12·4	0·45	0·42	0·12	3·6	29	27
Ross and Cromarty	49,760	16·7	3·0	13·7	9·5	0·50	0·34	0·18	5·4	30	24
Roxburgh	19,409	14·6	4·3	11·7	10·2	0·10	0·10	0·10	8·1	21	37
Selkirk	3,229	18·6	2·5	13·6	12·6	—	—	—	6·7	33	32
Stirling	86,792	19·8	5·4	10·8	11·5	0·45	0·39	0·18	4·7	41	21
Sutherland	13,219	17·0	3·9	14·3	9·1	0·15	0·15	0·23	8·4	58	13
West Lothian ...	49,881	21·1	6·8	9·8	11·1	0·34	0·32	0·02	4·2	32	23
Wigtown	19,875	21·0	4·2	9·5	8·6	0·20	0·20	0·15	15·3	38	30
Zetland	13,997	15·4	3·4	18·1	11·3	0·50	0·43	0·21	5·1	14	14

* Typhoid fever, scarlet fever, diphtheria, whooping-cough, meningococcal infections, measles and influenza.

TABLE 7.—General Registration Summary

Events registered in 1950. (Figures in this table show actual numbers as registered and are not "Corrected for Residence")

Counties, Counties of Cities and Large Burghs	Population* (Enumerated at Census of)		Registered Births, Still-births, Deaths and Marriages, 1950					
			Live Births			Deaths		
	1931	1921	Total	Illegitimate	Still-births	Total	From Uncertified Causes	Marriages
SCOTLAND	**4,842,980**	**4,882,497**	**92,530**	**4,837**	**2,557**	**63,996**	**52**	**40,483**
Counties of Cities ...	1,879,329	1,807,785	37,502	2,261	1,170	27,363	—	17,645
Large Burghs	773,015	777,402	18,939	808	546	10,318	3	7,710
Counties (ex. Counties of Cities and Large Burghs)	2,190,636	2,297,310	36,089	1,768	841	26,315	49	15,128
Small Burghs	742,550	782,656	12,187	624	218	9,156	7	7,228
Landward	1,448,086	1,514,654	23,902	1,144	623	17,159	42	7,900
Counties (ex. Counties of Cities and Large Burghs)								
Aberdeen	143,718	151,825	2,408	202	41	1,396	4	933
Angus	75,310	81,593	1,064	61	20	1,089	—	456
Argyll	63,050	76,862	918	37	16	941	4	340
Ayr	207,631	225,111	4,081	165	113	2,515	2	1,639
Banff	54,907	57,298	946	67	23	520	—	328
Berwick	26,612	28,246	270	12	2	290	1	148
Bute	18,823	33,711	271	12	2	295	—	95
Caithness	25,656	28,285	403	33	7	332	—	159
Clackmannan	31,948	32,542	323	21	5	363	—	301
Dunbarton	77,926	79,816	1,083	42	34	1,045	—	585
Dumfries...	58,016	59,440	487	28	15	680	1	383
East Lothian	47,338	47,487	642	27	7	464	1	343
Fife	196,565	207,871	2,990	148	69	2,262	2	1,504
Inverness	58,558	60,743	515	29	20	711	11	209
Kincardine	26,780	29,777	259	20	5	264	—	146
Kinross	7,454	7,963	66	4	1	112	—	45
Kirkcudbright	30,341	31,061	280	13	6	327	1	218
Lanark	295,174	291,558	5,910	198	197	3,763	—	2,115
Midlothian	87,286	86,113	1,034	35	11	858	—	720
Moray	40,806	41,558	896	75	22	490	—	339
Nairn	8,294	8,790	141	15	—	91	—	51
Orkney	22,077	24,111	369	14	11	291	—	154
Peebles	15,051	15,332	164	4	6	152	—	97
Perth	85,733	92,156	756	45	9	1,016	—	454
Renfrew	100,769	97,425	2,165	59	52	1,342	—	822
Ross and Cromarty ...	62,799	70,818	1,031	54	19	776	16	264
Roxburgh	45,788	44,989	558	25	13	512	—	304
Selkirk	22,608	22,607	432	20	8	423	—	151
Stirling	105,334	104,157	3,214	171	56	1,251	—	730
Sutherland	16,101	17,802	180	9	4	181	—	63
West Lothian	81,431	83,960	1,533	63	36	908	—	690
Wigtown	29,331	30,783	394	45	8	330	2	224
Zetland	21,421	25,520	306	15	3	325	4	118
Counties of Cities								
Glasgow	1,093,337	1,056,436	20,633	1,211	682	15,043	—	9,939
Edinburgh	439,010	420,264	9,379	522	263	6,947	—	4,271
Dundee	177,179	169,892	3,648	294	121	2,608	—	1,582
Aberdeen	169,803	161,193	3,842	234	104	2,765	—	1,853
Large Burghs								
Paisley	88,384	86,584	1,783	68	56	1,254	—	817
Greenock	79,012	81,207	1,603	60	52	1,047	—	621
Motherwell and Wishaw	65,611	69,956	1,256	47	37	563	—	633
Clydebank	47,033	46,674	412	22	8	321	—	317
Kirkcaldy	44,745	45,155	1,170	44	38	629	—	496
Coatbridge	43,513	44,466	612	14	22	372	—	398
Kilmarnock	38,681	36,658	1,000	41	13	562	1	346
Hamilton	38,112	39,746	908	18	20	354	—	366
Ayr	38,905	37,504	695	27	6	569	1	445
Falkirk	36,566	34,419	1,299	47	39	608	—	352
Dunfermline	35,058	39,899	1,329	40	43	584	1	394
Perth	35,060	33,347	1,180	68	36	654	—	522
Airdrie	26,734	26,215	704	18	17	285	—	280
Rutherglen	25,182	24,777	120	4	3	224	—	274
Dumfries...	23,031	22,024	1,538	130	54	497	—	285
Stirling	24,547	23,145	821	49	36	473	—	241
Inverness	23,550	21,712	949	67	33	553	—	453
Dumbarton	21,764	23,176	850	23	19	315	—	143
Port Glasgow	19,826	21,171	336	9	9	187	—	152
Arbroath	17,701	19,567	374	12	5	267	—	175

* Adjusted for alterations of boundary.

TABLE 8.—Birth-rate among Married and Unmarried Women in Scotland in 1950

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
SCOTLAND ...	**1,109,300**	**627,100**	**482,200**	**92,530**	**87,693**	**4,837**	**83·4**	**139·8**	**10·0**
Counties of Cities	443,100	246,900	196,200	34,102	32,216	1,886	77·0	130·5	9·6
Large Burghs ...	184,600	108,300	76,300	15,609	14,913	696	84·5	137·7	9·1
Counties (excluding Counties of Cities & Large Burghs) ...	481,600	271,900	209,700	42,819	40,564	2,255	88·9	149·2	10·8
Small Burghs ...	176,400	98,100	78,300	14,626	13,895	731	82·9	141·7	9·3
Landward ...	305,200	173,800	131,400	28,193	26,669	1,524	92·4	153·4	11·6
Aberdeen County									
Aberdeen C. of C.	43,300	24,100	19,200	3,226	3,054	172	74·5	126·6	9·0
Remainder of Co.	27,900	16,000	12,000	2,781	2,532	249	99·6	158·7	20·8
Angus County—									
Dundee C. of C.	40,500	22,100	18,300	3,171	2,963	208	78·4	133·9	11·3
Arbroath Burgh...	4,000	2,100	1,900	360	348	12	89·6	162·0	6·4
Remainder of Co.	15,900	8,400	7,500	1,301	1,227	74	82·1	146·7	9·9
Argyll County ...	12,500	6,000	6,500	1,023	969	45	82·1	162·2	38·
Ayr County—									
Ayr Burgh ...	9,900	5,500	4,400	665	640	25	67·2	116·3	5·7
Kilmarnock Burgh	9,900	5,700	4,200	710	677	33	71·6	118·3	7·9
Remainder of Co.	50,700	29,100	21,600	4,418	4,236	182	87·1	145·5	8·4
Banff County ...	9,700	5,600	4,100	940	859	81	96·8	153·6	19·7
Berwick County ...	5,300	3,000	2,300	392	366	26	74·5	122·2	11·5
Bute County ...	4,000	1,900	2,100	283	267	16	70·9	138·7	7·7
Caithness County	4,200	2,200	2,000	429	393	36	102·9	177·7	18·4
Clackmannan Co.	8,100	4,600	3,500	724	690	34	89·7	149·5	9·8
Dunbarton Co.—									
Clydebank Burgh	9,600	5,900	3,700	986	942	44	102·7	158·8	12·0
Dumbarton Burgh	4,900	2,900	2,000	503	479	24	102·0	164·0	11·9
Remainder of Co.	20,300	10,800	9,600	1,675	1,610	65	82·4	149·6	6·8
Dumfries County—									
Dumfries Burgh...	6,300	3,500	2,800	476	445	31	75·8	128·3	11·0
Remainder of Co.	11,900	6,800	5,200	1,056	981	75	88·6	145·1	14·5
East Lothian Co.	10,700	6,200	4,500	953	902	51	89·4	146·2	11·4
Fife County—									
Dunfermline Burgh	10,900	6,600	4,400	738	702	36	67·6	107·0	8·3
Kirkcaldy Burgh	11,000	6,400	4,500	896	853	43	81·7	132·9	9·5
Remainder of Co.	43,900	27,200	16,700	4,022	3,842	180	91·6	141·3	10·8
Inverness County—									
Inverness Burgh	6,200	3,200	3,000	501	463	38	80·4	143·5	12·6
Remainder of Co.	10,100	4,900	5,200	980	909	71	97·1	185·8	13·6

TABLE 8.—*continued*

	Estimated Number of Women aged 15-44			Births (Living Children)			Birth-rates (Living Children)		
	Total	Married Women aged 16-44	Unmarried Women and Widows aged 15-44	Total	Legitimate	Illegitimate	Total per 1,000 Women aged 15-44	Legitimate Births per 1,000 Married Women aged 16-44	Illegitimate Births per 1,000 Unmarried Women aged 15-44
KINCARDINE CO.—	5,500	3,000	2,400	497	464	33	91·0	153·3	13·6
KINROSS COUNTY ...	1,500	800	700	127	120	7	83·9	146·7	10·1
KIRKCUDBRIGHT CO.	6,100	3,400	2,700	541	509	32	88·6	151·4	11·7
LANARK COUNTY—									
Glasgow C. of C.	246,400	141,600	104,700	20,031	18,932	1,099	81·3	133·7	10·5
Airdrie Burgh ...	6,500	4,000	2,500	562	545	17	86·4	135·8	6·8
Coatbridge Burgh	9,700	6,200	3,500	1,066	1,033	33	110·4	167·4	9·5
Hamilton Burgh	8,500	5,300	3,200	802	772	30	94·1	145·1	9·4
Motherwell and Wishaw Burgh	14,500	9,200	5,400	1,313	1,254	59	90·3	136·7	11·0
Rutherglen Burgh	5,500	3,000	2,500	395	383	12	71·9	127·8	4·8
Remainder of Co.	65,400	39,500	25,800	6,196	5,973	223	94·8	151·1	8·6
MIDLOTHIAN CO.—									
Edinburgh C. of C.	113,000	59,000	54,000	7,674	7,267	407	67·9	123·2	7·5
Remainder of Co.	20,200	12,400	7,800	1,803	1,732	71	89·1	139·8	9·0
MORAY COUNTY ...	9,800	5,400	4,400	940	862	78	96·3	160·8	17·7
NAIRN COUNTY ...	1,700	900	900	148	133	15	86·5	156·3	17·4
ORKNEY COUNTY ...	4,000	2,100	1,900	382	366	16	96·4	173·5	8·6
PEEBLES COUNTY ...	3,300	1,700	1,600	190	186	4	58·2	108·4	2·6
PERTH COUNTY—									
Perth Burgh ...	9,300	5,000	4,300	721	673	48	77·5	135·2	11·1
Remainder of Co.	17,500	9,000	8,500	1,353	1,255	98	77·2	138·8	11·5
RENFREW COUNTY—									
Greenock Burgh	16,700	10,200	6,500	1,615	1,549	66	96·6	152·3	10·1
Paisley Burgh ...	22,200	12,200	10,000	1,685	1,614	71	75·9	132·0	7·1
Port Glasgow ...	4,400	2,700	1,700	545	531	14	123·3	196·2	8·2
Remainder of Co.	29,800	15,600	14,200	2,168	2,102	66	72·8	134·7	4·7
ROSS AND CROMARTY CO.	11,200	5,100	6,100	1,056	1,004	52	93·9	195·7	8·5
ROXBURGH COUNTY	10,100	5,200	4,900	702	660	42	69·5	127·0	8·6
SELKIRK COUNTY ...	4,800	2,500	2,300	337	324	13	70·5	128·4	5·8
STIRLING COUNTY—									
Falkirk Burgh ...	8,300	5,100	3,200	588	559	29	70·6	109·5	9·0
Stirling Burgh ...	6,200	3,500	2,600	482	451	31	78·1	127·6	11·8
Remainder of Co.	25,200	15,000	10,200	2,357	2,254	103	93·6	150·3	10·1
SUTHERLAND COUNTY	2,400	1,200	1,300	235	216	19	96·7	187·7	14·9
WEST LOTHIAN CO.	17,600	11,200	6,400	1,851	1,772	79	105·4	158·7	12·4
WIGTOWN COUNTY	6,700	3,700	3,000	651	556	95	97·7	150·6	32·0
ZETLAND COUNTY ...	3,800	1,700	2,100	308	293	15	80·5	170·4	7·1

TABLE 9.—Births by Single Age of Mother, Sex and Legitimacy, 1950

Ages	All Births	Males	Females	Total	Legitimate		Total	Illegitimate	
					Males	Females		Males	Females
14	2	2	—	—	—	—	2	2	—
15	16	9	7	—	—	—	16	9	7
16	98	53	45	46	24	22	52	29	23
17	448	250	198	313	183	130	135	67	68
18	1,165	575	590	914	449	465	251	126	125
19	2,249	1,114	1,135	1,964	971	993	285	143	142
Under 20	3,978	2,003	1,975	3,237	1,627	1,610	741	376	365
20	3,350	1,698	1,652	3,064	1,542	1,522	286	156	130
21	4,575	2,333	2,242	4,240	2,152	2,088	335	181	154
22	5,113	2,638	2,475	4,782	2,468	2,314	331	170	161
23	5,550	2,959	2,591	5,296	2,830	2,466	254	129	125
24	6,072	3,159	2,913	5,786	3,001	2,785	286	158	128
20–24	24,660	12,787	11,873	23,168	11,993	11,175	1,492	794	698
25	5,997	3,112	2,885	5,742	2,980	2,762	255	132	123
26	5,866	3,051	2,815	5,613	2,915	2,698	253	136	117
27	5,785	3,053	2,732	5,553	2,929	2,624	232	124	108
28	5,664	2,939	2,725	5,460	2,824	2,636	204	115	89
29	5,815	2,979	2,836	5,596	2,861	2,735	219	118	101
25–29	29,127	15,134	13,993	27,964	14,509	13,455	1,163	625	538
30	5,516	2,787	2,729	5,296	2,674	2,622	220	113	107
31	3,550	1,853	1,697	3,415	1,786	1,629	135	67	68
32	3,466	1,800	1,666	3,333	1,740	1,593	133	60	73
33	3,171	1,658	1,513	3,055	1,587	1,468	116	71	45
34	3,224	1,690	1,534	3,094	1,619	1,475	130	71	59
30–34	18,927	9,788	9,139	18,193	9,406	8,787	734	382	352
35	3,092	1,569	1,523	2,955	1,500	1,455	137	69	68
36	2,842	1,437	1,405	2,734	1,375	1,359	108	62	46
37	2,245	1,138	1,107	2,145	1,086	1,059	100	52	48
38	2,063	1,076	987	1,985	1,041	944	78	35	43
39	1,695	891	804	1,624	854	770	71	37	34
35–39	11,937	6,111	5,826	11,443	5,856	5,587	494	255	239
40	1,213	623	590	1,143	589	554	70	34	36
41	891	465	426	859	448	411	32	17	15
42	728	360	368	690	341	349	38	19	19
43	385	208	177	373	203	170	12	5	7
44	235	126	109	222	120	102	13	6	7
40–44	3,452	1,782	1,670	3,287	1,701	1,586	165	81	84
45	117	53	64	112	52	60	5	1	4
46	71	34	37	67	31	36	4	3	1
47	27	15	12	27	15	12	—	—	—
48	10	2	8	9	2	7	1	—	1
49	4	—	4	4	—	4	—	—	—
45–49	229	104	125	219	100	119	10	4	6
Not stated	220	113	107	182	97	85	38	16	22
Total	92,530	47,822	44,708	87,693	45,289	42,404	4,837	2,533	2,304

TABLE 10.—Births by Age of Mother and Duration of Marriage, 1950

Duration of Marriage (Years)	Age of Mother																	
	All Ages	Under 16	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Under one year	13,455	—	46	287	700	1,243	1,546	1,582	1,415	1,314	1,082	2,849	904	390	75	1	—	21
1	12,745	—	—	26	185	512	937	1,366	1,394	1,428	1,197	3,820	1,261	497	104	4	—	14
2	9,890	—	—	—	29	166	395	769	937	1,032	1,040	3,679	1,228	483	103	5	—	24
3	8,189	—	—	—	—	43	148	360	572	748	899	3,561	1,241	495	96	6	—	20
4	7,072	—	—	—	—	—	38	134	317	414	745	3,441	1,350	507	108	4	—	14
5	5,299	—	—	—	—	—	—	28	120	249	461	2,783	1,127	429	89	4	—	9
6	4,101	—	—	—	—	—	—	—	27	86	257	2,137	1,124	395	63	3	—	9
7	3,934	—	—	—	—	—	—	—	—	25	84	2,010	1,243	459	96	2	—	15
8	4,194	—	—	—	—	—	—	—	—	—	21	1,670	1,741	646	98	5	—	13
9	3,848	—	—	—	—	—	—	—	—	—	—	1,049	1,835	820	133	5	—	6
10–14	10,375	—	—	—	—	—	—	—	—	—	—	964	4,754	3,842	768	25	—	22
15–19	3,625	—	—	—	—	—	—	—	—	—	—	—	385	2,292	897	41	—	10
20–24	839	—	—	—	—	—	—	—	—	—	—	—	—	187	574	74	—	4
25 and over	124	—	—	—	—	—	—	—	—	—	—	—	—	—	83	40	—	1
Not stated	3	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
All Legitimate Births	87,693	—	46	313	914	1,964	3,064	4,240	4,782	5,296	5,786	27,964	18,193	11,443	3,287	219	—	182
Male ...	45,289	—	24	183	449	971	1,542	2,152	2,468	2,830	3,001	14,509	9,406	5,856	1,701	100	—	97
Female ...	42,404	—	22	130	465	993	1,522	2,088	2,314	2,466	2,785	13,455	8,787	5,587	1,586	119	—	85
Illegitimate Births	4,837	18	52	135	251	285	286	335	331	254	286	1,163	734	494	165	10	—	38
Male ...	2,533	11	29	67	126	143	156	181	170	129	158	625	382	255	81	4	—	16
Female ...	2,304	7	23	68	125	142	130	154	161	125	128	538	352	239	84	6	—	22
All Births ...	92,530	18	98	448	1,165	2,249	3,350	4,575	5,113	5,550	6,072	29,127	18,927	11,937	3,452	229	—	220
Male ...	47,822	11	53	250	575	1,114	1,698	2 333	2,638	2,959	3,159	15,134	9,788	6,111	1,782	104	—	113
Female ...	44,708	7	45	198	590	1,135	1,652	2,242	2,475	2,591	2,913	13,993	9,139	5,826	1,670	125	—	107

TABLE 1i.—Fertility by Age of Mother. Scotland, 1950

	Age of Mother									
	All Ages	15–19	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Births, 1950:—										
Total	92,530	3,978	24,660	29,127	18,927	11,937	3,452	229	—	220
Legitimate	87,693	3,237	23,168	27,964	18,193	11,443	3,287	219	—	182
Illegitimate	4,837	741	1,492	1,163	734	494	165	10	—	38
Rates per annum per 1,000 females:—										
All Births	71·4†	20·6	126·0	155·4	124·6	63·8	17·8	1·2	—	—
Legitimate Births ... ... (per 1,000 married females)	116·0†	496·2	307·7	200·6	153·4	81·1	22·5	1·7	—	—
Illegitimate Births ... ... (per 1,000 unmarried females, including widowed and divorced)	9·0†	4·0	12·4	24·2	22·0	10·7	3·5	0·2	—	—

† Rates in this column are calculated on the appropriate population of women aged 15-49.

TABLE 12.—Interval between Present Marriage and Birth of First Child, Scotland, 1950

Duration of Marriage	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Months.																	
Under One	147	2	6	11	10	17	15	6	14	11	32	12	10	1	—	—	—
1	207	5	8	22	26	31	14	19	12	12	31	20	6	1	—	—	—
2	329	8	19	36	39	33	39	29	19	15	46	27	18	1	—	—	—
Under 3	*683*	*15*	*33*	*69*	*75*	*81*	*68*	*54*	*45*	*38*	*109*	*59*	*34*	*3*	—	—	—
3	621	3	26	62	76	90	71	49	49	37	104	26	20	8	—	—	—
4	863	8	45	73	121	110	118	65	66	61	128	52	9	7	—	—	—
5	1,305	9	50	120	183	211	163	144	105	67	169	45	34	4	1	—	—
3–5	*2,789*	*20*	*121*	*255*	*380*	*411*	*352*	*258*	*220*	*165*	*401*	*123*	*63*	*19*	*1*	—	—
6	1,651	8	53	147	210	247	220	198	140	88	235	64	34	7	—	—	—
7	1,304	1	31	89	144	209	170	135	123	104	215	63	14	6	—	—	—
8	811	1	11	26	101	84	114	81	75	60	173	59	21	5	—	—	—
6–8	*3,766*	*10*	*95*	*262*	*455*	*540*	*504*	*414*	*338*	*252*	*623*	*186*	*69*	*18*	—	—	—
9	1,469	—	16	36	92	153	153	169	160	146	368	104	63	9	—	—	—
10	2,435	—	16	40	123	201	271	266	281	253	691	209	74	10	—	—	—
11	2,008	1	6	35	99	148	215	235	241	208	571	173	67	9	—	—	—
9–11	*5,912*	*1*	*38*	*111*	*314*	*502*	*639*	*670*	*682*	*607*	*1,630*	*486*	*204*	*28*	—	—	—
12–14	3,942	—	6	69	167	302	423	455	423	356	1,170	397	145	28	1	—	—
15–17	2,586	—	5	21	79	163	279	280	318	256	796	254	112	22	1	—	—
18–20	1,894	—	1	15	52	107	146	179	228	183	652	214	85	30	2	—	—
21–23	1,445	—	—	10	31	63	102	136	148	157	543	175	65	15	—	—	—
Years.																	
Under One	13,150	46	287	697	1,224	1,534	1,563	1,396	1,285	1,062	2,763	854	370	68	1	—	—
1	9,867	—	12	115	329	635	950	1,050	1,117	952	3,161	1,040	407	95	4	—	—
2	3,596	—	—	6	31	81	185	275	345	391	1,485	528	214	52	3	—	—
3	1,735	—	—	—	3	12	48	73	119	171	852	291	127	36	3	—	—
4	1,038	—	—	—	—	2	6	20	40	90	539	231	82	25	3	—	—
5	591	—	—	—	—	—	3	10	19	39	299	140	65	16	—	—	—
6	376	—	—	—	—	—	—	1	1	20	184	122	43	5	—	—	—
7	293	—	—	—	—	—	—	—	—	3	124	116	37	13	—	—	—
8	330	—	—	—	—	—	—	—	—	2	83	152	80	11	2	—	—
9	291	—	—	—	—	—	—	—	—	—	54	146	70	19	2	—	—
10–14	473	—	—	—	—	—	—	—	—	—	37	179	205	51	—	—	1
15–19	91	—	—	—	—	—	—	—	—	—	—	10	54	25	1	—	1
20 and over	9	—	—	—	—	—	—	—	—	—	—	—	3	5	1	—	—
Not stated	3	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
Total	31,843	46	299	818	1,587	2,264	2,756	2,825	2,926	2,730	9,582	3,809	1,758	421	20	—	2

TABLE 13.—Legitimate Births by Age of Mother and Number of Previous Children, 1950

Number of Previous Children (including Still-born and Dead)	Age of Mother																
	All Ages	16	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
By All Husbands.																	
None	31,141	46	299	818	1,587	2,264	2,754	2,816	2,917	2,716	9,378	3,576	1,585	369	14	—	2
1	25,215	—	14	92	340	673	1,205	1,432	1,607	1,931	9,618	5,434	2,425	426	18	—	—
2	13,980	—	—	4	36	120	235	419	601	808	5,128	3,844	2,266	497	22	—	—
3	7,161	—	—	—	1	7	43	100	138	256	2,241	2,305	1,618	431	21	—	—
4	3,941	—	—	—	—	—	3	15	30	61	1,013	1,338	1,093	363	25	—	—
5	2,374	—	—	—	—	—	—	—	3	14	404	813	827	296	17	—	—
6	1,374	—	—	—	—	—	—	—	—	—	125	434	572	218	25	—	—
7	892	—	—	—	—	—	—	—	—	—	34	240	419	184	15	—	—
8	557	—	—	—	—	—	—	—	—	—	19	120	259	145	14	—	—
9	370	—	—	—	—	—	—	—	—	—	3	60	178	116	13	—	—
10–14	483	—	—	—	—	—	—	—	—	—	1	29	196	227	30	—	—
15–19	24	—	—	—	—	—	—	—	—	—	—	—	5	15	4	—	—
20 and over	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Not stated	180	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	180
Total	87,693	46	313	914	1,964	3,064	4,240	4,782	5,296	5,786	27,964	18,193	11,443	3,287	219	—	182
By Present Husband.																	
None	31,843	46	299	818	1,587	2,264	2,756	2,825	2,926	2,730	9,582	3,809	1,758	421	20	—	2
1	25,284	—	14	92	341	674	1,203	1,425	1,603	1,930	9,608	5,452	2,477	447	18	—	—
2	13,804	—	—	4	35	119	235	418	597	798	5,044	3,795	2,236	503	20	—	—
3	6,926	—	—	—	1	7	43	99	137	254	2,179	2,217	1,561	406	22	—	—
4	3,770	—	—	—	—	—	3	15	30	60	974	1,274	1,042	348	24	—	—
5	2,306	—	—	—	—	—	—	—	3	14	398	795	796	284	16	—	—
6	1,322	—	—	—	—	—	—	—	—	—	123	417	550	209	23	—	—
7	860	—	—	—	—	—	—	—	—	—	35	229	405	176	15	—	—
8	542	—	—	—	—	—	—	—	—	—	17	117	253	142	13	—	—
9	362	—	—	—	—	—	—	—	—	—	3	60	171	115	13	—	—
10–14	471	—	—	—	—	—	—	—	—	—	1	28	190	221	31	—	—
15–19	23	—	—	—	—	—	—	—	—	—	—	—	4	15	4	—	—
20 and over	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not stated	180	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	180
Total	87,693	46	313	914	1,964	3,064	4,240	4,782	5,296	5,786	27,964	18,193	11,443	3,287	219	—	182

TABLE 14.—Legitimate Births by Duration of Marriage and Number of Previous Children, Scotland, 1950

Number of Previous Children (Including Still-born and Dead)	Total Births	Duration of Present Marriage—Years: Under 1 year	1	2	3	4	5	6	7	8	9	10–14	15–19	20–24	25 and over	Not Stated	Total Children (Including Present Birth)
By all Husbands—None	31,141	12,805	9,653	3,512	1,701	1,025	586	373	291	330	291	471	91	9	–	3	31,141
1	25,215	393	2,736	5,382	4,396	3,445	2,294	1,499	1,335	1,237	953	1,433	106	6	–	–	50,430
2	13,980	121	215	783	1,699	1,930	1,572	1,263	1,179	1,262	1,161	2,386	368	37	4	–	41,940
3	7,161	53	69	114	283	532	610	644	662	738	727	2,134	523	68	4	–	28,644
4	3,941	31	38	37	57	93	172	235	316	374	414	1,586	489	90	9	–	19,705
5	2,374	17	12	16	18	19	38	55	105	169	194	1,075	563	84	9	–	14,244
6	1,374	3	5	12	10	8	8	9	23	47	77	635	424	98	15	–	9,618
7	892	9	2	6	2	4	3	8	5	18	19	337	369	101	9	–	7,136
8	557	1	–	1	3	–	6	3	–	5	5	180	259	83	11	–	5,013
9	370	–	1	2	–	–	–	–	2	1	1	78	197	77	11	–	3,700
10	223	–	–	–	–	2	–	1	–	–	–	22	121	64	13	–	2,453
11	131	–	–	–	–	–	–	1	1	–	–	13	59	47	10	–	1,572
12	66	–	–	–	–	–	–	1	–	–	–	2	24	32	7	–	858
13	46	1	–	–	–	–	–	–	–	–	–	–	14	20	11	–	644
14	17	–	–	–	–	–	1	–	–	–	–	–	6	6	4	–	255
15 and over	* 25	–	–	1	–	–	–	–	–	–	–	2	3	13	6	–	418
Not stated	180	21	14	24	20	14	9	9	15	13	6	21	9	4	1	–	180
Total	87,693	13,455	12,745	9,890	8,189	7,072	5,299	4,101	3,934	4,194	3,848	10,375	3,625	839	124	3	217,951
Total Number of Children (Including Present Birth)	217,951	14,560	16,383	17,564	17,248	16,536	13,576	11,440	11,604	12,967	12,574	43,436	22,238	6,639	1,183	3	—
By Present Husband—None	31,843	13,150	9,867	3,596	1,735	1,038	591	376	293	330	291	473	91	9	–	3	31,843
1	25,284	225	2,707	5,475	4,470	3,492	2,315	1,512	1,343	1,239	955	1,438	107	6	–	–	50,568
2	13,804	37	131	718	1,696	1,957	1,583	1,274	1,180	1,264	1,166	2,388	369	37	4	–	41,412
3	6,926	11	16	61	230	499	608	640	660	741	726	2,137	525	68	4	–	27,704
4	3,770	6	5	8	27	62	161	229	311	374	412	1,589	487	90	9	–	18,850
5	2,306	1	2	5	8	8	27	52	107	169	195	1,076	562	85	9	–	13,836
6	1,322	1	3	1	1	1	3	3	19	48	73	631	426	97	15	–	9,254
7	860	3	–	2	1	1	1	5	4	13	20	332	368	101	9	–	6,880
8	542	–	–	–	1	–	1	1	–	3	4	180	258	83	11	–	4,878
9	362	–	–	–	–	–	–	–	1	–	–	76	197	77	11	–	3,620
10	219	–	–	–	–	–	–	–	–	–	–	20	121	64	14	–	2,409
11	129	–	–	–	–	–	–	–	1	–	–	12	60	47	9	–	1,548
12	64	–	–	–	–	–	–	–	–	–	–	1	24	32	7	–	832
13	44	–	–	–	–	–	–	–	–	–	–	–	13	20	11	–	616
14	15	–	–	–	–	–	–	–	–	–	–	–	5	6	4	–	225
15 and over	† 23	–	–	–	–	–	–	–	–	–	–	1	3	13	6	–	379
Not stated	180	21	14	24	20	14	9	9	15	13	6	21	9	4	1	–	180
Total	87,693	13,455	12,745	9,890	8,189	7,072	5,299	4,101	3,934	4,194	3,848	10,375	3,625	839	124	3	215,034
Total Children by Present Husband (including Present Birth)	215,034	13,843	15,810	17,061	16,910	16,276	13,416	11,318	11,558	12,928	12,546	43,330	22,215	6,638	1,182	3	—
Average Number of Children to Present Husband	2·45	1·03	1·24	1·73	2·06	2·30	2·53	2·76	2·94	3·08	3.26	4·18	6·13	7·91	9·53	—	—

Note.—The above numbers indicate that in some cases children born before marriage have been included by informant.

* Duration of Marriage
- 2 years = 1 with 16 Previous Children.
- 10-14 years = 1 with 16 Previous Children and 1 with 21 Previous Children
- 15–19 years = 2 with 15 Previous Children and 1 with 16 Previous Children
- 20–24 years = 9 with 15 Previous Children and 4 with 16 Previous Children
- 25 and over = 3 with 15 Previous Children, 2 with 16 Previous Children and 1 with 18 Previous Children

† Duration of Marriage
- 10–14 years = 1 with 16 Previous Children
- 15–19 years = 2 with 15 Previous Children and 1 with 16 Previous Children
- 20–24 years = 9 with 15 Previous Children and 4 with 16 Previous Children
- 25 and over = 3 with 15 Previous Children, 2 with 16 Previous Children and 1 with 18 Previous Children

TABLE 15.—Multiple Confinements by Age of Mother, Scotland, 1950

	Age of Mother																
	All Ages	Under 17	17	18	19	20	21	22	23	24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Twin Births	1,215	1	2	5	20	24	40	45	42	65	386	325	214	44	—	—	2
Legitimate.—																	
Both males ...	332	—	2	—	6	3	14	13	11	17	107	85	60	14	—	—	—
One male, one female	430	—	—	2	3	9	11	14	15	20	140	117	83	15	—	—	1
Both females ...	391	1	—	2	9	9	11	15	15	24	121	108	63	12	—	—	1
Total ...	1,153	1	2	4	18	21	36	42	41	61	368	310	206	41	—	—	2
Illegitimate.—																	
Both males ...	23	—	—	1	—	—	1	1	—	1	6	9	3	1	—	—	—
One male, one female	15	—	—	—	1	1	—	—	—	1	6	2	2	2	—	—	—
Both females ...	24	—	—	—	1	2	3	2	1	2	6	4	3	—	—	—	—
Total ...	62	—	—	1	2	3	4	3	1	4	18	15	8	3	—	—	—
Triplet Births	14	—	—	—	—	—	1	—	—	2	4	3	3	1	—	—	—
Legitimate.—																	
Three males ...	3	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
Two males, one female	4	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
Two females, one male	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Three females ...	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Total ...	11	—	—	—	—	—	1	—	—	2	3	2	3	—	—	—	—
Illegitimate.—																	
Two females, one male	2	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Three females ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Total ...	3	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—
All mothers ...	91,287	115	446	1,160	2,229	3,326	4,533	5,068	5,508	6,003	28,733	18,596	11,717	3,406	229	—	218
Mothers of twin children	1,215	1	2	5	20	24	40	45	42	65	386	325	214	44	—	—	2
Mothers of twin children per 100 mothers ...	1·33	0·87	0·45	0·43	0·90	0·72	0·88	0·89	0·76	1·08	1·34	1·75	1·83	1·29	—	—	—

TABLE 16.—Deaths, by Age-groups, of Women who had been married, and number returned at time of death as having had no Children, Scotland, 1950

Conjugal Condition at Date of Death	Age of Women											
	All Ages	Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50–59	60–69	70 and over	Not stated
All women.*—												
Married	9,777	11	118	281	265	370	451	632	1,837	2,699	3,113	—
Widowed	12,963	—	1	3	5	22	44	81	569	2,089	10,149	—
Divorced	83	—	1	4	4	6	6	5	18	18	21	—
Women stated to have had no children.—												
Married	1,594	4	42	78	54	58	84	118	276	376	504	—
Widowed	1,850	—	1	1	2	5	8	13	84	327	1,409	—
Divorced	22	—	1	1	2	1	2	3	2	4	6	—
No statement as to children.—												
Married	57	—	—	2	1	—	2	1	3	13	35	—
Widowed	182	—	—	—	—	—	—	1	9	24	148	—
Divorced	6	—	—	—	—	—	—	1	1	2	2	—
Not stated	6	—	—	—	—	—	—	—	2	—	3	1
Percentage of women* in each group stated to have had no children.—												
Married	16·3	36·4	35·6	27·8	20·4	15·7	18·6	18·7	15·0	13·9	16·2	—
Widowed	14·3	—	100·0	33·3	40·0	22·7	18·2	16·0	14·8	15·7	13·9	—
Divorced†	26·5	—	—	—	—	—	—	—	—	—	—	—

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.

† Numbers in age columns too small for the calculation of significant rates.

TABLE 17.—Deaths of Women who had been married, by duration of marriage, and number returned at time of death as having had no Children, Scotland, 1950

Duration of Marriage (Years)	Deaths of Women* who had been Married				Number who had had no Children				No Statement as to Children					Percentage of Women* in each Group who had had no Children			
	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Total	Married	Widowed	Divorced	Not stated	Total	Married	Widowed	Divorced†
Under 1	93	55	37	1	65	39	26	—	—	—	—	—	—	69·9	70·9	70·3	—
1	145	83	59	3	78	47	29	2	—	—	—	—	—	53·8	56·6	49·2	—
2	167	88	78	1	68	35	32	1	—	—	—	—	—	40·7	39·8	41·0	—
3	154	87	66	1	53	31	21	1	—	—	—	—	—	34·4	35·6	31·8	—
4	205	115	87	3	61	37	22	2	—	—	—	—	—	29·8	32·2	25·3	—
5	216	96	115	5	65	30	32	3	—	—	—	—	—	30·1	31·3	27·8	—
6	191	84	103	4	61	28	32	1	—	—	—	—	—	31·9	33·3	31·1	—
7	224	109	110	5	62	33	28	1	—	—	—	—	—	27·7	30·3	25·5	—
8	234	107	122	5	75	36	38	1	—	—	—	—	—	32·1	33·6	31·1	—
9	264	124	135	5	58	24	31	3	—	—	—	—	—	22.0	19·4	23·0	—
10–14	1,259	500	743	16	320	141	177	2	—	—	—	—	—	25·4	28·2	23·8	—
15–19	1,499	566	924	9	364	140	222	2	2	—	1	1	—	24·3	24·7	24·0	—
20–29	4,038	1,625	2,404	9	755	330	424	1	1	—	1	—	—	18·7	20·3	17·6	—
30–39	5,519	2,385	3,124	10	727	364	361	2	—	—	—	—	—	13·2	15·3	11·6	—
40–49	5,469	2,448	3,020	1	392	183	209	—	3	2	1	—	—	7·2	7·5	6·9	—
50–59	2,595	1,153	1,442	—	167	79	88	—	—	—	—	—	—	6·4	6·9	6·1	—
60–69	290	116	174	—	11	6	5	—	—	—	—	—	—	3·8	5·2	2·9	—
70 and over	7	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Stated	254	33	216	5	84	11	73	—	245	55	179	5	6	33·1	33·3	33·8	—
Total ...	22,823	9,777	12,963	83	3,466	1,594	1,850	22	251	57	182	6	6	15·2	16·3	14·3	26·5

* Excluding cases in respect of which no statement was obtained as to deceased having had any children.
† Individual numbers too small for the calculation of significant rates.

TABLE 18.—Number of Still-births and Neo-natal Deaths in Counties of Cities, Large Burghs and Counties of Scotland, 1950

Counties of Cities, Large Burghs, and Counties	Living Births	Still-births		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
SCOTLAND	**92,530**	**2,557**	**175**	**2,131**	**26·9**	**22·4**	**49·3**
Counties of Cities ...	34,102	960	85	779	27·4	22·2	49·6
Large Burghs	15,609	484	28	369	30·1	22·9	53·0
Counties (ex. Counties of Cities and Large Burghs)	42,819	1,113	62	983	25·3	22·4	47·7
Northern Division ...	17,591	408	40	379	22·7	21·1	43·7
East Central Division ...	25,259	671	37	542	25·9	20·9	46·8
West Central Division ...	45,335	1,345	92	1,109	28·8	23·8	52·6
Southern Division ...	4,345	133	6	101	29·7	22·6	52·3
Aberdeen County ...	6,007	129	16	113	21	18	39
Aberdeen County of City	3,226	74	12	53	22	16	38
Remainder of County ...	2,781	55	4	60	19	21	41
Angus County	4,832	139	15	132	28	27	55
Dundee County of City...	3,171	100	11	91	31	28	58
Arbroath Burgh... ...	360	6	—	13	16	36	52
Remainder of County ...	1,301	33	4	28	25	21	46
Argyll County ...	1,023	25	2	23	24	22	46
Ayr County	5,793	135	5	137	23	23	46
Ayr Burgh	665	15	—	19	22	28	50
Kilmarnock Burgh ...	710	17	1	20	23	28	51
Remainder of County ...	4,418	103	4	98	23	22	44
Banff County	940	29	2	24	30	25	55
Berwick County ...	392	5	—	14	13	35	48
Bute County	283	2	—	8	7	28	35
Caithness County ...	429	8	1	7	18	16	34
Clackmannan County ...	724	27	—	13	36	17	53
Dunbarton County ...	3,164	112	6	82	34	25	59
Clydebank Burgh ...	986	32	1	24	31	24	55
Dumbarton Burgh ...	503	23	2	9	44	17	61
Remainder of County ...	1,675	57	3	49	33	28	61
Dumfries County ...	1,532	43	2	34	27	22	49
Dumfries Burgh ...	476	14	1	17	29	35	63
Remainder of County ...	1,056	29	1	17	27	16	42
East Lothian County ...	953	25	3	17	26	17	43
Fife County	5,656	162	6	127	28	22	50
Dunfermline Burgh ...	738	21	—	10	28	13	41
Kirkcaldy Burgh ...	896	27	1	21	29	23	52
Remainder of County ...	4,022	114	5	96	28	23	51

TABLE 18.—*continued*

Counties of Cities, Large Burghs, and Counties	Living Births	Still-births		Neo-natal Deaths	Rate per 1,000 Total Births		
		Total	Illegitimate		Still-births	Neo-natal Deaths	Combined Rates
Inverness County ...	1,481	54	4	44	35	29	64
Inverness Burgh ...	501	19	2	15	37	29	65
Remainder of County ...	980	35	2	29	34	29	63
Kincardine County ...	497	11	3	9	22	18	39
Kinross County	127	2	—	5	16	39	54
Kirkcudbright County...	541	19	1	12	34	21	55
Lanark County	30,365	926	72	750	30	24	54
Glasgow County of City	20,031	596	51	496	29	24	53
Airdrie Burgh	562	19	1	15	33	26	59
Coatbridge Burgh ...	1,066	48	6	37	43	33	76
Hamilton Burgh ...	802	20	2	17	24	21	45
Motherwell and Wishaw Burgh ...	1,313	39	2	28	29	21	50
Rutherglen Burgh ...	395	14	2	7	34	17	51
Remainder of County ...	6,196	190	8	150	30	23	53
Midlothian County ...	9,477	227	12	185	23	19	42
Edinburgh County of City	7,674	190	11	139	24	18	42
Remainder of County ...	1,803	37	1	46	20	25	45
Moray County	940	23	4	23	24	24	48
Nairn County	148	—	—	6	—	41	41
Orkney County	382	12	—	7	30	18	48
Peebles County	190	9	1	1	45	5	50
Perth County	2,074	45	1	27	21	13	34
Perth Burgh	721	15	—	10	20	14	34
Remainder of County ...	1,353	30	1	17	22	12	34
Renfrew County ...	6,013	172	9	140	28	23	50
Greenock Burgh ...	1,615	48	3	37	29	22	51
Paisley Burgh	1,685	58	2	29	33	17	50
Port Glasgow Burgh ...	545	16	2	20	29	36	64
Remainder of County ...	2,168	50	2	54	23	24	47
Ross and Cromarty Co. ...	1,056	22	3	21	20	19	40
Roxburgh County ...	702	24	—	16	33	22	55
Selkirk County	337	10	—	7	29	20	49
Stirling County	3,427	82	3	72	23	21	44
Falkirk Burgh	588	19	—	12	31	20	51
Stirling Burgh	482	14	—	9	28	18	46
Remainder of County ...	2,357	49	3	51	20	22	42
Sutherland County ...	235	4	—	12	17	50	67
West Lothian County ...	1,851	48	2	37	25	19	45
Wigtown County ...	651	23	2	17	34	25	59
Zetland County	308	3	—	9	10	29	39

TABLE 19.—Still-births by Age of Mother and Number of Previous Children, 1950

Number of Previous Children (Present or any Previous Husband)	Age of Mother										
	All Ages	Rate per 1,000 Births	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
None	876	27	62	285	264	148	85	31	1	—	—
1	475	18	7	99	182	93	68	26	—	—	—
2	355	25	1	36	110	97	82	27	2	—	—
3	239	32	—	14	62	73	67	21	2	—	—
4	149	37	—	5	30	37	57	20	—	—	—
5	90	36	—	—	8	27	36	16	3	—	—
6	72	50	—	—	4	16	27	19	6	—	—
7	42	45	—	—	1	5	22	14	—	—	—
8	29	49	—	—	1	3	16	7	2	—	—
9	14	36	—	—	—	1	6	7	—	—	—
10 and over	35	64	—	—	—	1	12	20	2	—	—
Not stated	6	—	—	—	—	—	—	—	—	—	6
All Legitimate Still-births	2,382	26·4	70	439	662	501	478	208	18	—	6
All Illegitimate Still-births	175	34·9	25	44	35	28	30	8	—	—	5
All Still-births	2,557	26·9	95	483	697	529	508	216	18	—	11
Still-births per 1,000 Total Births (including Still-births)—											
Legitimate	26·4	—	21	19	23	27	40	60	76	—	—
Illegitimate	34·9	—	34	29	30	38	59	46	—	—	—
All Births	26·9	—	23	19	23	27	41	59	73	—	—

TABLE 20.—Multiple Confinements by Age of Mother, 1950

NOTE.—This table refers *exclusively* to those cases in which at least one child was still-born

	Living Births		Still-births		Age of Mother									
	Male	Female	Male	Female	All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
Twin Births	1	—	1	—	53	—	6	14	17	12	4	—	—	—
	1	—	—	1	16	—	5	5	3	2	1	—	—	—
	—	1	1	—	20	—	4	4	6	5	1	—	—	—
	—	1	—	1	22	—	3	9	6	1	3	—	—	—
	—	—	2	—	19	—	4	4	4	5	2	—	—	—
	—	—	1	1	2	—	—	—	—	1	1	—	—	—
	—	—	—	2	2	—	—	1	1	—	—	—	—	—
Triplet Births ...	2	—	1	—	1	—	—	—	—	1	—	—	—	—
	1	1	1	—	1	—	1	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Twin Confinements					134	—	22	37	37	26	12	—	—	—
Triplet Confinements					2	—	1	—	—	1	—	—	—	—
ALL MULTIPLE CONFINEMENTS ... ... (Number of Multiple Confinements in which at least one child was still-born)					136	—	23	37	37	27	12	—	—	—
CHILDREN BORN—														
Living born—														
Male					72	—	12	19	20	16	5	—	—	—
Female					43	—	8	13	12	6	4	—	—	—
Still-born—														
Male					115	—	19	26	31	29	10	—	—	—
Female					44	—	8	16	11	4	5	—	—	—
TOTAL—Both Sexes					274	—	47	74	74	55	24	—	—	—

TABLE 21.—Still-births, 1950—Causes, with Age of Mother

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	ALL CAUSES	B.S.	**2,557**	**95**	**483**	**697**	**528**	**508**	**216**	**18**	–	**12**
		M.	**1,319**	**46**	**238**	**361**	**276**	**279**	**99**	**12**	–	**8**
		F.	**1,237**	**49**	**245**	**336**	**251**	**229**	**117**	**6**	–	**4**
		N.S.	**1**	–	–	–	**1**	–	–	–	–	–
	Chronic Diseases in Mother ...	M.	**29**	**1**	**8**	**6**	**6**	**5**	**3**	–	–	–
		F.	**28**	**1**	**4**	**7**	**9**	**3**	**4**	–	–	–
30.0	Syphilis	M.	10	1	4	2	1	1	1	–	–	–
		F.	5	–	1	3	1	–	–	–	–	–
30.1	Tuberculosis	M.	2	–	–	1	1	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
30.2	Diabetes	M.	3	–	–	1	1	1	–	–	–	–
		F.	5	–	1	2	–	1	1	–	–	–
30.3	Chronic disease of circulatory system	M.	7	–	3	–	1	1	2	–	–	–
		F.	7	–	1	–	2	2	2	–	–	–
30.4	Chronic disease of genito-urinary system	M.	1	–	–	–	–	1	–	–	–	–
		F.	2	–	1	1	–	–	–	–	–	–
30.5	Other chronic disease	M.	6	–	1	2	2	1	–	–	–	–
		F.	8	1	–	1	5	–	1	–	–	–
	Acute Disease in Mother ...	M.	**13**	–	**2**	**4**	**3**	**2**	**2**	–	–	–
		F.	**9**	–	**2**	**3**	**2**	**1**	**1**	–	–	–
31.1	Influenza	M.	6	–	–	2	1	1	2	–	–	–
		F.	4	–	–	1	2	–	1	–	–	–
31.2	Pneumonia	M.	6	–	2	2	2	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
31.3	Other acute respiratory disease ...	M.	1	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	3	–	2	1	–	–	–	–	–	–
	Diseases and Conditions of Pregnancy and Childbirth	M.	**124**	**2**	**17**	**32**	**27**	**33**	**11**	**2**	–	–
		F.	**94**	**3**	**21**	**19**	**20**	**19**	**9**	**3**	–	–
32.1	Ectopic gestation	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	M.	96	1	13	27	20	23	10	2	–	–
		F.	80	3	19	12	17	18	8	3	–	–
32.3*b*	Nephritic toxæmia	M.	5	–	–	–	2	3	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
32.3*c*	Toxæmia not stated	M.	18	–	4	3	4	6	1	–	–	–
		F.	11	–	2	6	1	1	1	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	M.	1	–	–	1	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	M.	1	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–
32.5*a*	Pyelitis	M.	2	1	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	M.	**225**	**5**	**31**	**65**	**45**	**55**	**23**	–	–	**1**
		F.	**178**	**6**	**32**	**51**	**32**	**35**	**22**	–	–	–
34.0*a*	Abnormality of bones of pelvis with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	1	–	–	–	–

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Difficult Labour—continued											
34.0*b*	Abnormality of bones of pelvis without Immaturity	M.	7	–	–	1	1	2	3	–	–	–
		F.	4	–	–	3	–	1	–	–	–	–
34.1*a*	Disproportion with Immaturity ...	M.	11	1	–	4	1	3	2	–	–	–
		F.	11	–	1	4	2	1	3	–	–	–
34.1*b*	Disproportion without Immaturity	M.	38	–	5	11	7	11	4	–	–	–
		F.	10	–	2	3	–	2	3	–	–	–
34.2*a*	Malposition of fœtus, with Immaturity	M.	15	1	6	3	3	–	2	–	–	–
		F.	11	1	5	3	2	–	–	–	–	–
34.2*b*	Malposition of fœtus, without Immaturity	M.	78	1	11	25	16	20	5	–	–	–
		F.	72	4	15	16	14	15	8	–	–	–
34.3*a*	Abnormality of forces of labour, with Immaturity	M.	8	1	1	5	–	–	1	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without Immaturity	M.	48	1	6	13	13	12	2	–	–	1
		F.	42	1	4	15	7	10	5	–	–	–
34.4*a*	Operative delivery, with Immaturity	M.	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	M.	6	–	–	–	–	4	2	–	–	–
		F.	7	–	3	–	1	2	1	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis. with Immaturity ...	M.	2	–	1	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	M.	2	–	–	–	–	2	–	–	–	–
		F.	8	–	1	3	2	2	–	–	–	–
34.6*a*	Difficult labour without mention of condition, but with Immaturity	M.	2	–	–	1	–	–	1	–	–	–
		F.	3	–	–	–	–	1	2	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	M.	8	–	1	2	3	1	1	–	–	–
		F.	7	–	–	3	4	–	–	–	–	–
	Other Causes in Mother ...	M.	**8**	–	**2**	**3**	**1**	**2**	–	–	–	–
		F.	**16**	**1**	**3**	**4**	**3**	**5**	–	–	–	–
35.0	Fall	M.	1	–	–	1	–	–	–	–	–	–
		F.	6	1	1	1	1	2	–	–	–	–
32.0, 35.1	Other accident or violence ...	M.	–	–	–	–	–	–	–	–	–	–
		F.	2	–	1	–	1	–	–	–	–	–
35.2	Over-exertion	M.	3	–	–	2	–	1	–	–	–	–
		F.	4	–	–	2	–	2	–	–	–	–
35.3	Other and ill-defined causes in mother	M.	4	–	2	–	1	1	–	–	–	–
		F.	4	–	1	1	1	1	–	–	–	–
	Placental and Cord Conditions	M.	**423**	**14**	**78**	**115**	**92**	**89**	**28**	**4**	–	**3**
		F.	**331**	**14**	**65**	**88**	**70**	**64**	**30**	–	–	–
36.0*a*	Prolapse of cord	M.	69	3	12	19	15	12	6	2	–	–
		F.	50	1	15	15	11	7	1	–	–	–
36.0*b*	Torsion of cord	M.	57	1	7	16	9	16	6	1	–	1
		F.	46	3	14	12	7	7	3	–	–	–
36.1, 36.3	Placenta prævia	M.	40	–	9	12	8	9	2	–	–	–
		F.	36	2	2	10	8	9	5	–	–	–
32.2 36.2, 36.4	Accidental Hæmorrhage	M.	168	7	31	41	41	38	7	1	–	2
		F.	124	7	18	34	24	28	13	–	–	–
36.5	Placental Infarct	M.	57	1	15	20	12	5	4	–	–	–
		F.	53	–	12	11	15	10	5	–	–	–
36.6	Others of placenta and cord ...	M.	32	2	4	7	7	9	3	–	–	–
		F.	22	1	4	6	5	3	3	–	–	–

TABLE 21.—*continued*

International Nos. (Y30-Y39)	Causes of Death	Sex of Child	Age of Mother: All Ages	Under 20	20–	25–	30–	35–	40–	45–	50 and over	Not stated
	Birth Injury	M.	**61**	**6**	**10**	**18**	**14**	**9**	**3**	**1**	–	–
		F.	**48**	**3**	**8**	**11**	**7**	**14**	**4**	–	–	**1**
37*a*	Birth injury, with Immaturity ...	M.	6	2	–	3	1	–	–	–	–	–
		F.	4	–	–	1	1	1	1	–	–	–
37*b*	Birth injury, without Immaturity	M.	55	4	10	15	13	9	3	1	–	–
		F.	44	3	8	10	6	13	3	–	–	1
	Congenital Malformation of Fœtus	M.	**174**	**9**	**33**	**50**	**32**	**32**	**14**	**4**	–	–
		F.	**286**	**12**	**59**	**77**	**62**	**47**	**26**	**2**	–	1
		N.S.	**1**	–	–	–	**1**	–	–	–	–	–
38.0	Anencephalus	M.	63	5	13	20	9	7	7	2	–	–
		F.	161	6	35	45	36	26	11	2	–	–
38.1	Hydrocephalus	M.	64	3	13	15	13	13	5	2	–	–
		F.	71	6	11	13	16	14	10	–	–	1
38.2	Spina bifida	M.	10	–	4	4	1	1	–	–	–	–
		F.	17	–	4	5	3	4	1	–	–	–
38.3	Other malformations of the central nervous system	M.	5	–	–	2	1	2	–	–	–	–
		F.	8	–	4	3	–	1	–	–	–	–
38.4	Malformation of the cardiovascular system	M.	7	–	1	1	1	4	–	–	–	–
		F.	5	–	–	3	1	1	–	–	–	–
38.5	Malformation of other specified system	M.	10	–	1	5	3	1	–	–	–	–
		F.	8	–	1	1	3	1	2	–	–	–
		N.S.	1	–	–	–	1	–	–	–	–	–
38.6	Monster	M.	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	M.	14	1	1	2	4	4	2	–	–	–
		F.	16	–	4	7	3	–	2	–	–	–
	Diseases of Fœtus and Ill-defined Causes	M.	**262**	**9**	**57**	**68**	**56**	**52**	**15**	**1**	–	**4**
		F.	**247**	**9**	**51**	**76**	**46**	**41**	**21**	**1**	–	**2**
39.2	Erythroblastosis (Rhesus factor)	M.	35	1	4	11	9	6	4	–	–	–
		F.	27	–	3	6	9	6	3	–	–	–
39.0 39.1, 39.3	Other diseases of fœtus	M.	3	–	–	–	–	3	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	M.	61	2	18	15	14	9	3	–	–	–
		F.	44	3	11	11	6	7	6	–	–	–
39.5*a*	Premature Birth (cause not stated)	M.	35	2	9	9	7	5	1	–	–	2
		F.	30	1	10	6	6	5	2	–	–	–
39.5*b*	Debility	M.	6	1	–	–	1	3	1	–	–	–
		F.	2	1	–	–	–	1	–	–	–	–
39.5*c*	Asphyxia	M.	39	1	8	6	11	10	2	1	–	–
		F.	62	2	11	26	11	7	4	1	–	–
39.5*d*	Other ill-defined	M.	31	1	9	10	5	5	1	–	–	–
		F.	35	–	5	12	10	6	2	–	–	–
39.6	Cause unknown	M.	52	1	9	17	9	11	3	–	–	2
		F.	47	2	11	15	4	9	4	–	–	2

TABLE 22.—Still-births, 1950—Cause, by Order of Birth, including Children by any Previous Husband

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	ALL CAUSES	**2,382**	**876**	**475**	**355**	**239**	**149**	**90**	**72**	**42**	**29**	**14**	**35**	**6**	**175**
	Chronic Disease in Mother ...	**47**	**16**	**6**	**8**	**6**	**3**	**2**	**2**	**1**	**2**	**1**	–	–	**10**
30.0	Syphilis	9	2	3	2	2	–	–	–	–	–	–	–	–	6
30.1	Tuberculosis	3	1	–	1	1	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	3	–	2	1	–	2	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system...	11	5	–	1	2	–	–	1	1	–	1	–	–	3
30.4	Chronic disease of genito-urinary system...	3	1	–	–	–	1	–	–	–	1	–	–	–	–
30.5	Other chronic disease	13	4	3	2	–	2	–	1	–	1	–	–	–	1
	Acute Disease in Mother ...	**19**	**4**	**6**	**1**	**3**	**1**	**1**	**1**	–	**1**	–	**1**	–	**3**
31.1	Influenza	9	1	2	1	3	1	–	–	–	1	–	–	–	1
31.2	Pneumonia	6	2	3	–	–	–	–	–	–	–	–	1	–	1
31.3	Other acute respiratory disease ...	2	–	1	–	–	–	–	1	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition	2	1	–	–	–	–	1	–	–	–	–	–	–	1
	Diseases and Conditions of Pregnancy and Childbirth	**201**	**97**	**31**	**29**	**15**	**9**	**8**	**6**	**3**	**1**	–	**2**	–	**17**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia...	161	81	26	23	8	8	5	6	2	1	–	1	–	15
32.3*b*	Nephritic toxæmia	6	–	–	1	3	1	1	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	27	13	2	5	3	–	2	–	1	–	–	1	–	2
32.4*a*	Acute yellow atrophy of liver ...	2	–	2	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum ...	2	1	1	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	2	2	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	1	–	–	–	1	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**370**	**157**	**69**	**53**	**30**	**22**	**10**	**9**	**6**	**4**	**1**	**8**	**1**	**33**
34.0*a*	Abnormality of bones of pelvis with Immaturity	2	1	1	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity ...	9	5	1	1	1	1	–	–	–	–	–	–	–	2
34.1*a*	Disproportion, with Immaturity	20	10	1	6	–	1	–	–	1	1	–	–	–	2
34.1*b*	Disproportion, without Immaturity	46	16	12	6	1	4	3	–	1	–	–	3	–	2
34.2*a*	Malposition of fœtus, with Immaturity	23	11	6	2	–	2	–	1	–	1	–	–	–	3
34.2*b*	Malposition of fœtus, without Immaturity	140	50	25	22	16	9	3	6	4	2	–	3	–	10
34.3*a*	Abnormality of forces of labour, with Immaturity	8	2	3	1	–	–	2	–	–	–	–	–	–	1
34.3*b*	Abnormality of forces of labour, without Immaturity ...	81	41	12	7	9	4	2	2	–	–	1	2	1	9
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	13	7	3	2	1	–	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis, with Immaturity ...	2	–	–	2	–	–	–	–	–	–	–	–	–	–

TABLE 22.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Legitimate Births	No. of Previous Children (present or any previous husband)											Not stated	Illegitimate Births
			None	1	2	3	4	5	6	7	8	9	10 and over		
	Difficult Labour—continued														
34.5*b*	Abnormality of organs or tissues of pelvis, without Immaturity	9	5	–	2	1	1	–	–	–	–	–	–	–	1
34.6*a*	Difficult labour without mention of condition, but with Immaturity	5	1	2	1	1	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without Immaturity	12	8	3	1	–	–	–	–	–	–	–	–	–	3
	Other Causes in Mother ...	**19**	**5**	**2**	**5**	**2**	**2**	**1**	**1**	–	**1**	–	–	–	**5**
35.0	Fall	6	1	–	3	1	1	–	–	–	–	–	–	–	1
32.0, 35.1	Other accident or violence ...	2	–	–	2	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	5	–	1	–	1	1	1	1	–	–	–	–	–	2
35.3	Other and ill-defined causes in mother	6	4	1	–	–	–	–	–	–	1	–	–	–	2
	Placental and Cord Conditions	**719**	**239**	**136**	**107**	**82**	**46**	**37**	**26**	**16**	**8**	**8**	**11**	**3**	**35**
36.0*a*	Prolapse of cord	114	47	17	17	13	10	4	3	–	1	–	2	–	5
36.0*b*	Torsion of cord	99	40	22	10	8	7	3	3	4	1	–	–	1	4
36.1, 36.3	Placenta prævia	74	11	16	13	9	7	4	2	3	3	2	4	–	2
32.2, 36.2, 36.4	Accidental hæmorrhage ...	274	77	55	38	38	16	20	10	6	2	6	4	2	18
36.5	Placental infarct	107	41	17	23	9	6	4	3	2	1	–	1	–	3
36.6	Others of placenta and cord ...	51	23	9	6	5	–	2	5	1	–	–	–	–	3
	Birth Injury	**100**	**49**	**17**	**10**	**9**	**5**	**3**	**2**	–	**2**	**1**	**1**	**1**	**9**
37*a*	Birth injury, with Immaturity ...	9	3	1	3	1	1	–	–	–	–	–	–	–	1
37*b*	Birth injury, without Immaturity	91	46	16	7	8	4	3	2	–	2	1	1	1	8
	Congenital Malformation of Fœtus	**438**	**137**	**107**	**79**	**43**	**24**	**15**	**11**	**9**	**5**	**1**	**7**	–	**23**
38.0	Anencephalus	216	57	56	40	25	11	7	6	4	4	–	6	–	8
38.1	Hydrocephalus	124	44	25	25	12	6	4	2	4	1	–	1	–	11
38.2	Spina bifida	27	10	9	3	1	1	1	1	1	–	–	–	–	–
38.3	Other malformations of the central nervous system ...	12	5	1	5	–	–	–	1	–	–	–	–	–	1
38.4	Malformation of the cardiovascular system	12	3	3	1	–	3	1	–	–	–	1	–	–	–
38.5	Malformation of other specified system...	19	7	4	3	3	2	–	–	–	–	–	–	–	–
38.6	Monster	1	1	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	27	10	9	2	2	1	2	1	–	–	–	–	–	3
	Diseases of Fœtus and Ill-defined Causes	**469**	**172**	**101**	**63**	**49**	**37**	**13**	**14**	**7**	**5**	**2**	**5**	**1**	**40**
39.2	Erythroblastosis (Rhesus factor)	60	8	15	12	13	3	4	2	1	1	–	1	–	2
39.0, 39.1, 39.3	Other diseases of fœtus	2	1	–	–	–	–	1	–	–	–	–	–	–	1
39.4	Maceration	100	37	22	9	10	11	3	5	1	–	–	2	–	5
39.5*a*	Premature birth (cause not stated)	51	16	14	13	2	2	2	1	–	1	–	–	–	14
39.5*b*	Debility	7	1	1	1	3	–	–	1	–	–	–	–	–	1
39.5*c*	Asphyxia	97	46	17	8	13	7	–	2	2	2	–	–	–	4
39.5*d*	Other ill-defined	59	23	10	8	2	6	3	3	2	1	1	–	–	7
39.6	Cause unknown	93	40	22	12	6	8	–	–	1	–	1	2	1	6

TABLE 23.—Still-births, 1950—Cause by Month of Registration

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	ALL CAUSES	**2,557**	**220**	**216**	**235**	**223**	**225**	**213**	**190**	**214**	**223**	**197**	**193**	**208**
	Legitimate	2,382	206	201	214	202	208	201	180	204	210	186	178	192
	Illegitimate	175	14	15	21	21	17	12	10	10	13	11	15	16
	Rates per 1,000 total births ...	27	27	29	27	27	25	26	24	28	30	25	27	28
	Chronic Disease in Mother ...	**57**	**7**	**9**	**7**	**5**	**3**	**6**	**3**	**5**	**5**	**1**	**4**	**2**
30.0	Syphilis	15	2	2	2	2	–	2	2	–	1	1	1	–
30.1	Tuberculosis	3	–	–	1	–	–	1	–	–	1	–	–	–
30.2	Diabetes	8	1	1	2	–	–	1	–	1	1	–	–	1
30.3	Chronic disease of circulatory system	14	–	3	2	1	2	1	–	3	1	–	1	–
30.4	Chronic disease of genito-urinary system	3	–	1	–	–	–	–	–	–	1	–	1	–
30.5	Other chronic disease	14	4	2	–	2	1	1	1	1	–	–	1	1
	Acute Disease in Mother	**22**	**3**	**3**	**5**	**–**	**2**	**1**	**1**	**–**	**1**	**1**	**3**	**2**
31.1	Influenza	10	–	2	4	–	1	1	–	–	–	–	–	2
31.2	Pneumonia	7	3	1	–	–	1	–	–	–	–	–	2	–
31.3	Other acute respiratory disease ...	2	–	–	–	–	–	–	1	–	1	–	–	–
31.0, 31.4	Other acute disease or condition ...	3	–	–	1	–	–	–	–	–	–	1	1	–
	Diseases and Conditions of Pregnancy and Childbirth ...	**218**	**19**	**16**	**26**	**23**	**19**	**16**	**16**	**17**	**17**	**17**	**14**	**18**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	176	14	14	18	19	14	15	14	15	14	13	13	13
32.3*b*	Nephritic toxæmia	6	–	–	–	1	1	–	–	1	1	–	1	1
32.3*c*	Toxæmia not stated	29	5	2	7	3	4	1	1	1	1	1	–	3
32.4*a*	Acute yellow atrophy of liver ...	2	–	–	1	–	–	–	1	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	2	–	–	–	–	–	–	–	–	–	1	–	1
32.5*a*	Pyelitis	2	–	–	–	–	–	–	–	–	1	1	–	–
32.5*b*	Infection	1	–	–	–	–	–	–	–	–	–	1	–	–
33	Absorption of toxic substance from mother	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour	**403**	**33**	**35**	**31**	**33**	**30**	**26**	**40**	**48**	**44**	**20**	**29**	**34**
34.0*a*	Abnormality of bones of pelvis with Immaturity	2	–	–	–	–	2	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without Immaturity	11	4	–	1	4	1	1	–	–	–	–	–	–
34.1*a*	Disproportion with Immaturity ...	22	1	3	–	1	3	1	3	4	3	–	1	2
34.1*b*	Disproportion without Immaturity ...	48	3	5	6	5	5	5	3	4	4	2	1	5
34.2*a*	Malposition of fœtus, with Immaturity	26	3	2	1	3	2	1	5	2	2	2	2	1
34.2*b*	Malposition of fœtus, without Immaturity	150	8	14	13	12	10	9	15	18	20	5	13	13
34.3*a*	Abnormality of forces of labour, with Immaturity	9	2	1	–	–	2	–	–	1	2	–	1	–
34.3*b*	Abnormality of forces of labour, without Immaturity	90	8	4	7	8	4	8	10	10	7	8	5	11
34.4*a*	Operative delivery, with Immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without Immaturity	13	–	4	–	–	–	1	2	4	1	–	1	–
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	2	–	–	–	–	–	–	–	1	–	–	1	–
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity ...	10	2	1	1	–	1	–	–	1	–	2	–	2
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	5	–	1	1	–	–	–	1	1	1	–	–	–
34.6*b*	Difficult labour without mention of condition and without Immaturity	15	2	–	1	–	–	–	1	2	4	1	4	–

TABLE 23.—*continued*

International Nos. (Y30-Y39)	Cause of Death	Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
	Other Causes in Mother	**24**	**2**	**5**	**2**	**2**	**1**	**1**	**–**	**1**	**–**	**4**	**2**	**4**
35.0	Fall	7	1	–	1	1	–	–	–	–	–	1	1	2
32.0, 35.1	Other accident or violence	2	1	–	–	–	–	–	–	–	–	1	–	–
35.2	Over-exertion	7	–	–	1	1	–	–	–	1	–	2	1	1
35.3	Other and ill-defined causes in mother	8	–	5	–	–	1	1	–	–	–	–	–	1
	Placental and Cord Conditions ...	**754**	**62**	**81**	**63**	**62**	**62**	**73**	**53**	**64**	**53**	**58**	**64**	**59**
36.0*a*	Prolapse of cord	119	10	17	13	8	9	11	7	16	9	6	6	7
36.0*b*	Torsion of cord	103	10	13	9	7	6	7	9	7	6	11	10	8
36.1, 36.3	Placenta prævia	76	3	6	9	9	8	7	2	8	8	4	8	4
32.2, 36.2, 36.4	Accidental hæmorrhage	292	26	26	18	25	29	28	20	21	20	29	27	23
36.5	Placental infarct	110	7	12	9	6	8	14	14	8	2	7	10	13
36.6	Others of placenta and cord	54	6	7	5	7	2	6	1	4	8	1	3	4
	Birth Injury	**109**	**8**	**5**	**10**	**12**	**10**	**10**	**8**	**15**	**7**	**10**	**4**	**10**
37*a*	Birth injury with Immaturity ...	10	–	2	1	–	–	2	1	2	–	–	–	2
37*b*	Birth injury without Immaturity ...	99	8	3	9	12	10	8	7	13	7	10	4	8
	Congenital Malformation of Fœtus	**461**	**43**	**31**	**36**	**41**	**44**	**38**	**33**	**37**	**43**	**36**	**38**	**41**
38.0	Anencephalus	224	19	17	12	24	17	19	19	16	19	23	23	16
38.1	Hydrocephalus	135	9	11	14	10	16	14	5	13	10	7	9	17
38.2	Spina bifida	27	3	–	5	2	5	–	3	1	2	2	1	3
38.3	Other malformations of the central nervous system	13	2	1	1	–	–	2	–	–	3	1	3	–
38.4	Malformation of the cardiovascular system	12	1	–	2	–	3	–	2	1	–	2	–	1
38.5	Malformation of other specified system	19	3	–	1	–	1	1	3	3	4	1	–	2
38.6	Monster...	1	–	–	–	–	1	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	30	6	2	1	5	1	2	1	3	5	–	2	2
	Diseases of Fœtus and Ill-defined Causes	**509**	**43**	**31**	**55**	**45**	**54**	**42**	**36**	**27**	**53**	**50**	**35**	**38**
39.2	Erythroblastosis (Rhesus factor) ...	62	6	2	12	4	4	2	7	4	10	4	3	4
39.0, 39.1, 39.3	Other diseases of fœtus	3	–	–	–	–	–	–	2	–	–	–	–	1
39.4	Maceration	105	5	9	16	8	11	9	7	4	11	9	9	7
39.5*a*	Premature birth (cause not stated) ...	65	7	3	6	8	6	8	5	–	5	6	4	7
39.5*b*	Debility	8	–	1	–	–	–	–	1	–	2	1	1	2
39.5*c*	Asphyxia	101	9	5	2	11	11	10	4	6	10	16	7	10
39.5*d*	Other ill-defined	66	6	6	9	6	8	1	3	6	6	7	6	2
39.6	Cause unknown	99	10	5	10	8	14	12	7	7	9	7	5	5

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1950

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath Burgh	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunb'ton Co.	Dumfries Burgh	Remainder of Dumfries Co.	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	ALL CAUSES...	**2,557**	**74**	**55**	**6**	**100**	**33**	**25**	**15**	**17**	**103**	**29**	**5**	**2**	**8**	**27**	**32**	**23**	**57**	**14**	**29**	**25**	**21**	**27**	**114**	**19**	**35**	**11**	**2**	**19**
	Chronic Disease in Mother Total	**57**	**2**	**1**	–	**5**	**2**	–	–	**1**	–	–	–	–	–	–	–	–	**3**	–	–	–	–	–	**2**	–	–	**1**	**1**	–
30.0	Syphilis	15	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
30.1	Tuberculosis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	8	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	14	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
30.5	Other chronic disease	14	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
	Acute Disease in Mother Total	**22**	**1**	–	**1**	–	–	**1**	–	**1**	**1**	–	–	–	–	–	–	–	**2**	–	–	–	**1**	–	**1**	**1**	–	–	**1**	–
31.1	Influenza	10	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–
31.2	Pneumonia	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–
31.3	Other acute respiratory disease ...	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**218**	**8**	**1**	–	**6**	–	**2**	**1**	**1**	**10**	**5**	**1**	–	**2**	**2**	**2**	**2**	**4**	–	–	**1**	**5**	**2**	**8**	**2**	**2**	**1**	–	**2**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	176	7	1	–	4	–	2	1	1	8	3	1	–	2	2	2	2	4	–	–	1	4	1	8	1	2	1	–	2
32.3*b*	Nephritic toxæmia	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	29	1	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
32.4*a*	Acute yellow atrophy of liver ...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**403**	**11**	**10**	–	**10**	**6**	**9**	**1**	**1**	**12**	**4**	**2**	–	**1**	**4**	**5**	**3**	**14**	–	**4**	**3**	**4**	**6**	**23**	**5**	**4**	**1**	–	–
34.0*a*	Abnormality of bones of pelvis with immaturity...	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	11	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
34.1*a*	Disproportion with immaturity ...	22	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	1	–	–	–	–	–
34.1*b*	Disproportion without immaturity ...	48	4	–	–	2	–	1	–	1	3	1	–	–	–	–	3	–	1	–	1	–	1	1	2	–	1	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	26	2	–	–	2	2	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	3	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	150	2	5	–	3	1	3	1	–	4	2	2	–	1	2	–	1	4	–	1	1	1	–	14	1	2	1	–	–
34.3*a*	Abnormality of forces of labour, with immaturity...	9	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	90	2	3	–	1	1	1	–	–	4	1	–	–	–	–	–	1	3	–	1	2	1	2	1	3	–	–	–	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	13	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1950—*continued*

International Nos. (Y30-Y39)		Airdrie Burgh	Coatbridge Burgh	Glasgow Co. of C.	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder o Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	ALL CAUSES...	**19**	**48**	**596**	**20**	**39**	**14**	**190**	**190**	**37**	**23**	–	**12**	**9**	**15**	**30**	**48**	**58**	**16**	**50**	**22**	**24**	**10**	**19**	**14**	**49**	**4**	**48**	**23**	**3**
	Chronic Disease in Mother Total	–	**2**	**16**	–	**4**	–	**7**	**3**	–	–	–	–	–	–	–	**2**	–	–	**1**	–	–	**1**	–	**1**	–	–	–	**2**	–
30.0	Syphilis	–	–	6	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
30.1	Tuberculosis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.2	Diabetes	–	1	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.3	Chronic disease of circulatory system	–	1	4	–	1	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
30.4	Chronic disease of genito-urinary system	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
30.5	Other chronic disease	–	–	2	–	2	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Acute Disease in Mother Total	–	–	**4**	**1**	–	–	–	**1**	–	–	–	**1**	–	–	–	**1**	–	–	–	**1**	**1**	–	–	–	–	–	**1**	–	–
31.1	Influenza	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
31.2	Pneumonia	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
31.3	Other acute respiratory disease ...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
31.0, 31.4	Other acute disease or condition ...	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases and conditions of Pregnancy and Childbirth Total	**1**	**7**	**49**	–	**4**	–	**15**	**18**	**6**	**2**	–	**1**	–	**2**	**2**	**5**	**11**	**3**	**5**	**2**	**1**	**2**	**2**	–	**2**	–	**3**	**4**	**1**
32.1	Ectopic gestation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.3*a*	Eclampsia	–	5	38	–	4	–	15	11	6	1	–	–	–	2	1	3	7	3	4	1	1	1	2	–	2	–	2	3	1
32.3*b*	Nephritic toxæmia	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
32.3*c*	Toxæmia not stated	–	–	9	–	–	–	–	2	–	1	–	1	–	–	–	2	3	–	1	1	–	1	–	–	–	–	1	1	–
32.4*a*	Acute yellow atrophy of liver ...	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.4*b*	Hyperemesis gravidarum	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*a*	Pyelitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.5*b*	Infection	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
33	Absorption of toxic substance from mother	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Difficult Labour Total	**2**	**8**	**107**	**8**	**5**	**5**	**27**	**17**	**3**	**4**	–	**4**	–	**5**	**1**	**6**	**10**	**3**	**11**	**6**	**6**	**1**	**2**	**3**	**8**	–	**4**	**4**	–
34.0*a*	Abnormality of bones of pelvis with immaturity...	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.0*b*	Abnormality of bones of pelvis without immaturity ...	–	1	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
34.1*a*	Disproportion with immaturity ...	–	–	4	2	–	–	2	–	–	1	–	–	–	–	–	2	2	–	–	–	–	–	–	2	–	–	–	–	–
34.1*b*	Disproportion without immaturity ...	–	2	9	1	–	–	4	3	–	–	–	1	–	–	–	–	1	1	2	–	1	–	–	–	1	–	–	–	–
34.2*a*	Malposition of fœtus, with immaturity	–	–	7	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
34.2*b*	Malposition of fœtus, without immaturity...	1	3	37	3	–	3	11	8	1	1	–	2	–	4	1	1	3	–	3	1	–	–	2	–	7	–	2	4	–
34.3*a*	Abnormality of forces of labour, with immaturity...	1	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
34.3*b*	Abnormality of forces of labour, without immaturity	–	2	28	1	2	1	4	6	2	1	–	–	–	1	–	1	3	–	4	1	3	1	–	–	–	–	2	–	–
34.4*a*	Operative delivery, with immaturity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.4*b*	Operative delivery, without immaturity	–	–	4	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
34.5*a*	Abnormality of organs or tissues of pelvis with immaturity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.5*b*	Abnormality of organs or tissues of pelvis without immaturity ...	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–

International Nos. (Y30-Y39)		Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath Burgh	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock Burgh	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Clydebank Burgh	Dumbarton Burgh	Remainder of Dunbarton Co.	Dumfries Burgh	Remainder of Dumfries Co	East Lothian Co.	Dunfermline Burgh	Kirkcaldy Burgh	Remainder of Fife Co.	Inverness Burgh	Remainder of Inverness Co	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	5	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34.6*b*	Difficult labour without mention of condition, and without immaturity	15	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Other Causes in Mother Total	**24**	**1**	–	–	**1**	–	–	–	–	–	–	–	–	**1**	–	–	–	**2**	–	**1**	–	–	–	**1**	–	–	**1**	–	–
35.0	Fall	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
32.0, 35.1	Other accident or violence	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
35.2	Over-exertion	7	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
35.3	Other and ill-defined causes in mother	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
	Placental & Cord Conditions Total	**754**	**28**	**24**	–	**34**	**11**	**4**	**9**	**6**	**29**	**13**	**1**	–	**2**	**4**	**12**	**6**	**7**	**7**	**11**	**6**	**7**	**9**	**33**	**4**	**11**	**3**	–	**8**
36.0*a*	Prolapse of cord	119	6	3	–	3	–	1	1	–	4	3	1	–	1	–	1	1	–	1	2	1	–	1	6	–	3	–	–	2
36.0*b*	Torsion of cord	103	5	3	–	5	–	–	2	3	3	1	–	–	–	–	3	–	3	–	2	3	–	–	6	–	1	1	–	1
36.1, 36.3	Placenta prævia	76	–	–	–	–	2	–	1	–	4	2	–	–	–	1	1	–	–	2	–	–	–	3	5	–	2	–	–	1
32.2, 36.2, 36.4	Accidental hæmorrhage	292	8	9	–	11	5	2	3	2	12	2	–	–	–	2	3	4	3	2	1	2	6	4	11	1	3	1	–	1
36.5	Placental infarct	110	6	6	–	9	2	–	2	1	6	4	–	–	–	1	1	1	1	–	2	–	1	1	4	1	1	–	–	1
36.6	Others of placenta and cord	54	3	3	–	6	2	1	–	–	–	1	–	–	1	–	3	–	–	2	4	–	–	–	1	2	1	1	–	2
	Birth Injury Total	**109**	**1**	**1**	–	**7**	**2**	**1**	–	**1**	**2**	–	–	–	–	**1**	**2**	**1**	**1**	**1**	**1**	**1**	–	–	**1**	**1**	**6**	–	–	**1**
37*a*	Birth injury with immaturity ...	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	99	1	1	–	7	2	1	–	1	2	–	–	–	–	1	2	1	1	1	1	1	–	–	1	1	6	–	–	1
	Congenital Malformation of Fœtus Total	**461**	**6**	**9**	**2**	**18**	**7**	**3**	–	**4**	**23**	**2**	**1**	**1**	**2**	**9**	**5**	**5**	**12**	**2**	**4**	**9**	**3**	**6**	**27**	**2**	**5**	**2**	–	**4**
38.0	Anencephalus	224	5	3	–	8	4	1	–	1	11	2	1	1	–	7	4	–	6	2	3	3	2	2	11	–	2	2	–	4
38.1	Hydrocephalus	135	1	3	–	6	2	–	–	1	7	–	–	–	2	1	1	3	3	–	–	4	1	2	6	1	3	–	–	–
38.2	Spina bifida	27	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–	1	1	–	–	1	–	2	3	–	–	–	–	–
38.3	Other malformations of the central nervous system	13	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–
38.4	Malformation of the cardiovascular system	12	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
38.5	Malformation of other specified system	19	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
38.6	Monster...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38.7	Other and unspecified malformations	30	–	–	–	1	1	–	–	–	3	–	–	–	–	1	–	1	1	–	–	1	–	–	3	–	–	–	–	–
	Diseases of Fœtus and Ill-Defined Causes Total	**509**	**16**	**9**	**3**	**19**	**5**	**5**	**4**	**2**	**26**	**5**	–	**1**	–	**7**	**6**	**6**	**12**	**4**	**8**	**5**	**1**	**4**	**18**	**4**	**7**	**2**	–	**4**
39.2	Erythroblastosis (Rhesus factor) ...	62	–	1	–	1	–	–	–	–	4	–	–	–	–	1	–	–	–	1	–	1	–	1	3	–	1	–	–	3
39.0, 39.1, 39.3	Other diseases of fœtus	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	105	4	2	1	8	–	2	–	1	8	–	–	–	–	–	3	3	5	–	–	2	–	–	1	1	–	–	–	–
39.5*a*	Premature birth (cause not stated) ...	65	2	2	1	3	2	1	1	–	4	2	–	1	–	1	–	–	3	1	–	–	–	–	1	–	3	1	–	1
39.5*b*	Debility	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
39.5*c*	Asphyxia	101	5	2	–	2	1	1	1	1	2	1	–	–	–	1	–	1	–	–	2	–	–	–	3	–	2	–	–	–
39.5*d*	Other ill-defined	66	5	–	1	5	2	–	–	–	2	1	–	–	–	1	1	–	–	1	–	–	–	–	–	1	1	1	–	–
39.6	Cause unknown	99	–	1	–	–	–	1	2	–	5	1	–	–	–	3	2	2	3	1	6	2	1	3	9	2	–	–	–	–

TABLE 24.—Causes of Still-births in the Public Health Districts of Scotland (Both Sexes), 1950—*continued*

International Nos. (Y30-Y39)		Airdrie Burgh	Coatbridge Burgh	Glasgow Co. of C.	Hamilton Burgh	Motherwell & Wishaw B.	Rutherglen Burgh	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian C.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth Burgh	Remainder of Perth Co.	Greenock Burgh	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk Burgh	Stirling Burgh	Remainder of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.
	Difficult Labour—*continued*																													
34.6*a*	Difficult labour without mention of condition, but with immaturity ...	–	–	1	–	1	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34.6*b*	Difficult labour without mention of condition, and without immaturity	–	–	7	–	1	–	2	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	Other Causes in Mother Total	–	–	**6**	**1**	–	–	**3**	–	–	**1**	–	–	–	–	**1**	–	**1**	–	**1**	–	**1**	–	–	–	–	**1**	–	–	–
35.0	Fall	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
32.0, 35.1	Other accident or violence	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
35.2	Over-exertion	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
35.3	Other and ill-defined causes in mother	–	–	3	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	Placental & Cord Conditions Total	**9**	**12**	**155**	**7**	**10**	**4**	**68**	**52**	**12**	**8**	–	**2**	**3**	**4**	**12**	**8**	**24**	**5**	**16**	**2**	**6**	**2**	**7**	**6**	**14**	–	**11**	**4**	**2**
36.0*a*	Prolapse of cord	–	3	21	–	–	1	16	8	1	2	–	2	–	–	3	3	2	1	6	–	1	–	–	1	3	–	3	1	–
36.0*b*	Torsion of cord	2	2	18	–	1	–	9	3	3	1	–	–	–	–	1	1	7	1	2	–	1	–	1	1	3	–	2	–	2
36.1, 36.3	Placenta prævia	1	1	22	–	2	–	4	7	1	1	–	–	1	–	2	1	3	–	–	–	–	1	–	1	1	–	2	1	–
32.2, 36.2, 36.4	Accidental hæmorrhage	5	4	73	4	4	2	28	24	7	3	–	–	1	3	3	2	9	2	7	1	1	–	1	3	3	–	4	–	–
36.5	Placental infarct	1	2	19	2	2	–	9	7	–	–	–	–	–	1	1	1	3	1	–	1	3	1	1	–	3	–	–	1	–
36.6	Others of placenta and cord	–	–	2	1	1	1	2	3	–	1	–	–	1	–	2	–	–	–	1	–	–	–	4	–	1	–	–	1	–
	Birth Injury Total	–	–	**34**	**2**	–	–	**6**	**12**	**1**	–	–	–	**1**	–	–	**7**	**1**	**1**	**1**	–	**2**	**1**	**1**	**1**	**1**	–	**3**	**2**	–
37*a*	Birth injury with immaturity ...	–	–	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
37*b*	Birth injury without immaturity ...	–	–	25	1	–	–	6	12	1	–	–	–	1	–	–	7	1	1	1	–	2	1	1	1	1	–	3	2	–
	Congenital Malformation of Fœtus Total	**6**	**7**	**103**	**1**	**6**	**5**	**30**	**30**	**9**	**5**	–	**3**	**3**	**1**	**7**	**9**	**6**	**3**	**7**	**7**	**4**	**2**	**2**	**1**	**14**	**2**	**10**	**5**	–
38.0	Anencephalus	4	3	56	1	1	3	14	15	4	3	–	1	1	–	4	6	2	3	1	2	1	1	1	–	5	1	5	1	–
38.1	Hydrocephalus	1	4	29	–	3	2	12	6	3	–	–	2	2	1	2	1	2	–	3	3	2	1	–	–	4	1	2	2	–
38.2	Spina bifida	1	–	1	–	1	–	2	1	1	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	2	–	–	1	–
38.3	Other malformations of the central nervous system	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
38.4	Malformation of the cardiovascular system	–	–	4	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
38.5	Malformation of other specified system	–	–	3	–	–	–	2	4	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	1	–	–
38.6	Monster...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
38.7	Other and unspecified malformations	–	–	6	–	–	–	–	3	1	1	–	–	–	–	–	1	–	–	1	1	–	–	–	1	1	–	1	1	–
	Diseases of Fœtus and Ill-Defined Causes Total	**1**	**12**	**122**	–	**10**	–	**34**	**57**	**6**	**3**	–	**1**	**2**	**3**	**7**	**10**	**5**	**1**	**8**	**4**	**3**	**1**	**5**	**2**	**10**	**1**	**16**	**2**	–
39.2	Erythroblastosis (Rhesus factor) ...	–	3	12	–	2	–	5	9	1	1	–	–	2	–	1	–	–	–	1	–	–	–	1	1	2	–	4	–	–
39.0, 39.1, 39.3	Other diseases of fœtus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.4	Maceration	–	2	29	–	–	–	4	12	1	–	–	–	–	1	1	2	–	–	–	–	1	1	–	–	3	–	7	–	–
39.5*a*	Premature birth (cause not stated) ...	–	1	12	–	2	–	4	4	–	1	–	–	–	–	1	1	–	–	3	4	–	–	–	–	–	–	1	1	–
39.5*b*	Debility	–	1	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
39.5*c*	Asphyxia	1	1	24	–	2	–	5	20	3	–	–	–	–	1	3	3	2	–	1	–	2	–	2	1	1	–	3	1	–
39.5*d*	Other ill-defined	–	2	21	–	2	–	7	2	1	–	–	1	–	–	–	1	1	–	3	–	–	–	–	–	2	–	1	–	–
39.6	Cause unknown	–	1	21	–	2	–	7	10	–	1	–	–	–	1	1	3	2	1	–	–	–	–	2	–	2	1	–	–	–

TABLE 25.—Legitimate Still-births by Cause and Social Classification, 1950

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	ALL CAUSES	**2,382**	**51**	**229**	**1,269**	**490**	**342**	**1**
	Chronic Disease in Mother	**47**	**1**	**4**	**24**	**9**	**9**	—
30.0	Syphilis	9	1	1	5	1	1	—
30.1	Tuberculosis	3	—	—	2	—	1	—
30.2	Diabetes	8	—	2	6	—	—	—
30.3	Chronic disease of circulatory system ...	11	—	—	3	3	5	—
30.4	Chronic disease of genito-urinary system	3	—	—	1	2	—	—
30.5	Other chronic disease	13	—	1	7	3	2	—
	Acute Disease in Mother	**19**	—	**6**	**4**	**7**	**2**	—
31.1	Influenza	9	—	4	1	3	1	—
31.2	Pneumonia	6	—	—	2	3	1	—
31.3	Other acute respiratory disease ...	2	—	1	—	1	—	—
31.0, 31.4	Other acute disease or condition ...	2	—	1	1	—	—	—
	Diseases and Conditions of Pregnancy and Childbirth ...	**201**	**5**	**19**	**117**	**33**	**27**	—
32.1	Ectopic gestation	—	—	—	—	—	—	—
32.3*a*	Eclampsia...	161	4	18	91	25	23	—
32.3*b*	Nephritic toxæmia	6	—	—	4	1	1	—
32.3*c*	Toxæmia not stated	27	—	1	17	6	3	—
32.4*a*	Acute yellow atrophy of liver	2	—	—	2	—	—	—
32.4*b*	Hyperemesis gravidarum	2	1	—	1	—	—	—
32.5*a*	Pyelitis	2	—	—	1	1	—	—
32.5*b*	Infection	1	—	—	1	—	—	—
33	Absorption of toxic substance from mother	—	—	—	—	—	—	—
	Difficult Labour	**370**	**7**	**43**	**200**	**78**	**41**	**1**
34.0*a*	Abnormality of bones of pelvis with Immaturity	2	—	—	—	—	2	—
34.0*b*	Abnormality of bones of pelvis without Immaturity	9	—	1	5	2	1	—
34.1*a*	Disproportion with Immaturity ...	20	1	3	13	1	2	—
34.1*b*	Disproportion without Immaturity ...	46	—	2	27	11	6	—
34.2*a*	Malposition of fœtus, with Immaturity	23	—	1	11	7	4	—
34.2*b*	Malposition of fœtus, without Immaturity	140	3	16	72	36	13	—
34.3*a*	Abnormality of forces of labour, with Immaturity	8	—	—	5	3	—	—
34.3*b*	Abnormality of forces of labour, without Immaturity	81	1	12	44	13	10	1
34.4*a*	Operative delivery, with Immaturity ...	—	—	—	—	—	—	—
34.4*b*	Operative delivery, without Immaturity	13	1	3	8	1	—	—
34.5*a*	Abnormality of organs or tissues of pelvis with Immaturity	2	—	—	2	—	—	—
34.5*b*	Abnormality of organs or tissues of pelvis without Immaturity	9	—	—	4	3	2	—
34.6*a*	Difficult labour without mention of condition, but with Immaturity ...	5	—	3	2	—	—	—
34.6*b*	Difficult labour without mention of condition, and without Immaturity ...	12	1	2	7	1	1	—

TABLE 25.—*continued*

International Nos. (Y30-Y39)	Cause of Death	All Classes	Class 1	Class 2	Class 3	Class 4	Class 5	Class not stated
	Other Causes in Mother	**19**	—	—	**12**	**3**	**4**	—
35.0	Fall	6	—	—	5	—	1	—
32.0, 35.1	Other accident or violence	2	—	—	1	—	1	—
35.2	Over exertion	5	—	—	5	—	—	—
35.3	Other and ill-defined causes in mother	6	—	—	1	3	2	—
	Placental and Cord Conditions	**719**	**13**	**80**	**356**	**147**	**123**	—
36.0*a*	Prolapse of cord	114	2	13	48	31	20	—
36.0*b*	Torsion of cord	99	4	14	51	16	14	—
36.1, 36.3	Placenta prævia	74	1	7	39	13	14	—
32.2, 36.2, 36.4	Accidental hæmorrhage	274	4	35	137	50	48	—
36.5	Placental infarct	107	2	8	55	20	22	—
36.6	Others of placenta and cord	51	—	3	26	17	5	—
	Birth Injury	**100**	—	**8**	**54**	**24**	**14**	—
37*a*	Birth injury with Immaturity	9	—	—	3	3	3	—
37*b*	Birth injury without Immaturity ...	91	—	8	51	21	11	—
	Congenital Malformation of Fœtus...	**438**	**14**	**35**	**248**	**84**	**57**	—
38.0	Anencephalus	216	2	15	132	43	24	—
38.1	Hydrocephalus	124	5	12	60	25	22	—
38.2	Spina bifida	27	2	—	14	6	5	—
38.3	Other malformations of the central nervous system	12	—	2	8	—	2	—
38.4	Malformation of the cardiovascular system...	12	3	—	6	2	1	—
38.5	Malformation of other specified system	19	1	4	12	2	—	—
38.6	Monster	1	—	—	1	—	—	—
38.7	Other and unspecified malformations ...	27	1	2	15	6	3	—
	Diseases of Fœtus and Ill-defined Causes	**469**	**11**	**34**	**254**	**105**	**65**	—
39.2	Erythroblastosis (Rhesus factor) ...	60	2	1	39	12	6	—
39.0, 39.1, 39.3	Other diseases of fœtus	2	—	1	1	—	—	—
39.4	Maceration	100	1	6	55	28	10	—
39.5*a*	Premature birth (cause not stated) ...	51	1	6	22	12	10	—
39.5*b*	Debility	7	—	—	2	4	1	—
39.5*c*	Asphyxia	97	3	10	55	18	11	—
39.5*d*	Other ill-defined	59	4	3	30	12	10	—
39.6	Cause unknown	93	—	7	50	19	17	—

TABLE 26.—Deaths of Legitimate Children under one year from Selected Causes by Social Classification, 1950

Cause of Death	All Classes	Social Class I	Social Class II	Social Class III	Social Class IV	Social Class V	Social Class not stated
Meningococcal infections	10	—	—	5	3	1	1
Whooping-cough ...	39	—	3	17	13	5	1
Diphtheria	1	—	—	—	1	—	—
Tubercular meningitis ...	9	—	—	7	—	2	—
Abdominal tuberculosis ...	—	—	—	—	—	—	—
Other tuberculous diseases	19	—	—	8	3	7	1
Syphilis	6	—	—	1	4	1	—
Measles	17	—	—	6	3	7	1
Meningitis not tubercular	20	1	2	6	9	2	—
Convulsions	64	—	3	27	17	15	2
Bronchitis...	49	—	2	21	12	9	5
Pneumonia (all forms) (excluding newborn) ...	383	6	17	186	75	81	18
Other respiratory diseases	37	—	2	20	8	5	2
Diarrhœa (excluding newborn)	239	4	13	109	57	49	7
Other digestive diseases ...	21	—	1	10	7	3	—
Congenital malformations	473	13	44	257	90	52	17
Birth injuries	283	11	24	142	57	43	6
Asphyxia and atelectasis	314	5	31	144	61	60	13
Pneumonia of newborn...	128	1	4	58	36	21	8
Diarrhœa of newborn ...	30	1	—	11	7	8	3
Other infantile diseases ...	909	30	61	465	179	128	46
Accidental mechanical suffocation, etc.	123	4	8	62	25	16	8
Other violence	11	—	—	6	3	1	1
All other causes	125	1	8	61	26	23	6
Total ...	3,310	77	223	1,629	696	539	146

TABLE 27.—Still-births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1950

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	25	—	7	9	4	5	—	—	—	—
1	15	—	—	3	5	7	—	—	—	—
2	6	—	—	—	3	3	—	—	—	—
3	4	—	—	—	1	1	2	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	1	—	—	1	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	51	—	7	13	13	16	2	—	—	—
Illegitimate	1	—	—	—	1	—	—	—	—	—
Social Class II										
None	100	—	25	39	19	15	2	—	—	—
1	43	—	3	14	9	12	5	—	—	—
2	39	—	1	4	13	16	5	—	—	—
3	24	—	1	3	7	10	2	1	—	—
4	7	—	—	—	3	3	1	—	—	—
5	8	—	—	—	3	2	2	1	—	—
6	2	—	—	—	—	1	1	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	3	—	—	—	—	2	1	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	3	—	—	—	—	—	—	—	—	3
Total	229	—	30	60	54	61	19	2	—	3
Illegitimate	—	—	—	—	—	—	—	—	—	—
Social Class III										
None	496	34	151	157	87	44	22	1	—	—
1	269	3	48	114	58	31	15	—	—	—
2	195	—	15	66	54	46	13	1	—	—
3	118	—	9	36	33	32	7	1	—	—
4	74	—	1	15	18	30	10	—	—	—
5	35	—	—	6	10	12	6	1	—	—
6	28	—	—	3	5	10	6	4	—	—
7	21	—	—	—	2	11	8	—	—	—
8	10	—	—	1	—	4	3	2	—	—
9	8	—	—	—	—	5	3	—	—	—
10 and over	15	—	—	—	—	5	10	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	1,269	37	224	398	267	230	103	10	—	—
Illegitimate	38	7	12	12	2	5	—	—	—	—

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class IV										
None	142	17	54	30	20	17	4	—	—	—
1	97	3	32	37	14	8	3	—	—	—
2	74	—	11	27	19	9	7	1	—	—
3	61	—	3	14	20	20	4	—	—	—
4	41	—	3	6	10	16	6	—	—	—
5	24	—	—	1	7	11	5	—	—	—
6	23	—	—	1	7	4	10	1	—	—
7	10	—	—	—	1	7	2	—	—	—
8	9	—	—	—	1	5	3	—	—	—
9	1	—	—	—	—	1	—	—	—	—
10 and over	7	—	—	—	1	2	3	1	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total	490	20	103	116	100	100	47	3	—	1
Illegitimate	54	13	11	10	7	11	2	—	—	—
Social Class V										
None	113	11	48	29	18	4	3	—	—	—
1	51	1	16	14	7	10	3	—	—	—
2	41	1	9	13	8	8	2	—	—	—
3	32	—	1	9	12	4	6	—	—	—
4	27	—	1	9	7	7	3	—	—	—
5	23	—	—	1	7	11	3	1	—	—
6	19	—	—	—	3	13	2	1	—	—
7	10	—	—	—	2	4	4	—	—	—
8	7	—	—	—	2	5	—	—	—	—
9	5	—	—	—	1	—	4	—	—	—
10 and over	13	—	—	—	—	5	7	1	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total	342	13	75	75	67	71	37	3	—	1
Illegitimate	19	4	10	3	1	1	—	—	—	—
Social Class not stated										
None	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	1	—	—	—	—	—	—	—	—	1
Total	1	—	—	—	—	—	—	—	—	1
Illegitimate	63	1	11	10	17	13	6	—	—	5

TABLE 28.—Births by Social Classification, Age of Mother and Number of Previous Children, Scotland, 1950

No. of Previous Children	Total	Age of Mother: Under 20	20–24	25–29	30–34	35–39	40–44	45–49	50 and over	Not stated
Social Class I										
None	1,271	15	310	571	264	91	20	—	—	—
1	1,103	2	101	416	373	187	22	2	—	—
2	481	—	19	121	169	139	33	—	—	—
3	174	—	1	17	79	62	15	—	—	—
4	62	—	—	6	19	22	13	2	—	—
5	18	—	—	1	7	7	3	—	—	—
6	3	—	—	—	—	1	2	—	—	—
7	3	—	—	—	1	1	1	—	—	—
8	4	—	—	1	—	2	1	—	—	—
9	5	—	—	—	—	5	—	—	—	—
10 and over	2	—	—	—	—	—	1	1	—	—
Not stated	5	—	—	—	—	—	—	—	—	5
Total	3,131	17	431	1,133	912	517	111	5	—	5
Illegitimate	4	1	2	—	1	—	—	—	—	—
Social Class II										
None	3,697	106	1,057	1,406	712	339	73	3	—	1
1	3,166	13	412	1,142	986	514	94	5	—	—
2	1,584	1	102	431	533	401	114	2	—	—
3	691	—	16	122	233	240	75	5	—	—
4	321	—	3	49	115	103	46	5	—	—
5	156	—	—	23	48	52	28	5	—	—
6	87	—	—	12	19	30	26	—	—	—
7	30	—	—	2	5	17	5	1	—	—
8	22	—	—	1	2	8	8	3	—	—
9	18	—	—	—	2	9	6	1	—	—
10 and over	20	—	—	—	1	6	11	2	—	—
Not stated	33	—	—	—	—	—	—	—	—	33
Total	9,825	120	1,590	3,188	2,656	1,719	486	32	—	34
Illegitimate	144	22	56	35	19	8	3	1	—	—
Social Class III										
None	17,619	1,533	7,933	5,309	1,864	780	193	6	—	1
1	13,854	180	3,656	5,607	2,951	1,234	218	8	—	—
2	7,401	23	1,046	2,847	2,079	1,158	235	13	—	—
3	3,665	—	255	1,144	1,218	826	213	9	—	—
4	1,835	—	45	489	638	507	145	11	—	—
5	1,117	—	8	177	376	404	145	7	—	—
6	604	—	—	44	197	272	82	9	—	—
7	364	—	—	11	94	160	90	9	—	—
8	217	—	—	10	41	98	63	5	—	—
9	157	—	—	2	21	78	50	6	—	—
10 and over	186	—	—	—	15	72	83	16	—	—
Not stated	86	—	—	—	—	—	—	—	—	86
Total	47,105	1,736	12,943	15,640	9,494	5,589	1,517	99	—	87
Illegitimate	1,356	342	527	251	123	90	20	—	—	3
Social Class IV										
None	5,394	631	2,634	1,377	466	236	47	3	—	—
1	4,437	135	1,608	1,586	735	314	56	3	—	—
2	2,789	8	597	1,072	673	364	71	4	—	—
3	1,595	—	168	568	467	309	79	4	—	—
4	1,013	—	26	273	325	297	88	4	—	—
5	615	—	5	120	219	206	63	2	—	—
6	384	—	—	39	126	154	55	10	—	—
7	274	—	—	10	77	138	47	2	—	—
8	158	—	—	5	34	78	38	3	—	—
9	89	—	—	—	15	46	25	3	—	—
10 and over	149	—	—	1	6	55	80	7	—	—
Not stated	43	—	—	—	—	—	—	—	—	43
Total	16,940	774	5,038	5,051	3,143	2,197	649	45	—	43
Illegitimate	1,255	252	485	277	123	86	21	2	—	9
Social Class V										
None	3,156	465	1,530	715	270	138	36	2	—	—
1	2,653	116	1,070	867	389	175	36	—	—	—
2	1,724	8	419	657	389	204	44	3	—	—
3	1,036	1	104	390	308	181	49	3	—	—
4	710	—	35	196	241	164	71	3	—	—
5	468	—	4	83	163	158	57	3	—	—
6	296	—	—	30	92	115	53	6	—	—
7	221	—	—	11	63	103	41	3	—	—
8	156	—	—	2	43	73	35	3	—	—
9	101	—	—	1	22	40	35	3	—	—
10 and over	151	—	—	—	7	68	67	9	—	—
Not stated	13	—	—	—	—	—	—	—	—	13
Total	10,685	590	3,162	2,952	1,987	1,419	524	38	—	13
Illegitimate	187	43	67	48	15	10	3	—	—	1
Social Class not stated										
None	4	—	3	—	—	1	—	—	—	—
1	2	—	1	—	—	1	—	—	—	—
2	1	—	—	—	1	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	—	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—	—
8	—	—	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	—	—	—	—
10 and over	—	—	—	—	—	—	—	—	—	—
Not stated	—	—	—	—	—	—	—	—	—	—
Total	7	—	4	—	1	2	—	—	—	—
Illegitimate	1,891	81	355	552	453	300	118	7	—	25

TABLE 29.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1950

Cause of Death		Total (All Ages)	Illegitimate only	Age: Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days –2 mths.	3–5 months	6–8 months	9–11 months
Meningococcal infections	M.	6	–	–	–	–	–	–	–	2	2	2
	F.	4	–	–	–	–	–	–	–	1	1	2
Whooping-cough	M.	23	–	–	–	–	–	–	7	9	1	6
	F.	16	–	–	–	–	–	1	4	4	2	5
Diphtheria	M.	1	–	–	–	–	–	–	–	–	1	–
	F.	–	–	–	–	–	–	–	–	–	–	–
Tubercular meningitis	M.	5	1	–	–	–	–	–	–	–	3	2
	F.	5	–	–	–	–	–	–	1	–	2	2
Abdominal tuberculosis	M.	–	–	–	–	–	–	–	–	–	–	–
	F.	–	–	–	–	–	–	–	–	–	–	–
Other tuberculous diseases	M.	13	1	–	–	–	–	–	–	–	6	7
	F.	8	1	–	–	–	–	–	–	3	2	3
Syphilis	M.	4	–	–	2	–	–	–	–	2	–	–
	F.	3	1	–	–	–	–	–	3	–	–	–
Measles	M.	10	1	–	–	–	–	–	1	1	4	4
	F.	8	–	–	–	–	–	–	1	–	5	2
Meningitis, not tubercular	M.	13	2	–	–	1	–	–	2	4	2	4
	F.	9	–	–	–	–	–	–	–	3	1	5
Convulsions	M.	38	1	–	2	–	2	1	12	17	3	1
	F.	29	2	–	3	1	–	1	12	10	–	2
Bronchitis	M.	33	1	–	1	–	–	1	12	13	3	3
	F.	21	4	–	–	2	–	–	7	8	3	1
Pneumonia (including newborn)	M.	332	31	5	31	22	16	12	99	97	30	20
	F.	230	20	1	19	13	10	15	55	67	30	20
Other respiratory diseases	M.	19	2	–	1	1	1	–	3	4	7	2
	F.	23	3	1	–	–	1	–	7	8	4	2
Diarrhœa (including newborn)	M.	163	5	–	–	1	7	7	57	57	23	11
	F.	123	12	–	1	3	5	8	48	32	17	9
Other digestive diseases	M.	11	–	1	–	–	–	–	3	4	1	2
	F.	11	1	–	1	–	–	–	5	4	1	–
Congenital malformations	M.	255	10	45	66	27	12	8	52	26	15	4
	F.	238	10	42	64	26	14	9	51	20	8	4
Birth injuries	M.	199	10	85	91	10	7	2	3	1	–	–
	F.	107	13	51	44	6	–	–	3	–	1	2
Asphyxia and atelectasis	M.	213	17	108	89	8	3	1	2	2	–	–
	F.	128	10	66	51	7	–	1	1	2	–	–
Other infantile diseases	M.	552	29	250	221	29	15	13	13	9	1	1
	F.	420	34	206	162	23	12	7	6	2	1	1
Accidental mechanical suffocation, etc.	M.	75	7	–	2	1	1	3	28	29	9	2
	F.	65	10	2	1	2	2	2	23	24	7	2
Other violence	M.	9	2	2	–	1	–	–	2	3	–	1
	F.	11	7	5	2	–	1	–	2	–	1	–
All other causes	M.	84	6	2	1	3	–	6	15	26	21	10
	F.	52	5	3	1	3	–	3	10	7	12	13
Total—Both Sexes		3,569	–	875	856	190	109	101	550	501	230	157
Males		2,058	–	498	507	104	64	54	311	306	132	82
Females		1,511	–	377	349	86	45	47	239	195	98	75
Illegitimate only—Both Sexes		–	*259*	*70*	*51*	*11*	*7*	*16*	*44*	*35*	*16*	*9*
Males		–	*126*	*36*	*20*	*4*	*3*	*9*	*17*	*23*	*10*	*4*
Females		–	*133*	*34*	*31*	*7*	*4*	*7*	*27*	*12*	*6*	*5*

TABLE 30.—Month of Registration of Children aged under one year dying from Selected Causes in Scotland in 1950

Cause of Death	Total	Month of Registration of Death											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Meningococcal infections	10	2	2	–	–	1	–	–	–	1	1	1	2
Whooping-cough ...	39	6	4	4	4	1	5	–	3	2	2	2	6
Diphtheria	1	–	–	–	–	–	–	–	1	–	–	–	–
Tubercular meningitis ...	10	–	1	–	2	–	2	2	1	–	1	–	1
Abdominal tuberculosis ...	–	–	–	–	–	–	–	–	–	–	–	–	–
Other tuberculous diseases	21	4	1	1	1	2	1	3	1	2	3	1	1
Syphilis	7	2	1	2	–	1	–	–	–	–	–	–	1
Measles	18	–	–	1	–	4	6	2	1	2	1	1	–
Meningitis not tubercular	22	1	–	2	3	2	3	3	2	1	2	3	–
Convulsions	67	8	12	5	3	7	5	3	1	4	8	5	6
Bronchitis...	54	16	10	3	1	5	3	–	–	2	3	3	8
Pneumonia (including newborn)	562	101	74	58	35	39	30	27	22	39	37	41	59
Other respiratory diseases	42	3	14	6	3	3	1	1	2	–	2	4	3
Diarrhœa (including newborn)	286	29	32	23	22	32	18	15	19	26	18	29	23
Other digestive diseases ...	22	1	1	1	1	–	1	–	4	3	4	2	4
Congenital malformations	493	58	43	38	36	46	28	33	36	42	40	39	54
Birth injuries	306	20	22	29	27	28	25	16	31	28	25	26	29
Asphyxia and atelectasis	341	39	31	39	30	29	24	36	22	16	27	19	29
Other infantile diseases ...	972	84	76	86	87	79	84	85	70	76	78	80	87
Accidental mechanical suffocation, etc. ...	140	13	8	16	17	12	6	6	11	7	12	18	14
Other violence	20	–	2	2	–	1	2	1	1	2	3	–	6
All other causes	136	14	18	11	11	9	13	7	10	6	13	9	15
Total ...	3,569	401	352	327	283	301	257	240	238	259	280	283	348
Illegitimate ...	*259*	*29*	*30*	*27*	*16*	*25*	*15*	*21*	*11*	*16*	*20*	*28*	*21*

TABLE 31. Births, Deaths under one year by Age-Periods, and Death-Rates per 1,000 Births in Scotland, 1950.

	Number of Births (Living Children)	Numbers: Under 1 yr. Total	Under 1 yr. Illegitimate	Under 1 month	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months	Rates: Under 1 yr. Total	Under 1 yr.* Illegitimate	Under 1 month	Under 1 day	1–6 days	7–13 days	14–20 days	21–27 days	28 days–2 months	3–5 months	6–8 months	9–11 months
SCOTLAND	**92,530**	**3,569**	—	**2,131**	**875**	**856**	**190**	**109**	**101**	**550**	**501**	**230**	**157**	**38·6**	—	**23·0**	**9·5**	**9·3**	**2·1**	**1·2**	**1·1**	**5·9**	**5·4**	**2·5**	**1·7**
Counties of Cities	34,102	1,355	—	779	315	316	72	42	34	236	188	87	65	39·7	—	22·8	9·2	9·3	2·1	1·2	1·0	6·9	5·5	2·6	1·9
Large Burghs	15,609	635	—	369	158	146	28	20	17	95	98	40	33	40·7	—	23·6	10·1	9·4	1·8	1·3	1·1	6·1	6·3	2·6	2·1
Counties (*ex* Co. of C. and L. B.) ...	42,819	1,579	—	983	402	394	90	47	50	219	215	103	59	36·9	—	23·0	9·4	9·2	2·1	1·1	1·2	5·1	5·0	2·4	1·4
LEGITIMATE BIRTHS																									
Scotland	87,693	3,310	—	1,976	805	805	179	102	85	506	466	214	148	37·7	—	22·5	9·2	9·2	2·0	1·2	1·0	5·8	5·3	2·4	1·7
Counties of Cities	32,216	1,252	—	719	289	296	67	39	28	220	173	77	63	38·9	—	22·3	9·0	9·2	2·1	1·2	0·9	6·8	5·4	2·4	2·0
Large Burghs	14,913	600	—	351	148	141	27	19	16	86	93	38	32	40·2	—	23·5	9·9	9·5	1·8	1·3	1·1	5·8	6·2	2·5	2·1
Counties (*ex* Co. of C. and L. B.)	40,564	1,458	—	906	368	368	85	44	41	200	200	99	53	35·9	—	22·4	9·1	9·1	2·1	1·1	1·0	4·9	4·9	2·4	1·3
ILLEGITIMATE BIRTHS																									
Scotland	*4,837*	—	*259*	*155*	*70*	*51*	*11*	*7*	*16*	*44*	*35*	*16*	*9*	—	*53·5*	*32·0*	*14·5*	*10·5*	*2·3*	*1·4*	*3·3*	*9·1*	*7·2*	*3·3*	*1·9*
Counties of Cities	*1,886*	—	*103*	*60*	*26*	*20*	*5*	*3*	*6*	*16*	*15*	*10*	*2*	—	*54·6*	*31·8*	*13·8*	*10·6*	*2·7*	*1·6*	*3·2*	*8·5*	*8·0*	*5·3*	*1·1*
Large Burghs	*696*	—	*35*	*18*	*10*	*5*	*1*	*1*	*1*	*9*	*5*	*2*	*1*	—	*50·3*	*25·9*	*14·4*	*7·2*	*1·4*	*1·4*	*1·4*	*12·9*	*7·2*	*2·9*	*1·4*
Counties (ex Co. of C. and L. B.) ...	*2,255*	—	*121*	*77*	*34*	*26*	*5*	*3*	*9*	*19*	*15*	*4*	*6*	—	*53·7*	*34·1*	*15·1*	*11·5*	*2·2*	*1·3*	*4·0*	*8·4*	*6·7*	*1·8*	*2·7*
ABERDEEN COUNTY	6,007	176	*10*	113	55	45	6	2	5	32	19	6	6	29·3	*23·8*	18·8	9·2	7·5	1·0	0·3	0·8	5·3	3·2	1·0	1·0
Aberdeen County of City	3,226	92	*4*	53	28	20	3	1	1	21	11	4	3	28·5	*23·3*	16·4	8·7	6·2	0·9	0·3	0·3	6·5	3·4	1·2	0·9
Remainder of County	2,781	84	*6*	60	27	25	3	1	4	11	8	2	3	30·2	*24·1*	21·6	9·7	9·0	1·1	0·4	1·4	4·0	2·9	0·7	1·1
ANGUS COUNTY	4,832	223	*25*	132	49	47	16	10	10	43	30	10	8	46·2	*85·0*	27·3	10·1	9·7	3·3	2·1	2·1	8·9	6·2	2·1	1·7
Dundee County of City	3,171	158	*21*	91	33	37	10	6	5	33	23	6	5	49·8	*101·0*	28·7	10·4	11·7	3·2	1·9	1·6	10·4	7·3	1·9	1·6
Arbroath Burgh	360	17	—	13	4	4	2	—	3	1	1	1	1	47·2	—	36·1	11·1	11·1	5·6	—	8·3	2·8	2·8	2·8	2·8
Remainder of County	1,301	48	*4*	28	12	6	4	4	2	9	6	3	2	36·9	*54·1*	21·5	9·2	4·6	3·1	3·1	1·5	6·9	4·6	2·3	1·5
ARGYLL COUNTY	1,023	32	*2*	23	9	6	4	1	3	4	4	1	—	31·3	*37·0*	22·5	8·8	5·9	3·9	1·0	2·9	3·9	3·9	1·0	—
AYR COUNTY	5,793	219	*16*	137	46	60	16	7	8	26	26	20	10	37·8	*66·7*	23·6	7·9	10·4	2·8	1·2	1·4	4·5	4·5	3·5	1·7
Ayr Burgh	665	26	*1*	19	8	7	4	—	—	3	2	1	1	39·1	*40·0*	28·6	12·0	10·5	6·0	—	—	4·5	3·0	1·5	1·5
Kilmarnock Burgh	710	32	*2*	20	8	7	1	3	1	4	4	3	1	45·1	*60·6*	28·2	11·3	9·9	1·4	4·2	1·4	5·6	5·6	4·2	1·4
Remainder of County	4,418	161	*13*	98	30	46	11	4	7	19	20	16	8	36·4	*71·4*	22·2	6·8	10·4	2·5	0·9	1·6	4·3	4·5	3·6	1·8
BANFF COUNTY	940	38	*7*	24	11	9	3	—	1	7	5	2	—	40·4	*86·4*	25·5	11·7	9·6	3·2	—	1·1	7·4	5·3	2·1	—
BERWICK COUNTY	392	17	*1*	14	7	6	1	—	—	1	—	2	—	43·4	*38·5*	35·7	17·9	15·3	2·6	—	—	2·6	—	5·1	—
BUTE COUNTY	283	10	*1*	8	5	3	—	—	—	1	—	1	—	35·3	*62·5*	28·3	17·7	10·6	—	—	—	3·5	—	3·5	—
CAITHNESS COUNTY	429	13	*3*	7	2	4	—	—	1	2	3	1	—	30·3	*83·3*	16·3	4·7	9·3	—	—	2·3	4·7	7·0	2·3	—
CLACKMANNAN COUNTY	724	25	—	13	5	5	2	—	1	3	7	—	2	34·5	—	18·0	6·9	6·9	2·8	—	1·4	4·1	9·7	—	2·8
DUNBARTON COUNTY	3,164	126	*9*	82	33	34	4	4	7	21	8	5	10	39·8	*67·7*	25·9	10·4	10·7	1·3	1·3	2·2	6·6	2·5	1·6	3·2
Clydebank Burgh	986	38	*1*	24	11	10	1	1	1	7	4	—	3	38·5	*22·7*	24·3	11·2	10·1	1·0	1·0	1·0	7·1	4·1	—	3·0
Dumbarton Burgh...	503	20	*3*	9	6	3	—	—	—	6	1	2	2	39·8	*125·0*	17·9	11·9	6·0	—	—	—	11·9	2·0	4·0	4·0
Remainder of County	1,675	68	*5*	49	16	21	3	3	6	8	3	3	5	40·6	*76·9*	29·3	9·6	12·5	1·8	1·8	3·6	4·8	1·8	1·8	3·0
DUMFRIES COUNTY	1,532	52	*3*	34	16	9	3	5	1	8	6	1	3	33·9	*28·3*	22·2	10·4	5·9	2·0	3·3	0·7	5·2	3·9	0·7	2·0
Dumfries Burgh	476	21	*1*	17	8	6	1	2	—	1	1	—	2	44·1	*32·3*	35·7	16·8	12·6	2·1	4·2	—	2·1	2·1	—	4·2
Remainder of County	1,056	31	*2*	17	8	3	2	3	1	7	5	1	1	29·4	*26·7*	16·1	7·6	2·8	1·9	2·8	0·9	6·6	4·7	0·9	0·9
EAST LOTHIAN COUNTY	953	24	*1*	17	9	4	1	1	2	1	**2**	**3**	**1**	25·2	*19·6*	17·8	9·4	4·2	1·0	1·0	2·1	1·0	2·1	3·1	[1·0
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
Fife County	5,656	222	11	127	38	99	17	10	6	30	44	14	7	39·3	42·5	22·5	6·7	9·9	3·0	1·8	1·1	5·3	7·8	2·5	1·2
Dunfermline Burgh	738	22	1	10	6	3	—	—	1	4	4	1	3	29·8	27·8	13·6	8·1	4·1	—	—	1·4	5·4	5·4	1·4	4·1
Kirkcaldy Burgh	896	37	—	21	2	10	3	5	1	5	10	1	—	41·3	—	23·4	2·2	11·2	3·3	5·6	1·1	5·6	11·2	1·1	—
Remainder of County	4,022	163	10	96	30	43	14	5	4	21	30	12	4	40·5	55·6	23·9	7·5	10·7	3·5	1·2	1·0	5·2	7·5	3·0	1·0
Inverness County	1,481	57	5	44	21	14	7	1	1	6	3	3	1	38·5	45·0	29·7	14·2	9·5	4·7	0·7	0·7	4·1	2·0	2·0	0·7
Inverness Burgh	501	18	3	15	6	5	2	1	1	1	2	—	—	35·9	78·9	29·9	12·0	10·0	4·0	2·0	2·0	2·0	4·0	—	—
Remainder of County	980	39	2	29	15	9	5	—	—	5	1	3	1	39·8	28·2	29·6	15·3	9·2	5·1	—	—	5·1	1·0	3·1	1·0
Kincardine County	497	14	4	9	7	2	—	—	—	—	4	1	—	28·2	121·2	18·1	14·1	4·0	—	—	—	—	8·0	2·0	—
Kinross County	127	7	—	5	1	3	1	—	—	—	1	1	—	55·1	—	39·4	7·9	23·6	7·9	—	—	—	7·9	7·9	—
Kirkcudbright County	541	20	4	12	6	4	1	1	—	3	3	1	1	37·0	125·0	22·2	11·1	7·4	1·8	1·8	—	5·5	5·5	1·8	1·8
Lanark County	30,365	1,319	81	750	336	279	62	40	33	207	201	94	67	43·4	55·0	24·7	11·1	9·2	2·0	1·3	1·1	6·8	6·6	3·1	2·2
Glasgow Co. of C.	20,031	880	62	496	208	191	48	26	23	141	126	69	48	43·9	56·4	24·8	10·4	9·5	2·4	1·3	1·1	7·0	6·3	3·4	2·4
Airdrie Burgh	562	28	4	15	8	7	—	—	—	6	7	—	—	49·8	235·3	26·7	14·2	12·5	—	—	—	10·7	12·5	—	—
Coatbridge Burgh	1,066	61	1	37	20	13	1	1	2	14	4	3	3	57·2	30·3	34·7	18·8	12·2	0·9	0·9	1·9	13·1	3·8	2·8	2·8
Hamilton Burgh	802	35	2	17	9	5	2	—	1	3	9	4	2	43·6	66·7	21·2	11·2	6·2	2·5	—	1·2	3·7	11·2	5·0	2·5
Motherwell and Wishaw Burgh ...	1,313	50	2	28	14	8	4	1	1	9	10	1	2	38·1	33·9	21·3	10·7	6·1	3·0	0·8	0·8	6·9	7·6	0·8	1·5
Rutherglen Burgh	395	9	—	7	5	2	—	—	—	1	1	—	—	22·8	—	17·7	12·7	5·1	—	—	—	2·5	2·5	—	—
Remainder of County	6,196	256	10	150	72	53	7	12	6	33	44	17	12	41·3	44·8	24·2	11·6	8·6	1·1	1·9	1·0	5·3	7·1	2·7	1·9
Midlothian County	9,477	300	21	185	62	92	12	12	7	50	43	13	9	31·7	43·9	19·5	6·5	9·7	1·3	1·3	0·7	5·3	4·5	1·4	0·9
Edinburgh Co. of C.	7,674	225	16	139	46	68	11	9	5	41	28	8	9	29·3	39·3	18·1	6·0	8·9	1·4	1·2	0·7	5·3	3·6	1·0	1·2
Remainder of County	1,803	75	5	46	16	24	1	3	2	9	15	5	—	41·6	70·4	25·5	8·9	13·3	0·6	1·7	1·1	5·0	8·3	2·8	—
Moray County	940	32	3	23	6	15	2	—	—	2	4	3	—	34·0	38·5	24·5	6·4	16·0	2·1	—	—	2·1	4·3	3·2	—
Nairn County	148	6	2	6	3	2	—	—	1	—	—	—	—	40·5	133·3	40·5	20·3	13·5	—	—	6·8	—	—	—	—
Orkney County	382	13	3	7	2	4	—	1	—	3	1	—	2	34·0	187·5	18·3	5·2	10·5	—	2·6	—	7·9	2·6	—	5·2
Peebles County	190	4	—	1	—	1	—	—	—	1	—	1	1	21·1	—	5·3	—	5·3	—	—	—	5·3	—	5·3	5·3
Perth County	2,074	52	5	27	10	15	1	1	—	11	9	1	4	25·1	34·2	13·0	4·8	7·2	0·5	0·5	—	5·3	4·3	0·5	1·9
Perth Burgh	721	17	2	10	3	6	—	1	—	4	1	—	2	23·6	41·7	13·9	4·2	8·3	—	1·4	—	5·5	1·4	—	2·8
Remainder of County	1,353	35	3	17	7	9	1	—	—	7	8	1	2	25·9	30·6	12·6	5·2	6·7	0·7	—	—	5·2	5·9	0·7	1·5
Renfrew County	6,013	259	16	140	53	63	10	7	7	38	41	24	16	43·1	73·7	23·3	8·8	10·5	1·7	1·2	1·2	6·3	6·8	4·0	2·7
Greenock Burgh	1,615	77	3	37	12	19	3	1	2	13	12	11	4	47·7	45·5	22·9	7·4	11·8	1·9	0·6	1·2	8·0	7·4	6·8	2·5
Paisley Burgh	1,685	63	7	29	15	11	—	1	2	9	14	6	5	37·4	98·6	17·2	8·9	6·5	—	0·6	1·2	5·3	8·3	3·6	3·0
Port Glasgow Burgh	545	29	—	20	5	12	1	1	1	1	3	3	2	53·2	—	36·7	9·2	22·0	1·8	1·8	1·8	1·8	5·5	5·5	3·7
Remainder of County	2,168	90	6	54	21	21	6	4	2	15	12	4	5	41·5	90·9	24·9	9·7	9·7	2·8	1·8	0·9	6·9	5·5	1·8	2·3
Ross and Cromarty County ...	1,056	34	1	21	12	9	—	—	—	6	4	3	—	32·2	19·2	19·9	11·4	8·5	—	—	—	5·7	3·8	2·8	—
Roxburgh County	702	23	1	16	7	5	4	—	—	5	1	1	—	32·8	23·8	22·8	10·0	7·1	5·7	—	—	7·1	1·4	1·4	—
Selkirk County	337	11	2	7	3	4	—	—	—	2	1	—	1	32·6	153·8	20·8	8·9	11·9	—	—	—	5·9	3·0	—	3·0
Stirling County	3,427	132	13	72	35	22	8	5	2	21	22	13	4	38·5	79·8	21·3	10·5	6·4	2·3	1·5	0·6	6·1	6·1	3·8	1·2
Falkirk Burgh	588	19	1	12	2	5	3	2	—	1	4	2	—	32·3	34·5	20·4	3·4	8·5	5·1	3·4	—	1·7	6·8	3·4	—
Stirling Burgh	482	16	1	9	6	3	—	—	—	2	4	1	—	33·2	32·3	18·7	12·4	6·2	—	—	—	4·1	8·3	2·1	—
Remainder of County	2,357	97	11	51	27	14	5	3	2	18	14	10	4	41·2	106·8	22·1	11·9	5·9	2·1	1·3	0·8	7·6	5·5	4·2	1·7
Sutherland County	235	13	2	12	6	5	1	—	—	—	1	—	—	55·3	105·3	51·1	25·5	21·3	4·3	—	—	—	4·3	—	—
West Lothian County	1,851	55	3	37	9	17	6	1	4	6	5	5	2	29·7	38·0	20·0	4·9	9·2	3·2	0·5	2·2	3·2	2·7	2·7	1·1
Wigtown County	651	30	3	17	6	9	1	—	1	9	3	—	1	46·1	31·6	26·1	9·2	13·8	1·5	—	1·5	13·8	4·6	—	1·5
Zetland County	308	11	1	9	5	3	1	—	—	1	—	—	1	35·7	66·7	29·2	16·2	9·7	3·2	—	—	3·2	—	—	3·2

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

*—Per 1,000 illegitimate births.

TABLE 32.—Deaths in Scotland of Children aged under One Year by Selected Age-groups, 1950

Age	Total	Males	Females
Under 1 day	875	498	377
1 day	366	215	151
2 days	203	124	79
3 ,,	117	72	45
4 ,,	67	42	25
5 ,,	57	32	25
6 ,,	46	22	24
7–13 ,,	190	104	86
14–20 ,,	109	64	45
21–27 ,,	101	54	47
28 days–2 months	274	151	123
2 ,,	276	160	116
3 ,,	229	143	86
4 ,,	149	89	60
5 ,,	123	74	49
6 ,,	101	61	40
7 ,,	74	41	33
8 ,,	55	30	25
9 ,,	71	34	37
10 ,,	51	27	24
11 ,,	35	21	14
Total	3,569	2,058	1,511

TABLE 33.—Ages at Death in 1950

Age Groups	Number of Deaths					
	Scotland	Counties of Cities	Large Burghs	Counties *et* Counties of Cities and Large Burghs but including Small Burghs and Landward	Small Burghs	Landward
Under 1 –	3,569	1,355	635	1,579	540	1,039
1– –	694	268	129	297	101	196
5– –	279	111	49	119	40	79
10– –	207	78	37	92	32	60
15– –	1,148	502	194	452	129	323
25– –	1,574	671	285	618	218	400
35– –	2,569	1,103	429	1,037	385	652
45– –	5,350	2,350	878	2,122	836	1,286
55– –	9,891	4,229	1,613	4,049	1,576	2,473
65– –	16,547	6,545	2,631	7,371	2,812	4,559
75– –	17,014	6,096	2,525	8,393	3,243	5,150
85– –	5,152	1,618	679	2,855	1,067	1,788
Not stated	2	—	—	2	—	2
All Ages	63,996	24,926	10,084	28,986	10,979	18,007

TABLE 34.—Deaths, Male and Female, at each year of age,

MALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	2,058	2,058	–	–	–	–	50 ...	343	52	276	14	1	–
1 ...	162	162	–	–	–	–	51 ...	348	52	271	23	1	1
2 ...	91	91	–	–	–	–	52 ...	344	52	277	13	2	–
3 ...	88	88	–	–	–	–	53 ...	399	56	313	28	2	–
4 ...	55	55	–	–	–	–	54 ...	386	55	302	28	1	–
5 ...	37	37	–	–	–	–	55 ...	471	64	357	49	1	–
6 ...	35	35	–	–	–	–	56 ...	411	64	313	32	2	–
7 ...	36	36	–	–	–	–	57 ...	478	61	381	36	–	–
8 ...	28	28	–	–	–	–	58 ...	514	57	404	50	1	2
9 ...	27	27	–	–	–	–	59 ...	583	83	431	67	2	–
10 ...	26	26	–	–	–	–	60 ...	556	70	404	75	2	5
11 ...	18	18	–	–	–	–	61 ...	592	106	432	53	1	–
12 ...	27	27	–	–	–	–	62 ...	627	89	459	76	3	–
13 ...	21	21	–	–	–	–	63 ...	664	98	456	106	4	–
14 ...	32	32	–	–	–	–	64 ...	692	107	470	112	1	2
15 ...	41	41	–	–	–	–	65 ...	710	113	457	134	2	4
16 ...	41	41	–	–	–	–	66 ...	724	98	482	142	2	–
17 ...	55	55	–	–	–	–	67 ...	755	101	493	159	1	1
18 ...	41	41	–	–	–	–	68 ...	787	122	497	166	1	1
19 ...	57	56	1	–	–	–	69 ...	828	120	504	198	2	4
20 ...	55	54	1	–	–	–	70 ...	907	158	537	204	2	6
21 ...	59	56	3	–	–	–	71 ...	875	106	515	252	2	–
22 ...	57	49	8	–	–	–	72 ...	952	137	524	286	2	3
23 ...	70	57	12	–	–	1	73 ...	991	147	523	319	1	1
24 ...	63	40	22	1	–	–	74 ...	946	130	487	328	1	–
25 ...	67	42	25	–	–	–	75 ...	924	139	428	353	2	2
26 ...	93	60	33	–	–	–	76 ...	985	141	439	401	4	–
27 ...	59	35	24	–	–	–	77 ...	947	135	427	383	2	–
28 ...	72	37	34	1	–	–	78 ...	838	94	361	383	–	–
29 ...	93	52	41	–	–	–	79 ...	927	111	360	454	1	1
30 ...	77	36	41	–	–	–	80 ...	808	106	300	402	–	–
31 ...	56	21	35	–	–	–	81 ...	708	85	261	360	2	–
32 ...	61	24	37	–	–	–	82 ...	672	82	225	365	–	–
33 ...	68	25	41	1	1	–	83 ...	556	61	177	317	–	1
34 ...	78	25	51	1	1	–	84 ...	469	46	143	280	–	–
35 ...	85	34	51	–	–	–	85 ...	435	38	130	266	1	–
36 ...	97	35	59	2	1	–	86 ...	319	32	84	203	–	–
37 ...	102	32	67	2	1	–	87 ...	272	28	73	171	–	–
38 ...	129	34	90	2	3	–	88 ...	195	22	45	128	–	–
39 ...	116	25	88	2	1	–	89 ...	161	19	39	103	–	–
40 ...	138	32	103	2	1	–	90 ...	145	13	24	108	–	–
41 ...	143	32	106	2	3	–	91 ...	79	4	15	60	–	–
42 ...	174	39	128	5	2	–	92 ...	67	6	7	54	–	–
43 ...	179	43	131	5	–	–	93 ...	59	2	6	51	–	–
44 ...	188	36	147	5	–	–	94 ...	35	3	6	26	–	–
45 ...	219	36	174	8	1	–	95 ...	17	1	–	16	–	–
46 ...	252	49	194	9	–	–	96 ...	8	–	–	8	–	–
47 ...	236	46	176	12	2	–	97 ...	5	–	1	4	–	–
48 ...	287	50	221	14	1	1	98 ...	1	–	–	1	–	–
49 ...	321	79	226	13	3	–	99 ...	3	–	1	2	–	–
							100 and over	2	–	1	1	–	–
							Not stated	1	–	–	–	–	1
							All males	32,191	7,656	16,488	7,937	73	37

and by Condition as to Marriage, in Scotland, 1950

FEMALES

Ages	Total	Single	Married	Widowed	Divorced	Not Stated	Ages	Total	Single	Married	Widowed	Divorced	Not Stated
0 ...	1,511	1,511	–	–	–	–	50 ...	252	66	156	28	2	–
1 ...	119	119	–	–	–	–	51 ...	223	44	150	29	–	–
2 ...	75	75	–	–	–	–	52 ...	262	55	161	42	3	1
3 ...	62	62	–	–	–	–	53 ...	260	52	173	34	1	–
4 ...	42	42	–	–	–	–	54 ...	282	61	182	36	3	–
5 ...	32	32	–	–	–	–	55 ...	298	53	183	60	2	–
6 ...	23	23	–	–	–	–	56 ...	347	66	215	62	4	–
7 ...	26	26	–	–	–	–	57 ...	343	74	181	85	2	1
8 ...	13	13	–	–	–	–	58 ...	361	64	203	92	2	–
9 ...	22	22	–	–	–	–	59 ...	425	79	236	110	–	–
10 ...	10	10	–	–	–	–	60 ...	424	82	228	112	2	–
11 ...	16	16	–	–	–	–	61 ...	456	87	228	141	–	–
12 ...	14	14	–	–	–	–	62 ...	513	105	255	152	1	–
13 ...	19	19	–	–	–	–	63 ...	545	104	268	172	1	–
14 ...	24	24	–	–	–	–	64 ...	591	106	283	201	1	–
15 ...	39	39	–	–	–	–	65 ...	587	105	278	202	2	–
16 ...	29	29	–	–	–	–	66 ...	667	145	288	232	2	–
17 ...	42	42	–	–	–	–	67 ...	694	148	275	269	2	–
18 ...	53	51	2	–	–	–	68 ...	714	120	308	282	4	–
19 ...	65	56	9	–	–	–	69 ...	805	149	301	350	5	–
20 ...	85	72	13	–	–	–	70 ...	856	149	330	376	1	–
21 ...	62	50	12	–	–	–	71 ...	839	159	307	368	5	–
22 ...	56	34	21	1	–	–	72 ...	947	189	319	437	2	–
23 ...	80	48	32	–	–	–	73 ...	1,009	225	282	502	–	–
24 ...	98	57	40	–	1	–	74 ...	954	197	271	481	5	–
25 ...	86	42	43	–	1	–	75 ...	1,012	213	249	550	–	–
26 ...	101	37	64	–	–	–	76 ...	1,034	214	236	582	2	–
27 ...	97	25	70	2	–	–	77 ...	1,016	229	225	560	2	–
28 ...	87	29	57	–	1	–	78 ...	996	216	177	601	1	1
29 ...	90	38	49	1	2	–	79 ...	959	222	153	584	–	–
30 ...	110	29	77	2	2	–	80 ...	900	192	112	594	1	1
31 ...	68	19	47	1	1	–	81 ...	855	161	106	586	2	–
32 ...	69	29	38	1	1	–	82 ...	833	177	80	576	–	–
33 ...	72	21	51	–	–	–	83 ...	818	175	81	562	–	–
34 ...	70	16	53	1	–	–	84 ...	757	153	50	553	1	–
35 ...	92	25	62	2	3	–	85 ...	658	144	58	456	–	–
36 ...	92	21	66	5	–	–	86 ...	537	125	38	374	–	–
37 ...	113	20	87	6	–	–	87 ...	488	130	29	329	–	–
38 ...	107	28	72	6	1	–	88 ...	405	109	13	283	–	–
39 ...	122	34	83	3	2	–	89 ...	301	59	10	232	–	–
40 ...	131	37	84	10	–	–	90 ...	276	74	11	191	–	–
41 ...	115	32	75	8	–	–	91 ...	193	42	4	145	1	1
42 ...	130	33	90	4	3	–	92 ...	150	33	4	113	–	–
43 ...	138	31	94	11	2	–	93 ...	115	25	2	88	–	–
44 ...	178	56	110	11	1	–	94 ...	80	20	1	59	–	–
45 ...	156	41	104	9	2	–	95 ...	47	12	–	35	–	–
46 ...	175	33	130	12	–	–	96 ...	32	7	–	25	–	–
47 ...	182	43	121	17	1	–	97 ...	23	4	–	19	–	–
48 ...	194	50	119	23	2	–	98 ...	17	3	–	14	–	–
49 ...	229	48	159	21	1	–	99 ...	10	2	–	8	–	–
							100 and over	17	3	–	14	–	–
							Not stated	1	–	–	–	–	1
							All females	31,805	8,731	9,834	13,145	89	6

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1950

International Nos. Long List	International Nos. Short List	Causes of Death	Sex	Numbers Aged: All Ages	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
001-008	B1	Tuberculosis of respiratory system	M.	1306	13	20	4	3	138	217	232	286	235	130	28	–	–	52	28	10	2	1	38	59	64	94	106	86	43	–
			F.	1133	7	16	8	12	346	362	183	80	64	45	9	1	–	42	16	8	4	6	89	107	48	23	23	24	10	7
010-019	B2	Tuberculosis, other forms	M.	163	5	46	12	10	27	13	15	14	8	10	3	–	–	7	11	23	6	5	7	4	4	5	4	7	5	–
			F.	173	6	43	12	10	29	19	20	14	10	7	–	3	–	6	14	23	6	5	7	6	5	4	4	4	–	20
020-029	B3	Syphilis and its sequelæ ...	M.	126	4	1	–	–	–	1	5	20	45	43	7	–	–	5	8	1	–	–	–	0	1	7	20	29	11	–
			F.	44	3	–	–	–	2	–	1	7	13	10	5	3	–	2	7	–	–	–	1	–	0	2	5	5	6	20
040	B4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	B6	Dysentery, all forms ...	M.	7	2	–	–	1	–	–	–	–	1	2	1	–	–	0	4	–	–	0	–	–	–	–	0	1	2	–
			F.	7	4	–	–	–	–	1	–	–	–	–	2	–	–	0	9	–	–	–	–	0	–	–	–	–	2	–
050-051	B7	Scarlet fever and streptococcal sore throat ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	0	–	–	–	–	–	–	–	0	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	1	–	–	0	–	1	–	–	–	–	–	–	–	1	1	–
055	B8	Diphtheria	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	0	2	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	0	–	1	–	–	–	–	–	–	–	–	–	–
056	B9	Whooping-cough ...	M.	35	23	11	1	–	–	–	–	–	–	–	–	–	–	1	49	6	0	–	–	–	–	–	–	–	–	–
			F.	26	16	9	1	–	–	–	–	–	–	–	–	–	–	1	36	5	0	–	–	–	–	–	–	–	–	–
057	B10	Meningococcal infections	M.	20	6	12	–	–	–	–	1	1	–	–	–	–	–	1	13	6	–	–	–	–	0	0	–	–	–	–
			F.	15	4	9	–	1	–	–	–	–	1	–	–	–	–	1	9	5	–	1	–	–	–	–	0	–	–	–
080	B12	Acute poliomyelitis ...	M.	40	3	10	4	5	6	7	3	1	1	–	–	–	–	2	6	5	2	2	2	2	1	0	0	–	–	–
			F.	24	–	8	1	–	5	4	3	3	–	–	–	–	–	1	–	4	0	–	1	1	1	1	–	–	–	–
085	B14	Measles	M.	19	10	9	–	–	–	–	–	–	–	–	–	–	–	1	21	5	–	–	–	–	–	–	–	–	–	–
			F.	19	8	8	2	–	–	–	–	–	–	1	–	–	–	1	18	4	1	–	–	–	–	–	–	1	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	M.	101	9	8	6	2	3	5	10	14	19	15	10	–	–	4	19	4	3	1	1	1	3	5	9	10	15	–
			F.	74	7	2	2	–	6	6	11	8	10	13	9	–	–	3	16	1	1	–	2	2	3	2	4	7	10	–
140-205	B18	Malignant neoplasms ...	M.	5037	1	19	12	14	46	76	237	691	1230	1625	983	103	–	201	2	10	6	7	13	21	65	227	557	1081	1498	1368
			F.	4992	1	20	9	5	19	75	331	705	1123	1468	1027	209	–	187	2	10	4	3	5	22	87	199	402	770	1159	1380
210-239	B19	Benign and unspecified neoplasms	M.	85	4	4	3	2	3	5	9	11	15	15	13	1	–	3	8	2	1	1	1	1	2	4	7	10	20	13
			F.	136	1	–	3	1	4	7	15	31	28	22	21	3	–	5	2	–	1	1	1	2	4	9	10	12	24	20
260	B20	Diabetes mellitus... ...	M.	162	–	2	1	–	4	7	21	14	28	52	32	1	–	6	–	1	0	–	1	2	6	5	13	35	49	13
			F.	403	–	1	–	1	3	5	8	23	92	160	101	9	–	15	–	1	–	1	1	1	2	6	33	84	114	59
290-293	B21	Anæmias	M.	144	1	1	1	–	2	2	–	8	20	54	50	5	–	6	2	1	0	–	1	1	–	3	9	36	76	66
			F.	213	1	3	–	–	3	3	2	14	29	66	77	15	–	8	2	2	–	–	1	1	1	4	10	35	87	99
240-254, 270-289, 294-299	B46.1	Other general diseases ...	M.	245	11	3	5	4	7	8	18	37	59	70	23	–	–	10	23	2	2	2	2	2	5	12	27	47	35	–
			F.	324	4	4	6	2	9	19	24	55	73	75	43	10	–	12	9	2	3	1	2	6	6	16	26	39	49	66
330-334	B22	Vascular lesions affecting central nervous system	M.	3635	–	1	–	1	12	13	38	167	524	1294	1315	270	–	145	–	1	–	0	3	4	10	55	237	861	2004	3585
			F.	5097	1	–	1	2	6	21	69	282	714	1625	1891	485	–	191	2	–	0	1	2	6	18	80	256	853	2134	3203
340	B23	Nonmeningococcal meningitis	M.	31	13	7	–	–	2	1	–	3	3	1	1	–	–	1	28	4	–	–	1	0	–	1	1	1	2	–
			F.	27	9	6	–	–	1	–	2	1	5	2	1	–	–	1	20	3	–	–	0	–	1	0	2	1	1	–

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(a)	(b)	(c)	(d)
300-326, 341-398	B46.2	Other diseases of nervous system	M.	523	12	17	9	14	19	27	39	52	99	117	108	10	–	21	25	9	4	7	5	7	11	17	45	78	165	133
			F.	597	11	9	4	5	18	32	56	65	88	143	134	32	–	22	25	5	2	3	5	9	15	18	32	75	151	211
400-402	B24	Rheumatic fever	M.	16	–	–	2	2	4	3	1	1	3	–	–	–	–	1	–	–	1	1	1	1	0	0	1	–	–	–
			F.	41	–	3	4	5	7	2	2	7	8	2	–	1	–	2	–	2	2	3	2	1	1	2	3	1	–	7
410-416	B25	Chronic rheumatic heart disease	M.	347	–	–	2	4	26	28	54	68	55	62	40	8	–	14	–	–	1	2	7	8	15	22	25	41	61	106
			F.	595	–	–	3	6	22	60	103	119	100	93	78	11	–	22	–	–	1	3	6	18	27	34	36	49	88	73
420-422	B26	Arteriosclerotic and degenerative heart disease	M.	8915	–	1	2	3	12	22	188	756	1567	2814	2837	713	–	356	–	1	1	1	3	6	52	248	710	1872	4323	9468
			F.	8747	–	1	1	–	6	24	74	262	942	2589	3428	1420	–	327	–	1	0	–	2	7	19	74	337	1359	3869	9377
430-434	B27	Other diseases of heart ...	M.	593	1	2	2	1	3	6	22	41	110	181	184	40	–	24	2	1	1	0	1	2	6	13	50	120	280	531
			F.	656	–	–	–	1	8	9	15	39	105	210	205	64	–	25	–	–	–	1	2	3	4	11	38	110	231	423
440–443	B28	Hypertension with heart disease	M.	231	–	–	–	–	–	2	5	23	53	63	68	17	–	9	–	–	–	–	–	1	1	8	24	42	104	226
			F.	219	–	–	–	–	–	1	4	14	50	75	60	15	–	8	–	–	–	–	–	0	1	4	18	39	68	99
444-447	B29	Hypertension without heart disease	M.	267	–	–	–	–	1	4	10	32	52	72	81	15	–	11	–	–	–	–	0	1	3	10	24	48	123	199
			F.	272	–	–	–	–	–	4	15	35	48	74	80	16	–	10	–	–	–	–	–	1	4	10	17	39	90	106
450-468	B46.3	Other circulatory disease	M.	625	–	1	1	2		3	12	32	46	167	270	91	–	25	–	1	0	1	–	1	3	10	21	111	411	1208
			F.	632	1	–	1	2	2	6	6	27	56	140	251	140	–	24	2	–	0	1	1	2	2	8	20	73	283	925
480-483	B30	Influenza	M.	152	7	3	1	–	4	2	12	11	28	37	37	10	–	6	15	2	0	–	1	1	3	4	13	25	56	133
			F.	234	4	8	1	1	3	8	9	14	19	56	76	35	–	9	9	4	0	1	1	2	2	4	7	29	86	231
490-493	B31	Pneumonia	M.	1115	246	45	5	5	14	9	29	79	165	226	244	48	–	45	523	23	2	2	4	2	8	26	75	150	372	637
			F.	1002	170	35	2	6	13	16	35	59	94	206	273	93	–	38	383	18	1	3	3	5	9	17	34	108	308	614
500-502	B32	Bronchitis...	M.	1390	33	7	–	–	1	8	34	165	380	369	318	75	–	56	70	4	–	–	0	2	9	54	172	245	485	996
			F.	869	21	5	1	1	1	6	23	51	129	226	280	125	–	33	47	3	0	1	0	2	6	14	46	119	316	825
470-475, 510-527	B46.4	Other respiratory diseases	M.	381	12	5	1	4	5	10	20	58	118	76	48	24	–	15	25	3	0	2	1	3	5	19	53	51	73	319
			F.	251	19	4	1	1	4	5	8	11	36	41	73	48	–	9	43	2	0	1	1	1	2	3	13	22	82	317
540, 541	B33	Ulcer of stomach and duodenum	M.	511	1	–	–	–	2	22	53	97	144	126	56	10	–	201	2	–	–	–	1	6	15	32	65	84	85	133
			F.	118	–	–	–	1	–	5	4	14	19	44	24	7	–	4	–	–	–	1	–	1	1	4	7	23	27	46
550-553	B34	Appendicitis	M.	81	–	7	2	1	10	10	2	14	12	15	8	–	–	3	–	4	1	0	3	3	1	5	5	10	12	–
			F.	73	–	8	2	1	8	6	2	11	14	13	7	1	–	3	–	4	1	1	2	2	1	3	5	7	8	7
560, 561, 570	B35	Intestinal obstruction and hernia	M.	191	10	2	2	1	1	1	11	17	28	57	52	9	–	8	21	1	1	0	0	0	3	6	13	38	79	120
			F.	179	7	2	1	–	3	1	12	9	33	54	44	13	–	7	16	1	0	–	1	0	3	3	12	28	50	86
543	B36.1	Gastritis and duodenitis ...	M.	16	–	–	–	–	–	1	–	3	3	4	2	3	–	1	–	–	–	–	–	0	–	1	1	3	3	40
			F.	20	2	1	–	–	–	–	2	–	7	3	4	1	–	1	5	1	–	–	–	–	1	–	3	2	5	7
571, 572	B36.2	Diarrhœa (except of new-born)	M.	234	146	12	2	–	2	3	4	14	18	15	13	5	–	9	310	6	1	–	1	1	1	5	8	10	20	66
			F.	243	105	8	1	1	3	11	9	10	24	42	20	9	–	9	237	4	0	1	1	3	2	3	9	22	23	59
581	B37	Cirrhosis of liver ...	M.	98	–	1	1	–	1	1	15	14	32	21	12	–	–	4	–	1	0	–	0	0	4	5	14	14	18	–
			F.	65	–	–	1	–	–	3	7	11	17	15	8	3	–	2	–	–	0	–	–	1	2	3	6	8	9	20
580, 582-586	B46.5	Other diseases of liver ...	M.	70	–	–	1	–	–	–	4	10	16	25	13	1	–	3	–	–	0	–	–	–	1	3	7	17	20	13
			F.	201	–	1	–	1	–	4	13	31	39	62	40	10	–	8	–	1	–	1	–	1	3	9	14	33	45	66
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases ...	M.	81	–	2	2	–	2	1	2	16	14	23	16	3	–	3	–	1	1	–	1	0	1	5	6	15	24	40
			F.	91	2	1	1	–	2	–	6	10	28	21	18	2	–	3	5	1	0	–	1	–	2	3	10	11	20	13
590-594	B38	Nephritis and nephrosis ...	M.	325	4	4	3	3	12	20	31	35	66	75	61	11	–	13	8	2	1	1	3	5	9	11	30	50	93	146
			F.	374	2	2	1	1	16	22	25	57	76	83	70	19	–	14	5	1	0	1	4	6	7	16	27	44	79	125

Note.—* Including paratyphoid fever, erysipelas, septicaemia and lethargic encephalitis

TABLE 35.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1950—*continued*

International Nos. Long List	International Nos. Short List	Causes of Death	Sex	Numbers Aged: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	Not Stated	Death-rate per 100,000 at Ages: All Ages	–1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
610	B39	Hyperplasia of prostate ...	M.	509	–	–	–	–	–	–	1	2	25	152	271	58	–	20	–	–	–	–	–	–	0	1	11	101	413	770
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	B46.7	Other diseases of genito-urinary system... ...	M.	183	3	–	1	–	3	2	7	5	32	49	65	16	–	7	6	–	0	–	1	1	2	2	14	33	99	212
			F.	156	2	–	1	–	3	5	10	23	34	40	32	6	–	6	5	–	0	–	1	1	3	6	12	21	36	40
640, 641, 651, 681, 682, 684	B40.0	Puerperal sepsis including post-abortive sepsis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	23	–	–	–	–	4	11	8	–	–	–	–	–	–	1	–	–	–	–	1	3	2	–	–	–	–	–
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	83	–	–	–	–	14	41	26	2	–	–	–	–	–	3	–	–	–	–	4	12	7	1	–	–	–	–
690-749	B46.8	Diseases of skin and organs of locomotion	M.	93	11	–	–	1	6	1	3	9	13	21	23	5	–	4	23	–	–	0	2	0	1	3	6	14	35	66
			F.	147	2	1	–	1	2	2	8	10	25	41	42	13	–	6	5	1	–	1	1	1	2	3	9	22	47	86
750-759	B41	Congenital malformations	M.	316	255	19	6	4	10	5	6	8	3	–	–	–	–	13	542	10	3	2	3	1	2	3	1	–	–	–
			F.	297	238	22	5	3	7	5	3	7	4	3	–	–	–	11	537	12	2	2	2	1	1	2	1	2	–	–
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	M.	412	412	–	–	–	–	–	–	–	–	–	–	–	–	16	875	–	–	–	–	–	–	–	–	–	–	–
			F.	235	235	–	–	–	–	–	–	–	–	–	–	–	–	9	530	–	–	–	–	–	–	–	–	–	–	–
763	B43.1	Pneumonia of newborn ...	M.	86	86	–	–	–	–	–	–	–	–	–	–	–	–	3	183	–	–	–	–	–	–	–	–	–	–	–
			F.	60	60	–	–	–	–	–	–	–	–	–	–	–	–	2	135	–	–	–	–	–	–	–	–	–	–	–
764	B43.2	Diarrhœa of newborn ...	M.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	1	36	–	–	–	–	–	–	–	–	–	–	–
			F.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	1	41	–	–	–	–	–	–	–	–	–	–	–
765-768	B43.3	Other infections of the newborn	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	0	19	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	0	11	–	–	–	–	–	–	–	–	–	–	–
769-776	B44	Other diseases peculiar to early infancy	M.	543	543	–	–	–	–	–	–	–	–	–	–	–	–	22	1153	–	–	–	–	–	–	–	–	–	–	–
			F.	415	415	–	–	–	–	–	–	–	–	–	–	–	–	16	936	–	–	–	–	–	–	–	–	–	–	–
794	B45.0	Senility	M.	481	–	–	–	–	–	–	–	–	2	49	251	179	–	19	–	–	–	–	–	–	–	–	1	33	382	2377
			F.	802	–	–	–	–	–	–	–	–	1	52	386	363	–	30	–	–	–	–	–	–	–	–	0	27	436	2397
780-793, 795	B45.1	Causes ill-defined and unknown	M.	628	60	8	1	–	1	5	24	78	131	184	114	22	–	25	127	4	0	–	0	1	7	26	59	122	174	292
			F.	369	44	6	3	1	3	8	11	22	52	94	96	29	–	14	99	3	1	1	1	2	3	6	19	49	108	192
E963, E970-979	BE49	Suicide	M.	170	–	–	–	1	9	14	29	48	33	23	11	2	–	7	–	–	–	0	2	4	8	16	15	15	17	27
			F.	99	–	–	–	–	6	13	12	24	22	17	3	2	–	4	–	–	–	–	2	4	3	7	8	9	3	13
E810-835	BE47	Motor vehicle accidents ...	M.	367	–	63	32	12	65	39	34	35	24	33	28	2	–	15	–	32	16	6	18	11	9	11	11	22	43	27
			F.	122	–	15	25	6	6	6	7	10	13	19	14	1	–	5	–	8	12	3	2	2	2	3	5	10	16	7
E840-845	BE48.0	Other road transport accidents	M.	30	–	–	1	–	1	2	4	–	7	3	9	3	–	1	–	–	0	–	0	1	1	–	3	2	14	40
			F.	11	–	–	1	–	2	–	–	1	2	2	3	–	–	0	–	–	0	–	1	–	–	0	1	1	3	–
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE 50) ...	M.	1026	84	42	35	24	75	118	106	144	121	105	128	43	1	41	178	21	17	12	20	32	29	47	55	70	195	571
			F.	773	76	35	11	5	13	12	34	37	56	117	244	132	1	29	171	18	5	3	3	4	9	10	20	61	275	872
		All Causes	M.	32191	2058	396	163	124	539	724	1351	3135	5588	8475	7834	1803	1	1286	4372	200	79	61	147	196	371	1028	2531	5637	11936	23941
			F.	31805	1511	298	116	83	609	850	1218	2215	4303	8072	9180	3349	1	1191	3408	156	57	42	157	250	320	626	1540	4236	10361	22116
		Both Sexes		63996	3569	694	279	207	1148	1571	2569	5350	9891	16547	17014	5152	2	1237	3904	179	68	52	152	222	345	812	1978	4854	11031	22722

Note.—Numbers in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1950

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of Population					
Long List	Short List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Land-ward
001-008	B1	Tuberculosis of respiratory system ...	2,439	1,297	403	739	256	483	47	67	48	31	31	31
010-019	B2	Tuberculosis, other forms	336	155	72	109	36	73	6	8	8	5	4	5
020-029	B3	Syphilis and its sequelæ	170	86	27	57	20	37	3	4	3	2	2	2
040-041	B4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	B6	Dysentery, all forms	14	3	5	6	1	5	0	0	1	0	0	0
050-051	B7	Scarlet fever and streptococcal sore throat...	4	1	—	3	1	2	0	0	—	0	0	0
055	B8	Diphtheria	3	1	—	2	—	2	0	0	—	0	—	0
056	B9	Whooping-cough	61	16	10	35	7	28	1	1	1	1	1	2
057	B10	Meningococcal infections	35	16	6	13	4	9	1	1	1	1	0	1
080	B12	Acute poliomyelitis	64	25	9	30	10	20	1	1	1	1	1	1
085	B14	Measles	38	15	5	18	6	12	1	1	1	1	1	1
030-039, 042-044, 049, 052-054, 058-074, 081-084, 086-138	B17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	175	77	15	83	34	49	3	4	2	3	4	3
140-205	B18	Malignant neoplasms	10,029	4,222	1,558	4,249	1,649	2,600	194	217	184	178	200	167
210-239	B19	Benign and unspecified neoplasms ...	221	88	39	94	41	53	4	5	5	4	5	3
260	B20	Diabetes mellitus	565	187	89	289	99	190	11	10	11	12	12	12
290-293	B21	Anæmias	357	140	46	171	60	111	7	7	5	7	7	7
240-254, 270-289, 294-299	B46.1	Other general diseases	569	225	93	251	103	148	11	12	11	11	12	10
330-334	B22	Vascular lesions affecting central nervous system	8,732	3,238	1,384	4,110	1,621	2,489	169	167	163	173	196	160
340	B23	Nonmeningococcal meningitis	58	23	13	22	5	17	1	1	2	1	1	1
300-326, 341-398	B46.2	Other diseases of nervous system	1,120	421	164	535	192	343	22	22	19	22	23	22
400-402	B24	Rheumatic fever	57	35	5	17	9	8	1	2	1	1	1	1
410-416	B25	Chronic rheumatic heart disease	942	415	146	381	138	243	18	21	17	16	17	16
420-422	B26	Arteriosclerotic and degenerative heart disease	17,662	6,310	2,780	8,572	3,329	5,243	341	325	328	360	403	337
430-434	B27	Other diseases of heart	1,249	426	215	608	212	396	24	22	25	26	26	25
440-443	B28	Hypertension with heart disease	450	203	66	181	75	106	9	10	8	8	9	7
444-447	B29	Hypertension without heart disease ...	539	224	70	245	78	167	10	12	8	10	9	11
450-468	B46.3	Other circulatory disease	1,257	450	181	626	225	401	24	23	21	26	27	26
480-483	B30	Influenza	386	123	32	231	86	145	7	6	4	10	10	9
490-493	B31	Pneumonia	2,117	1,018	314	785	269	516	41	52	37	33	33	33
500-502	B32	Bronchitis	2,259	1,110	371	778	326	452	44	57	44	33	40	29
470-475, 510-527	B46.4	Other respiratory diseases	632	225	105	302	98	204	12	12	12	13	12	13

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 36.—Deaths and Death-Rates from Selected Causes in Scotland, 1950—*continued*

International Nos.		Causes of Death	Numbers						Death-rate per 100,000 of Population					
Long List	Short List		Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Land-ward	Scotland	Counties of Cities	Large Burghs	Counties *ex* Counties of Cities and Large Burghs†	Small Burghs	Land-ward
540, 541	B33	Ulcer of stomach and duodenum	629	268	103	258	104	154	12	14	12	11	13	10
550-553	B34	Appendicitis	154	68	19	67	27	40	3	3	2	3	3	3
560, 561, 570	B35	Intestinal obstruction and hernia	370	142	58	170	52	118	7	7	7	7	6	8
543	B36.1	Gastritis and duodenitis	36	16	5	15	4	11	1	1	1	1	0	1
571, 572	B36.2	Diarrhœa (except of newborn)	477	182	97	198	59	139	9	9	11	8	7	9
581	B37	Cirrhosis of liver	163	71	23	69	23	46	3	4	3	3	3	3
580, 582-586	B46.5	Other diseases of liver	271	100	32	139	55	84	5	5	4	6	7	5
530-539, 542, 544, 545, 573-578, 587	B46.6	Other digestive diseases	172	64	33	75	33	42	3	3	4	3	4	3
590-594	B38	Nephritis and nephrosis	699	226	128	345	122	223	14	12	15	14	15	14
610	B39	Hyperplasia of prostate	509	170	68	271	109	162	10	9	8	11	13	10
600-609, 611-637	B46.7	Other diseases of genito-urinary system ...	339	138	45	156	61	95	7	7	5	7	7	6
640, 641, 651, 681-682, 684	B40.0	Puerperal sepsis including post-abortive sepsis	23	6	6	11	3	8	0	0	1	0	0	1
642-650, 652-680, 683, 685-689	B40.1	Other puerperal causes	83	22	14	47	16	31	2	1	2	2	2	2
690-749	B46.8	Diseases of skin and organs of locomotion ...	240	95	41	104	42	62	5	5	5	4	5	4
750-759	B41	Congenital malformations	613	230	106	277	96	181	12	12	13	12	12	12
760-762	B42	Birth injuries, post-natal asphyxia and atelectasis	647	289	98	260	93	167	13	15	12	11	11	11
763	B43.1	Pneumonia of newborn	146	54	27	65	28	37	3	3	3	3	3	2
764	B43.2	Diarrhœa of newborn	35	18	5	12	1	11	1	1	1	1	0	1
765-768	B43.3	Other infections of the newborn	14	6	2	6	2	4	0	0	0	0	0	0
769-776	B44	Other diseases peculiar to early infancy ...	958	281	190	487	171	316	19	14	22	20	21	20
794	B45.0	Senility	1,283	278	220	785	303	482	25	14	26	33	37	31
780-793, 795	B45.1	Causes ill-defined and unknown	997	391	162	444	158	286	19	20	19	19	19	18
E963, E970-979	BE49	Suicide	269	137	41	91	39	52	5	7	5	4	5	3
E810-835	BE47	Motor vehicle accidents	489	183	65	241	62	179	9	9	8	10	8	11
E840-845	BE48.0	Other road transport accidents	41	25	2	14	4	10	1	1	0	1	0	1
E800-802, E850-962, E964-965, E980-999	BE48.1	Other violence (BE50)	1,799	691	271	837	322	515	35	36	32	35	39	33
		All Causes	63,996	24,926	10,084	28,986	10,979	18,007	1,237	1,282	1,190	1,217	1,330	1,156

† Including Small Burghs and Landward

TABLE 37.—Deaths from Selected Causes and in Age-groups in Scotland, 1940-1950

International Nos. Short List (Fifth Revision)		1950	1949	1948	1947	1946	1945	1944	1943	1942	1941	1940 1938 Revision**	1940 1929 Revision
	CAUSES OF DEATH												
1	Typhoid fever (including Paratyphoid)	–	2	2	6	8	8	6	19	20	23	27	27
14 (1)	Cerebro-spinal fever ...	35	32	47	88	102	87	94	127	180	332	482	482
3	Scarlet fever	1	5	7	8	5	15	18	22	24	26	35	35
4	Whooping-cough ...	61	96	63	223	103	120	179	305	92	720	197	197
5	Diphtheria	3	14	31	45	91	126	183	231	290	517	676	676
6	Tuberculosis of respiratory system	2,437	3,084	3,415	3,390	3,231	2,932	2,978	2,976	3,043	3,117	3,018	3,037
7	Other forms of tuberculosis	343	400	486	705	753	871	958	983	955	1,058	961	966
9	Syphilis†	170	172	166	204	218	229	214	283	306	262	297	329
10	Influenza	388	398	140	345	680	205	363	1,155	308	705	1,791	1,801
12	Measles	38	22	74	57	85	89	46	88	144	103	262	262
14 (2)	Other infect. or parasitic diseases (2, 8, 11, 13)*	323	334	274	398	338	394	374	409	461	413	409	417
15	Cancer, malignant tumours	9,723	9,587	9,361	9,069	8,873	9,045	8,742	8,659	8,557	8,436	8,208	8,260
16	Tumours, non-malignant or not defined	225	165	155	173	186	215	222	243	226	251	311	311
20 (1)	Acute rheumatism ...	56	58	110	74	87	97	88	103	103	121	123	127
18	Diabetes mellitus... ...	566	536	487	485	535	632	544	646	639	675	731	918
20 (2)	Other general dis. (17, 19)	902	854	842	991	910	984	1,016	958	1,043	1,166	1,045	906
21	Meningitis, diseases of spinal cord	169	197	177	232	256	257	347	329	332	368	363	366
22	Cerebral hæmorrhage, etc.‡	8,673	8,059	7,543	7,926	7,789	7,689	7,641	7,336	7,149	7,334	7,579	7,160
23	Other dis. of nervous syst.	825	810	853	954	954	899	966	1,059	1,044	1,138	1,164	1,080
24	Heart disease	20,236	19,374	17,566	18,537	17,370	16,049	15,803	15,390	15,069	16,200	16,326	16,503
25	Other circulatory diseases	1,759	1,698	1,553	1,623	1,456	1,555	1,553	1,419	1,479	1,328	1,538	1,462
26	Bronchitis...	2,371	2,262	1,911	2,491	2,590	2,412	2,265	2,650	2,439	3,092	4,244	4,317
27	Pneumonia	2,262	2,423	2,130	2,758	2,726	2,163	2,603	3,144	2,782	3,573	4,149	4,240
28	Other respiratory diseases	953	952	916	947	955	866	914	1,071	969	1,016	1,162	1,035
32 (1)	Gastric and duodenal ulcer	632	615	586	578	526	557	607	621	587	746	755	761
29	Diarrhœa (all ages) ...	451	538	770	1,292	834	1,046	1,294	888	1,053	1,154	955	946
30	Appendicitis	154	192	190	184	203	257	291	259	291	258	311	316
31 (1)	Cirrhosis of liver	163	157	167	165	140	120	125	143	124	145	163	173
31 (2)	Other diseases of liver ...	289	321	283	282	291	368	314	300	313	327	319	317
32 (2)	Other digestive diseases ...	641	698	789	806	777	803	847	923	806	906	893	900
33	Nephritis, acute or chronic	1,060	1,185	1,185	1,291	1,291	1,289	1,445	1,458	1,443	1,431	1,584	1,742
34	Other diseases of genito-urinary system ...	864	885	985	867	968	1,101	1,041	1,085	1,107	1,067	1,030	1,036
35	Puerperal sepsis§ ...	27	24	30	40	57	80	106	123	161	158	129	133
36	Other puerperal causes ...	79	102	131	198	179	169	187	240	221	281	255	246
37	Diseases of skin and organs of movement	141	165	151	161	173	196	292	300	337	343	323	323
38	Congenital debility, prem. birth, malformations, etc.	2,232	2,286	2,542	3,171	3,165	2,660	3,199	3,247	3,296	3,636	3,264	3,241
39	Old age	1,376	1,422	1,411	1,733	1,901	1,944	1,972	2,183	2,070	2,315	2,534	2,534
40	Suicide	269	298	343	291	315	323	352	377	377	405	400	400
42	Road transport accidents	534	517	538	564	592	571	762	864	991	1,150	1,025	1,025
43	Other violence (41) ...	1,798	1,757	1,729	1,781	1,779	2,050	2,479	2,950	3,037	5,072	2,795	2,826
44	Causes ill-defined or unknown	767	792	840	1,067	1,113	1,182	1,173	1,167	1,095	1,190	942	942
	ALL CAUSES ...	63,996	63,488	60,979	66,200	64,605	62,655	64,603	66,733	64,963	72,558	72,775	72,775
	AGES AT DEATH												
	Under 1	3,569	3,961	4,486	6,309	5,621	4,889	6,237	6,174	6,283	7,426	6,766	
	1– 4	694	751	805	995	1,052	1,092	1,191	1,360	1,429	2,186	2,182	
	5– 9	279	357	388	480	499	534	652	718	639	929	897	
	10–14	207	267	361	375	394	446	507	546	536	695	582	
	15–24	1,148	1,482	1,638	1,803	1,768	2,100	2,561	2,784	2,817	3,076	2,529	
	25–34	1,574	1,816	1,953	2,093	2,263	2,197	2,359	2,785	2,871	3,299	2,905	
	35–44	2,569	2,741	2,852	2,939	3,043	3,081	3,205	3,529	3,419	3,994	3,872	
	45–54	5,350	5,317	5,177	5,425	5,418	5,342	5,292	5,534	5,453	6,134	6,043	
	55–64	9,891	9,556	9,207	9,540	9,462	9,334	9,448	9,674	9,481	10,490	11,103	
	65–74	16,547	16,369	15,245	16,131	15,936	15,469	15,228	15,499	15,160	16,347	17,182	
	75–84	17,014	16,080	14,586	15,449	14,731	14,038	13,974	14,060	13,181	13,937	14,672	
	85 and over	5,152	4,771	4,281	4,661	4,414	4,121	3,923	4,050	3,666	3,962	3,991	
	Not stated	2	20	–	–	4	12	26	20	28	83	51	
	ALL AGES ...	63,996	63,488	60,979	66,200	64,605	62,655	64,603	66,733	64,963	72,558	72,775	

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis
† Includes all aneurysm 1939-1940
‡ Includes cerebral softening
§ Includes post abortive sepsis, puerperal thrombo-phlebitis and puerperal embolism
** Corrected figures

TABLE 38.—Death-rates from Selected Causes and in Age-Groups in Scotland, 1940-1950

International Nos. Short List (Fifth Revision)	CAUSES OF DEATH	1950	1949	1948	1947	1946	1945	1944	1943	1942	1941	1940	
												1938 Revision **	1929 Revision
		Death-rate per 100,000 of Population											
1	Typhoid fever including paratyphoid)	–	0	0	0	0	0	0	0	0	0	1	1
14 (1)	Cerebro-spinal fever ...	1	1	1	2	2	2	2	3	4	7	10	10
3	Scarlet fever	0	0	0	0	0	0	0	0	1	1	1	1
4	Whooping-cough ...	1	2	1	4	2	3	4	7	2	15	4	4
5	Diphtheria	0	0	1	1	2	3	4	5	6	11	14	14
6	Tuberculosis of respiratory system	47	60	66	66	64	60	62	62	62	63	62	62
7	Other forms of tuberculosis	7	8	9	14	15	18	20	21	20	21	19	20
9	Syphilis†	3	3	3	4	4	5	5	6	6	5	6	7
10	Influenza	7	8	3	7	14	4	8	25	6	15	37	37
12	Measles	1	0	1	1	2	2	1	2	3	2	5	5
14 (2)	Other infectious or parasitic diseases (2,8,11,13)*	6	6	5	8	7	8	8	8	10	8	8	8
15	Cancer, malignant tumours	188	185	181	176	180	192	186	185	179	174	169	170
16	Tumours, non-malignant or not defined ...	4	3	3	3	4	4	5	5	5	5	6	6
20 (1)	Acute rheumatism ...	1	1	2	1	2	2	2	2	2	2	2	3
18	Diabetes mellitus ...	11	10	9	9	11	14	12	14	13	14	15	19
20 (2)	Other general dis. (17, 19)	17	17	16	19	18	21	22	20	22	24	21	19
21	Meningitis, diseases of spinal cord	3	4	3	5	5	5	7	7	7	8	7	8
22	Cerebral hæmorrhage, etc.‡	168	156	146	154	159	164	164	157	150	152	156	148
23	Other dis. of nervous syst.	16	16	17	19	19	19	20	22	22	23	24	22
24	Heart disease	391	374	340	361	353	342	338	329	316	335	336	340
25	Other circulatory diseases	34	33	30	32	30	33	33	30	31	27	32	30
26	Bronchitis...	46	44	37	48	53	51	49	57	51	64	88	89
27	Pneumonia	44	47	41	54	56	46	56	67	58	74	85	87
28	Other respiratory diseases	18	18	18	18	19	18	19	23	20	21	24	21
32 (1)	Gastric and duodenal ulcer	12	12	11	11	11	11	13	13	12	15	15	15
29	Diarrhœa (all ages) ...	9	10	15	25	17	22	28	19	22	24	20	19
30	Appendicitis	3	4	4	4	4	5	6	5	6	5	6	6
31 (1)	Cirrhosis of liver	3	3	3	3	3	3	3	3	3	3	3	4
31 (2)	Other diseases of liver ...	6	6	5	5	6	8	7	6	6	7	7	7
32 (2)	Other digestive diseases ...	12	13	15	16	16	17	18	19	17	18	18	18
33	Nephritis, acute or chronic	20	23	23	25	26	27	31	31	30	29	33	36
34	Other diseases of genito-urinary system ...	17	17	19	17	20	23	22	23	23	22	21	21
35	Puerperal sepsis§... ...	1	0	1	1	1	2	2	3	3	3	3	3
36	Other puerperal causes ...	2	2	3	4	4	4	4	5	5	6	5	5
37	Diseases of skin and organs of movement	3	3	3	3	4	4	6	6	7	7	7	7
38	Congenital debility, prem. birth, malformations, etc.	43	44	49	62	65	57	69	70	69	75	67	67
39	Old age	27	27	27	34	39	42	42	47	44	48	52	52
40	Suicide	5	6	7	6	6	6	6	7	7	7	8	8
42	Road transport accidents	10	10	10	11	11	11	14	16	17	20	19	19
43	Other violence (41) ...	35	34	33	35	34	36	36	44	45	87	49	50
44	Causes ill-defined or unknown	15	15	16	21	23	25	25	25	23	24	19	19
	All Causes ...	1,237	1,227	1,180	1,288	1,307	1,320	1,357	1,398	1,334	1,474	1,486	1,486
	AGES AT DEATH	Death-rate per 1,000 of Age-Group Population											
	Under 1	39·0	41·8	44·7	56·7	65·0	56·4	70·9	70·1	75·5	88·4	81·9	
	1– 4	1·8	2·0	2·2	3·0	3·2	3·3	3·6	4·1	4·3	6·5	6·7	
	5– 9	0·7	0·9	1·0	1·2	1·2	1·3	1·6	1·7	1·6	2·3	2·2	
	10–14	0·5	0·7	0·9	0·9	1·0	1·1	1·2	1·3	1·3	1·7	1·4	
	15–24	1·5	1·9	2·0	2·2	2·4	2·7	3·0	3·3	3·1	3·4	3·0	
	25–34	2·2	2·6	2·8	2·9	3·0	3·5	3·4	3·7	3·5	4·0	3·7	
	35–44	3·4	3·7	3·8	3·9	4·0	4·3	4·5	5·0	4·8	5·6	5·5	
	45–54	8·1	8·2	8·1	8·6	8·8	8·7	8·8	9·3	9·3	10·6	10·6	
	55–64	19·8	19·3	18·7	19·6	19·6	19·1	19·5	20·1	19·8	22·0	23·5	
	65–74	48·5	48·1	44·6	47·0	46·9	45·2	45·1	46·8	46·6	51·3	55·5	
	75–84	110·3	106·3	98·5	108·6	107·4	104·9	106·8	112·2	113·0	126·2	135·6	
	85 and over	227·2	230·4	225·7	279·2	273·7	266·2	267·0	282·0	257·0	282·5	343·2	
	Not stated	–	–	–	–	–	–	–	–	–	–	–	
	All Ages ...	12·4	12·3	11·8	12·9	13·1	13·2	13·6	14·0	13·3	14·7	14·9	

*, †, ‡, §, **. See footnotes, Table 37

TABLE 39.—Deaths in Scotland from Principal Epidemic and certain other Diseases, 1855-1950. Quinquennial Averages

Year	Number of Deaths from													
	Typhoid Fever	Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis		Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
								All Forms	Respiratory					
1855-60	2,573		995	1,223	2,766	2,035	1,226	10,140	7,194	953	3,538	2,104	2,976	2,034
1861-65	3,633		992	1,377	2,423	2,193	2,549	11,171	7,914	1,207	5,768	2,071	2,604	2,216
1866-70	1,346	1,799	99	1,206	3,427	2,064	1,587	11,983	8,472	1,348	7,095	2,284	3,212	2,273
1871-75	1,406	779	1,268	1,311	591	2,015	2,090	12,262	8,535	1,569	8,680	3,072	3,202	2,756
1876-80	1,341	276	20	1,166	1,873	2,347	1,733	12,213	8,338	1,792	8,762	3,135	3,061	2,686
1881-85	1,029	162	17	1,359	1,340	2,273	1,680	11,099	7,998	2,058	7,916	4,075	2,766	2,725
1886-90	765	91	10	1,628	882	2,425	1,623	10,192	7,436	2,441	7,509	4,270	2,734	2,628
1891-95	761	57	51	2,110	811	2,151	1,513	9,935	7,169	2,831	7,600	5,229	3,215	2,842
1896-1900	716	39	14	1,857	756	2,206	921	10,149	7,151	3,351	6,238	5,656	3,825	3,128
1901-05	521	25	118	1,470	403	2,222	770	9,790	6,618	3,845	5,570	6,578	3,166	3,084
1906-10	322	14	2	1,647	399	1,841	839	9,464	6,079	4,663	5,017	6,717	2,697	2,941
1911-15	207	8	5	1,583	649	1,951	857	8,011	5,214	5,207	5,046	6,132	2,502	3,105
1916-20	109	10	31	1,264	287	1,330	734	7,073	4,781	5,574	4,999	8,545	1,820	3,014
1921	87	4	24	269	270	1,478	611	5,737	3,970	5,962	4,135	5,393	1,991	2,702
1922	65	7	–	2,695	247	1,408	536	5,818	4,061	6,133	5,730	8,265	1,244	2,444
1923	67	1	–	1,118	352	989	492	5,790	3,996	6,376	3,635	4,840	1,159	2,469
1924	34	–	–	1,592	410	1,625	442	5,653	3,887	6,498	4,843	7,691	1,147	2,599
1925	52	4	–	512	404	1,737	505	5,390	3,734	6,675	4,191	5,821	1,168	2,817
1921-25	*61*	*3*	*5*	*1,237*	*337*	*1,447*	*517*	*5,678*	*3,930*	*6,329*	*4,507*	*6,402*	*1,342*	*2,606*
1926	39	3	–	928	343	506	490	4,861	3,384	6,640	3,771	5,844	1,084	2,657
1927	41	2	–	660	200	850	485	4,868	3,466	6,919	4,231	6,642	976	2,957
1928	29	–	–	1,005	140	1,072	488	4,722	3,318	6,901	3,585	6,098	1,016	2,914
1929	18	–	–	149	109	901	471	4,580	3,288	7,108	5,344	8,778	959	2,994
1930	24	1	2	792	127	628	460	4,286	3,024	7,120	3,869	5,958	854	3,060
1926-30	*30*	*1*	*0*	*707*	*184*	*791*	*479*	*4,663*	*3,296*	*6,938*	*4,160*	*6,664*	*978*	*2,916*
1931	20	1	–	641	161	957	356	4,205	3,004	7,158	3,879	5,417	885	2,730
1932	24	–	–	892	250	459	368	4,123	2,991	7,458	3,645	6,163	1,129	2,811
1933	17	–	–	36	310	762	356	3,910	2,930	7,520	3,629	5,435	1,067	2,836
1934	16	1	–	1,014	345	383	583	3,702	2,794	7,561	2,804	4,749	847	2,823
1935	31	–	–	141	199	567	513	3,646	2,812	7,793	3,239	5,222	875	2,705
1931-35	*22*	*0*	–	*545*	*253*	*626*	*435*	*3,917*	*2,906*	*7,498*	*3,439*	*5,397*	*961*	*2,781*
1936	27	–	–	610	172	411	387	3,665	2,753	7,909	3,411	5,093	1,209	2,826
1937	11	–	–	119	123	717	426	3,663	2,791	7,810	3,650	6,131	1,038	3,020
1938	23	–	–	549	98	219	430	3,432	2,581	8,072	2,494	4,002	960	2,878
1939	19	–	–	15	47	397	395	3,526	2,717	8,045	2,775	3,275	1,005	3,412
1940	14	–	–	262	35	197	676	4,003	3,037	8,260	4,693	4,832	926	4,251
1936-40	*19*	–	–	*311*	*95*	*388*	*463*	*3,658*	*2,776*	*8,019*	*3,405*	*4,667*	*1,028*	*3,277*
1941	7	–	–	103	26	720	517	4,175	3,117	8,436	3,246	3,822	1,118	6,627
1942	20	–	25	144	24	92	290	3,998	3,043	8,557	2,489	2,889	1,058	4,405
1943	14	–	–	88	22	305	231	3,959	2,976	8,659	2,900	3,594	873	4,191
1944	4	–	–	46	18	179	183	3,936	2,978	8,742	2,311	2,745	1,278	3,593
1945	6	–	–	89	15	120	126	3,803	2,932	9,045	2,450	2,233	1,058	2,944
1941-45	*10*	–	*5*	*94*	*21*	*283*	*269*	*3,974*	*3,009*	*8,688*	*2,679*	*3,057*	*1,077*	*4,352*
1946	8	–	–	85	5	103	91	3,984	3,231	8,873	2,711	3,011	807	2,686
1947	5	–	–	57	8	223	45	4,095	3,390	9,069	2,563	2,874	1,281	2,636
1948	1	–	–	74	7	63	31	3,901	3,415	9,361	1,939	2,174	748	2,610
1949	–	–	–	22	5	96	14	3,484	3,084	9,587	2,344	2,570	528	2,572
1950	–	–	6	38	4	61	3	2,775	2,439	10,029	2,342	2,415	526	2,598
1946-50	*3*	–	*1*	*55*	*6*	*109*	*37*	*3,648*	*3,112*	*9,384*	*2,380*	*2,609*	*778*	*2,620*

* Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 and subsequent years those from Bronchitis include "Influenza with other respiratory complications" (481*a*. page 172)

† Including Dysentery

Deaths from Syphilis transferred to Text Table J (2)

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 40.—Death-rate per 100,000 of Population in Scotland from the Principal Epidemic and certain other Diseases, 1855-1950. Quinquennial Averages

Year	Typhoid Fever	Typhus Fever	Small-pox	Measles	Scarlet Fever	Whooping-cough	Diphtheria	Tuberculosis All Forms	Tuberculosis Respiratory	Cancer	Bronchitis *	Pneumonia *	All Diarrhœal Diseases †	Violence
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0	–	55	5	29	11	119	83	125	117	169	25	50
1923	1	0	–	23	7	20	10	118	82	130	74	99	24	51
1924	1	–		33	8	33	9	116	80	134	100	158	24	53
1925	1	0	–	11	8	36	10	111	77	137	86	120	24	58
1921-25	*1*	*0*	*0*	*26*	*7*	*30*	*11*	*117*	*81*	*130*	*92*	*131*	*28*	*53*
1926	1	0	–	19	7	10	10	100	70	137	78	120	22	55
1927	1	0	–	14	4	18	10	100	71	143	87	137	20	61
1928	1	–	–	21	3	22	10	97	68	142	74	126	21	60
1929	0	–	–	3	2	19	10	95	68	147	111	182	20	62
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63
1926-30	*1*	*0*	–	*15*	*4*	*16*	*10*	*96*	*68*	*143*	*86*	*137*	*20*	*60*
1931	0	0	–	13	3	20	7	87	62	148	80	112	18	56
1932	0	–	–	18	5	9	8	84	61	153	75	126	23	58
1933	0	–	–	1	6	16	7	80	60	153	74	111	22	58
1934	0	0	–	21	7	8	12	75	57	153	57	96	17	57
1935	1	–	–	3	4	11	10	74	57	157	65	105	18	55
1931-35	*0*	*0*	–	*11*	*5*	*13*	*9*	*80*	*59*	*153*	*70*	*110*	*20*	*57*
1936	1	–	–	12	3	8	8	74	55	159	69	103	24	57
1937	0	–	–	2	2	14	9	74	56	157	73	123	21	61
1938	0	–	–	11	2	4	9	69	52	162	50	80	19	58
1939	0	–	–	0	1	8	8	70	54	161	55	65	20	68
‡1940	0	–	–	5	1	4	14	82	62	170	97	99	19	77
1936-40	*0*	–	–	*6*	*2*	*8*	*10*	*74*	*56*	*162*	*69*	*94*	*21*	*64*
‡1941	0	–	–	2	1	15	11	85	63	174	67	79	23	115
‡1942	0	–	1	3	1	2	6	82	62	179	52	60	22	69
‡1943	0	–	–	2	0	7	5	83	62	185	62	76	19	67
‡1944	0	–	–	1	0	4	4	82	62	186	50	59	27	57
‡1945	0	–	–	2	0	3	3	79	60	192	52	47	23	53
1941-45	*0*	–	*0*	*2*	*0*	*6*	*6*	*82*	*62*	*183*	*57*	*64*	*23*	*72*
‡1946	0	–	–	2	0	2	2	79	64	180	55	61	16	51
1947	0	–	–	1	0	4	1	80	66	176	50	56	25	51
1948	0	–	–	1	0	1	1	75	66	181	38	42	14	50
1949	0	–	–	0	0	2	0	67	60	185	45	50	10	50
1950	–	–	0	1	0	1	0	54	47	194	45	47	10	50
1946-50	*0*	–	*0*	*1*	*0*	*2*	*1*	*71*	*61*	*183*	*47*	*51*	*15*	*50*

*, †. See footnotes, Table 39. ‡ Civilians only

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years

TABLE 41.—Deaths from Poison in Scotland in 1950

Accidental Poisoning

International No. Detailed List		M.	F.	Total
871	Barbituric acid and derivatives—			
	Phenobarbitone	5	2	7
	Soneryl	1	1	2
	Barbiturate (unspecified) ...	5	6	11
872	Aspirin and salicylates—			
	Aspirin	3	1	4
	Salicylate	2	–	2
873	Bromides—			
	Potassium bromide and chloral	1	–	1
874	Analgesic and soporific drugs—			
	Chloral	–	1	1
	Narcotic	–	1	1
	Paraldehyde	1	–	1
	Physeptone	–	1	1
876	Strychnine	2	–	2
878	Other and unspecified drugs—			
	Nicotine	1	–	1
	Benadryl	1	–	1
880	Alcohol—			
	Methanol	1	–	1
	Methyl alcohol	1	–	1
	Methylated spirit	–	1	1
	Carried forward ...	24	14	38

International No. Detailed List		M.	F.	Total
	Brought forward	24	14	38
882	Industrial solvents—			
	Carbon tetrachloride ...	1	–	1
883	Corrosive aromatics, acids and caustic alkalis—			
	Ammonia	1	–	1
	Lysol	1	–	1
	Phenol	–	1	1
888	Other and unspecified solid and liquid substances—			
	Unspecified	1	3	4
890	Utility (illuminating gas) ...	79	102	181
892	Other Carbon monoxide gas—			
	Carbon monoxide	3	–	3
	Gas fumes	1	1	2
894	Other specified gases and vapours—			
	Carbon dioxide	2	–	2
	Total ...	113	121	234

Suicidal and Self-inflicted Poisoning

		M.	F.	Total
970	Analgesic and soporific substances—			
	Barbiturate...	3	3	6
	Narcotic	1	–	1
	Salicylic acid	1	–	1
	Salicylates	2	2	4
	Methyl salicylate	1	–	1
	Sodium amytal	1	2	3
	Carbromalum	–	1	1
	Phenobarbitone	2	3	5
	Others	–	3	3
	Carried forward ...	11	14	25

		M.	F.	Total
	Brought forward	11	14	25
971	Solid and liquid substances—			
	Carbolic acid	1	–	1
	Hydrocyanic acid	1	–	1
	Arsenic	–	1	1
	Lysol	2	1	3
	Nicotine	1	–	1
	Unspecified	1	2	3
972	Gases in domestic use ...	62	47	109
973	Other gases—			
	Carbon monoxide	4	–	4
	Total ...	83	65	148

Deaths under Anæsthetics (Secondary Cause)

Name of Anæsthetic	M.	F.	Total
Chloroform	3	1	4
Chloroform and ether	1	–	1
Chloroform, ether and curare ...	1	–	1
Ether	1	–	1
Ether and ethyl chloride	1	1	2
Ether and nitrous oxide	2	3	5
Ether, nitrous oxide and thiopentone (pentothal)	1	5	6
Ether, thiopentone (pentothal) and decamethonium iodide (eulissin) ...	1	–	1
Ether and cyclopropane	–	2	2
Ether and spinal procaine (novocaine)		1	1
Ethyl chloride	1	–	1
Nitrous oxide	–	1	1
Nitrous oxide and trichlorethylene (trilene)	2	2	4
Nitrous oxide and cyclopropane ...	1	–	1
Nitrous oxide and thiopentone (pentothal)	1	1	2
Nitrous oxide, thiopentone (pentothal) and cyclopropane	1	1	2
Nitrous oxide, thiopentone (pentothal) and curare	2	1	3
Nitrous oxide, thiopentone (pentothal) and gallamine triethiodide (flaxedil)	1	1	2
Nitrous oxide, thiopentone and curare	1	–	1
Cyclopropane	4	3	7
Cyclopropane and spinal procaine (planocaine)	1	–	1
Carried forward ...	26	23	49

Name of Anæsthetic	M.	F.	Total
Brought forward	26	23	49
Cyclopropane and thiopentone (pentothal)	1	–	1
Thiopentone (pentothal) (including sodium pentothal)	5	4	9
Thiopentone (pentothal) and curare	1	1	2
Thiopentone (pentothal) and cyclopropane	1	2	3
Thiopentone (pentothal), cyclopropane and curare	2	5	7
Thiopentone (pentothal), cyclopropane and nupercaine	–	1	1
Thiopentone (pentothal) and decamethonium iodide (eulissin)	–	1	1
Thiopentone (pentothal) and decamethonium iodide	–	1	1
Thiopentone (pentothal), nitrous oxide and ether	1	–	1
Thiopentone (pentothal) and nupercaine	1	–	1
Thiopentone (pentothal)	1	1	2
Thiopentone (pentothal) and gallamine triethiodide (flaxedil) ...	1	–	1
Procaine (including novocaine and planocaine)	3	1	4
Procaine, novocaine and adrenalin ...	–	1	1
Nupercaine and procaine (planocaine)	–	1	1
Anethaine	1	–	1
Atropine	1	–	1
Novutox	–	1	1
Anæsthetic not stated	7	7	14
Total	52	50	102

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	ALL CAUSES—Both Sexes		**63996**	**3569**	**281**	**166**	**159**	**97**	**279**	**207**	**463**	**685**	**845**	**729**	**1055**	**1514**	**2251**	**3399**	**4231**	**5660**	**7271**	**9276**	**9638**	**7376**	**5152**	**2**
	Total Males		**32191**	**2058**	**162**	**91**	**83**	**55**	**163**	**124**	**235**	**304**	**384**	**340**	**529**	**822**	**1315**	**1820**	**2457**	**3131**	**3804**	**4671**	**4621**	**3213**	**1803**	**1**
	Total Females		**31805**	**1511**	**119**	**75**	**62**	**42**	**116**	**83**	**228**	**381**	**461**	**389**	**526**	**692**	**936**	**1279**	**1774**	**2529**	**3467**	**4605**	**5017**	**4163**	**3349**	**1**
	I. INFECTIVE AND PARASITIC DISEASES	Total M.	**1820**	**76**	**66**	**23**	**21**	**8**	**27**	**21**	**61**	**113**	**138**	**105**	**119**	**147**	**175**	**162**	**168**	**141**	**134**	**66**	**37**	**12**	–	–
		Total F.	**1519**	**55**	**43**	**26**	**19**	**9**	**26**	**23**	**136**	**252**	**251**	**141**	**115**	**103**	**63**	**49**	**41**	**57**	**36**	**41**	**17**	**9**	**7**	–
	TUBERCULOSIS (001-019)	Total M.	*1469*	*18*	*30*	*14*	*17*	*5*	*16*	*13*	*58*	*107*	*130*	*100*	*111*	*136*	*159*	*141*	*134*	*109*	*99*	*41*	*24*	*7*	–	–
		Total F.	*1306*	*13*	*24*	*19*	*11*	*5*	*20*	*22*	*128*	*247*	*244*	*137*	*109*	*94*	*54*	*40*	*29*	*45*	*22*	*30*	*7*	*2*	*4*	–
	Respiratory Tuberculosis (001-008)	Total M.	1306	13	13	3	3	1	4	3	39	99	122	95	101	131	151	135	131	104	94	36	22	6	–	–
		Total F.	1133	7	8	4	3	1	8	12	107	239	233	129	100	83	48	32	25	39	20	25	7	2	1	–
001	Respiratory with occupational disease of lung	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	4	4	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
002	Pulmonary	M.	1283	11	13	3	3	1	4	3	38	98	122	95	100	130	147	135	130	100	90	34	20	6	–	–
		F.	1125	7	8	4	3	1	8	12	106	238	233	128	100	83	47	32	25	39	19	22	7	2	1	–
003	Pleural	M.	5	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–
		F.	6	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	3	–	–	–	–
004	Primary complex with symptoms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
005	Tracheobronchial glandular with symptoms	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
007	Other respiratory	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
008	Unspecified site	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Tuberculosis—other forms (010-019)	Total M.	163	5	17	11	14	4	12	10	19	8	8	5	10	5	8	6	3	5	5	5	2	1	–	–
		Total F.	173	6	16	15	8	4	12	10	21	8	11	8	9	11	6	8	4	6	2	5	–	–	3	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
010	Meninges and central nervous system	M.	89	5	16	10	12	4	11	8	10	2	1	2	2	1	3	2	–	–	–	–	–	–	–	–
		F.	102	5	14	12	8	4	12	10	19	4	5	1	4	1	–	1	2	–	–	–	–	–	–	–
011	Intestines, peritoneum and mesenteric glands	M.	12	–	1	–	–	–	–	1	1	–	–	–	2	–	–	1	1	1	1	3	–	–	–	–
		F.	16	–	–	1	–	–	–	–	–	3	1	1	2	3	2	2	1	–	–	–	–	–	–	–
	Bones and Joints, active or unspecified—																									
012.0	Vertebral column	M.	12	–	–	–	–	–	1	–	1	1	4	–	2	1	1	–	–	–	1	–	–	–	–	–
		F.	15	–	1	–	–	–	–	–	1	–	–	2	1	2	–	1	–	3	1	2	–	–	1	–
012.3	Other bones and joints (012. 1 & 2) ...	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–
	Late effects of Bones and Joints—																									
013.0	Vertebral column	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
013.3	Other bones and joints (013. 1 & 2) ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
014	Skin and subcutaneous cellular tissue	M.	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	1	–
015	Lymphatic system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
016	Genito-urinary system	M.	21	–	–	–	–	–	–	–	3	3	2	–	3	2	1	3	1	1	–	2	–	–	–	–
		F.	19	–	–	–	–	–	–	–	1	1	2	3	2	3	3	3	–	1	–	–	–	–	–	–
017	Adrenal glands	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
018	Other organs	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
019	Disseminated tuberculosis	M.	15	–	–	1	2	–	–	1	2	2	1	1	1	1	2	–	–	1	–	–	–	–	–	–
		F.	10	1	1	2	–	–	–	–	–	–	3	1	–	–	–	1	–	1	–	–	–	–	–	–
	Syphilis and its sequelæ (020-029)—																									
020	Congenital syphilis	M.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
021	Early syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
022	Aneurysm of aorta	M.	57	–	–	–	–	–	–	–	–	–	1	–	–	–	3	6	11	9	14	9	3	1	–	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	4	2	4	3	2	1	3	–
023	Other cardiovascular syphilis ...	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	2	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–

NOTE.—Sub-headings indicated by numbers (1, 2, 3, etc.) correspond with those in the International List. Those indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: −1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Syphilis and its sequelæ (020-029)—*continued*																									
024	Tabes dorsalis	M.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	6	5	–	1	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
025	General paralysis of insane	M.	24	–	–	–	–	–	–	–	–	–	–	–	1	2	3	1	8	4	5	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	1	–	1	1	1	–	–
026	Other syphilis of central nervous system	M.	5	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
027	Other forms of late syphilis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
028	Latent syphilis...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
029	Syphilis unqualified	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Gonococcal infection and other venereal diseases (030-039)—																									
030	Acute or unspecified gonorrhœa ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
031	Chronic gonococcal infection of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
032	Gonococcal infection of joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
033	Gonococcal infection of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
034	Gonococcal infection of other sites ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
035	Late effects of gonococcal infection ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
036	Chancroid	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
037	Lymphogranuloma venereum ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
038	Granuloma inguinale venereal ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
039	Other and unspecified venereal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Infectious Diseases commonly arising in intestinal tract (040-049)—																									
040	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041	Paratyphoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
042	Other salmonella infections	M.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	Cholera	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	Brucellosis (undulant fever)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045	Bacillary dysentery	M.	4	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
046	Amœbiasis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
047	Other protozoal dysentery	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
048	Unspecified forms of dysentery ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F.	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
049	Food poisoning (infection and intoxication)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other Bacterial Diseases (050-064)—																									
050	Scarlet fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	Streptococcal sore throat	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
052	Erysipelas	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–

Table 42. Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other Bacterial Diseases (050-064)—*continued*																									
053	Septicæmia and pyæmia	M.	24	4	1	1	1	–	1	1	2	–	–	–	1	1	2	1	2	2	1	2	–	1	–	–
		F.	20	4	–	–	–	–	–	–	1	–	1	–	1	2	–	3	3	2	1	2	–	–	–	–
054	Bacterial toxæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	Diphtheria	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	Whooping-cough	M.	35	23	9	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	26	16	5	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	Meningococcal infections	M.	20	6	8	2	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
		F.	15	4	3	2	2	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
058	Plague	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
059	Tularæmia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
060	Leprosy...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	Tetanus...	M.	7	–	–	–	–	2	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
062	Anthrax	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
063	Gas gangrene	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
064	Other bacterial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Spirochætal diseases, except syphilis (070-074)—																									
070	Vincent's infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
071	Relapsing fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
072	Leptospirosis icterohæmorrhagica (Weil's disease)	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
073	Yaws	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
074	Other spirochætal and leptospirochætal infections	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases attributable to viruses (080-096)																									
080	Acute poliomyelitis	M.	40	3	7	2	1	–	4	5	1	5	4	3	2	1	1	–	1	–	–	–	–	–	–	–
		F.	24	–	4	1	3	–	1	–	4	1	3	1	2	1	1	2	–	–	–	–	–	–	–	–
081	Late effects of acute poliomyelitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
082	Acute infectious encephalitis ...	M.	5	1	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	9	2	1	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	1	–	–	–	–	–
083	Late effects of acute infectious encephalitis	M.	27	–	–	–	–	–	1	–	–	–	–	–	2	3	2	5	3	5	2	3	1	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	2	3	2	1	2	–	3	1	2	–	–	–
084	Smallpox	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	1	–	–	–	–	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
085	Measles	M.	19	10	7	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	19	8	5	2	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
086	Rubella (German measles)	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
087	Chickenpox	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
088	Herpes Zoster	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–
		F.	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–
089	Mumps	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
090	Dengue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
091	Yellow fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Diseases attributable to Viruses (080-096)—*continued*																									
092	Infectious hepatitis	M.	10	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	2	–	1	1	2	1	–	–
		F.	6	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	3	–	–	–	1	–	–
093	Glandular fever (infectious mononucleosis)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
094	Rabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
095	Trachoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
096	Other diseases attributable to viruses	M.	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Typhus and other rickettsial diseases (100-108)—																									
100	Louse-borne epidemic typhus ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
101	Flea-borne endemic typhus (murine)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
102	Brill's disease, not specified as louse- or flea-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
104	Tick-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
105	Mite-borne typhus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(a)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
106	Wolhynian fever (trench fever) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Typhus, unspecified	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
108	Other rickettsial diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Malaria (110-117)—																									
110	Vivax malaria (benign tertian) ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
111	Malariæ malaria (quartan)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
112	Falciparum malaria (malignant tertian)	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
113	Ovale malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
114	Mixed malarial infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
115	Blackwater fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
116	Other and unspecified forms of malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–		–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117	Recurrent induced malaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other infective and parasitic diseases (120-138)—																									
120	Leishmaniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
121	Trypanosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122	Other protozoal diseases	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
123	Schisotosomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124	Other trematode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	Hydatid disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	I. INFECTIVE AND PARASITIC DISEASES—*continued*																									
	Other infective and parasitic diseases (120-138)—*continued*																									
126	Other cestode infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
127	Filariasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
128	Trichiniasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	Ankylostomiasis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
130	Infestation with worms of other, mixed and unspecified type ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
131	Dermatophytosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
132	Actinomycosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
133	Coccidioidomycosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
134	Other fungus infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135	Scabies	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
136	Pediculosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Other arthropod infestation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Other infective and parasitic diseases	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	II. NEOPLASMS TOTAL	M.	**5122**	**5**	**4**	**5**	**10**	**4**	**15**	**16**	**27**	**22**	**38**	**43**	**90**	**156**	**266**	**436**	**565**	**680**	**816**	**824**	**656**	**340**	**104**	–
		F.	**5128**	**2**	**5**	**6**	**3**	**6**	**12**	**6**	**9**	**14**	**34**	**48**	**131**	**215**	**306**	**430**	**524**	**627**	**720**	**770**	**676**	**372**	**212**	–
	MALIGNANT NEOPLASMS (140-205) TOTAL	M.	*5037*	*1*	*4*	*4*	*8*	*3*	*12*	*14*	*25*	*21*	*37*	*39*	*88*	*149*	*262*	*429*	*558*	*672*	*806*	*819*	*648*	*335*	*103*	–
		F.	*4992*	*1*	*5*	*6*	*3*	*6*	*9*	*5*	*7*	*12*	*32*	*43*	*125*	*206*	*288*	*417*	*508*	*615*	*708*	*760*	*667*	*360*	*209*	–
	Malignant neoplasm of buccal cavity and pharynx (140-148)—																									
140	Lip	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	5	2	3	4	3	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–
141	Tongue	M.	69	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	6	3	17	14	17	5	5	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	2	5	7	2	5	–	–
142	Salivary gland	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	5	3	2	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–
143	Floor of mouth	M.	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	5	4	7	2	4	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	2	2	2	–
144.*a*	Palate upper alveoli	M.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	5	4	5	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	–	–	–
144.*b*	Cheek internal	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	4	1	2	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
145	Oral mesopharynx	M.	23	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	5	5	4	1	2	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	1	1	–	–
146	Nasopharynx	M.	7	–	–	–	–	–	1	–	–	1	–	–	1	–	1	2	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–
147	Hypopharynx	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
148.*a*	Pharynx	M.	23	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	2	3	4	4	7	–	–
		F.	12	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	2	3	–	3	–	–	–
148.*b*	Throat	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
	Malignant neoplasm of digestive organs and peritoneum (150-159)—																									
150	Œsophagus	M.	193	–	–	–	–	–	–	–	–	–	1	1	3	7	3	12	17	27	34	44	26	15	3	–
		F.	144	–	–	–	–	–	–	–	–	–	–	–	–	2	8	8	9	21	20	28	31	15	2	–
151	Stomach	M.	951	–	–	–	–	–	1	–	–	–	1	6	8	32	52	63	110	127	156	183	142	52	18	–
		F.	878	–	–	–	–	–	–	–	–	1	4	6	14	22	19	48	68	108	132	179	146	91	40	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of digestive organs and peritoneum (150-159)—*continued*																									
152.*a*	Duodenum	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
152.*b*	Small intestine	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	2	–	1	–	–	–
153.*a*	Large intestine	M.	535	–	–	–	–	–	–	–	–	2	2	3	9	7	15	27	36	61	87	110	107	52	17	–
		F.	666	–	–	–	–	–	–	–	–	1	–	1	9	9	26	36	47	81	100	118	119	68	51	–
153.*b*	Undefined intestine	M.	91	–	–	–	–	–	–	–	–	1	–	–	–	3	1	6	3	9	23	20	10	13	2	–
		F.	136	–	–	–	–	–	–	–	–	–	1	2	2	2	6	5	8	10	17	23	35	16	9	–
154	Rectum	M.	351	–	–	–	–	–	–	–	–	1	2	1	3	6	8	19	34	50	61	76	48	33	9	–
		F.	235	–	–	–	–	–	–	–	–	–	–	3	3	5	8	21	26	29	37	40	34	20	9	–
	Biliary passages and liver stated to be primary—																									
155.*a*	Liver	M.	51	–	–	–	–	1	–	–	–	–	–	–	1	1	3	6	7	6	5	13	4	3	1	–
		F.	66	–	–	–	–	–	–	–	–	–	–	–	1	3	3		3	14	7	14	10	4	7	–
155.*b*	Gall bladder	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	7	6	–	3	–	–
		F.	46	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	8	11	8	6	5	2	–
155.*c*	Bile ducts	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	4	1	2	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	3	2	5	5	1	1	–	–
156	Liver, secondary and unspecified	M.	45	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	5	4	10	10	5	4	1	–
		F.	45	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	5	7	5	12	2	4	–
157	Pancreas	M.	178	–	–	–	–	–	–	–	–	–	1	–	–	2	6	10	24	32	30	26	26	15	6	–
		F.	155	–	–	–	–	–	–	–	–	–	–	–	4	3	7	5	10	22	31	33	27	8	5	–
158	Peritoneum	M.	24	–	–	–	–	–	1	–	1	–	1	2	2	–	3	–	3	2	2	3	1	3	–	–
		F.	38	–	–	–	–	–	–	–	–	1	1	–	–	–	4	4	8	10	4	2	1	3	–	–
159	Unspecified digestive organs	M.	9	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	2	2	1	1	–	–
		F.	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	3	4	4	2	1	1	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Malignant neoplasm of respiratory system (160-165)—																									
160	Nose, nasal cavities, middle ear, and accessory sinuses	M.	14	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	3	1	–	2	1	1	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	2	–	3	1	–
161	Larynx	M.	80	–	–	–	–	–	–	–	–	–	–	1	–	–	1	9	7	8	18	16	16	4	–	–
		F.	26	–	–	–	–	–	–	–	–	–	–	–	1	1	–	3	2	7	5	1	4	2	–	–
	Trachea, bronchus, lung specified as primary—																									
162.*a*	Trachea...	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
162.*b*	Bronchus	M.	570	–	–	–	–	–	–	–	–	–	4	4	9	30	62	102	105	117	74	37	20	4	2	–
		F.	128	–	–	–	–	–	–	–	1	–	–	3	2	7	10	23	10	17	20	16	10	7	2	–
162.*c*	Lung	M.	362	–	–	–	–	–	–	–	–	–	–	1	8	18	30	54	70	59	59	33	22	7	1	–
		F.	120	–	–	–	–	–	–	–	–	1	1	–	6	5	8	10	12	23	18	17	13	4	2	–
162.*d*	Pleura	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	Lung and bronchus, unspecified as primary or secondary—																									
163.*a*	Trachea...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
163.*b*	Bronchus	M.	121	–	–	–	–	–	–	–	1	–	–	1	4	5	9	19	24	27	16	7	6	1	1	–
		F.	25	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	4	3	5	2	4	1	–	–
163.*c*	Lung	M.	46	–	–	–	–	–	–	–	–	–	–	1	2	1	2	5	11	9	10	4	1	–	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	4	2	3	4	1	–	–
163.*d*	Pleura	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
164	Mediastinum	M.	20	–	–	–	–	–	–	2	–	–	–	1	1	–	–	3	1	8	–	1	3	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	3	2	5	1	–	–
165	Thoracic organs secondary	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Malignant neoplasm of breast and genito-urinary organs (170-181)—																									
170	Breast	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	1	–	1	–
		F.	821	–	–	–	–	–	–	–	–	–	4	8	26	61	78	101	104	80	107	105	81	37	29	–
171	Cervix uteri	F.	208	–	–	1	–	–	–	–	–	–	3	1	16	14	25	22	43	30	14	20	11	5	3	–
172	Corpus uteri	F.	18	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	6	1	3	2	–	1	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	II. NEOPLASMS—*continued*																									
	Malignant neoplasm of breast and genito-urinary organs (170-181)—*continued*																									
173	Uterus, other parts including chorion-epithelioma	F.	14	–	–	–	–	–	–	–	–	–	1	–	1	1	1	4	–	2	–	1	1	2	–	–
174	Uterus, unspecified	F.	225	–	–	–	–	–	–	–	1	–	2	1	4	9	13	26	36	31	40	35	19	3	5	–
175	Ovary, Fallopian tube, broad ligament	F.	226	–	–	–	–	–	–	1	2	3	4	5	11	22	29	25	28	36	25	15	14	5	1	–
176	Other and unspecified female genital organs	F.	49	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	5	5	9	6	4	7	4	–
177	Prostate	M.	317	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	11	24	61	79	79	50	8	–
178	Testis	M.	33	–	–	–	–	–	–	–	–	3	8	7	5	2	2	–	–	1	–	4	–	1	–	–
179.*a*	Penis	M.	22	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	2	4	4	3	3	–
179.*b*	Scrotum	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	2	–	–
179.*c*	Other male genital organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
180	Kidney	M.	74	–	–	1	1	–	–	–	–	–	2	1	1	2	3	8	11	13	11	11	6	3	–	–
		F.	52	1	–	–	1	1	–	–	–	–	1	–	2	2	–	5	2	5	9	10	10	2	1	–
181.*a*	Bladder	M.	126	–	–	–	–	–	–	–	–	–	–	–	–	1	3	9	9	16	23	21	26	13	5	–
		F.	62	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	9	3	9	11	10	8	5	–
181.*b*	Other urinary organs	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	1	–
	Malignant neoplasm of other and unspecified sites (190-199)—																									
190	Melanoma of skin	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–	1	1	–	2	–
191.*a*	Skin of face	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	3	4	3	–
		F.	22	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	4	8	6	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
191.b	Anus	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–
191.c	Skin, other parts	M.	20	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	3	1	2	6	4	2	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	1	1	2	2	2	2	1	1	3	2	2	–
192	Eye	M.	8	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	1	1	–	–	–
		F.	3	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–
193.a	Brain	M.	79	–	1	–	–	–	1	2	–	–	2	1	5	10	16	12	16	7	5	1	–	–	–	–
		F.	52	–	1	–	–	1	1	1	1	1	3	–	4	8	5	5	10	4	3	3	1	–	–	–
193.b	Spinal cord	M.	5	–	–		–	–	–		1	1	–	–	–	–	–	–	–	1	2		–	–	–	–
		F.	4			1	–	–	–		–	–	–		–		1		1	–		1				–
193.c	Other parts of nervous system ...	M.	7	–	–	1	–		–	–		–	–		–	2	3	–		–	1		–	–	–	–
		F.	–	–	–	–	–		–	–	–		–		–	–		–	–	–	–	–	–	–	–	–
194	Thyroid gland	M.	15		–	–			–		–	–	–	–		–	1	2	2	2	2	2	3	1		–
		F.	35	–	–		–	–	1			–	1	–		–	1	3	1	6	8	9	3	1	1	
195	Other endocrine glands	M.	8		–	–	–	–	–	–	–	2	–	–	–	–	1	1	1		1	1	–		1	–
		F.	6	–	–	–	–	–	–	–	–	1	–	1			2	–	1	1		–	–	–	–	–
196.a	Jaw	M.	10		–	–	–	–	–	–	–	–	–	–	–	–	1	1	–		2		4	1	1	–
		F.	3			–	–	–	–	–	–	–		–	–	–	–	1	1	–	–		1	–		–
196.b	Spine	M.	8	–			–	–	–		–	–	1			–	1	–	1	1	1	2	1	–	–	–
		F.	7					–	–	–	–	–	–	1	–	–	–	1	1	1	1	1	1			–
196.c	Other bones	M.	50			–	–	–	–		6	–	4	2	3	3	3	7	4	6	3	3	3	3		–
		F.	34			1	–		–	1	–	–	1	2	1	3	1	4	1	3	5	4	5	2		–
197	Connective tissue	M.	10			–	–			–	1	–	–	–			1	4		1	1	–	1	–	1	–
		F.	13			–					–	–	–		1			1	1	2	1	1	2	2	2	–
198	Lymph nodes, secondary and unspecified	M.	12	–	–	–	1			–	–	–	–		–	–		2	1	1	–	1	1	5		–
		F.	10	–	–	–				–	–	–	–	–	2	–	–	2	2	–	2	2		–		–
199.a	Other sites	M.	33	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	–	2	6	9	6	3	2	–
		F.	35	–	–	–	–		–	–	–		–	–		1	3	3	2	2	9	1	5	4	5	–
199.b	Unspecified	M.	6	–	–	–	–	–		–		–	–				–	2	2	1	1	–		–	–	–
		F.	3	–	–			–	–			–	–			1	1		–	–				1		
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—																									
200	Lymphosarcoma and reticulosarcoma	M.	44		–	1	2	–	1	2	3	1	1	2	4	1	2	4	4	3	4	7	2	–	–	–
		F.	23	–		–	–	–	2	–	–	–	1		1	–	1	4	6	1	4	–	1	2	–	–
201	Hodgkin's disease	M.	55	–	–	–	–	–	–	2	1	6	5	2	6	4	4	8	7	4	3	–	2	1	–	–
		F.	32	–	–	–	–	–	1	–	–	1	–	3	2	2	2	1	7	8	2	1	2	–	–	–
202	Other forms of lymphoma (reticulosis)	M.	9	–	–	–	–	–	–	–	–	–	–	1	2	–	–	2	1	–	2	1		–		–
		F.	9	–	–	–		–	1	–	–	–	–	–	–	–	2	–	3	–	1	2	–			–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasms of lymphatic and hæmatopoietic tissues (200-205)—*continued*																									
203	Multiple myeloma (plasmocytoma) ...	M.	18	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	4	4	4	1	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	3	1	2	4	–	–	–
204.0	Lymphatic leukæmia	M.	41	–	2	1	–	1	4	1	3	–	–	–	–	1	4	2	2	3	5	9	3	–	–	–
		F.	31	–	–	2	1	2	1	–	2	1	–	1	–	–	2	2	–	5	5	3	2	2	–	–
204.1	Myeloid leukæmia	M.	30	–	1	–	–	–	–	2	3	–	2	–	2	1	2	3	5	–	5	2	2	–	–	–
		F.	23	–	–	–	–	–	–	–	–	–	2	–	2	1	5	5	2	2	1	1	2	–	–	–
204.4	Other and unspecified (204.2 & 3) ...	M.	42	1	–	–	1	1	3	3	5	1	–	1	3	2	2	3	3	1	5	4	3	–	–	–
		F.	33	–	4	1	1	2	2	2	–	1	1	2	2	2	1	2	3	1	3	–	1	1	1	–
205	Mycosis fungoides	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Benign neoplasm (210-229)—																									
210	Buccal cavity and pharynx	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
211	Other parts of digestive system ...	M.	4	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–
212	Respiratory system	M.	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
213	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Uterine fibromyoma	F.	24	–	–	–	–	–	–	–	–	–	–	–	–	4	8	3	1	1	2	4	–	1	–	–
215	Other uterus	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
216	Ovary	F.	24	1	–	–	–	–	–	–	–	–	–	–	2	2	1	1	4	3	3	3	–	4	–	–
217	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
218	Male genital organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
219.a	Bladder	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	1	2	4	2	1	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	3	–	–
219.b	Kidney and other urinary organs ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
220	Melanoma of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
221	Pilonidal cyst	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
222	Other skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
223	Brain and other parts of nervous system	M.	12	–	–	–	1	1	–	1	–	1	–	1	1	1	–	3	–	1	–	–	–	1	–	–
		F.	22	–	–	–	–	–	1	–	–	1	–	–	1	2	5	2	2	4	1	1	2	–	–	–
224	Endocrine glands	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	2	–	–	–	–	–	–	–
225	Bone and cartilage	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
226	Lipoma	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
227	Other muscular and connective tissue	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
228	Hæmangioma and lymphangioma ...	M.	4	2	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
229	Other and unspecified organs and tissues	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
	Neoplasm of unspecified nature (230-239)—																									
230	Digestive organs	M.	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	2	2	3	–
231	Respiratory organs	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	4	2	–	2	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
232	Breast	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
233	Uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
234	Ovary	F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
235	Other female genital organs	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: 1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	II. NEOPLASMS—*continued*																									
	Neoplasm of unspecified nature (230-239)—*continued*																									
236.*a*	Bladder	M.	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–		–	–	–	–
		F.	–		–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
236.*b*	Other genito-urinary organs ...	M.	2		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
237	Brain and other parts of nervous system	M.	17	–	–	–	1	–	3	–	1	–	1	1	–	2	1	1	4	1	1	–	–	–	–	–
		F.	26	–	–	–	–	–	2	1	2	–	2	2	2	1	2	3	2	3	3	1	–	–	–	–
238	Skin and musculoskeletal system ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
239	Other and unspecified organs ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES																									
	Total	M.	**377**	**9**	**2**	**2**	–	**1**	**2**	–	**2**	**6**	**11**	**3**	**19**	**18**	**22**	**26**	**35**	**48**	**54**	**62**	**39**	**15**	**1**	–
		F.	**698**	**4**	**2**	**1**	**1**	–	**3**	**2**	**5**	**7**	**11**	**10**	**14**	**15**	**23**	**49**	**71**	**89**	**112**	**120**	**99**	**42**	**18**	–
	Allergic disorders (240-245)–																									
240	Hay fever	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
241	Asthma	M.	174	–	–		–	1	1	–	–	–	6	1	5	7	12	15	20	30	27	29	14	6	–	–
		F.	165	3	1	–	–	–	–	–	3	3	5	3	7	5	9	20	22	15	19	21	17	5	7	–
242	Angioneurotic œdema...	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–		–	
243	Urticaria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
244	Allergic eczema	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
245	Other allergic disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Diseases of thyroid gland (250-254)—																									
250	Simple goitre	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
251	Nontoxic nodular goitre	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–
252	Thyrotoxicosis with or without goitre	M.	8	–	–	–	–	–	–	–	–	2	–	–	–	–	2	–	2	1	1	–	–	–	–	–
		F.	37	–	–	–	–	–	–	–	–	1	3	1	1	1	5	5	5	4	6	2	2	–	1	–
253	Myxœdema and cretinism	M.	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–
		F.	46	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	6	5	11	6	10	3	1	–
254	Other diseases of thyroid gland ...	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	Diabetes mellitus (260)—																									
260	Diabetes mellitus	M.	162	–	–	2	–	–	1	–	2	2	5	2	13	8	5	9	11	17	20	32	23	9	1	–
		F.	403	–	1	–	–	–	–	1	2	1	1	4	3	5	6	17	31	61	71	89	68	33	9	–
	Diseases of other endocrine glands (270-277)—																									
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
271	Diseases of parathyroid gland ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
272	Diseases of pituitary gland	M.	4	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	3	1	1	–	1	–	–	–
273	Diseases of thymus gland	M.	5	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	1	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
274	Diseases of adrenal glands	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	2	1	1	–	1	2	1	–	–	–	–	–	–
275	Ovarian dysfunction	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
276	Testicular dysfunction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
277	Polyglandular dysfunction and other diseases of endocrine glands ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: −1	1−	2−	3−	4−	5−	10−	15−	20−	25−	30−	35−	40−	45−	50−	55−	60−	65−	70−	75−	80−	85 and over	Not Stated
	III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES—*continued*																									
	Avitaminoses and other metabolic diseases (280-289)—																									
280	Beriberi...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
281	Pellagra	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
282	Scurvy	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
283	Active rickets	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
284	Late effects of rickets	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
285	Osteomalacia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
286	Other avitaminoses and nutritional deficiency states	M.	7	1	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	3	–	–	–	–	–
		F.	8	–	–	1	1	–	1	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–
287	Obesity, not specified as of endocrine origin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
288	Gout	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
289	Other metabolic diseases	M.	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	6	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	–	–	1	–	–	–	–	–
	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS																									
	Total	M.	**174**	**3**	–	**1**	–	–	**5**	**4**	**1**	**4**	**1**	**2**	**1**	**1**	**6**	**5**	**10**	**14**	**27**	**33**	**32**	**19**	**5**	–
		F.	**242**	**1**	**1**	**1**	–	**2**	**3**	**1**	–	**3**	**2**	**4**	**1**	**4**	**5**	**15**	**8**	**26**	**31**	**38**	**46**	**34**	**16**	–
290.*a*	Pernicious anæmia	M.	94	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	4	6	19	19	26	14	4	–
		F.	128	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	5	13	19	21	33	25	8	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
290.b	Sub-acute combined degeneration without mention of pernicious anæmia	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–
291	Iron deficiency anæmias (hypochromic anæmias)	M.	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	–	–
		F.	15	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	5	4	–	1	–
292	Other anæmias of specified type ...	M.	26	1	–	–	–	–	–	–	–	2	1	1	–	–	1	2	3	4	3	3	2	3	–	–
		F.	34	1	1	1	–	1	–	–	–	3	–	1	–	–	2	6	–	4	6	2	2	2	2	–
293	Anæmia of unspecified type	M.	14	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	5	1	1	1	–
		F.	31	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	2	2	4	6	2	7	3	–
294	Polycythæmia	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
295	Hæmophilia	M.	5	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
296	Purpura and other hæmorrhagic conditions	M.	10	1	–	–	–	–	3	1	1	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–
		F.	11	–	–	–	–	1	1	1	–	–	1	1	1	1	–	1	–	1	–	–	1	–	1	–
297	Agranulocytosis	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
298	Diseases of spleen	M.	9	–	–	–	–	–	1	1	–	1	–	1	1	1	–	–	1	–	–	2	–	–	–	–
		F.	14	–	–	–	–	–	2	–	–	–	–	–	–	1	1	4	1	2	1	1	1	–	–	–
299	Other diseases of blood and blood-forming organs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS																									
	TOTAL	M.	**78**	**5**	**1**	–	–	**1**	**1**	–	–	–	**1**	**1**	**1**	**4**	**5**	**4**	**5**	**5**	**5**	**10**	**13**	**12**	**4**	–
		F.	**117**	**4**	**2**	–	–	**1**	–	–	**2**	**3**	**3**	**1**	**3**	**5**	**1**	**4**	**9**	**14**	**3**	**14**	**18**	**16**	**14**	–
	Psychoses (300-309)—																									
300	Schizophrenic disorders (dementia præcox)	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
301	Manic-depressive reaction	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	12	–	–	–	–	–	–	–	–	1	1	–	2	1	–	1	2	3	–	1	–	–	–	–
302	Involutional melancholia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
303	Paranoia and paranoid states ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
304	Senile psychosis	M.	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	8	13	10	4	–
		F.	56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	10	15	15	14	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	V. MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS— *continued*																									
	Psychoses (300-309)—*continued*																									
305	Presenile psychosis	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	–	–	–	–	–	–
306	Psychosis with cerebral arteriosclerosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
307	Alcoholic psychosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
308	Psychosis of other demonstrable etiology	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
309	Other and unspecified psychoses ...	M.	11	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	2	1	–	2	–	1	–	–
		F.	14	–	–	–	–	–	–	–	–	2	–			3	–	1	4	3	1		–	–	–	–
	Psychoneurotic disorders (310-318)—																									
310	Anxiety reaction without mention of somatic symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
311	Hysterical reaction without mention of anxiety reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
312	Phobic reaction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
313	Obsessive-compulsive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
314	Neurotic-depressive reaction ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
318	Psychoneurotic disorders, other, mixed, and unspecified types	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Disorders of character, behaviour and intelligence (320-326)—																									
320	Pathological personality	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
321	Immature personality...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
322	Alcoholism	M.	10	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	–	1	–	–	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
323	Other drug addiction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			–
324	Primary childhood behaviour disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
325	Mental deficiency	M.	7	5	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	10	4	2	–	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
326	Other and unspecified disorders	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS TOTAL	M.	**4111**	**20**	**9**	**3**	**9**	**2**	**8**	**15**	**19**	**14**	**18**	**21**	**25**	**47**	**83**	**130**	**242**	**374**	**580**	**817**	**849**	**550**	**276**	–
		F.	**5604**	**17**	**7**	**2**	**2**	**1**	**5**	**7**	**7**	**13**	**20**	**29**	**42**	**77**	**138**	**205**	**317**	**467**	**709**	**1044**	**1150**	**842**	**503**	–
	Vascular lesions affecting central nervous system (330-334)—																									
330	Subarachnoid hæmorrhage	M.	45	–	–		–	–	–		2	3	2	2	1	3	4	7	6	7	2	2	3	1	–	–
		F.	83	–	–	–	–	–	–	–	2	2	3	4	8	3	6	12	11	7	8	8	4	4	1	–
331	Cerebral hæmorrhage	M.	1811	–		–	–	1	–	1	1	3	4	2	8	20	41	74	118	178	307	380	364	221	88	–
		F.	2713	1	–	–	–	–	1	1	–	1	2	7	11	36	74	129	186	289	409	521	534	347	164	–
332	Cerebral embolism and thrombosis ...	M.	1626	–	–	–	–		–	–	–	2	–	1	1	2	9	23	65	131	212	347	393	273	167	–
		F.	2095	–	–	–	–	–	–	1	–	1	2	2	2	7	21	34	70	122	217	406	522	400	288	–
333	Spasm of cerebral arteries	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—*continued*																									
	Vascular lesions affecting central nervous system (330-334)—*continued*																									
334	Other and ill-defined vascular lesions affecting central nervous system	M.	152	–	–	–	–	–	–	–	–	1	1	1	–	3	4	5	10	9	14	29	34	26	15	–
		F.	206	–	–	–	–	–	–	–	–	–	–	1	1	1	4	2	8	21	13	43	38	42	32	–
	Inflammatory diseases of central nervous system (340-345)—																									
340	Meningitis, except meningococcal and tuberculous	M.	31	13	2	1	3	1	–	–	2	–	–	1	–	–	2	1	1	2	–	1	1	–	–	–
		F.	27	9	3	1	2	–	–	–	1	–	–	–	2	–	–	1	3	2	1	1	1	–	–	–
341	Phlebitis and thrombophlebitis of intracranial venous sinuses ...	M.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
342	Intracranial and intraspinal abscess	M.	13	1	–	–	–	–	2	2	2	–	–	–	2	1	1	–	2	–	–	–	–	–	–	–
		F.	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	M.	17	2	1	1	1	–	–	–	1	–	–	–	–	2	2	2	1	3	–	–	1	–	–	–
		F.	16	–	–	–	–	–	2	–	–	1	1	2	–	–	3	2	2	2	–	–	–	1	–	–
344	Late effects of intracranial abscess or pyogenic infection	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
345	Multiple sclerosis	M.	52	–	–	–	–	–	–	–	–	1	2	6	3	4	8	5	6	10	3	1	2	1	–	–
		F.	90	–	–	–	–	–	–	–	–	3	3	3	7	12	14	15	15	4	8	1	3	2	–	–
	Other diseases of central nervous system (350-357)—																									
350	Paralysis agitans	M.	80	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	7	5	17	28	13	8	–	–
		F.	105	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	7	7	23	25	22	13	4	–
351	Cerebral spastic infantile paralysis ...	M.	17	–	3	–	3	–	1	1	1	–	1	–	–	–	–	1	1	1	2	1	1	–	–	–
		F.	12	–	2	–	–	–	–	3	–	–	1	1	–	1	–	–	1	–	–	1	1	1	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
352	Other cerebral paralysis	M.	82	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	6	5	10	15	24	13	5	–
		F.	118	–	–	–	–	–	–	–	–	–	–	–	1	–	4	3	8	8	19	23	21	19	12	–
353	Epilepsy	M.	64	1	1	1	1	–	1	8	5	4	7	3	6	6	4	3	3	4	3	1	–	2	–	–
		F.	60	2	2	1	–	1	1	1	3	4	6	6	6	7	3	1	3	2	4	3	1	3	–	–
354	Migraine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
355	Other diseases of brain	M.	31	–	–	–	–	–	1	–	1	–	–	2	–	1	2	–	3	6	5	2	4	4	–	–
		F.	33	–	–	–	–	–	–	–	–	–	–	2	–	2	3	2	1	3	4	7	1	7	1	–
356	Motor neurone disease and muscular atrophy	M.	49	–	–	–	–	–	–	2	1	–	–	1	1	3	1	5	10	7	3	7	8	–	–	–
		F.	17	–	–	–	–	–	–	–	–	–	–	1	2	3	2	2	2	–	3	1	1	–	–	–
357	Other diseases of spinal cord	F.	7	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	2	2	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	Diseases of nerves and peripheral ganglia (360-369)—																									
360	Facial paralysis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
361	Trigeminal neuralgia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
362	Brachial neuritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
363	Sciatica	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
364	Polyneuritis and polyradiculitis ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
365	Erythrœdema polyneuritica	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
366	Other and unspecified forms of neuralgia and neuritis	M.	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	3	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–
367	Other diseases of cranial nerves	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
368	Other diseases of peripheral nerves except autonomic	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
369	Diseases of peripheral autonomic nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS— *continued*																									
	Inflammatory diseases of eye (370-379)—																									
370	Conjunctivitis and ophthalmia ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
371	Blepharitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
372	Hordeolum (stye)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
373	Iritis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
374	Keratitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
375	Choroiditis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
376	Other inflammation of uveal tract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
377	Inflammation of optic nerve and retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
378	Inflammation of lachrymal glands and ducts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
379	Other inflammatory diseases of eye ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases and conditions of eye (380-389)—																									
380	Refractive errors	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
381	Corneal ulcer	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
382	Corneal opacity	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
383	Pterygium	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
384	Strabismus	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	Cataract	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
386	Detachment of retina	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	Glaucoma	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
388	Other diseases of eye	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
389	Blindness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Diseases of ear and mastoid process (390-398)—																									
390	Otitis externa	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391	Otitis media without mention of mastoiditis	M.	11	2	2	–	1	–	1	–	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
		F.	6	2	–	–	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
392	Otitis media with mastoiditis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
393	Mastoiditis without mention of otitis media	M.	4	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
394	Other inflammatory diseases of ear	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
395	Ménière's disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
396	Other diseases of ear and mastoid process	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
397	Deaf mutism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
398	Other deafness	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM TOTAL	M.	**10994**	**1**	–	**1**	**1**	**2**	**9**	**12**	**18**	**28**	**29**	**39**	**93**	**199**	**392**	**561**	**788**	**1098**	**1422**	**1937**	**1989**	**1491**	**884**	–
		F.	**11162**	**1**	**1**	–	**1**	**2**	**9**	**14**	**23**	**22**	**47**	**59**	**104**	**115**	**210**	**293**	**497**	**812**	**1311**	**1872**	**2152**	**1950**	**1667**	–
	Rheumatic fever (400-402)—																									
400	Without mention of heart involvement	M.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	–	–	–	–	–	2	1	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
401	With heart involvement	M.	14	–	–	–	–	–	1	1	3	1	1	2	1	–	–	1	1	2	–	–	–	–	–	–
		F.	33	–	–	–	1	2	2	4	4	1	–	2	1	–	4	3	3	4	1	1	–	–	–	–
402	Chorea	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	HEART DISEASE (410-443) TOTAL	M.	*10086*	*1*	–	–	*1*	*2*	*6*	*8*	*15*	*26*	*26*	*32*	*80*	*189*	*365*	*523*	*751*	*1034*	*1324*	*1796*	*1814*	*1315*	*778*	–
		F.	*10217*	–	*1*	–	–	–	*4*	*7*	*16*	*20*	*42*	*52*	*90*	*106*	*177*	*257*	*448*	*749*	*1221*	*1746*	*1991*	*1780*	*1510*	–
	Chronic rheumatic heart disease (410-416)—																									
410	Mitral valve	M.	237	–	–	–	–	–	–	2	6	12	10	11	11	26	23	19	13	20	28	17	13	20	6	–
		F.	436	–	–	–	–	–	1	1	6	7	20	29	40	40	54	35	32	34	35	31	39	22	10	–
411	Aortic valve specified as rheumatic	M.	49	–	–	–	–	–	–	1	1	–	–	–	5	5	3	4	8	5	4	7	4	1	1	–
		F.	30	–	–	–	–	–	–	–	–	1	1	1	2	–	2	1	3	2	4	6	1	6	–	–
412	Tricuspid valve	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
413	Pulmonary valve specified as rheumatic	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
414	Other endocarditis specified as rheumatic	M.	23	–	–	–	–	–	–	1	1	3	1	2	–	1	5	2	1	2	1	1	1	–	1	–
		F.	63	–	–	–	–	–	1	3	2	3	2	4	3	3	9	5	8	2	5	5	5	2	1	–
415	Other myocarditis specified as rheumatic	M.	15	–	–	–	–	–	1	–	1	1	–	–	1	–	3	2	2	1	2	1	–	–	–	–
		F.	26	–	–	–	–	–	–	–	–	1	–	1	1	2	2	3	3	6	2	2	2	1	–	–
416	Other heart disease specified as rheumatic	M.	23	–	–	–	–	–	1	–	–	1	1	3	3	2	3	4	–	3	1	–	1	–	–	–
		F.	40	–	–	–	–	–	1	2	–	2	1	1	7	5	4	4	4	6	2	1	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Arteriosclerotic and degenerative heart disease (420-422)—																									
420.0	Arteriosclerotic heart disease ...	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	4	2	2	1	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	1	–
420.1	Coronary thrombosis (420.2)	M.	4264	–	–	–	–	–	–	–	1	1	5	7	41	117	239	356	510	606	718	775	525	275	88	–
		F.	2493	–	–	–	–	–	–	–	–	–	2	1	8	25	41	83	165	284	486	580	424	261	133	–
421	Chronic endocarditis not specified as rheumatic	M.	271	–	–	–	–	1	1	2	3	4	–	1	8	7	11	22	26	27	27	54	41	28	8	–
		F.	329	–	–	–	–	–	–	–	4	1	7	6	9	10	14	22	24	31	43	48	50	41	19	–
422.0	Fatty degeneration of heart	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	1	1	4	–	1	–	–
		F.	38	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	6	8	9	4	6	1	–	–
422.1	Myocardial degeneration with arteriosclerosis	M.	2010	–	–	–	–	–	–	–	–	1	–	–	–	2	4	13	36	96	189	358	530	466	315	–
		F.	2660	–	–	–	–	–	–	–	–	–	–	–	–	1	5	18	44	84	181	378	625	667	657	–
422.2	Other myocardial degeneration ...	M.	2347	–	–	–	–	–	1	1	–	2	5	4	5	7	51	59	85	175	245	437	532	436	302	–
		F.	3218	–	1	–	–	–	1	–	–	1	4	4	9	12	24	51	97	199	321	536	672	676	610	–
	Other diseases of heart (430-434)—																									
430	Acute and subacute endocarditis ...	M.	22	–	–	–	1	–	1	1	1	1	2	1	1	2	1	2	3	4	–	–	–	1	–	–
		F.	18	–	–	–	–	–	–	1	1	3	2	–	1	–	1	3	–	4	2	–	–	–	–	–
431	Acute myocarditis not specified as rheumatic	M.	85	1	–	–	–	1	1	–	1	–	–	–	–	3	3	4	7	9	7	14	21	7	6	–
		F.	97	–	–	–	–	–	–	–	1	1	–	1	2	1	1	3	6	10	12	16	26	10	7	–
432	Acute pericarditis specified as non-rheumatic	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–
433	Functional disease of heart	M.	168	–	–	–	–	–	–	–	–	–	–	–	2	3	2	5	10	19	31	35	34	18	9	–
		F.	250	–	–	–	–	–	–	–	–	–	–	2	2	–	10	4	15	19	46	56	45	24	27	–
434	Other and unspecified diseases of heart	M.	317	–	–	–	–	–	–	–	–	–	1	2	3	7	11	13	23	35	40	54	65	38	25	–
		F.	287	–	–	–	–	–	–	–	1	–	3	–	4	5	5	11	16	35	36	41	54	46	30	–
	Hypertensive disease (440-447)—																									
440	Essential benign hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–
441	Essential malignant hypertension with heart disease	M.	6	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–
442	Hypertensive heart disease with arteriolar nephrosclerosis ...	M.	37	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	4	6	5	9	3	2	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	1	4	3	7	3	3	–
443	Other and unspecified hypertensive heart disease	M.	185	–	–	–	–	–	–	–	–	–	1	–	–	3	4	13	18	26	19	31	35	20	15	–
		F.	183	–	–	–	–	–	–	–	–	–	–	1	1	–	3	8	21	22	31	35	31	18	12	–
444	Essential benign hypertension without mention of heart	M.	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	3	2	7	4	–	–	–
		F.	29	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	1	2	3	6	4	7	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VII. DISEASES OF THE CIRCULATORY SYSTEM—*continued*																									
	Hypertensive Disease (440-447)—*continued*																									
445	Essential malignant hypertension without mention of heart ...	M.	16	–	–	–	–	–	–	–	–	–	1	2	1	–	5	4	–	3	–	–	–	–	–	–
		F.	16	–	–	–	–	–	–	–	–	–	1	2	–	2	3	2	3	2	1	–	–	–	–	–
446	Hypertension with arteriolar nephrosclerosis without mention of heart	M.	114	–	–	–	–	–	–	–	–	–	–	–	4	2	3	7	9	16	14	12	18	20	9	–
		F.	97	–	–	–	–	–	–	–	–	–	1	–	7	2	5	9	7	7	9	12	14	14	10	–
447	Other hypertensive disease without mention of heart	M.	116	–	–	–	–	–	–	–	–	1	–	1	1	1	2	9	11	8	17	20	21	18	6	–
		F.	130	–	–	–	–	–	–	–	–	–	–	–	4	–	4	6	9	17	19	24	28	13	6	–
	Diseases of arteries (450-456)—																									
450	General arteriosclerosis	M.	432	–	–	–	–	–	–	–	–	–	–	–	–	2	3	5	4	14	35	71	97	122	79	–
		F.	398	–	–	–	–	–	–	–	–	–	–	–	–	–	2	3	4	7	23	54	76	106	123	–
451	Aortic aneurysm specified as non-syphilitic, and dissecting aneurysm	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
452	Other aneurysm, except of heart and aorta	M.	20	–	–	–	–	–	–	1	–	–	–	1	3	1	2	3	–	1	2	1	1	4	–	–
		F.	11	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	2	–	2	2	–	1	–	–
453	Peripheral vascular disease	M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	4	2	–	–	1	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	1	–
454	Arterial embolism and thrombosis	M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	3	3	2	1	–
		F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	2	2	4	5	2	–
455	Gangrene of unspecified cause ...	M.	51	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	4	11	16	9	9	–
		F.	43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	16	13	9	–
456	Other diseases of arteries	M.	7	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	3	1	–	–	–	–
		F.	9	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	2	–	–	1	1	1	1	–
	Diseases of veins and other diseases of circulatory system (460-468)—																									
460	Varicose veins of lower extremities ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	3	1	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
461	Hæmorrhoids	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
462	Varicose veins of other specified sites	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–
463	Phlebitis and thrombophlebitis of lower extremities	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	3	1	–	–	–
		F.	26	–	–	–	–	–	–	–	1	–	–	–	–	1	3	–	4	4	3	5	–	2	3	–
464	Phlebitis and thrombophlebitis of other sites	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	–	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–		–	1	2	2	5	1	3	1	2	2	–	–
465	Pulmonary embolism and infarction	M.	40	–	–	–	–	–	–	–	–	–	–	1	1	1	5	4	2	5	10	3	8	–	–	–
		F.	62	–	–	–	–	–	–	1	–	–	1	2	–	–	5	3	6	12	16	9	5	2	–	–
466	Other venous embolism and thrombosis	M.	17	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	1	1	3	3	5	–	–	–
		F.	21	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	2	4	3	6	3	–	–
467	Other diseases of circulatory system	M.	7	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	1	–	1	1	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–
468	Certain diseases of lymph nodes and lymph channels	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
	VIII. DISEASES OF THE RESPIRATORY SYSTEM	TOTAL M.	**3038**	**298**	**32**	**15**	**8**	**5**	**7**	**9**	**18**	**6**	**11**	**18**	**34**	**61**	**116**	**197**	**323**	**368**	**339**	**369**	**370**	**277**	**157**	–
		TOTAL F.	**2356**	**214**	**24**	**16**	**7**	**5**	**5**	**9**	**10**	**11**	**17**	**18**	**26**	**49**	**53**	**82**	**111**	**167**	**240**	**289**	**350**	**352**	**301**	–
	Acute upper respiratory infections (470-475)—																									
470	Acute nasopharyngitis (common cold)	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
471	Acute sinusitis	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
472	Acute pharyngitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
473	Acute tonsillitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
474	Acute laryngitis and tracheitis ...	M.	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
475	Acute upper respiratory infection of multiple or unspecified sites ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	6	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Influenza (480-483)—	TOTAL M.	152	7	2	1	–	–	1	–	3	1	–	2	5	7	5	6	14	14	16	21	18	19	10	–
		TOTAL F.	234	4	4	3	1	–	1	1	1	2	3	5	2	7	3	11	8	11	28	28	36	40	35	–
480	With pneumonia	M.	70	5	1	–	–	–	1	–	1	1	–	2	2	5	1	3	6	7	6	10	9	9	1	–
		F.	82	2	1	3	1	–	–	1	1	1	–	3	2	6	2	6	4	4	11	8	9	11	6	–
481.*a*	With other respiratory complications	M.	24	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	3	3	3	5	1	2	3	–
		F.	59	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	2	3	8	8	11	13	11	–
481.*b*	Unqualified	M.	57	1	1	1	–	–	–	–	2	–	–	–	2	–	3	3	5	4	7	6	8	8	6	–
		F.	83	1	1	–	–	–	–	–	–	–	2	2	–	1	–	3	2	4	8	10	16	15	18	–
482	With digestive manifestations, but without respiratory symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–
483	With nervous manifestations, but without digestive or respiratory symptoms	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	7	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	–	–	–
	Pneumonia (490-493)—	TOTAL M.	1115	246	25	10	7	3	5	5	9	5	4	5	13	16	35	44	81	84	109	117	152	92	48	–
		TOTAL F.	1002	170	18	11	4	2	2	6	6	7	9	7	13	22	24	35	34	60	92	114	139	134	93	–
490	Lobar	M.	254	18	2	2	–	–	–	–	7	–	–	3	4	5	15	13	27	29	32	29	38	20	10	–
		F.	171	13	–	1	1	–	–	3	4	2	1	–	5	9	10	16	10	15	12	18	21	14	16	–
491	Broncho	M.	752	202	21	7	7	3	4	4	2	5	4	2	7	10	17	26	45	45	68	77	99	64	33	–
		F.	735	143	15	9	2	2	2	1	2	4	8	6	5	12	11	15	19	37	66	87	106	110	73	–
492	Primary atypical	M.	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	1	1	–	–
		F.	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
493	Other and unspecified	M.	101	24	2	1	–	–	1	1	–	–	–	–	2	1	3	4	9	9	7	11	14	7	5	–
		F.	93	14	2	1	1	–	–	2	–	1	–	1	3	1	3	4	5	7	13	9	12	10	4	–
	Bronchitis (500-502)—	TOTAL M.	1390	33	3	2	1	1	–	–	1	–	1	7	10	24	60	105	168	212	176	193	175	143	75	–
		TOTAL F.	869	21	1	1	1	2	1	1	1	–	1	5	7	16	18	33	52	77	99	127	134	146	125	–
500	Acute	M.	156	23	2	–	1	–	–	–	–	–	–	1	2	–	2	5	7	12	11	22	20	26	22	–
		F.	191	10	1	1	–	1	–	–	1	–	1	1	1	2	3	6	10	14	12	23	27	36	41	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
501.a	Bronchitis, unqualified	M.	140	9	–	1	–	–	–	–	–	–	1	–	2	2	5	6	20	11	20	15	18	17	13	–
		F.	124	10	–	–	1	1	–	1	–	–	1	1	–	1	4	3	1	2	10	18	17	27	27	–
501.b	With heart disease	M.	140	1	1	–	–	–	–	–	–	–	–	1	–	1	4	10	13	18	15	24	24	21	7	–
		F.	114	1	–	–	–	–	–	–	–	–	–	–	1	1	4	2	8	6	10	19	18	22	22	–
502.a	Chronic bronchitis	M.	454	–	–	1	–	1	–	–	1	–	–	4	4	9	27	44	63	73	62	59	47	39	20	–
		F.	204	–	–	–	–	–	1	–	–	–	–	2	3	9	3	12	13	24	29	30	31	30	17	–
502.b	Chronic bronchitis with heart disease	M.	500	–	–	–	–	–	–	–	–	–	–	1	2	12	22	40	65	98	68	73	66	40	13	–
		F.	236	–	–	–	–	–	–	–	–	–	–	1	2	3	4	10	20	31	38	37	41	31	18	–
	Other diseases of respiratory system (510-527)—																									
510	Hypertrophy of tonsils and adenoids	M.	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
511	Peritonsillar abscess (quinsy) ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
512	Chronic pharyngitis and naso-pharyngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
513	Chronic sinusitis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–
514	Deflected nasal septum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
515	Nasal polyp	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
516	Chronic laryngitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
517	Other diseases of upper respiratory tract	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
518	Empyema	M.	6	–	–	–	–	–	–	1	–	–	1	–	–	–	1	1	1	1	–	–	–	–	–	–
		F.	4	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
519	Pleurisy	M.	28	–	–	–	–	–	–	1	1	–	–	–	–	2	–	3	4	3	5	5	3	1	–	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	3	1	1	–	5	4	3	–
520	Spontaneous pneumothorax	M.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
521	Abscess of lung	M.	10	2	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	1	1	1	–	–	–	–
		F.	10	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	1	–	1	–	–
522	Pulmonary congestion and hypostasis	M.	64	1	–	1	–	–	–	–	–	–	1	–	–	1	–	1	3	1	6	6	7	14	22	–
		F.	117	5	–	–	1	–	–	–	–	–	–	–	–	–	1	1	3	2	7	10	20	24	43	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not Stated
	VIII. DISEASES OF THE RESPIRATORY SYSTEM—*continued*																									
	Other diseases of respiratory system—*continued*																									
523	Pneumoconiosis due to silica and silicates (occupational)	M.	103	–	–	–	–	–	–	–	–	–	–	–	–	1	2	8	25	28	16	12	7	3	1	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
525	Other chronic interstitial pneumonia	M.	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	2	7	1	4	1	1	–	–
		F.	8	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	1	1	1	1	2	–	–	–
526	Bronchiectasis	M.	67	–	1	–	–	–	–	1	3	–	2	4	5	5	4	14	9	8	5	3	1	2	–	–
		F.	43	–	–	–	–	1	–	–	–	2	2	–	3	3	3	1	5	7	5	2	8	1	–	–
527	Other diseases of lung and pleural cavity	M.	50	2	–	1	–	–	–	–	–	–	–	–	1	2	4	7	12	8	3	4	4	1	1	–
		F.	22	1	–	–	–	–	–	–	–	–	–	–	–	1	3	–	2	4	1	5	3	2	–	–
	IX. DISEASES OF THE DIGESTIVE SYSTEM																									
	Total	M.	**1282**	**157**	**12**	**6**	**4**	**2**	**10**	**2**	**8**	**10**	**17**	**22**	**42**	**49**	**83**	**102**	**107**	**160**	**139**	**147**	**131**	**41**	**31**	–
		F.	**990**	**116**	**10**	**4**	**4**	**3**	**6**	**4**	**4**	**12**	**14**	**16**	**19**	**36**	**46**	**50**	**81**	**100**	**118**	**136**	**93**	**72**	**46**	–
	Diseases of buccal cavity and œsophagus (530-539)—																									
530	Dental caries	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
531	Abscesses of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
532	Other inflammatory diseases of supporting structures of teeth	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
533	Disorders of occlusion eruption, and tooth development	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
534	Toothache from unspecified cause ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
535	Other diseases of teeth and supporting structures	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
536	Stomatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
537	Diseases of salivary glands	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	1	–
538	Other diseases of buccal cavity ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
539	Diseases of œsophagus	M.	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		1	1	–
		F.	8		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	–	–
	Diseases of stomach and duodenum (540-545)—																									
540	Ulcer of stomach	M.	215	–	–	–	–	–	–	–	–	1	3	7	5	13	16	21	21	38	29	24	21	9	7	–
		F.	82	–	–	–		–	–	–	–	–	1	2	2	1	3	4	6	8	17	13	15	4	6	–
541	Ulcer of duodenum	M.	296	1	–	–	–	–	–	–	–	1	4	8	14	21	29	31	33	52	34	39	23	3	3	–
		F.	36	–	–	–		–	–	1	–	–	1	1	1		3	4	3	2	6	8	3	2	1	–
542	Gastrojejunal ulcer	M.	3		–	–	–	–	–		–	–	–	–	–	–		1		–	1	1	–	–	–	–
		F.	–			–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	Gastritis and duodenitis	M.	16		–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	2	2	2	1	1	3	–
		F.	20	2	1	–		–	–	–	–	–	–	–	–	2	–		1	6	1	2	2	2	1	–
544	Disorders of function of stomach ...	M.	2		–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–		–	–	–	1	–
		F.	–		–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
545	Other diseases of stomach and duodenum	M.	23	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	4	1	2	5	1	2	–	–
		F.	7		–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	1	–	2	–	–	–
	Appendicitis (550-553)—																									
550	Acute appendicitis	M.	76	–	1	2	2	1	2	1	7	3	6	4	1	1	5	9	3	8	10	2	7	1	–	–
		F.	66	–	2	2	3	–	2	1	1	5	2	3	–	1	6	4	5	8	8	5	4	3	1	–
551	Appendicitis unqualified	M.	2	–	–	–	–	–	–	–	–	–	–	–		–	–	–	1	–	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–		1	–	–	1	–	1	–	–	–	–	–	–
552	Other appendicitis	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	4	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
553	Other diseases of appendix	M.	1	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not Stated
	IX. DISEASES OF THE DIGESTIVE SYSTEM—*continued*																									
	Hernia of abdominal cavity (560-561)—																									
560	Without mention of obstruction ...	M.	24	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	5	3	3	5	1	–	1	–
		F.	25	1	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	5	5	5	1	–	–	–
561	With obstruction	M.	67	2	–	–	–	–	–	–	–	–	–	–	2	2	1	3	2	5	6	15	17	6	6	–
		F.	62	1	1	–	–	–	–	–	–	–	–	1	–	1	1	–	8	4	10	16	10	5	4	–
	Other diseases of intestines and peritoneum (570-578)—																									
570	Intestinal obstruction, without mention of hernia	M.	100	6	1	1	–	–	2	1	–	1	1	–	5	2	7	2	2	11	10	18	21	7	2	–
		F.	92	5	–	–	1	–	1	–	1	2	–	–	3	6	5	1	5	7	6	12	17	11	9	–
	Gastro-enteritis and colitis, except ulcerative, aged 4 weeks and over—																									
571.0	Between 4 weeks and 2 years ...	M.	154	146	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	110	105	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571.1	Over 2 years	M.	28	–	–	2	1	–	2	–	–	–	–	1	1	–	2	3	2	3	–	3	4	1	3	–
		F.	60	–	–	2	–	1	1	1	–	1	–	–	–	1	2	3	1	6	7	9	8	9	8	–
572	Chronic enteritis and ulcerative colitis	M.	52	–	–	–	–	1	–	–	–	2	2	–	1	2	3	6	5	8	8	4	7	1	2	–
		F.	73	–	–	–	–	–	–	–	1	1	8	3	6	2	1	4	8	9	10	16	2	1	1	–
573	Functional disorders of intestines ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
574	Anal fissure and fistula	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
575	Abscess of anal and rectal regions ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
576	Peritonitis	M.	19	–	–	1	–	–	–	–	1	–	–	–	–	–	1	1	1	2	3	2	2	4	1	–
		F.	15	1	–	–	–	–	–	–	–	–	–	–	1	2	–	1	2	3	–	2	1	2	–	–
577	Peritoneal adhesion	M.	4	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
578	Other diseases of intestines and peritoneum	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	2	4	2	1	–	–	–
		F.	19	–	–	–	–	–	1	–	–	1	–	–	1	–	–	3	5	1	2	2	2	1	–	–
	Diseases of liver, gall-bladder, and pancreas (580-587)—																									
580	Acute and subacute yellow atrophy of liver	M.	6	–	–	–	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–	–
		F.	11	–	–	–	–	–	–	–	–	–	–	–	–	3	1	1	1	2	–	–	2	1	–	–
581	Cirrhosis of liver	M.	98	–	1	–	–	–	1	–	–	1	–	1	11	4	7	7	18	14	10	11	9	3	–	–
		F.	65	–	–	–	–	–	1	–	–	–	–	3	2	5	6	5	8	9	9	6	6	2	3	–
582	Suppurative hepatitis and liver abscess	M.	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–
583	Other diseases of liver	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	–	1	1	–	–	–
		F.	15	–	–	–	–	1	–	1	–	–	1	2	1	1	2	1	–	–	1	2	–	1	1	–
584	Cholelithiasis	M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	4	2	6	–	–	–
		F.	53	–	–	–	–	–	–	–	–	–	–	–	–	2	3	2	9	8	12	8	2	5	2	–
585	Cholecystitis without mention of calculi	M.	27	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	3	8	6	6	–	–	–
		F.	109	–	–	–	–	–	–	–	–	–	1	–	–	5	6	10	7	9	15	23	13	13	7	–
586	Other diseases of gall-bladder and biliary ducts	M.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	2	2	–	2	–	–	1	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	1	2	–	–
587	Diseases of pancreas	M.	10	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	1	–	1	1	2	1	–	–
		F.	25	–	–	–	–	–	–	–	–	1	–	–	–	2	2	1	2	5	5	1	1	5	–	–
	X. DISEASES OF THE GENITO-URINARY SYSTEM TOTAL	M.	**1017**	**7**	**1**	**1**	**2**	–	**4**	**3**	**6**	**9**	**11**	**11**	**13**	**26**	**17**	**25**	**56**	**67**	**108**	**168**	**233**	**164**	**85**	–
		F.	**530**	**4**	–	**2**	–	–	**2**	**1**	**8**	**11**	**14**	**13**	**15**	**20**	**42**	**38**	**45**	**65**	**58**	**65**	**64**	**38**	**25**	–
	Nephritis and nephrosis (590-594)—																									
590	Acute nephritis	M.	23	3	–	1	–	–	–	1	1	1	–	1	–	1	1	2	1	3	1	2	1	2	1	–
		F.	26	2	–	1	–	–	–	–	2	2	5	–	2	–	3	–	2	1	2	2	–	1	1	–
591	Nephritis with œdema, including nephrosis	M.	5	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
		F.	10	–	–	1	–	–	–	–	–	1	2	–	–	1	1	–	–	1	1	–	1	1	–	–
592	Chronic nephritis	M.	264	–	–	–	1	–	1	1	3	6	9	8	10	19	11	14	30	26	29	32	31	23	10	–
		F.	307	–	–	–	–	–	–	1	4	6	5	10	8	13	27	22	20	42	34	40	37	22	16	–
593	Nephritis not specified as acute or chronic	M.	30	1	–	–	1	–	–	–	–	1	–	2	–	–	3	2	4	1	7	4	3	1	–	–
		F.	28	–	–	–	–	–	1	–	–	1	–	–	–	1	2	1	5	5	4	–	4	2	2	–
594	Other renal sclerosis	M.	3	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: 1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	X. DISEASES OF THE GENITO-URINARY SYSTEM—*continued*																									
	Other diseases of urinary system (600-609)—																									
600	Infections of kidney	M.	52	3	–	–	–	–	–	–	1	1	1	–	–	3	–	1	7	5	6	7	9	5	3	–
		F.	67	2	–	–	–	–	1	–	1	1	1	1	2	–	3	5	9	7	8	9	11	5	1	–
601	Hydronephrosis	M.	7	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	1	–	2	–	–
		F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	1	–	–
602	Calculi of kidney and ureter	M.	14	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	2	3	–	1	2	1	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	4	2	2	2	1	–	–	–
603	Other diseases of kidney and ureter ...	M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	2	2	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
604	Calculi of other parts of urinary system	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	2	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605	Cystitis	M.	31	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	3	5	9	6	4	–
		F.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	4	9	3	4	–
606	Other diseases of bladder	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	4	–	5	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
607	Urethritis (non-venereal)	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
608	Stricture of urethra	M.	7	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1	2	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
609	Other diseases of urethra	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–
	Diseases of male genital organs (610-617)—																									
610	Hyperplasia of prostate	M.	509	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	2	23	50	102	160	111	58	–
611	Prostatitis	M.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	5	2	4	–
612	Other diseases of prostate	M.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	3	6	1	3	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
613	Hydrocele	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
614	Orchitis and epididymitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
615	Redundant prepuce and phimosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
616	Sterility, male	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
617	Other diseases of male genital organs	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
	Diseases of breast, ovary, Fallopian tube and parametrium (620-626)—																									
620	Chronic cystic disease of breast ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
621	Other diseases of breast	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
622	Acute salpingitis and oöphoritis ...	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
623	Chronic salpingitis and oöphoritis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
624	Salpingitis and oöphoritis, unqualified	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
625	Other diseases of ovary and Fallopian tube	F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
626	Diseases of parametrium and pelvic peritoneum	F.	5	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–
	Diseases of uterus and other female genital organs (630-637)—																									
630	Infective disease of uterus, vagina and vulva	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
631	Uterovaginal prolapse	F.	19	–	–	–	–	–	–	–	–	–	–	–	1	–	1	5	2	4	3	2	1	–	–	–
632	Malposition of uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
633	Other diseases of uterus	F.	8	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	1	–	1	–	–	–	–	–
634	Disorders of menstruation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
635	Menopausal symptoms	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
636	Sterility, female	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
637	Other diseases of female genital organs	F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM Total	F.	**106**	–	–	–	–	–	–	–	**4**	**14**	**27**	**25**	**26**	**8**	**2**	–	–	–	–	–	–	–	–	–
	Complications of pregnancy (640-649)—																									
640	Pyelitis and pyelonephritis of pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
641	Other infections of genito-urinary tract during pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.2	Eclampsia (3)	F.	13	–	–	–	–	–	–	–	–	1	5	3	1	2	1	–	–	–	–	–	–	–	–	–
642.4	Hyperemesis gravidarum	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642.5	Other toxæmias of pregnancy (642.0 & .1)	F.	9	–	–	–	–	–	–	–	2	1	3	–	3	–	–	–	–	–	–	–	–	–	–	–
643	Placenta prævia	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
644	Other hæmorrhage of pregnancy ...	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
645	Ectopic pregnancy	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
646	Anæmia of pregnancy	F.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–
647	Pregnancy with malposition of fœtus in uterus	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
648	Other complications arising from pregnancy	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
649	Pregnancy associated with other conditions	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Abortion (650-652)—																									
650	Without mention of sepsis or toxæmia	F.	5	–	–	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–
651	With sepsis	F.	8	–	–	–	–	–	–	–	–	1	2	2	2	1	–	–	–	–	–	–	–	–	–	–
652	With toxæmia, without mention of sepsis	F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Delivery without complication (660)—																									
660	Delivery without complication ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Delivery with specified complication (670-678)—																									
670.*a*	Placenta prævia	F.	2		–		–	–	–	–	–	–	–	–	2		–		–		–	–	–	–	–	–
670.*b*	Other hæmorrhage of pregnancy ...	F.			–			–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671	Retained placenta	F.	2	–	–	–	–	–				1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
672	Other postpartum hæmorrhage ...	F.	8		–	–	–	–	–	–	–	1	1	2	4	–	–	–	–	–	–	–	–	–	–	–
673	Abnormality of bony pelvis	F.	3		–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
674	Disproportion or malposition of fœtus	F.	5		–	–	–	–	–			1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
675	Prolonged labour of other origin ...	F.	4	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–
676	Laceration of perineum, without mention of other laceration ...	F.	–	–	–	–	–	–		–	–	–	–		–		–	–	–		–	–	–	–	–	–
677	Other trauma	F.	5	–	–	–	–	–			1		–	2	2		–	–	–	–	–	–	–	–	–	–
678	Other complications of childbirth ...	F.	7				–		–	–	–	1	2	2	1	–	1	–	–	–			–	–	–	–
	Complications of the puerperium (680-689)—																									
680	Puerperal urinary infection without other sepsis	F.		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
681	Sepsis of childbirth and the puerperium	F.	3	–	–	–	–	–	–	–	–	2	–		1	–	–	–	–	–	–	–	–	–	–	–
682	Puerperal phlebitis and thrombosis	F.	6		–			–		–	–		2	1	2	1	–	–	–	–	–	–	–	–	–	–
683	Pyrexia of unknown origin during the puerperium	F.	–		–	–	–		–		–		–		–		–	–	–	–	–	–	–	–	–	–
684	Puerperal pulmonary embolism ...	F.	6		–	–	–	–			–	1	3	1	1		–	–	–	–	–	–		–	–	–
685	Puerperal eclampsia	F.	2	–		–	–		–	–	–		–	1	–	1	–	–	–	–	–	–	–	–	–	–
686	Other forms of puerperal toxæmia ...	F.		–				–	–	–			–		–				–	–	–	–	–	–	–	–
687	Cerebral hæmorrhage in the puerperium	F.	4	–		–	–	–	–	–		1	1	2	–	–			–	–	–	–	–	–	–	–
688	Other and unspecified complications of the puerperium	F.	6	–	–	–	–	–	–		–	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–
689	Mastitis and other disorders of lactation	F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XII. DISEASES OF THE SKIN AND CELLULAR TISSUE Total	M.	**40**	**10**	–	–	–	–	–	–	–	–	**1**	–	–	–	**1**	**2**	**1**	**6**	**4**	**1**	**6**	**6**	**2**	–
		F.	**39**	**1**	**1**	–	–	–	–	–	**1**	–	–	**1**	**2**	**1**	–	**3**	**3**	**2**	**3**	**5**	**9**	**2**	**5**	–
	Infections of skin and subcutaneous tissue (690-698)—																									
690	Boil and carbuncle	M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	1	1	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
691	Cellulitis of finger and toe	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
692	Other cellulitis and abscess without mention of lymphangitis ...	M.	11	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	3	2	1	1	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	3	1	–	–
693	Other cellulitis and abscess with lymphangitis	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F.	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
694	Acute lymphadenitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
695	Impetigo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
696	Infectious warts	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
697	Molluscum contagiosum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
698	Other local infections of skin and subcutaneous tissue	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases of skin and subcutaneous tissue (700-716)—																									
700	Seborrhoeic dermatitis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
701	Eczema	M.	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
702	Occupational dermatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
703	Other dermatitis	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
704	Pemphigus	M.	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	2	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	1	1	–	2	–	2	–
705	Erythematous conditions	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–
706	Psoriasis and similar disorders ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
707	Lichen planus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
708	Pruritus and related conditions ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
709	Corns and callosities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
710	Other hypertrophic and atrophic conditions of skin	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
711	Other dermatoses	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
712	Diseases of nail	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
713	Diseases of hair and hair follicles ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
714	Diseases of sweat and sebaceous glands	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
715	Chronic ulcer of skin	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	2	–	1	–
716	Other diseases of skin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT																									
	TOTAL	M.	**53**	**1**	–	–	–	–	–	**1**	**5**	**1**	–	–	**2**	**1**	**2**	**4**	**3**	**3**	**10**	**6**	**7**	**4**	**3**	–
		F.	**108**	**1**	–	–	–	–	–	**1**	**1**	–	–	**1**	**3**	**2**	**5**	**2**	**6**	**14**	**16**	**17**	**16**	**15**	**8**	–
	Arthritis and rheumatism except rheumatic fever (720-727)—																									
720	Acute arthritis due to pyogenic organisms	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT—*continued*																									
	Arthritis and rheumatism except rheumatic fever—continued																									
721	Acute nonpyogenic arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
722	Rheumatoid arthritis and allied conditions	M.	10	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	1	2	1	1	1	–
		F.	60	–	–	–	–	–	–	1	1	–	–	–	–	1	3	1	4	8	7	12	8	8	6	–
723	Osteo-arthritis (arthrosis) and allied conditions	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
		F.	14	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	3	–	2	4	1	–
724	Other specified forms of arthritis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
725	Arthritis, unspecified	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–
726	Muscular rheumatism	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–					–	–
727	Rheumatism, unspecified	M.	6	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	–	3	–	–
	Osteomyelitis and other diseases of bone and joint (730-738)—																									
730	Osteomyelitis and periostitis ...	M.	11	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	1	1	1	2	1	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–
731	Osteitis deformans	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–
		F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	3	3	–	–	–
732	Osteochondrosis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
733	Other diseases of bone	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
734	Internal derangement of knee joint ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
735	Displacement of intervertebral disc ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
736	Affection of sacro-iliac joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
737	Ankylosis of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
738	Other diseases of joint	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	Other diseases of musculoskeletal system (740-749)—																									
740	Bunion	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
741	Synovitis, bursitis and tenosynovitis without mention of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
742	Synovitis, bursitis, and tenosynovitis of occupational origin	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
743	Infective myositis and other inflammatory diseases of tendon and fascia	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
744	Other diseases of muscle, tendon and fascia	M.	10	1	–	–		–	–	1	3	1	–	–	–	–	–	1	1	–	–	–	1	1	–	–
		F.	7	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	2	2	–	–	–	–	–
745	Curvature of spine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1			–	–	–	–	–	–	–	–	–	–
746	Flat foot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
747	Hallux valgus and varus	M.	–		–	–	–	–	–	–		–	–	–			–	–	–	–	–	–	–	–	–	–
		F.	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
748	Clubfoot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–		–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–
749	Other deformities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: –1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XIV. CONGENITAL MALFORMATIONS Total	M.	**316**	**255**	**9**	**4**	**5**	**1**	**6**	**4**	**6**	**4**	**3**	**2**	**2**	**4**	**5**	**3**	**2**	**1**	–	–	–	–	–	–
		F.	**297**	**238**	**11**	**3**	**7**	**1**	**5**	**3**	**3**	**4**	**3**	**2**	**1**	**2**	**3**	**4**	**4**	–	**3**	–	–	–	–	–
750	Monstrosity	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
751	Spina bifida and meningocele ...	M.	41	37	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	81	75	2	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
752	Congenital hydrocephalus	M.	27	21	2	1	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	28	20	3	–	2	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
753	Other congenital malformations of nervous system and sense organs	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	9	6	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
754	Congenital malformations of circulatory system	M.	120	93	3	2	1	1	5	3	4	2	2	1	1	1	1	–	–	–	–	–	–	–	–	–
		F.	96	72	4	2	2	1	3	1	2	3	2	1	–	1	1	1	–	–	–	–	–	–	–	–
755	Cleft palate and harelip	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.0	Congenital pyloric stenosis	M.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
756.2	Other congenital malformations of digestive system (756.1)	M.	50	43	–	1	–	–	1	1	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
		F.	35	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
757	Congenital malformations of genito-urinary system	M.	22	11	1	–	1	–	–	–	1	–	1	1	1	2	2	–	1	–	–	–	–	–	–	–
		F.	15	–	1	–	–	–	1	1	1	–	–	–	1	1	2	2	3	–	2	–	–	–	–	–
758	Congenital malformations of bone and joint	M.	7	6	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
759	Other and unspecified congenital malformations, not elsewhere classified	M.	21	16	–	–	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–
		F.	13	12	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XV. CERTAIN DISEASES OF EARLY INFANCY Total	M.	**1067**	**1067**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	**733**	**733**	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Birth injuries, asphyxia and infections of newborn (760-769)—																									
760	Intracranial and spinal injury at birth	M.	163	163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	82	82	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
761	Other birth injury	M.	36	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
762	Postnatal asphyxia and atelectasis ...	M.	213	213	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	128	128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	Pneumonia of newborn	M.	86	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	60	60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	Diarrhœa of newborn	M.	17	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765	Ophthalmia neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
766	Pemphigus neonatorum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
767	Umbilical sepsis	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
768	Other sepsis of newborn	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769	Neonatal disorders arising from maternal toxæmia	M.	25	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	29	29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other diseases peculiar to early infancy (770-776)—																									
770	Hæmolytic disease of newborn (Erythroblastosis)	M.	39	39	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	34	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
771	Hæmorrhagic disease of newborn ...	M.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	14	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
772	Nutritional maladjustment	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773. *a*	Congenital debility without immaturity	M.	42	42	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773. *b*	Congenital debility with immaturity	M.	24	24	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
773. *c*	Other ill-defined diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	XV. CERTAIN DISEASES OF EARLY INFANCY—*continued*																									
	Other diseases peculiar to early infancy (770-776)—*continued*																									
774	Immaturity with mention of any other subsidiary condition ...	M.	66	66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	44	44	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
775	Immaturity subsidiary to some other cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
776	Immaturity, unqualified	M.	321	321	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	250	250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	XVI. SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS Total	M.	**1109**	**60**	**3**	**3**	**1**	**1**	**1**	–	–	**1**	**3**	**2**	**6**	**18**	**31**	**47**	**57**	**76**	**102**	**131**	**152**	**213**	**201**	–
		F.	**1171**	**44**	**5**	–	**1**	–	**3**	**1**	**2**	**1**	**2**	**6**	**2**	**9**	**7**	**15**	**18**	**35**	**51**	**95**	**191**	**291**	**392**	–
	Symptoms referable to systems or organs (780-789)—																									
	Certain symptoms referable to nervous system and special senses:—																									
780.*a*	Convulsions under 5	M.	44	38	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	35	29	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780.*b*	Other certain symptoms referable to nervous system and special senses	M.	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	–	–
781	Other symptoms referable to nervous system and special senses ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cardiovascular and lymphatic system—																									
782.4	Heart failure	M.	302	1	–	–	–	–	–	–	–	–	–	1	2	12	14	30	36	38	64	53	28	17	6	–
		F.	180	1	–	–	–	–	–	–	–	–	1	4	–	6	3	8	10	17	29	29	35	25	12	–
782.5	Syncope	M.	40	3	–	–	–	–	–	–	–	–	–	–	1	2	3	2	5	8	5	6	3	1	1	–
		F.	23	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	3	1	1	7	3	2	2	–
782.0-3, 6-9	Other symptoms of cardiovascular and lymphatic systems ...	M.	25	–	–	–	1	–	–	–	–	–	–	–	–	1	3	2	3	5	2	6	–	1	1	–
		F.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	5	4	2	2	–	2	–
(*a*)	(*b*)		(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)	(*s*)	(*t*)	(*u*)	(*v*)	(*w*)	(*x*)	(*y*)	(*z*)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
783	Respiratory system	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–
784	Upper gastro-intestinal tract... ...	M.	9	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	2	1	1	3	–	–	–
		F.	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2	3	1	–
785	Abdomen and lower gastro-intestinal system	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–
		F.	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
786	Genito-urinary system	M.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	4	2	3	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
787	Limbs and back	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
788	Other general symptoms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
789	Abnormal urinary constituents of unspecified cause	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
	Senility and ill-defined diseases (790-795)—																									
790	Nervousness and debility	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
791	Headache	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
792	Uræmia unqualified	M.	61	–	–	–	–	–	–	–	–	–	–	–	1	–	–	4	1	5	4	9	13	16	8	–
		F.	28	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	3	2	3	5	5	6	–
793	Observation, without need for further medical care	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	Senility without mention of psychosis	M.	481	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	7	42	82	169	179	–
		F.	802	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	7	45	139	247	363	–
795.0-1	Other ill-defined	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
795.2-5	Unknown or unspecified	M.	120	18	1	–	–	–	–	–	–	1	2	1	1	3	10	8	8	13	17	11	17	6	3	–
		F.	57	9	–	–	–	–	–	–	2	–	–	2	–	2	–	2	2	6	7	7	4	8	6	–
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	TOTAL M.	**1593**	**84**	**23**	**27**	**27**	**28**	**68**	**37**	**64**	**86**	**102**	**71**	**82**	**91**	**111**	**116**	**95**	**90**	**64**	**100**	**107**	**69**	**50**	**1**
		TOTAL F.	**1005**	**76**	**7**	**14**	**17**	**12**	**37**	**11**	**13**	**14**	**16**	**15**	**22**	**31**	**32**	**40**	**39**	**54**	**56**	**99**	**136**	**128**	**135**	**1**
	Railway accidents (E800-E802)—																									
E800	Railroad employee	M.	27	–	–	–	–	–	–	–	–	–	3	5	3	2	3	4	3	2	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Railway accidents (E800-E802)—*continued*																									
E801	Passenger	M.	5	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	–	–	–	–
		F.	3		–	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
E802	Other and unspecified person ...	M.	27	–	–	–	–	–	1	–	1	2	–	2	5	3	1	2	2	2	1	2	3	–	–	–
		F.	4	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
	Motor vehicle traffic accidents (E810-E825)—																									
E810	Collision with railway train	M.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E811	Collision with street car	M.	8	–	–	–	–	–	–	–	1	1	1	–	–	2	2	1	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E812	Pedestrian	M.	206	–	7	13	21	21	29	4	7	7	7	3	6	3	10	4	6	5	6	19	18	8	2	–
		F.	91	–	2	3	6	2	22	4	–	1	3	–	1	2	2	7	5	6	6	9	6	4	–	–
E813	Pedal cyclist	M.	22		–	–	–	–	1	6	5	–	1	1	1	–	–	4	–	–	1	1	1	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E814	Rider or passenger of motor cycle in collision with non-motor vehicle or object	M.	10	–	–	–	–	–	–	–	–	3	2	2	–	1	–	1	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E815	Rider or passenger of motor cycle in collision with other motor vehicle	M.	26	–	–	–	–	–	–	–	4	9	5	–	1	4	–	–	1	1	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E816	Two or more motor vehicles	M.	14	–	–	–	–	–	–	–	–	2	3	1	–	1	2	2	1	2	–	–	–	–	–	–
		F.	6	–	–	1	–	–	–	1	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
E817	Occupant of motor vehicle in collision with pedestrian or pedal cycle	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E818	Collision with animal or animal-drawn vehicle	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E819	Collision with fixed or unspecified object	M.	10	–	–	–	–	–	–	–	1	3	1	1	1	1	–	1	1	–	–	–	–	–	–	–
		F.	5	–	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	–	1	–
E820	While boarding and alighting ...	M.	4	–	–	–	–	–		1					–	–	–	–	1	1	–	1	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–
E821	Rider of motor cycle not involving collision	M.	15	–	–	–	–	–	–	–	2	6	2	–	4	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
E822	Overturning in roadway	M.	3	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E823	Running off roadway	M.	8	–	–	–	–	–	–	–	2	2	2	–	–	2	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E824	Other non-collision motor vehicle traffic accident	M.	5	–	–	–	–	–	1	–	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
		F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
E825	Unspecified nature	M.	21	–	–	1	–	–	–	1	1	1	4	1	2	3	3	2	–	–	1	1	–	–	–	–
		F.	5	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	1	1	–	–	–
	Motor vehicle non-traffic accidents (E830-E835)—																									
E830	Pedestrian	M.	3	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E831	Pedal cyclist	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E832	Rider or passenger of motor cycle ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E833	Two or more motor vehicles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E834	While boarding and alighting ...	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–
E835	Other and unspecified nature ...	M.	7	–	–	–	–	–	–	–	1	3	–	–	–	–	–	1	1	–	–	–	–	1	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Other road vehicle accidents (E840-E845)—																									
E840	Street car accident to pedestrian ...	M.	11	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	3	2	3	–
		F.	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	2	1	1	–	2	–	–
E841	Other street car accident except collision with motor vehicle	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
E842	Accident to pedestrian caused by pedal cycle	M.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	3	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other road vehicle accidents (E840-E845)—*continued*																									
E843	Accident to rider of pedal cycle not involving collision with a motor vehicle	M.	7	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	2	2	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E844	Accident to pedestrian caused by other non-motor road vehicle ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E845	Other non-motor road vehicle accidents	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Water transport accidents (E850-E858)—																									
E850	Submersion of occupant of small boat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E851	Other water transport injury by submersion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E852	Fall on stairs and ladders in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E853	Other falls from one level to another in water transport...	M.	12	–	–	–	–	–	–	–	–	–	2	–	2	–	2	2	1	2	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E854	Falls on same level in water transport	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E855	Unspecified falls in water transport ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E856	Machinery accident in water transport	M.	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E857	Other specified accidents in water transport	M.	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E858	Water transport accident of unspecified cause	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Aircraft accidents (E860-E866)—																									
E860	Accident to personnel in military aircraft	M.	11	–	–	–	–	–	–	–	–	3	7	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E861	Injury to occupant by accident to commercial "transport" aircraft	M.	2		–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E862	Other injury in commercial "transport" aircraft	M.	–		–	–	–	–	–			–	–		–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–		–	–	–		–	–	–		–	–	–	–	–	–	–	–	–	–	–	–
E863	Injury to occupant by accident to other aircraft	M.	–	–	–		–		–		–				–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E864	Aircraft accident at airfield to person not in aircraft	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E865	Aircraft accident elsewhere to person not in aircraft	M.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E866	Other and unspecified aircraft accidents	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental poisoning by solid and liquid substances (E870-E888)—																									
E870	Morphine and other opium derivatives	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E871	Barbituric acid and derivatives ...	M.	11	–	–		–	–	–	–	–	–	1	–	–	1	3	3	1	2	–		–		–	–
		F.	9	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	–	2	–	1	1	–	–	–
E872	Aspirin and salicylates	M.	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E873	Bromides	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E874	Other analgesic and soporific drugs ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
		F.	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
E875	Sulphonamides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E876	Strychnine	M.	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E877	Belladonna, hyoscine and atropine ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Accidental poisoning by solid and liquid substances (E870—E888)—*continued*																									
E878	Other and unspecified drugs	M.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E879	Noxious foodstuffs	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E880	Alcohol	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
E881	Petroleum products	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E882	Industrial solvents	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E883	Corrosive aromatics, acids and caustic alkalis	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
E884	Mercury and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E885	Lead and its compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E886	Arsenic, and antimony, and their compounds	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E887	Fluorides	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E888	Other and unspecified solid and liquid substances	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	3	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Accidental poisoning by gases and vapours (E890-E895)—																									
E890	Utility (illuminating) gas	M.	79	–	–	–	–	–	–	2	–	2	2	5	2	3	4	11	7	7	6	9	10	6	3	–
		F.	102	1	–	–	–	1	–	–	–	1	3	–	4	3	8	1	5	12	9	14	19	13	8	–
E891	Motor vehicle exhaust gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E892	Other carbon-monoxide gas	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
E893	Cyanide gas	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E894	Other specified gases and vapours ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E895	Unspecified gases and vapours ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Accidental falls (E900-E904)—																									
E900	On stairs	M.	22	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	4	5	4	3	–
		F.	21	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	2	3	6	5	2	–
E901	From ladders	M.	7	–	–	–	–	–	–	–	–	1	–	–	1	1	–	1	1	–	–	1	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E902	From one level to another	M.	83	–	1	–	–	1	6	7	1	1	3	6	6	7	9	3	7	7	7	7	2	1	1	–
		F.	22	–	–	–	1	1	–	–	–	–	–	–	1	1	–	1	1	1	5	–	2	4	4	–
E903	On same level	M.	22	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	3	6	3	6	–
		F.	51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	5	7	10	13	14	–
E904	Unspecified falls	M.	119	–	–	–	2	–	–	1	2	1	–	–	–	1	3	6	–	3	2	11	31	31	25	–
		F.	294	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	4	5	9	31	75	73	93	–
	Other accidents (E910-E936)—																									
E910	Blow from falling object	M.	43	–	–	1	–	–	1	–	2	3	2	5	4	3	3	3	6	4	5	1	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E911	Caused by vehicle	M.	9	–	–	–	–	–	–	–	–	–	1	–	1	1	–	2	1	1	2	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E912	Caused by machinery...	M.	35	–	–	–	–	–	–	–	5	1	3	2	4	5	4	3	3	1	1	2	1	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E913	Caused by cutting and piercing instruments	M.	5	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
E914	Caused by electrical current	M.	19	–	1	–	–	–	–	1	3	2	3	1	1	–	1	1	3	1	–	–	–	1	–	–
		F.	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Other accidents (E910-E936)—*continued*																									
E915	Caused by explosion of pressure vessel	M.	4	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E916	Caused by fire and explosion of combustible material	M.	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	2	1	2	–	–
		F.	15	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	1	2	1	3	4	1	–
E917	Caused by hot substance, corrosive liquid, and steam	M.	28	1	4	3	2	1	–	–	1	–	1	–	–	–	1	2	1	1	–	–	3	3	4	–
		F.	58	2	–	3	4	2	–	1	1	–	–	1	2	1	4	–	4	1	3	10	6	6	7	–
E918	Caused by radiation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E919	Caused by firearm	M.	25	–	–	–	–	–	–	–	3	3	2	–	4	4	2	4	2	–	–	–	1	–	–	–
		F.	6	–	–	–	–	–	–	–	–	4	–	1	1	–	–	–	–	–	–	–	–	–	–	–
E920	Foreign body entering eye and adnexa	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E921	Inhalation and ingestion of food causing obstruction or suffocation	M	36	30	3	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
		F.	33	27	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M.	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
		F.	6	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
E923	Foreign body entering other orifice ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E924	Accidental mechanical suffocation in bed and cradle	M.	34	31	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
		F.	31	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E925	Accidental mechanical suffocation in other and unspecified circumstances	M.	44	11	–	–	–	–	1	1	–	5	5	3	2	6	3	4	1	2	–	–	–	–	–	–
		F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E926	Lack of care of infants under 1 year of age	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E927	Accidents caused by bites and stings of venomous animals and insects	M.	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E928	Other accidents caused by animals ...	M.	5	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	2	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E929	Accidental drowning and submersion	M.	174	5	2	8	2	5	21	8	9	7	11	9	3	8	17	9	7	8	7	18	4	4	1	1
		F.	60	–	1	5	2	4	5	1	–	2	1	1	2	6	3	7	4	4	2	6	–	1	2	1
E930	High and low air pressure	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E931	Excessive heat and insolation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E932	Excessive cold	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
E933	Hunger, thirst and exposure ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E934	Cataclysm	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E935	Lightning	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E936	Other and unspecified accidents ...	M.	50	–	–	1	–	–	1	3	6	4	7	6	6	4	4	2	1	3	–	–	2	–	–	–
		F.	6	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	1	–
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)—																									
E940	Generalized vaccinia following vaccination	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E941	Post vaccinal encephalitis	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E942	Other complications of smallpox vaccination...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E943	Post-immunization jaundice and hepatitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E944	Other complications of prophylactic inoculation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E945	Complications of anæsthesia for nontherapeutic purpose	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed Long List	Causes of Death		All Ages	Ages: -1	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Complications due to nontherapeutic medical and surgical procedures (E940-E946)—*continued*																									
E946	Other complications due to nontherapeutic medical and surgical procedures	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Therapeutic misadventure and late complications of therapeutic procedures (E950-E959)—																									
E950	In surgical treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E951	In infusion or transfusion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E952	In local applications	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E953	In administration of drugs or biologicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E954	In anæsthesia	M.	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
E955	Other and unspecified therapeutic misadventure	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E956	Late complication of surgical operation	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E957	Late complication of amputation stump	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E958	Late complication of irradiation ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E959	Late complications of other forms of treatment	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
	Late effects of injury and poisoning (E960-E965)—																									
E960	Motor vehicle accident	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
E961	Accidental poisoning	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E962	Other accidental injury	M.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
		F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
E963	Self-inflicted injury	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E964	Injury purposely inflicted by another person (not in war)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E965	Injuries due to war operations ...	M.	9	–	–	–	–	–	–	–	–	–	1	–	2		–	1	3	2	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Suicide and self-inflicted injury (E970-E979)—																									
E970	Poisoning by analgesic and soporific substances	M.	11	–	–	–	–	–	–	–	–	–	1	1	3	2	2	1	–	–	–	–	1	–	–	–
		F.	14	–	–	–	–	–	–	–	1	1	2	2	1	1	1	1	2	1	1	–	–	–	–	–
E971	Poisoning by other solid and liquid substances	M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	–	1	1	–	–	–	–
		F.	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–
E972	Poisoning by gases in domestic use ...	M.	62	–	–	–	–	–	–	–	–	6	1	3	5	4	5	11	11	4	4	3	3	2	–	–
		F.	47	–	–	–	–	–	–	–	1	2	1	3	3	3	5	10	4	6	3	6	–	–	–	–
E973	Poisoning by other gases	M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E974	Injury by hanging and strangulation	M.	30	–	–	–	–	–	–	1	–	1	3	1	–	2	4	6	2	5	1	3	1	–	–	–
		F.	10	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	3	2	–	–	–	1	–
E975	Injury by submersion (drowning) ...	M.	11	–	–	–	–	–	–	–	–	–	–	–	2	2	1	1	1	–	3	1	–	–	–	–
		F.	13	–	–	–	–	–	–	–	–	–	–	2	1	–	–	2	1	3	1	2	1	–	–	–
E976	Injury by firearms and explosives ...	M.	14	–	–	–	–	–	–	–	1	–	–	–	1	2	2	2	1	2	–	1	–	–	2	–
		F.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
E977	Injury by cutting and piercing instruments	M.	18	–	–	–	–	–	–	–	–	–	–	–	2	2	3	1	–	3	1	2	3	1	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–
E978	Injury by jumping from high place ...	M.	9	–	–	–	–	–	–	–	–	1	1	2	1	1	–	1	1	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–
E979	Injury by other and unspecified means	M.	5	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	1	–	–	–	–	–
		F.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–

Table 42.—Causes of Death by Age-groups—Scotland, 1950 (Males and Females)—*continued*

International Nos. Detailed List	Causes of Death		All Ages	Ages -1	1-	2-	3-	4-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated
	EXVII. ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)—*continued*																									
	Homicide and injury purposely inflicted by other persons (not in war) (E980-E985)—																									
E980	Non-accidental poisoning by another person	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E981	Assault by firearm and explosive ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E982	Assault by cutting and piercing instruments	M.	3	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
		F.	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–
E983	Assault by other means	M.	11	–	1	–	–	–	–	–	1	1	1	2	–	–	2	1	–	1	–	1	–	–	–	–
		F.	8	3	–	–	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–
E984	Injury by intervention of police ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E985	Execution	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Injury resulting from operations of war (E990-E999)—																									
E990	Gas and chemicals	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E991	Gunshot	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E992	Grenade and land-mine	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E993	Bomb	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
E994	Marine mine, depth charge, and torpedo	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E995	Explosion of artillery shell	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E996	Explosion of undetermined origin ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E997	Aircraft destruction	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E998	Other and unspecified means ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E999	Occurring after cessation of hostilities	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 43.—Causes of Death by Months—Scotland, 1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		ALL CAUSES—Both Sexes ...	**63996**	**6074**	**6548**	**6025**	**4968**	**5381**	**4638**	**4611**	**4337**	**4392**	**4881**	**5587**	**6554**
		All Tuberculosis (001-019) Total	2775	283	281	268	243	261	218	227	152	177	171	251	243
001-008	1	Respiratory system	2439	254	249	241	209	226	181	189	134	154	151	229	222
010	2	Meninges and central nervous system	191	15	22	14	23	22	23	19	11	12	9	11	10
011	3	Intestines, peritoneum and mesenteric glands	28	2	1	2	4	2	4	5	3	1	1	1	2
012, 013	4	Bones and joints	38	7	3	4	2	8	3	2	1	3	–	3	2
014-019	5	All other forms	79	5	6	7	5	3	7	12	3	7	10	7	7
		Syphilis (020-029) Total	170	19	13	17	10	19	14	6	9	13	14	10	26
020	6	Congenital syphilis	11	2	1	2	–	1	–	–	–	1	–	1	3
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	21	4	2	3	1	2	1	–	2	1	–	2	3
025	9	General paralysis of insane ...	33	4	3	5	2	3	3	2	1	–	3	2	5
022-023, 026-029	10	All other syphilis	105	9	7	7	7	13	10	4	6	11	11	5	15
030-035	11	Gonococcal infection	2	1	1	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever and other salmonella infections	4	–	–	–	1	1	–	–	1	–	1	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever) ...	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	14	2	2	–	–	–	1	–	2	2	1	1	3
050	17	Scarlet fever	1	1	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat ...	3	–	1	2	–	–	–	–	–	–	–	–	–
052	19	Erysipelas	5	1	–	2	–	–	1	–	1	–	–	–	–
053	20	Septicæmia and pyæmia	44	4	4	5	4	5	4	4	4	2	–	3	5
055	21	Diphtheria	3	–	–	–	–	1	–	–	1	–	–	1	–
056	22	Whooping-cough	61	9	6	7	4	2	8	3	3	3	3	6	7
057	23	Meningococcal infections	35	3	6	–	2	6	1	1	1	2	6	2	5
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	8	1	–	–	1	–	–	–	4	–	1	1	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	64	1	–	1	–	–	7	11	16	12	10	4	2
082	29	Acute infectious encephalitis ...	14	–	3	1	2	1	1	1	4	1	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	45	10	7	2	2	4	3	4	3	1	2	3	4
084	31	Smallpox	6	–	–	–	6	–	–	–	–	–	–	–	–
085	32	Measles	38	–	–	3	1	11	10	4	2	3	1	1	2
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	16	1	1	–	2	3	1	2	4	–	2	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases	1	1	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	1	–	–	–	–	–	–	–	–
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	1	–	–	–	–	–	–	–	–	–	–	1	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths ...	1	–	–	–	–	–	–	–	–	–	1	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	27	1	4	2	3	4	1	2	2	2	2	1	3
		Malignant neoplasms (140-205 Total	10029	850	829	836	776	867	812	864	821	790	868	852	864
140-148	44	Buccal cavity and pharynx ...	296	24	25	24	22	27	33	21	27	21	22	22	28
150	45	Œsophagus	337	28	17	34	27	27	26	23	29	35	33	36	22
151	46	Stomach...	1829	147	154	153	141	152	145	162	151	146	175	149	154
152, 153	47	Intestine (except rectum) ...	1445	138	115	124	115	121	107	143	113	110	122	115	122
154	48	Rectum	586	47	48	52	60	46	37	46	43	44	58	60	45
161	49	Larynx	106	14	7	11	8	6	5	6	7	7	10	13	12
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	1401	98	117	112	105	131	120	110	110	123	126	128	121
170	51	Breast	829	70	73	59	62	76	71	60	64	53	74	85	82
171	52	Cervix uteri	208	18	19	20	14	12	16	21	18	20	21	10	19
172-174	53	Uterus other and unspecified parts	257	23	24	22	19	28	21	13	35	18	20	19	15
177	54	Prostate	317	35	30	31	26	29	25	28	21	23	24	24	21
190-191	55	Skin	101	4	8	12	8	6	8	11	13	8	4	9	10

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		Malignant neoplasms (140-205) —*continued*													
196, 197	56	Bone and connective tissue ...	135	10	18	14	12	9	17	14	6	6	10	4	15
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	Other and unspecified sites ...	1774	160	141	145	129	164	139	165	151	138	137	145	160
204	58	Leukæmia and aleukæmia ...	200	16	12	11	12	14	24	20	21	14	19	14	23
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	208	18	21	12	16	19	18	21	12	24	13	19	15
210-239	60	Benign neoplasms and neoplasms of unspecified nature	221	25	16	16	25	23	13	15	18	18	17	17	18
250, 251	61	Nontoxic goitre	4	–	–	–	–	1	–	1	–	–	2	–	–
252	62	Thyrotoxicosis with or without goitre	45	7	3	5	3	3	2	2	4	6	3	4	3
260	63	Diabetes mellitus	565	51	58	42	39	51	43	43	43	43	44	43	65
280-286	64	Avitaminosis and other deficiency states	20	2	–	1	2	3	–	2	1	1	1	2	5
290	65*a*	Pernicious and other hyperchromic anæmias	231	17	26	33	16	23	12	18	23	9	19	18	17
291-293	65*b*	Other anæmias	126	12	16	10	8	10	11	6	8	7	14	8	16
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	500	46	61	44	34	28	43	35	41	38	32	51	47
300-309	67	Psychoses	156	10	17	20	15	17	12	8	15	9	6	12	15
310-324, 326	68	Psychoneuroses and disorders of personality	22	2	1	3	1	3	–	1	2	3	2	1	3
325	69	Mental deficiency	17	3	3	2	1	–	1	3	1	–	2	–	1
330	70*a*	Subarachnoid hæmorrhage ...	128	5	10	3	5	6	12	14	12	14	18	11	18
331	70*b*	Cerebral hæmorrhage	4524	425	422	435	379	387	334	329	288	320	380	425	400
332	70*c*	Cerebral embolism and thrombosis	3721	331	381	359	274	345	268	269	250	259	289	309	387
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	359	27	44	43	26	30	28	22	26	16	34	28	35
340	71	Nonmeningococcal meningitis ...	58	7	2	7	5	5	4	7	4	2	2	6	7
345	72	Multiple sclerosis	142	13	12	20	10	13	16	13	5	6	13	8	13
353	73	Epilepsy	124	14	7	12	12	11	7	16	9	5	9	10	12
370-379	74	Inflammatory diseases of eye ...	1	1	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	2	–	–	–	–	–	–	1	–	1	–	–	–
387	76	Glaucoma	1	–	–	–	1	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis ...	25	4	2	2	1	1	4	1	3	2	1	3	1
350	78*a*	Paralysis agitans	185	10	16	23	18	21	15	9	13	13	14	13	20
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs ...	445	39	46	39	40	40	35	21	34	34	37	40	40
400-402	79	Rheumatic fever	57	6	8	7	5	2	3	1	2	4	2	7	10
		Heart disease (410-443) Total	20303	1907	2143	1879	1600	1731	1452	1399	1349	1348	1507	1843	2145
410-416	80	Chronic rheumatic heart disease	942	109	85	79	61	70	72	74	68	63	74	103	84
420	81*a*	Arteriosclerotic heart disease (including coronary disease) ...	6777	601	623	570	539	559	488	489	481	513	541	683	690
421	81*b*	Chronic endocarditis not specified as rheumatic	600	51	71	60	70	52	43	31	40	41	37	48	56
422.0	81*c*	Fatty degeneration of heart ...	50	8	3	4	3	2	3	8	–	1	9	3	6
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4670	429	540	452	367	431	350	319	290	257	337	386	512
422.2	81*e*	Other myocardial degeneration	5565	559	623	561	418	475	390	357	364	348	375	488	607
430-432	82*a*	Acute non-rheumatic heart disease	227	17	29	31	22	14	16	19	12	16	12	13	26
433-434	82*b*	Other and unspecified diseases of heart	1022	107	109	94	83	91	61	67	63	75	88	79	105
440-443	83	Hypertension with heart disease	450	26	60	28	37	37	29	35	31	34	34	40	59
444-447	84	Hypertension without mention of heart	539	37	48	58	53	48	36	44	28	41	56	45	45
450	85*a*	General arteriosclerosis	830	88	87	93	58	82	49	53	45	52	61	72	90
451-456	85*b*	Other diseases of arteries ...	193	16	26	14	12	11	20	13	15	19	16	15	16
460-468	86	Other diseases of circulatory system	234	16	25	20	11	24	21	18	18	17	19	19	26
470-475	87	Acute upper respiratory infections	29	4	9	1	2	1	–	1	1	1	1	5	3

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
		Heart disease (410-443) —*continued*													
480-483	88	Influenza	386	48	111	99	32	14	5	4	5	4	1	26	37
490	89	Lobar pneumonia	425	40	62	50	37	34	23	27	16	22	29	40	45
491	90	Bronchopneumonia	1487	207	213	152	94	87	86	73	72	72	95	123	213
492, 493	91	Primary atypical other and unspecified pneumonia	205	28	19	16	15	14	22	14	12	14	12	12	27
		Bronchitis (500-502) TOTAL	2259	279	373	232	168	147	80	79	70	73	102	247	409
500	92	Acute	347	60	58	34	36	12	7	3	3	12	15	38	69
501*b*, 502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	990	99	183	107	75	71	33	34	35	38	45	112	158
501*a*, 502*a*	93*b*	Chronic and unqualified—otherwise defined	922	120	132	91	57	64	40	42	32	23	42	97	182
510	94	Hypertrophy of tonsils and adenoids	5	–	–	–	2	–	–	2	1	–	–	–	–
518, 521	95	Empyema and abscess of lung ...	30	3	3	3	6	–	–	1	2	1	3	5	3
519	96	Pleurisy	47	2	8	6	6	2	–	4	5	5	2	4	3
511-517, 520, 522-527	97	All other respiratory diseases ...	521	55	80	43	32	40	25	32	35	26	38	48	67
530-535	98	Diseases of teeth and supporting structures	3	2	–	–	–	–	–	–	–	–	–	1	–
540	99	Ulcer of stomach	297	33	34	26	21	28	17	24	22	18	25	18	31
541	100	Ulcer of duodenum	332	26	27	39	27	28	25	24	29	19	16	27	45
543	101	Gastritis and duodenitis	36	2	4	2	3	5	2	1	6	3	3	3	2
550-553	102	Appendicitis	154	15	11	22	8	14	15	12	13	11	15	6	12
560, 561, 570	103	Intestinal obstruction and hernia	370	31	32	36	25	41	23	30	24	30	39	26	33
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	264	27	27	20	20	27	19	13	16	25	17	27	26
571.1	104*b*	Gastro-enteritis over 2 years ...	88	6	5	15	6	4	9	8	4	7	9	6	9
572	104*c*	Chronic enteritis and ulcerative colitis	125	12	8	7	13	16	9	11	7	10	14	11	7
581	105	Cirrhosis of liver	163	16	13	16	13	19	14	8	7	16	14	17	10
584, 585	106	Cholelithiasis and cholecystitis ...	205	14	13	18	12	12	21	29	14	22	19	17	14
580, 582, 583, 586	107*a*	Other diseases of liver	66	11	6	7	6	2	7	3	4	6	4	5	5
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	169	17	19	22	12	12	14	9	15	9	8	13	19
590	108	Acute nephritis	49	5	4	4	5	5	5	4	5	2	2	3	5
591-594	109	Chronic, other and unspecified nephritis	650	68	61	73	50	52	44	43	40	54	56	46	63
600	110	Infections of kidney	119	11	15	10	7	7	13	6	8	10	7	13	12
602, 604	111	Calculi of urinary system ...	32	3	3	5	1	3	1	1	5	–	3	3	4
610	112	Hyperplasia of prostate	509	42	53	44	36	33	37	41	48	37	48	42	48
620, 621	113	Diseases of breast	1	–	–	–	–	–	–	–	–	–	–	1	–
605, 606	114*a*	Diseases of bladder	71	11	8	7	5	5	4	6	3	2	5	8	7
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	116	12	5	18	8	10	8	9	7	13	7	9	10
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	15	1	1	1	–	1	3	2	2	–	–	1	3
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	26	2	2	1	3	1	1	4	6	2	1	3	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	3	–	–	1	1	–	–	–	–	1	–	–	–
671, 672	117*b*	Postpartum hæmorrhage ...	10	3	–	–	1	2	1	1	–	–	1	1	–
650	118	Abortion without mention of sepsis or toxæmia	5	–	–	–	–	2	–	–	2	1	–	–	–
651	119	Abortion with sepsis	8	–	2	–	2	–	–	1	–	–	–	1	2
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium...	39	5	1	3	3	5	1	4	5	2	4	4	2
690-698	121	Infections of skin and subcutaneous tissue	31	–	1	2	5	1	3	5	4	3	2	3	2
720-725	122	Arthritis and spondylitis	99	7	9	11	12	4	11	8	7	10	8	5	7

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

Table 43—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death	Total	January	February	March	April	May	June	July	August	September	October	November	December
726, 727	123	Muscular rheumatism and rheumatism unspecified...	13	4	1	3	2	–	–	–	1	–	1	1	–
730	124	Osteomyelitis and periostitis ...	14	–	2	1	1	1	1	1	1	2	–	4	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	1	–	–	–	–	1	–	–	–		–		–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system ...	82	5	8	11	2	8	10	4	8	4	6	7	9
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2413	235	209	217	201	207	184	186	177	184	192	200	221
751	127	Spina bifida and meningocele ...	122	16	13	7	13	12	8	5	7	6	7	11	17
754	128	Congenital malformations of circulatory system	216	22	18	19	15	16	17	19	14	14	19	22	21
750, 752, 753, 755-759	129	All other congenital malformations	275	31	26	17	20	24	16	13	23	29	24	27	25
760, 761	130	Birth injuries	306	20	22	29	27	28	25	16	31	28	25	26	29
762	131	Postnatal asphyxia and atelectasis	341	39	31	39	30	29	24	36	22	16	27	19	29
763	132*a*	Pneumonia of newborn ...	146	19	18	16	7	10	9	9	7	14	11	13	13
764	132*b*	Diarrhœa of newborn	35	4	5	4	2	9	1	3	3	1	1	2	–
765-768	132*c*	Other infections of newborn ...	14	2	1	–	1	4	1	2	–	1	1	1	–
770	133	Hæmolytic disease of newborn	73	2	8	5	7	3	10	6	7	8	5	5	7
769, 771, 772	134	All other defined diseases of early infancy	93	4	12	10	10	4	10	10	4	2	10	9	8
773-776	135	Ill-defined diseases peculiar to early infancy, and immaturity unqualified ...	792	76	55	71	69	68	63	67	59	65	62	65	72
794	136	Senility without mention of psychosis	1283	144	164	140	94	97	78	84	68	84	87	93	150
780-793, 795	137	Ill-defined and unknown causes ... "E" code alternative classification of accidents, poisonings and violence (external causes)	997	95	90	83	66	70	79	76	60	83	80	87	128
		Violence (800-999) TOTAL	2598	234	194	222	191	215	215	223	213	209	222	218	242
E810-E835	138	Motor vehicle accidents ...	489	45	27	37	33	47	39	48	50	46	51	33	33
E800-E802, E840-E866	139	Other transport accidents ...	147	22	10	8	5	11	15	16	11	14	10	11	14
E870-E895	140	Accidental poisoning	234	26	19	22	14	23	20	11	12	16	12	24	35
E900-E904	141	Accidental falls	641	55	59	52	43	50	42	57	47	52	50	64	70
E912	142	Accident caused by machinery	35	5	2	4	5	2	–	1	6	–	4	1	5
E916	143	Accident caused by fire and explosion of combustible material	23	3	3	5	1	4	3	–	1	2	–	–	1
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	86	10	7	4	5	5	4	6	–	7	7	12	19
E919	145	Accident caused by firearm ...	31	3	1	2	7	2	3	1	2	1	4	4	1
E929	146	Accidental drowning and submersion	234	17	15	22	24	17	31	29	21	19	16	15	8
E921-E925	147*a*	Accidental mechanical suffocation, etc.	196	17	10	22	19	15	12	7	15	13	26	21	19
E910-E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes ...	173	9	17	10	8	9	15	14	18	19	22	15	17
E963, E970-E979	148	Suicide and self-inflicted injury	269	18	21	32	25	28	27	30	22	19	16	16	15
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	31	1	2	2	2	1	4	3	8	1	2	1	4
E965, E990-E999	50	Injury resulting from operations of war	9	3	1	–	–	1	–	–	–	–	2	1	1

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—Deaths in Scotland by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**63,996**	**3,569**	**694**	**279**	**207**	**1,148**	**1,574**	**2,569**	**5,350**	**9,891**	**16,547**	**22,166**	**2**
		Total Males		**32,191**	**2,058**	**396**	**163**	**124**	**539**	**724**	**1,351**	**3,135**	**5,588**	**8,475**	**9,637**	**1**
		Total Females		**31,805**	**1,511**	**298**	**116**	**83**	**609**	**850**	**1,218**	**2,215**	**4,303**	**8,072**	**12,529**	**1**
		All Tuberculosis (001-019)	TOTAL M.	1,469	18	66	16	13	165	230	247	300	243	140	31	—
			TOTAL F.	1,306	13	59	20	22	375	381	203	94	74	52	13	—
001-008	1	Respiratory system	M.	1,306	13	20	4	3	138	217	232	286	235	130	28	—
			F.	1,133	7	16	8	12	346	362	183	80	64	45	10	—
010	2	Meninges and central nervous system	M.	89	5	42	11	8	12	3	3	5	—	—	—	—
			F.	102	5	38	12	10	23	6	5	1	2	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	12	—	1	—	1	1	—	2	1	2	4	—	—
			F.	16	—	1	—	—	3	2	5	4	1	—	—	—
012, 013	4	Bones and joints	M.	19	—	—	1	—	2	4	3	2	—	4	3	—
			F.	19	—	1	—	—	1	2	3	1	5	4	2	—
014-019	5	All other forms	M.	43	—	3	—	1	12	6	7	6	6	2	—	—
			F.	36	1	3	—	—	2	9	7	8	2	3	1	—
		Syphilis (020-029)	TOTAL M.	126	4	1	—	—	—	1	5	20	45	43	7	—
			TOTAL F.	44	3	—	—	—	2	—	1	7	13	10	8	—
020	6	Congenital syphilis	M.	5	4	1	—	—	—	—	—	—	—	—	—	—
			F.	6	3	—	—	—	2	—	—	—	1	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	19	—	—	—	—	—	—	—	2	5	11	1	—
			F.	2	—	—	—	—	—	—	—	—	1	1	—	—
025	9	General paralysis of insane	M.	24	—	—	—	—	—	—	3	4	12	5	—	—
			F.	9	—	—	—	—	—	—	—	2	4	1	2	—
022, 023 026-029	10	All other syphilis	M.	78	—	—	—	—	—	1	2	14	28	27	6	—
			F.	27	—	—	—	—	—	—	1	5	7	8	6	—
030-035	11	Gonococcal infection	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	4	—	—	—	—	—	1	—	1	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	7	2	—	—	1	—	—	—	—	1	2	1	—
			F.	7	4	—	—	—	—	1	—	—	—	—	2	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
052	19	Erysipelas	M.	2	—	—	—	—	—	—	—	—	—	—	2	—
			F.	3	—	—	—	—	—	—	1	—	—	2	—	—
053	20	Septicæmia and pyæmia	M.	24	4	3	1	1	2	—	2	3	4	3	1	—
			F.	20	4	—	—	—	1	1	3	3	5	3	—	—
055	21	Diphtheria	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	35	23	11	1	—	—	—	—	—	—	—	—	—
			F.	26	16	9	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	20	6	12	—	—	—	—	1	1	—	—	—	—
			F.	15	4	9	—	1	—	—	—	—	1	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	7	—	2	2	1	—	1	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	40	3	10	4	5	6	7	3	1	1	—	—	—
			F.	24	—	8	1	—	5	4	3	3	—	—	—	—
082	29	Acute infectious encephalitis	M.	5	1	—	2	—	—	2	—	—	—	—	—	—
			F.	9	2	2	1	—	—	3	—	—	—	1	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	28	—	—	1	—	—	—	5	7	9	5	1	—
			F.	17	—	—	—	—	—	1	5	3	2	4	2	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	6	1	—	—	—	4	1	—	—	—	—	—	—
085	32	Measles	M.	19	10	9	—	—	—	—	—	—	—	—	—	—
			F.	19	8	8	2	—	—	—	—	—	—	1	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	10	—	1	—	—	1	—	—	1	2	2	3	—
			F.	6	—	—	1	—	—	—	1	—	3	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	18	4	2	—	—	—	1	3	1	4	2	1	—
			F.	9	—	—	—	—	1	—	1	1	—	1	5	—
		Malignant neoplasms (140-205)	Total M.	5,037	1	19	12	14	46	76	237	691	1,230	1,625	1,086	—
			Total F.	4,992	1	20	9	5	19	75	331	705	1,123	1,468	1,236	—
140-148	44	Buccal cavity and pharynx ...	M.	218	—	—	1	—	1	—	5	11	23	90	87	—
			F.	78	—	—	—	—	—	1	4	7	13	26	27	—
150	45	Œsophagus ...	M.	193	—	—	—	—	—	2	10	15	44	78	44	—
			F.	144	—	—	—	—	—	—	2	16	30	48	48	—
151	46	Stomach ...	M.	951	—	—	1	—	—	7	40	115	237	339	212	—
			F.	878	—	—	—	—	1	10	36	67	176	311	277	—
152, 153	47	Intestine, except rectum ...	M.	634	—	—	—	—	3	5	19	50	111	243	203	—
			F.	811	—	—	—	—	1	4	23	73	149	261	300	—
154	48	Rectum ...	M.	351	—	—	—	—	1	3	9	27	84	137	90	—
			F.	235	—	—	—	—	—	3	8	29	55	77	63	—
161	49	Larynx ...	M.	80	—	—	—	—	—	1	—	10	15	34	20	—
			F.	26	—	—	—	—	—	—	2	3	9	6	6	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	1,106	—	—	—	—	1	11	77	286	424	240	67	—
			F.	295	—	—	—	—	2	5	26	54	75	85	48	—
170	51	Breast ...	M.	8	—	—	—	—	—	—	—	—	3	3	2	—
			F.	821	—	—	—	—	—	12	87	179	184	212	147	—
171	52	Cervix uteri ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	208	—	1	—	—	—	4	30	47	73	34	19	—
172-174	53	Other and unspecified parts of uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	257	—	—	—	—	1	4	16	48	76	81	31	—
177	54	Prostate ...	M.	317	—	—	—	—	—	—	—	5	35	140	137	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin ...	M.	46	—	—	—	—	—	—	4	2	5	12	23	—
			F.	55	—	—	—	—	—	2	5	7	5	6	30	—
196, 197	56	Bone and connective tissue ...	M.	78	—	—	—	—	7	7	6	18	13	12	15	—
			F.	57	—	1	—	1	—	4	5	8	10	13	15	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	814	—	9	2	4	9	26	41	113	197	242	171	—
			F.	960	1	5	2	2	9	16	75	136	225	282	207	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
204	58	Leukæmia and aleukæmia	M.	113	1	7	7	6	12	3	9	16	14	30	8	—
			F.	87	—	13	3	2	4	6	7	17	13	13	9	—
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	128	—	3	1	4	12	11	17	23	25	25	7	—
			F.	80	—	—	4	—	1	4	5	14	30	13	9	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	85	4	4	3	2	3	5	9	11	15	15	14	—
			F.	136	1	—	3	1	4	7	15	31	28	22	24	—
250, 251	61	Nontoxic goitre	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	3	—	—	—	—	1	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	8	—	—	—	—	2	—	—	2	3	1	—	—
			F.	37	—	—	—	—	1	4	2	10	9	8	3	—
260	63	Diabetes mellitus	M.	162	—	2	1	—	4	7	21	14	28	52	33	—
			F.	403	—	1	—	1	3	5	8	23	92	160	110	—
280-286	64	Avitaminosis and other deficiency states	M.	10	3	—	—	—	1	—	1	1	—	3	1	—
			F.	10	—	2	1	—	—	—	—	3	1	2	1	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	98	—	—	—	—	—	—	—	3	11	39	45	—
			F.	133	—	—	—	—	—	—	1	3	18	42	69	—
291-293	65*b*	Other anæmias	M.	46	1	1	1	—	2	2	—	5	9	15	10	—
			F.	80	1	3	—	—	3	3	1	11	11	24	23	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	226	8	3	5	4	4	8	17	34	56	66	21	—
			F.	274	4	2	5	2	7	15	22	42	63	64	48	—
300-309	67	Psychoses	M.	58	—	—	—	—	—	1	3	4	9	13	28	—
			F.	98	—	—	—	—	4	3	7	4	22	14	44	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	13	—	—	1	—	—	1	2	5	1	2	1	—
			F.	9	—	—	—	—	—	—	1	1	—	3	4	—
325	69	Mental deficiency	M.	7	5	2	—	—	—	—	—	—	—	—	—	—
			F.	10	4	3	—	—	1	1	—	—	1	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	45	—	—	—	—	5	4	4	11	13	4	4	—
			F.	83	—	—	—	—	4	7	11	18	18	16	9	—
331	70*b*	Cerebral hæmorrhage	M.	1,811	—	1	—	1	4	6	28	115	296	687	673	—
			F.	2,713	1	—	1	1	1	9	47	203	475	930	1,045	—
332	70*c*	Cerebral embolism and thrombosis	M.	1,626	—	—	—	—	2	1	3	32	196	559	833	—
			F.	2,095	—	—	—	1	1	4	9	55	192	623	1,210	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	153	—	—	—	—	1	2	3	9	19	44	75	—
			F.	206	—	—	—	—	—	1	2	6	29	56	112	—
340	71	Nonmeningococcal meningitis	M.	31	13	7	—	—	2	1	—	3	3	1	1	—
			F.	27	9	6	—	—	1	—	2	1	5	2	1	—
345	72	Multiple sclerosis	M.	52	—	—	—	—	1	8	7	13	16	4	3	—
			F.	90	—	—	—	—	3	6	19	29	19	9	5	—
353	73	Epilepsy	M.	64	1	3	1	8	9	10	12	7	7	4	2	—
			F.	60	2	4	1	1	7	12	13	4	5	7	4	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
387	76	Glaucoma	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	16	2	3	1	1	2	2	2	2	1	—	—	—
			F.	9	2	—	—	—	2	1	3	1	—	—	—	—
350	78*a*	Paralysis agitans	M.	80	—	—	—	—	—	—	1	1	12	45	21	—
			F.	105	—	—	—	—	—	—	2	2	14	48	39	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	232	4	9	6	5	7	5	12	20	53	49	62	—
			F.	213	3	2	3	4	1	9	11	24	27	61	68	—
400-402	79	Rheumatic fever	M.	16	—	—	2	2	4	3	1	1	3	—	—	—
			F.	41	—	3	4	5	7	2	2	7	8	2	1	—
		Heart disease (410-443) TOTAL	M.	10,086	1	3	6	8	41	58	269	888	1,785	3,120	3,907	—
			F.	10,217	—	1	4	7	36	94	196	434	1,197	2,967	5,281	—
410-416	80	Chronic rheumatic heart disease	M.	347	—	—	2	4	26	28	54	68	55	62	48	—
			F.	595	—	—	3	6	22	60	103	119	100	93	89	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	4,275	—	—	—	—	2	12	158	595	1,118	1,499	891	—
			F.	2,502	—	—	—	—	—	3	33	124	449	1,069	824	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	271	—	1	1	2	7	1	15	33	53	81	77	—
			F.	329	—	—	—	—	5	13	19	36	55	91	110	—
422.0	81*c*	Fatty degeneration of heart	M.	12	—	—	—	—	—	—	1	1	4	5	1	—
			F.	38	—	—	—	—	—	—	—	4	14	13	7	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	2,010	—	—	—	—	1	—	2	17	132	547	1,311	—
			F.	2,660	—	—	—	—	—	—	1	23	128	559	1,949	—
422.2	81*e*	Other myocardial degeneration	M.	2,347	—	—	1	1	2	9	12	110	260	682	1,270	—
			F.	3,218	—	1	1	—	1	8	21	75	296	857	1,958	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	108	1	2	2	1	3	3	7	10	23	21	35	—
			F.	119	—	—	—	1	7	4	4	9	20	31	43	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	485	—	—	—	—	—	3	15	31	87	160	189	—
			F.	537	—	—	—	—	1	5	11	30	85	179	226	—
440-443	83	Hypertension with heart disease	M.	231	—	—	—	—	—	2	5	23	53	63	85	—
			F.	219	—	—	—	—	—	1	4	14	50	75	75	—
444-447	84	Hypertension without mention of heart disease	M.	267	—	—	—	—	1	4	10	32	52	72	96	—
			F.	272	—	—	—	—	—	4	15	35	48	74	96	—
450	85*a*	General arteriosclerosis	M.	432	—	—	—	—	—	—	2	8	18	106	298	—
			F.	398	—	—	—	—	—	—	—	5	11	77	305	—
451-456	85*b*	Other diseases of arteries	M.	107	—	—	—	2	—	1	6	8	11	33	46	—
			F.	86	—	—	1	1	1	—	3	3	8	14	55	—
460-468	86	Other diseases of circulatory system	M.	86	—	1	1	—	—	2	4	16	17	28	17	—
			F.	148	1	—	—	1	1	6	3	19	37	49	31	—
470-475	87	Acute upper respiratory infections	M.	13	6	1	—	1	1	1	—	—	—	—	3	—
			F.	16	8	1	—	1	1	—	—	—	1	3	1	—
480-483	88	Influenza	M.	152	7	3	1	—	4	2	12	11	28	37	47	—
			F.	234	4	8	1	1	3	8	9	14	19	56	111	—
490	89	Lobar pneumonia	M.	254	18	4	—	—	7	3	9	28	56	61	68	—
			F.	171	13	2	—	3	6	1	14	26	25	30	51	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	752	202	38	4	4	7	6	17	43	90	145	196	—
			F.	735	143	28	2	1	6	14	17	26	56	153	289	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	109	26	3	1	1	—	—	3	8	19	20	28	—
			F.	96	14	5	—	2	1	1	4	7	13	23	26	—
		Bronchitis (500-502) TOTAL	M.	1,390	33	7	—	—	1	8	34	165	380	369	393	—
			F.	869	21	5	1	1	1	6	23	51	129	226	405	—
500	92	Acute	M.	156	23	3	—	—	—	1	2	7	19	33	68	—
			F.	191	10	3	—	—	1	2	3	9	24	35	104	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	640	1	1	—	—	—	2	15	76	194	180	171	—
			F.	350	1	—	—	—	—	1	7	20	65	104	152	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	594	9	3	—	—	1	5	17	82	167	156	154	—
			F.	328	10	2	1	1	—	3	13	22	40	87	149	—
510	94	Hypertrophy of tonsils and adenoids	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	3	—	1	1	—	—	—	—	—	—	—	1	—
518, 521	95	Empyema and abscess of lung	M.	16	2	—	—	1	—	1	2	5	3	2	—	—
			F.	14	4	—	—	—	—	1	—	—	4	3	2	—
519	96	Pleurisy	M.	28	—	—	—	1	1	—	2	3	7	10	4	—
			F.	19	—	—	—	—	—	—	1	1	4	1	12	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	322	3	3	1	1	3	8	16	50	108	64	65	—
			F.	199	7	2	—	—	3	4	7	10	27	34	105	—
530-535	98	Diseases of teeth and supporting structures	M.	2	—	—	1	—	—	—	—	—	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
540	99	Ulcer of stomach	M.	215	—	—	—	—	1	10	18	37	59	53	37	—
			F.	82	—	—	—	—	—	3	3	7	14	30	25	—
541	100	Ulcer of duodenum	M.	296	1	—	—	—	1	12	35	60	85	73	29	—
			F.	36	—	—	—	1	—	2	1	7	5	14	6	—
543	101	Gastritis and duodenitis	M.	16	—	—	—	—	—	1	—	3	3	4	5	—
			F.	20	2	1	—	—	—	—	2	—	7	3	5	—
550-553	102	Appendicitis	M.	81	—	7	2	1	10	10	2	14	12	15	8	—
			F.	73	—	8	2	1	8	6	2	11	14	13	8	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	191	10	2	2	1	1	1	11	17	28	57	61	—
			F.	179	7	2	1	—	3	1	12	9	33	54	57	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	154	146	8	—	—	—	—	—	—	—	—	—	—
			F.	110	105	5	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	28	—	3	2	—	—	1	1	5	5	3	8	—
			F.	60	—	3	1	1	1	—	1	5	7	16	25	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	52	—	1	—	—	2	2	3	9	13	12	10	—
			F.	73	—	—	—	—	2	11	8	5	17	26	4	—
581	105	Cirrhosis of liver	M.	98	—	1	1	—	1	1	15	14	32	21	12	—
			F.	65	—	—	1	—	—	3	7	11	17	15	11	—
584-585	106	Cholelithiasis and cholecystitis	M.	43	—	—	—	—	—	—	1	3	7	20	12	—
			F.	162	—	—	—	—	—	1	7	21	33	58	42	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	27	—	—	1	—	—	—	3	7	9	5	2	—
			F.	39	—	1	—	1	—	3	6	10	6	4	8	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	79	—	2	1	—	2	1	2	16	14	22	19	—
			F.	90	2	1	1	—	2	—	6	10	27	21	20	—
590	108	Acute nephritis	M.	23	3	1	—	1	2	1	1	3	4	3	4	—
			F.	26	2	1	—	—	4	5	2	3	3	4	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	302	1	3	3	2	10	19	30	32	62	72	68	—
			F.	348	—	1	1	1	12	17	23	54	73	79	87	—

TABLE 44A.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	52	3	—	—	—	2	1	3	1	12	13	17	—
			F.	67	2	—	1	—	2	2	2	8	16	17	17	—
602, 604	111	Calculi of urinary system	M.	19	—	—	—	—	—	—	3	2	6	1	7	—
			F.	13	—	—	—	—	—	1	1	—	6	4	1	—
610	112	Hyperplasia of prostate	M.	509	—	—	—	—	—	—	1	2	25	152	329	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
605, 606	114*a*	Diseases of bladder	M.	45	—	—	—	—	—	—	1	—	5	14	25	—
			F.	26	—	—	—	—	—	—	1	1	1	6	17	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	67	—	—	1	—	1	1	—	2	9	21	32	—
			F.	49	—	—	—	—	1	2	6	14	11	12	3	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	15	—	—	—	—	3	7	5	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	26	—	—	—	—	5	12	8	1	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	3	—	—	—	—	—	1	2	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	10	—	—	—	—	2	4	4	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	5	—	—	—	—	1	3	1	—	—	—	—	—
651	119	Abortion with sepsis	F.	8	—	—	—	—	1	4	3	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	39	—	—	—	—	6	21	11	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	19	2	—	—	—	—	—	—	2	4	5	6	—
			F.	12	—	1	—	—	—	—	—	—	3	1	7	—
720-725	122	Arthritis and spondylitis	M.	19	—	—	—	—	—	—	2	1	2	7	7	—
			F.	80	1	—	—	1	1	—	3	4	15	22	33	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	6	—	—	—	—	1	—	—	—	1	1	3	—
			F.	7	—	—	—	—	—	—	—	1	—	3	3	—
730	124	Osteomyelitis and periostitis	M.	11	—	—	—	—	1	—	1	3	2	3	1	—
			F.	3	—	—	—	—	—	—	1	—	—	2	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	38	9	—	—	1	4	1	—	3	4	5	11	—
			F.	44	1	—	—	—	1	1	4	5	7	13	12	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	1,383	1,322	19	6	4	10	5	6	8	3	—	—	—
			TOTAL F.	1,030	971	22	5	3	7	5	3	7	4	3	—	—
751	127	Spina bifida and meningocele	M.	41	37	3	—	—	1	—	—	—	—	—	—	—
			F.	81	75	4	1	—	—	1	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	120	93	7	5	3	6	3	2	1	—	—	—	—
			F.	96	72	9	3	1	5	3	1	2	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	155	125	9	1	1	3	2	4	7	3	—	—	—
			F.	120	91	9	1	2	2	1	2	5	4	3	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760-761	130	Birth injuries	M.	199	199	—	—	—	—	—	—	—	—	—	—	—
			F.	107	107	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	213	213	—	—	—	—	—	—	—	—	—	—	—
			F.	128	128	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	86	86	—	—	—	—	—	—	—	—	—	—	—
			F.	60	60	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	17	17	—	—	—	—	—	—	—	—	—	—	—
			F.	18	18	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	9	9	—	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	39	39	—	—	—	—	—	—	—	—	—	—	—
			F.	34	34	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	45	45	—	—	—	—	—	—	—	—	—	—	—
			F.	48	48	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	459	459	—	—	—	—	—	—	—	—	—	—	—
			F.	333	333	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	481	—	—	—	—	—	—	—	—	2	49	430	—
			F.	802	—	—	—	—	—	—	—	—	1	52	749	—
780-793, 795	137	Ill-defined and unknown causes	M.	628	60	8	1	—	1	5	24	78	131	184	136	—
			F.	369	44	6	3	1	3	8	11	22	52	94	125	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	1,593	84	105	68	37	150	173	173	227	185	164	226	1
			F.	1,005	76	50	37	11	27	31	53	72	93	155	399	1
E810-E835	138	Motor vehicle accidents	M.	367	—	63	32	12	65	39	34	35	24	33	30	—
			F.	122	—	15	25	6	6	6	7	10	13	19	15	—
E800-E802, E840-E866	139	Other transport accidents	M.	127	—	1	2	—	8	27	22	17	25	10	15	—
			F.	20	1	1	2	1	2	—	2	2	4	2	3	—
E870-E895	140	Accidental poisoning	M.	113	—	2	—	2	3	12	10	27	21	17	19	—
			F.	121	1	2	1	—	2	4	10	15	20	25	41	—
E900-E904	141	Accidental falls	M.	253	—	5	6	8	6	9	16	24	22	38	119	—
			F.	388	—	2	1	—	—	1	4	3	14	62	301	—
E912	142	Accident caused by machinery	M.	35	—	—	—	—	6	5	9	7	4	3	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	8	—	—	—	—	—	1	—	1	1	2	3	—
			F.	15	—	1	—	—	—	—	1	—	2	3	8	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	28	1	10	—	—	1	1	—	3	2	—	10	—
			F.	58	2	9	—	1	1	1	3	4	5	13	19	—
E919	145	Accident caused by firearm	M.	25	—	—	—	—	6	2	8	6	2	—	1	—
			F.	6	—	—	—	—	4	1	1	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	174	5	17	21	8	16	20	11	26	15	25	9	1
			F.	60	—	12	5	1	2	2	8	10	8	8	3	1
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	119	75	3	1	1	7	8	8	10	4	2	—	—
			F.	77	65	6	—	1	—	—	1	—	1	2	1	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	149	3	3	6	4	21	28	23	19	26	10	6	—
			F.	24	4	1	2	—	2	2	2	2	3	4	2	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	170	—	—	—	1	9	14	29	48	33	23	13	—
			F.	99	—	—	—	—	6	13	12	24	22	17	5	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	16	—	1	—	1	2	6	1	3	1	1	—	—
			F.	15	3	1	1	1	2	1	2	2	1	—	1	—
E965, E990-E999	150	Injuries resulting from operations of war	M.	9	—	—	—	—	—	1	2	1	5	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44B.—Deaths in Glasgow by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
		ALL CAUSES—Both Sexes		**14,088**	**880**	**191**	**77**	**43**	**354**	**456**	**680**	**1,401**	**2,532**	**3,651**	**3,823**	—
		Total Males		**7,339**	**507**	**108**	**45**	**23**	**143**	**190**	**370**	**862**	**1,477**	**1,908**	**1,706**	—
		Total Females		**6,749**	**373**	**83**	**32**	**20**	**211**	**266**	**310**	**539**	**1,055**	**1,743**	**2,117**	—
		All Tuberculosis (001-019)	Total M.	544	13	31	5	2	70	82	95	110	86	41	9	—
			Total F.	495	5	25	8	8	151	152	76	36	23	10	1	—
001-008	1	Respiratory system	M.	485	10	8	2	1	58	75	90	107	86	40	8	—
			F.	433	3	8	4	5	142	145	69	29	19	8	1	—
010	2	Meninges and central nervous system	M.	38	3	20	3	—	5	3	2	2	—	—	—	—
			F.	33	1	15	4	3	6	2	1	—	1	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	2	—	—	—	—	1	—	1	—	—	—	—	—
			F.	5	—	—	—	—	2	—	2	1	—	—	—	—
012, 013	4	Bones and joints	M.	7	—	—	—	—	1	3	2	—	—	—	1	—
			F.	8	—	1	—	—	—	1	2	1	2	1	—	—
014-019	5	All other forms	M.	12	—	3	—	1	5	1	—	1	—	1	—	—
			F.	16	1	1	—	—	1	4	2	5	1	1	—	—
		Syphilis (020-029)	Total M.	38	1	—	—	—	—	1	1	8	15	11	1	—
			Total F.	11	—	—	—	—	—	—	1	2	5	2	1	—
020	6	Congenital syphilis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	6	—	—	—	—	—	—	—	1	2	3	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	7	—	—	—	—	—	—	1	2	3	1	—	—
			F.	3	—	—	—	—	—	—	—	1	1	1	—	—
022, 023 026-029	10	All other syphilis	M.	24	—	—	—	—	—	1	—	5	10	7	1	—
			F.	7	—	—	—	—	—	—	1	1	3	1	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	3	—	—	—	—	—	1	—	1	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
052	19	Erysipelas	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	6	1	1	1	—	1	—	—	—	—	2	—	—
			F.	3	—	—	—	—	—	1	—	2	—	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	8	5	3	—	—	—	—	—	—	—	—	—	—
			F.	4	2	2	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	6	1	5	—	—	—	—	—	—	—	—	—	—
			F.	7	3	4	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	6	1	—	1	—	—	2	2	—	—	—	—	—
			F.	4	—	3	—	—	—	—	1	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	9	—	—	1	—	—	—	1	2	4	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	6	1	—	—	—	4	1	—	—	—	—	—	—
085	32	Measles	M.	7	3	4	—	—	—	—	—	—	—	—	—	—
			F.	7	5	1	1	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44B—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	7	3	1	—	—	—	—	—	—	2	1	—	—
			F.	2	—	—	—	—	—	—	1	—	—	—	1	—
		Malignant neoplasms (140-205)	TOTAL M.	1,249	—	4	3	2	10	22	64	192	357	391	204	—
			TOTAL F.	1,057	—	3	1	2	3	18	68	161	277	306	218	—
140-148	44	Buccal cavity and pharynx	M.	52	—	—	1	—	—	—	1	2	7	22	19	—
			F.	14	—	—	—	—	—	—	—	1	1	6	6	—
150	45	Œsophagus	M.	45	—	—	—	—	—	1	1	3	14	17	9	—
			F.	28	—	—	—	—	—	—	—	3	8	9	8	—
151	46	Stomach	M.	242	—	—	—	—	—	3	10	39	73	80	37	—
			F.	205	—	—	—	—	—	2	9	18	49	68	59	—
152, 153	47	Intestine, except rectum	M.	146	—	—	—	—	1	2	4	4	32	60	43	—
			F.	163	—	—	—	—	—	2	8	12	38	55	48	—
154	48	Rectum	M.	61	—	—	—	—	—	1	3	7	17	22	11	—
			F.	39	—	—	—	—	—	—	—	8	10	17	4	—
161	49	Larynx	M.	21	—	—	—	—	—	—	—	3	4	11	3	—
			F.	7	—	—	—	—	—	—	1	1	3	2	—	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	367	—	—	—	—	1	6	32	92	136	82	18	—
			F.	84	—	—	—	—	—	2	10	13	31	17	11	—
170	51	Breast	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	163	—	—	—	—	—	2	19	36	42	39	28	—
171	52	Cervix uteri	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	37	—	—	—	—	—	2	2	8	14	8	3	—
172-174	53	Other and unspecified parts of uterus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	45	—	—	—	—	1	—	3	9	13	13	6	—
177	54	Prostate	M.	60	—	—	—	—	—	—	—	1	9	30	20	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin	M.	10	—	—	—	—	—	—	—	—	—	6	4	—
			F.	11	—	—	—	—	—	—	1	1	—	2	7	—
196, 197	56	Bone and connective tissue	M.	20	—	—	—	—	—	1	2	5	8	1	3	—
			F.	12	—	—	—	1	—	—	—	2	6	1	2	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	172	—	—	1	—	2	4	7	25	49	51	33	—
			F.	208	—	1	—	1	1	4	11	44	49	64	33	—
204	58	Leukæmia and aleukæmia	M.	22	—	3	1	2	4	—	—	3	3	5	1	—
			F.	18	—	2	—	—	—	3	2	2	5	2	2	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	30	—	1	—	—	2	4	4	8	5	4	2	—
			F.	20	—	—	1	—	1	1	2	3	8	3	1	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	20	1	2	—	—	—	1	2	6	1	4	3	—
			F.	22	1	—	—	—	1	—	2	5	4	4	5	—
250, 251	61	Nontoxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	4	—	—	—	—	—	—	—	1	2	1	—	—
			F.	6	—	—	—	—	1	—	—	2	1	1	1	—
260	63	Diabetes mellitus	M.	30	—	—	—	—	2	—	4	4	6	6	8	—
			F.	84	—	—	—	—	1	—	1	3	23	39	17	—
280-286	64	Avitaminosis and other deficiency states	M.	2	—	—	—	—	1	—	—	—	—	1	—	—
			F.	5	—	1	1	—	—	—	—	2	—	—	1	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	21	—	—	—	—	—	—	—	—	1	9	11	—
			F.	32	—	—	—	—	—	—	—	1	4	13	14	—
291-293	65*b*	Other anæmias	M.	10	—	—	1	—	1	—	—	2	—	4	2	—
			F.	15	1	1	—	—	—	2	1	2	4	4	—	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	40	1	—	3	1	1	1	1	8	14	8	2	—
			F.	46	—	2	2	—	1	2	2	4	16	10	7	—
300-309	67	Psychoses	M.	10	—	—	—	—	—	—	—	—	2	2	6	—
			F.	27	—	—	—	—	1	1	5	—	8	3	9	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	4	—	—	1	—	—	—	1	—	1	1	—	—
			F.	4	—	—	—	—	—	—	1	1	—	1	1	—
325	69	Mental deficiency	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	8	—	—	—	—	1	2	—	2	1	2	—	—
			F.	5	—	—	—	—	2	—	2	1	—	—	—	—
331	70*b*	Cerebral hæmorrhage	M.	356	—	—	—	1	1	1	9	26	61	142	115	—
			F.	551	—	—	1	—	—	3	6	51	111	217	162	—
332	70*c*	Cerebral embolism and thrombosis	M.	340	—	—	—	—	1	—	1	12	41	132	153	—
			F.	438	—	—	—	—	—	1	2	11	46	146	232	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	36	—	—	—	—	—	1	1	3	9	10	12	—
			F.	42	—	—	—	—	—	—	—	1	8	11	22	—
340	71	Nonmeningococcal meningitis	M.	7	3	3	—	—	—	1	—	—	—	—	—	—
			F.	6	2	1	—	—	—	—	—	—	3	—	—	—
345	72	Multiple sclerosis	M.	13	—	—	—	—	—	2	2	4	2	3	—	—
			F.	18	—	—	—	—	1	1	3	5	5	1	2	—
353	73	Epilepsy	M.	15	—	1	—	2	2	—	4	3	2	1	—	—
			F.	12	—	2	—	—	1	4	1	—	1	3	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	6	2	—	1	—	—	—	1	1	1	—	—	—
			F.	3	1	—	—	—	1	—	1	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	20	—	—	—	—	—	—	—	—	3	12	5	—
			F.	16	—	—	—	—	—	—	1	—	3	9	3	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	49	1	3	2	—	2	—	1	6	12	10	12	—
			F.	47	—	—	1	—	—	3	1	5	8	16	13	—
400-402	79	Rheumatic fever	M.	4	—	—	—	1	2	—	—	—	1	—	—	—
			F.	19	—	1	2	2	3	2	1	4	4	—	—	—
		Heart disease (410-443)	TOTAL M.	1,963	—	1	—	3	9	18	65	216	398	623	630	—
			TOTAL F.	1,938	—	—	1	3	13	28	53	119	289	615	817	—
410-416	80	Chronic rheumatic heart disease	M.	74	—	—	—	2	9	11	8	17	8	11	8	—
			F.	160	—	—	1	3	9	18	28	38	27	24	12	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	812	—	—	—	—	—	2	39	146	239	276	110	—
			F.	449	—	—	—	—	—	1	10	31	92	209	106	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	47	—	—	—	1	—	—	5	2	11	17	11	—
			F.	73	—	—	—	—	2	6	6	11	16	12	20	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	—	—	1	2	—	—
			F.	6	—	—	—	—	—	—	—	1	1	4	—	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	339	—	—	—	—	—	—	—	1	27	108	203	—
			F.	399	—	—	—	—	—	—	—	7	27	98	267	—
422.2	81*e*	Other myocardial degeneration	M.	526	—	—	—	—	—	3	6	32	73	160	252	—
			F.	679	—	—	—	—	—	2	3	18	91	204	361	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	23	—	1	—	—	—	—	2	1	7	5	7	—
			F.	21	—	—	—	—	2	—	—	3	3	7	6	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	82	—	—	—	—	—	1	3	13	19	25	21	—
			F.	95	—	—	—	—	—	1	5	8	19	32	30	—
440-443	83	Hypertension with heart disease	M.	57	—	—	—	—	—	1	2	4	13	19	18	—
			F.	56	—	—	—	—	—	—	1	2	13	25	15	—
444-447	84	Hypertension without mention of heart disease	M.	68	—	—	—	—	—	1	1	11	17	17	21	—
			F.	53	—	—	—	—	—	2	3	7	10	15	16	—
450	85*a*	General arteriosclerosis	M.	92	—	—	—	—	—	—	1	1	4	22	64	—
			F.	80	—	—	—	—	—	—	—	—	5	12	63	—
451-456	85*b*	Other diseases of arteries	M.	22	—	—	—	1	—	—	—	2	4	9	6	—
			F.	14	—	—	—	—	—	—	1	1	1	3	8	—
460-468	86	Other diseases of circulatory system	M.	11	—	—	—	—	—	—	1	2	2	3	3	—
			F.	20	1	—	—	—	—	—	1	2	2	10	4	—
470-475	87	Acute upper respiratory infections	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	7	5	—	—	1	—	—	—	—	1	—	—	—
480-483	88	Influenza	M.	19	—	—	1	—	—	—	2	—	7	6	3	—
			F.	36	—	4	—	—	—	2	—	1	3	11	15	—
490	89	Lobar pneumonia	M.	70	3	—	—	—	2	—	3	9	22	16	15	—
			F.	45	2	2	—	—	3	1	5	9	10	5	8	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	193	49	11	1	—	2	4	2	14	19	42	49	—
			F.	171	37	7	2	—	2	4	6	9	16	22	66	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	40	8	—	—	—	—	—	—	3	11	7	11	—
			F.	22	5	1	—	—	1	—	—	2	4	4	5	—
		Bronchitis (500-502) TOTAL	M.	510	11	2	—	—	—	2	19	63	157	134	122	—
			F.	246	4	1	—	1	—	2	8	21	48	78	83	—
500	92	Acute	M.	30	7	—	—	—	—	—	1	—	6	8	8	—
			F.	30	2	—	—	—	—	1	—	3	6	7	11	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	245	1	1	—	—	—	1	8	28	73	69	64	—
			F.	115	—	—	—	—	—	—	3	8	27	43	34	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	235	3	1	—	—	—	1	10	35	78	57	50	—
			F.	101	2	1	—	1	—	1	5	10	15	28	38	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	3	—	—	—	1	—	—	1	1	—	—	—	—
			F.	3	2	—	—	—	—	—	—	—	—	1	—	—
519	96	Pleurisy	M.	6	—	—	—	1	—	—	—	—	3	1	1	—
			F.	8	—	—	—	—	—	—	—	—	2	—	6	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	49	—	—	—	—	1	1	9	10	11	11	6	—
			F.	49	1	—	—	—	—	1	2	2	5	6	32	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	58	—	—	—	—	—	2	7	12	17	14	6	—
			F.	16	—	—	—	—	—	—	—	2	3	6	5	—
541	100	Ulcer of duodenum	M.	54	—	—	—	—	—	4	5	12	12	15	6	—
			F.	8	—	—	—	—	—	2	—	3	—	2	1	—
543	101	Gastritis and duodenitis	M.	5	—	—	—	—	—	—	—	2	2	1	—	—
			F.	9	—	1	—	—	—	—	2	—	2	2	2	—
550-553	102	Appendicitis	M.	16	—	2	—	—	1	3	—	4	2	3	1	—
			F.	23	—	3	1	—	4	3	2	3	4	2	1	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	37	2	—	1	—	—	—	1	2	6	14	11	—
			F.	32	2	—	—	—	1	—	5	1	8	9	6	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	47	45	2	—	—	—	—	—	—	—	—	—	—
			F.	35	33	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	6	—	1	1	—	—	—	—	1	2	—	1	—
			F.	11	—	2	—	—	1	—	—	1	—	6	1	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	12	—	1	—	—	—	1	—	2	5	2	1	—
			F.	15	—	—	—	—	—	1	2	2	1	8	1	—
581	105	Cirrhosis of liver	M.	29	—	—	1	—	1	—	5	4	12	3	3	—
			F.	15	—	—	—	—	—	—	2	5	4	1	3	—
584-585	106	Cholelithiasis and cholecystitis	M.	9	—	—	—	—	—	—	—	2	2	3	2	—
			F.	29	—	—	—	—	—	—	1	4	9	9	6	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	7	—	—	1	—	—	—	—	4	1	1	—	—
			F.	10	—	—	—	—	—	—	2	3	1	2	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	12	—	—	—	—	—	—	1	3	3	4	1	—
			F.	11	—	—	—	—	—	—	—	—	4	2	5	—
590	108	Acute nephritis	M.	8	1	—	—	1	—	—	1	2	1	—	2	—
			F.	7	—	—	—	—	1	2	1	1	1	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	64	—	1	—	1	4	7	6	8	15	10	12	—
			F.	67	—	—	—	—	3	7	7	12	15	13	10	—

TABLE 44B.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	10	1	—	—	—	1	—	1	—	2	4	1	—
			F.	10	—	—	1	—	—	—	2	1	4	1	1	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	1	—	3	—	—	—
			F.	4	—	—	—	—	—	—	1	—	2	1	—	—
610	112	Hyperplasia of prostate	M.	72	—	—	—	—	—	—	1	—	2	23	46	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	10	—	—	—	—	—	—	—	—	1	3	6	—
			F.	6	—	—	—	—	—	—	—	—	1	3	2	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	16	—	—	—	—	1	—	—	—	3	6	6	—
			F.	5	—	—	—	—	—	—	1	2	1	1	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	—	—	—	—	—	—	2	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	5	—	—	—	—	2	1	2	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	1	—	1	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	F.	9	—	—	—	—	2	4	3	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	4	—	1	—	—	—	—	—	—	2	—	1	—
720-725	122	Arthritis and spondylitis	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	12	—	—	—	—	—	—	—	—	4	2	6	—
726, 727	123	Muscular rheumatism and rheumatism, unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	1	—	1	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	3	—	—	—	—	—	—	1	—	—	2	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	10	2	—	—	—	—	—	—	—	3	—	5	—
			F.	21	—	—	—	—	1	—	2	4	3	7	4	—
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	M.	322	310	4	1	1	3	—	2	1	—	—	—	—
			F.	237	227	5	—	—	1	2	—	1	1	—	—	—
751	127	Spina bifida and meningocele	M.	11	10	1	—	—	—	—	—	—	—	—	—	—
			F.	19	17	2	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	33	26	3	1	1	1	—	1	—	—	—	—	—
			F.	21	17	—	—	—	1	2	—	1	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	32	28	—	—	—	2	—	1	1	—	—	—	—
			F.	26	22	3	—	—	—	—	—	—	1	—	—	—

760-761	130	Birth injuries	M.	61	61	—	—	—	—	—	—	—	—	—	—
			F.	35	35	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	58	58	—	—	—	—	—	—	—	—	—	—
			F.	34	34	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	18	18	—	—	—	—	—	—	—	—	—	—
			F.	12	12	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	6	6	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	12	12	—	—	—	—	—	—	—	—	—	—
			F.	13	13	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	7	7	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	82	82	—	—	—	—	—	—	—	—	—	—
			F.	62	62	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	57	—	—	—	—	—	—	—	—	1	11	45	—
			F.	128	—	—	—	—	—	—	—	—	—	11	117	—
780-793, 795	137	Ill-defined and unknown causes	M.	214	16	2	—	—	—	1	5	35	60	69	26	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external causes)	F.	122	19	—	—	—	—	3	5	8	15	36	36	—
		Violence (E800-E999) TOTAL	M.	322	19	22	18	5	23	29	40	44	42	34	46	—
			F.	190	14	8	10	3	4	7	8	13	19	32	72	—
E810-E835	138	Motor vehicle accidents	M.	81	—	14	6	1	7	9	7	8	2	11	16	—
			F.	32	—	3	7	—	2	1	1	2	3	9	4	—
E800-E802, E840-E866	139	Other transport accidents	M.	33	—	1	1	—	—	6	5	4	9	5	2	—
			F.	9	—	1	1	—	—	—	1	1	2	2	1	—
E870-E895	140	Accidental poisoning	M.	18	—	1	—	1	1	1	1	4	5	1	3	—
			F.	12	—	—	—	—	—	—	2	2	1	4	3	—
E900-E904	141	Accidental falls	M.	54	—	—	3	1	2	3	8	3	8	7	19	—
			F.	77	—	—	1	—	—	—	1	3	3	10	59	—
E912	142	Accident caused by machinery	M.	7	—	—	—	—	1	—	3	1	1	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	—	3	—	—	—	—	—	1	—	—	2	—
			F.	10	—	2	—	1	—	—	—	1	3	1	2	—
E919	145	Accident caused by firearm	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	27	1	2	5	—	3	2	2	4	3	4	1	—
			F.	8	—	1	1	1	1	—	—	1	3	—	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	23	18	1	—	—	3	—	—	1	—	—	—	—
			F.	15	12	1	—	1	—	—	—	—	1	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	17	—	—	3	—	3	4	2	—	4	—	1	—
			F.	4	2	—	—	—	—	1	—	—	—	1	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	45	—	—	—	1	3	2	10	16	7	4	2	—
			F.	17	—	—	—	—	1	4	1	3	3	4	1	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	4	—	—	—	1	—	2	1	—	—	—	—	—
			F.	4	—	—	—	—	—	1	2	—	—	—	1	—
E965, E990-E999	150	Injuries resulting from operations of war	M.	5	—	—	—	—	—	—	1	1	3	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44C.—Deaths in Aggregate of Urban Areas of 100,000 Population and Over (Edinburgh, Aberdeen and Dundee) by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: −1	1−	5−	10−	15−	25−	35−	45−	55−	65−	75 and over	Not stated
		ALL CAUSES—Both Sexes		**10,838**	**475**	**77**	**34**	**35**	**148**	**215**	**423**	**949**	**1,697**	**2,894**	**3,891**	—
		Total Males		**5,231**	**271**	**53**	**19**	**20**	**68**	**103**	**229**	**561**	**994**	**1,387**	**1,526**	—
		Total Females		**5,607**	**204**	**24**	**15**	**15**	**80**	**112**	**194**	**388**	**703**	**1,507**	**2,365**	—
		All Tuberculosis (001-019)	Total M.	237	—	4	—	1	15	39	43	55	42	32	6	—
			Total F.	176	2	4	2	3	43	48	25	17	17	10	5	—
001-008	1	Respiratory system	M.	220	—	1	—	—	14	37	41	53	41	27	6	—
			F.	160	1	1	1	1	41	47	22	15	17	9	5	—
010	2	Meninges and central nervous system	M.	5	—	3	—	1	—	—	—	1	—	—	—	—
			F.	12	1	3	1	2	2	1	2	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
012, 013	4	Bones and joints	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
014-019	5	All other forms	M.	8	—	—	—	—	1	2	2	1	1	1	—	—
			F.	3	—	—	—	—	—	—	1	1	—	1	—	—
		Syphilis (020-029)	Total M.	30	—	—	—	—	—	—	—	4	10	13	3	—
			Total F.	7	—	—	—	—	—	—	—	2	1	4	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	5	—	—	—	—	—	—	—	—	—	4	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
022, 023 026-029	10	All other syphilis	M.	22	—	—	—	—	—	—	—	4	8	8	2	—
			F.	6	—	—	—	—	—	—	—	2	—	4	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	5	—	1	—	1	1	—	1	—	1	—	—	—
			F.	7	3	—	—	—	1	—	—	—	1	2	—	—
055	21	Diphtheria	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	4	3	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	—	—	—	—	—	—	1	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	1	—	—	—	1	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	12	1	4	1	1	3	1	1	—	—	—	—	—
			F.	3	—	—	—	—	2	—	—	1	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	4	—	—	—	—	—	—	1	1	1	1	—	—
			F.	5	—	—	—	—	—	—	2	1	—	1	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not Stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	3	1	—	—	—	—	—	2	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
		Malignant neoplasms (140-205)	TOTAL M.	908	—	4	4	1	9	11	40	138	230	280	191	—
			TOTAL F.	1,008	—	2	1	—	6	11	61	145	215	313	254	—
140-148	44	Buccal cavity and pharynx	M.	34	—	—	—	—	1	—	—	—	4	17	12	—
			F.	17	—	—	—	—	—	—	2	2	3	5	5	—
150	45	Œsophagus	M.	37	—	—	—	—	—	—	1	4	10	14	8	—
			F.	31	—	—	—	—	—	—	1	4	7	6	13	—
151	46	Stomach	M.	153	—	—	1	—	—	2	7	17	39	52	35	—
			F.	163	—	—	—	—	—	2	8	17	27	61	48	—
152, 153	47	Intestine, except rectum	M.	117	—	—	—	—	—	1	6	18	22	36	34	—
			F.	161	—	—	—	—	—	1	2	15	32	48	63	—
154	48	Rectum	M.	70	—	—	—	—	1	—	3	5	14	25	22	—
			F.	42	—	—	—	—	—	—	3	8	5	14	12	—
161	49	Larynx	M.	16	—	—	—	—	—	—	—	3	5	5	3	—
			F.	2	—	—	—	—	—	—	—	—	2	—	—	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	208	—	—	—	—	—	—	13	55	87	40	13	—
			F.	65	—	—	—	—	2	—	—	11	15	20	17	—
170	51	Breast	M.	3	—	—	—	—	—	—	—	—	1	1	1	—
			F.	152	—	—	—	—	—	3	14	36	30	45	24	—
171	52	Cervix uteri	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	52	—	—	—	—	—	—	10	13	17	9	3	—
172-174	53	Other and unspecified parts of uterus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	52	—	—	—	—	—	—	4	9	17	14	8	—
177	54	Prostate	M.	61	—	—	—	—	—	—	—	1	6	28	26	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin	M.	4	—	—	—	—	—	—	—	—	1	2	1	—
			F.	14	—	—	—	—	—	1	1	1	1	1	9	—
196, 197	56	Bone and connective tissue	M.	11	—	—	—	—	—	2	—	4	1	3	1	—
			F.	12	—	—	—	—	—	—	—	—	1	7	4	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	160	—	3	—	—	3	5	7	26	35	48	33	—
			F.	206	—	1	1	—	2	2	16	23	45	75	41	—
204	58	Leukæmia and aleukæmia	M.	19	—	—	3	—	2	—	3	4	1	5	1	—
			F.	19	—	1	—	—	2	2	—	2	6	5	1	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	15	—	1	—	1	2	1	—	1	4	4	1	—
			F.	20	—	—	—	—	—	—	—	4	7	3	6	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	15	—	1	—	—	—	1	3	1	6	—	3	—
			F.	31	—	—	1	1	1	2	2	8	7	5	4	—
250, 251	61	Nontoxic goitre	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
252	62	Thyrotoxicosis with or without goitre	M.	2	—	—	—	—	1	—	—	1	—	—	—	—
			F.	5	—	—	—	—	—	—	—	—	1	4	—	—
260	63	Diabetes mellitus	M.	25	—	1	—	—	—	1	4	3	3	9	4	—
			F.	48	—	—	—	1	—	—	—	3	6	18	20	—
280-286	64	Avitaminosis and other deficiency states	M.	3	—	—	—	—	—	—	—	—	—	2	1	—
			F.	3	—	1	—	—	—	—	—	1	—	1	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	19	—	—	—	—	—	—	—	1	1	9	8	—
			F.	26	1	—	—	—	—	—	—	—	2	7	16	—
291-293	65*b*	Other anæmias	M.	7	—	—	—	—	—	—	—	—	3	3	1	—
			F.	10	—	—	—	—	—	—	—	2	1	3	4	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	50	1	—	—	3	—	2	—	8	16	14	6	—
			F.	56	2	—	—	1	1	1	4	7	14	16	10	—
300-309	67	Psychoses	M.	2	—	—	—	—	—	—	2	—	—	—	—	—
			F.	8	—	—	—	—	—	—	1	—	2	—	5	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	5	—	—	—	—	—	1	—	3	—	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
325	69	Mental deficiency	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	12	—	—	—	—	1	—	—	3	7	—	1	—
			F.	21	—	—	—	—	1	1	2	3	5	6	3	—
331	70*b*	Cerebral hæmorrhage	M.	247	—	—	—	—	—	2	3	20	34	94	94	—
			F.	401	—	—	—	1	1	—	12	18	68	135	166	—
332	70*c*	Cerebral embolism and thrombosis	M.	293	—	—	—	—	—	—	—	6	39	113	135	—
			F.	422	—	—	—	—	1	1	2	13	28	130	247	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	29	—	—	—	—	1	—	—	1	2	6	19	—
			F.	38	—	—	—	—	—	—	1	3	5	9	20	—
340	71	Nonmeningococcal meningitis	M.	6	3	—	—	—	1	—	—	—	1	1	—	—
			F.	4	—	—	—	—	1	—	—	1	—	1	1	—
345	72	Multiple sclerosis	M.	10	—	—	—	—	—	1	3	1	4	—	1	—
			F.	15	—	—	—	—	—	1	1	4	4	3	2	—
353	73	Epilepsy	M.	8	—	—	—	2	1	2	1	—	1	1	—	—
			F.	9	—	—	—	1	2	—	4	—	2	—	—	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	2	—	1	—	—	1	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	12	—	—	—	—	—	—	—	1	1	4	6	—
			F.	30	—	—	—	—	—	—	—	2	3	11	14	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	35	1	—	1	—	—	—	1	1	10	9	12	—
			F.	33	—	—	1	—	—	1	2	4	4	9	12	—
400-402	79	Rheumatic fever	M.	6	—	—	2	—	1	2	1	—	—	—	—	—
			F.	6	—	1	1	—	2	—	—	—	1	1	—	—
		Heart disease (410-443) Total	M.	1,638	—	—	2	—	3	7	49	156	329	501	591	—
			F.	1,815	—	—	2	1	3	16	35	73	170	526	989	—
410-416	80	Chronic rheumatic heart disease	M.	64	—	—	2	—	—	4	11	17	12	10	8	—
			F.	117	—	—	1	1	1	11	22	24	21	15	21	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	775	—	—	—	—	—	2	29	107	215	258	164	—
			F.	496	—	—	—	—	—	—	6	19	73	213	185	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	35	—	—	—	—	—	—	3	6	14	6	6	—
			F.	57	—	—	—	—	—	3	2	8	9	18	17	—
422.0	81*c*	Fatty degeneration of heart	M.	2	—	—	—	—	—	—	—	—	—	1	1	—
			F.	5	—	—	—	—	—	—	—	1	2	2	—	—
422.1	81*d*	Myocardial degeneration of heart	M.	362	—	—	—	—	1	—	1	2	21	105	232	—
			F.	577	—	—	—	—	—	—	—	3	16	109	449	—
422.2	81*e*	Other myocardial degeneration	M.	256	—	—	—	—	1	1	1	12	36	79	126	—
			F.	412	—	—	1	—	1	—	1	10	31	103	265	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	7	—	—	—	—	1	—	1	1	2	—	2	—
			F.	10	—	—	—	—	—	1	1	—	—	3	5	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	92	—	—	—	—	—	—	2	6	23	33	28	—
			F.	96	—	—	—	—	1	1	2	3	14	45	30	—
440-443	83	Hypertension with heart disease	M.	45	—	—	—	—	—	—	1	5	6	9	24	—
			F.	45	—	—	—	—	—	—	1	5	4	18	17	—
444-447	84	Hypertension without mention of heart disease	M.	49	—	—	—	—	—	—	2	4	11	16	16	—
			F.	54	—	—	—	—	—	1	2	8	9	15	19	—
450	85*a*	General arteriosclerosis	M.	60	—	—	—	—	—	—	—	1	3	16	40	—
			F.	62	—	—	—	—	—	—	—	—	1	9	52	—
451-456	85*b*	Other diseases of arteries	M.	18	—	—	—	—	—	—	2	3	3	2	8	—
			F.	17	—	—	1	1	—	—	—	—	3	4	8	—
460-468	86	Other diseases of circulatory system	M.	21	—	—	—	—	—	—	1	6	3	6	5	—
			F.	33	—	—	—	—	—	2	—	4	11	12	4	—
470-475	87	Acute upper respiratory infections	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	1	—	—	1	—	—	—	—	1	—	—
480-483	88	Influenza	M.	27	—	1	—	—	2	1	—	2	3	10	8	—
			F.	41	—	1	—	1	1	1	3	—	1	7	26	—
490	89	Lobar pneumonia	M.	44	2	—	—	—	1	—	—	4	10	14	13	—
			F.	25	1	—	—	1	1	—	3	3	4	7	5	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	171	27	3	—	1	1	—	5	8	25	39	62	—
			F.	195	26	3	—	1	2	4	2	6	16	48	87	—
492, 493	91	Primary atypical, and other unspecified pneumonia	M.	24	6	2	1	—	—	—	1	2	3	4	5	—
			F.	16	1	1	—	1	—	—	—	1	1	6	5	—
		Bronchitis (500-502) TOTAL	M.	192	5	—	—	—	—	2	4	25	59	41	56	—
			F.	162	4	1	—	—	—	1	1	8	17	36	94	—
500	92	Acute	M.	28	4	—	—	—	—	1	—	2	2	4	15	—
			F.	35	1	1	—	—	—	1	—	—	3	5	24	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	86	—	—	—	—	—	1	3	12	36	15	19	—
			F.	66	1	—	—	—	—	—	—	3	11	14	37	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	78	1	—	—	—	—	—	1	11	21	22	22	—
			F.	61	2	—	—	—	—	—	1	5	3	17	33	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	1	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	3	—	—	—	—	—	—	1	1	1	—	—	—
			F.	4	2	—	—	—	—	—	—	—	1	—	1	—
519	96	Pleurisy	M.	5	—	—	—	—	1	—	2	—	2	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	38	—	1	—	1	—	—	—	11	12	5	8	—
			F.	40	2	—	—	—	2	1	2	2	5	10	16	—
530-535	98	Diseases of teeth and supporting structures	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	50	—	—	—	—	1	—	3	8	15	11	12	—
			F.	12	—	—	—	—	—	1	—	—	3	5	3	—
541	100	Ulcer of duodenum	M.	63	1	—	—	—	—	2	8	8	24	15	5	—
			F.	7	—	—	—	—	—	—	—	—	2	1	4	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
550-553	102	Appendicitis	M.	17	—	1	—	—	3	3	—	2	3	2	3	—
			F.	12	—	—	—	1	1	—	—	2	3	3	2	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	38	3	—	—	—	—	—	2	7	4	7	15	—
			F.	35	—	1	—	—	1	—	1	1	6	13	12	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	10	10	—	—	—	—	—	—	—	—	—	—	—
			F.	12	11	1	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	6	—	1	—	—	—	—	—	1	—	1	3	—
			F.	8	—	—	—	—	—	—	1	1	2	2	2	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	9	—	—	—	—	—	1	—	1	2	4	1	—
			F.	11	—	—	—	—	—	2	1	—	3	3	2	—
581	105	Cirrhosis of liver	M.	16	—	—	—	—	—	—	4	2	5	3	2	—
			F.	11	—	—	1	—	—	—	2	1	4	2	1	—
584,585	106	Cholelithiasis and cholecystitis	M.	10	—	—	—	—	—	—	—	—	2	6	2	—
			F.	30	—	—	—	—	—	1	1	6	3	15	4	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	3	—	—	—	—	—	—	1	2	—	—	—	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	21	—	—	—	—	—	—	1	8	—	5	7	—
			F.	20	1	—	—	—	—	—	2	3	5	5	4	—
590	108	Acute nephritis	M.	2	1	—	—	—	—	—	—	—	1	—	—	—
			F.	2	1	—	—	—	—	—	—	—	—	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	31	—	—	—	—	—	1	5	5	8	4	8	—
			F.	45	—	1	—	—	—	1	1	3	7	6	26	—

TABLE 44C.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	13	1	—	—	—	—	1	—	—	3	4	4	—
			F.	18	—	—	—	—	—	2	—	1	1	10	4	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	1	2	—	1	—
			F.	4	—	—	—	—	—	—	—	—	2	1	1	—
610	112	Hyperplasia of prostate	M.	98	—	—	—	—	—	—	—	—	4	31	63	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
605, 606	114*a*	Diseases of bladder	M.	8	—	—	—	—	—	—	1	—	1	3	3	—
			F.	8	—	—	—	—	—	—	1	—	—	2	5	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	8	—	—	—	—	—	—	—	—	3	3	2	—
			F.	9	—	—	—	—	1	1	2	3	1	1	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	3	—	—	—	—	—	2	1	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	1	—	—	—	—	—	—	—	1	2	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
720-725	122	Arthritis and spondylitis	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
			F.	15	—	—	—	—	—	—	1	1	3	5	5	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	—	—	—	—	—	1	—	1	—	2	2	—
			F.	7	—	—	—	—	—	—	—	—	2	2	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	189	180	3	1	1	—	2	1	1	—	—	—	—
			Total F.	130	125	1	—	—	1	1	—	—	—	2	—	—
751	127	Spina bifida and meningocele	M.	5	4	1	—	—	—	—	—	—	—	—	—	—
			F.	11	10	—	—	—	—	1	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	16	12	—	1	1	—	1	1	—	—	—	—	—
			F.	13	11	1	—	—	1	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	20	16	2	—	—	—	1	—	1	—	—	—	—
			F.	23	21	—	—	—	—	—	—	—	—	2	—	—

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760-761	130	Birth injuries	M.	35	35	—	—	—	—	—	—	—	—	—	—
			F.	17	17	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	29	29	—	—	—	—	—	—	—	—	—	—
			F.	20	20	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	15	15	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—
			F.	5	5	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	3	3	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	56	56	—	—	—	—	—	—	—	—	—	—
			F.	26	26	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	27	—	—	—	—	—	—	—	—	—	1	26	—
			F.	66	—	—	—	—	—	—	—	—	—	1	65	—
780-793, 795	137	Ill-defined and unknown causes	M.	30	1	1	—	—	—	—	2	2	9	9	6	—
			F.	25	1	—	1	—	—	—	—	1	2	8	12	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external causes)														
		Violence (E800-E999) TOTAL	M.	276	22	20	7	8	20	18	28	43	28	27	55	—
			F.	248	17	3	2	—	3	6	11	22	25	45	114	—
E810-E835	138	Motor vehicle accidents	M.	47	—	13	3	2	8	3	3	4	2	3	6	—
			F.	23	—	1	2	—	—	2	1	4	5	5	3	—
E800-E802, E840-E866	139	Other transport accidents	M.	17	—	—	—	—	1	3	—	3	2	1	7	—
			F.	3	—	—	—	—	—	—	—	—	1	—	2	—
E870-E895	140	Accidental poisoning	M.	35	—	—	—	—	—	2	5	5	6	7	10	—
			F.	54	1	—	—	—	1	1	3	6	9	11	22	—
E900-E904	141	Accidental falls	M.	50	—	1	1	3	1	2	5	5	5	5	22	—
			F.	99	—	—	—	—	—	—	1	—	2	17	79	—
E912	142	Accident caused by machinery	M.	7	—	—	—	—	3	1	2	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accidents caused by fire and explosion of combustible material	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	1	—	2	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	4	—	—	—	—	—	—	—	—	—	2	2	—
			F.	7	1	—	—	—	—	—	—	2	—	1	3	—
E919	145	Accident caused by firearm	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	22	1	5	1	—	2	—	1	9	1	1	1	—
			F.	4	—	1	—	—	—	—	1	1	—	1	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	25	21	—	—	—	1	—	—	1	—	2	—	—
			F.	17	14	1	—	—	—	—	—	—	—	1	1	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	20	—	1	2	3	1	3	4	2	1	1	2	—
			F.	3	—	—	—	—	—	—	—	—	—	2	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	43	—	—	—	—	2	3	7	12	9	5	5	—
			F.	32	—	—	—	—	1	3	5	8	7	7	1	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	3	—	—	—	—	—	1	—	2	—	—	—	—
			F.	3	1	—	—	—	1	—	—	1	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44D.—Deaths in Aggregate of Large Burghs in Scotland by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**10,084**	**635**	**129**	**49**	**37**	**194**	**285**	**429**	**878**	**1,613**	**2,631**	**3,204**	—
		Total Males		**5,230**	**379**	**68**	**29**	**19**	**84**	**137**	**217**	**509**	**918**	**1,408**	**1,462**	—
		Total Females		**4,854**	**256**	**61**	**20**	**18**	**110**	**148**	**212**	**369**	**695**	**1,223**	**1,742**	—
		All Tuberculosis (001-019)	Total M.	245	1	13	6	2	27	45	36	44	42	22	7	—
			Total F.	229	4	14	3	7	64	68	39	9	12	9	—	—
001-008	1	Respiratory system	M.	213	—	6	1	—	21	45	33	41	39	21	6	—
			F.	189	2	2	1	3	54	67	34	8	10	8	—	—
010	2	Meninges and central nervous system	M.	17	1	7	4	2	1	—	1	1	—	—	—	—
			F.	31	2	11	2	4	9	1	2	—	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	3	—	—	—	—	—	—	—	1	1	1	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
012, 013	4	Bones and joints	M.	4	—	—	1	—	1	—	1	—	—	—	1	—
			F.	3	—	—	—	—	—	—	—	—	2	1	—	—
014-019	5	All other forms	M.	8	—	—	—	—	4	—	1	1	2	—	—	—
			F.	5	—	1	—	—	—	—	3	1	—	—	—	—
		Syphilis (020-029)	Total M.	16	1	—	—	—	—	—	1	1	6	6	1	—
			Total F.	11	1	—	—	—	2	—	—	1	4	1	2	—
020	6	Congenital syphilis	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	3	1	—	—	—	2	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	3	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
025	9	General paralysis of insane	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
022, 023 026-029	10	All other syphilis	M.	11	—	—	—	—	—	—	—	1	3	6	1	—
			F.	6	—	—	—	—	—	—	—	1	3	1	1	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	3	1	—	—	—	—	—	—	—	1	1	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	3	—	—	—	—	—	—	2	—	1	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	6	4	2	—	—	—	—	—	—	—	—	—	—
			F.	4	4	—	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	4	3	1	—	—	—	—	—	—	—	—	—	—
			F.	2	—	2	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	1	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	5	1	1	—	—	1	1	—	1	—	—	—	—
			F.	4	—	1	1	—	2	—	—	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	2	—	1	—	—	—	1	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	3	2	1	—	—	—	—	—	—	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic...	M.	3	—	1	—	—	—	—	—	—	1	1	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
		Malignant neoplasms (140-205) TOTAL	M.	787	—	2	1	2	11	11	42	110	203	237	168	—
			F.	771	—	1	1	—	1	15	58	115	187	223	170	—
140-148	44	Buccal cavity and pharynx	M.	39	—	—	—	—	—	—	2	1	5	17	14	—
			F.	17	—	—	—	—	—	1	—	2	5	4	5	—
150	45	Œsophagus	M.	32	—	—	—	—	—	—	1	3	8	13	7	—
			F.	18	—	—	—	—	—	—	—	2	5	6	5	—
151	46	Stomach	M.	159	—	—	—	—	—	1	10	22	35	61	30	—
			F.	131	—	—	—	—	—	2	4	7	31	47	40	—
152, 153	47	Intestines, except rectum	M.	87	—	—	—	—	2	2	3	9	12	32	27	—
			F.	107	—	—	—	—	—	—	3	11	19	43	31	—
154	48	Rectum	M.	53	—	—	—	—	—	—	3	5	15	14	16	—
			F.	44	—	—	—	—	—	2	—	3	16	12	11	—
161	49	Larynx	M.	16	—	—	—	—	—	1	—	2	5	3	5	—
			F.	7	—	—	—	—	—	—	1	1	1	2	2	—
162, 163	50	Trachea, bronchus and lung not specified as secondary...	M.	187	—	—	—	—	—	2	8	49	82	36	10	—
			F.	38	—	—	—	—	—	1	6	10	6	12	3	—
170	51	Breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	142	—	—	—	—	—	2	22	29	31	29	29	—
171	52	Cervix uteri	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	36	—	—	—	—	—	1	2	10	14	7	2	—
172-174	53	Other and unspecified parts of uterus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	47	—	—	—	—	—	1	4	9	18	13	2	—
177	54	Prostate	M.	52	—	—	—	—	—	—	—	2	5	16	29	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin	M.	10	—	—	—	—	—	—	3	1	2	—	4	—
			F.	6	—	—	—	—	—	—	1	—	2	—	3	—
196, 197	56	Bone and connective tissue	M.	14	—	—	—	—	5	2	1	1	1	3	1	—
			F.	10	—	—	—	—	—	2	—	2	—	3	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	M.	105	—	1	1	1	—	1	7	11	26	33	24	—
			F.	150	—	1	—	—	1	3	12	26	33	42	32	—
204	58	Leukæmia and aleukæmia	M.	17	—	1	—	1	2	—	1	1	4	6	1	—
			F.	10	—	—	—	—	—	—	2	2	1	3	2	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	16	—	—	—	—	2	2	3	3	3	3	—	—
			F.	8	—	—	1	—	—	—	1	1	5	—	—	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	12	—	—	—	1	1	1	1	2	1	3	2	—
			F.	27	—	—	2	—	1	2	2	5	5	5	5	—
250, 251	61	Nontoxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	1	—	—	—	—	—	—	—
			F.	7	—	—	—	—	—	1	1	3	2	—	—	—
260	63	Diabetes mellitus	M.	27	—	1	—	—	—	1	2	2	7	8	6	—
			F.	62	—	1	—	—	—	1	2	4	18	22	14	—
280-286	64	Avitaminosis and other deficiency states	M.	3	2	—	—	—	—	—	—	1	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	10	—	—	—	—	—	—	—	—	4	1	5	—
			F.	17	—	—	—	—	—	—	—	—	1	6	10	—
291-293	65*b*	Other anæmias	M.	8	—	—	—	—	—	1	—	—	3	2	2	—
			F.	11	—	—	—	—	—	—	—	—	2	3	6	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	39	2	1	—	—	1	1	6	3	8	16	1	—
			F.	41	—	—	2	—	1	2	3	6	10	8	9	—
300-309	67	Psychoses	M.	6	—	—	—	—	—	1	—	—	1	2	2	—
			F.	11	—	—	—	—	2	1	—	—	1	5	2	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
325	69	Mental deficiency	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	4	1	2	—	—	—	1	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	5	—	—	—	—	—	1	1	2	1	—	—	—
			F.	19	—	—	—	—	1	2	3	4	4	4	1	—
331	70*b*	Cerebral hæmorrhage	M.	332	—	1	—	—	—	1	3	24	53	124	126	—
			F.	435	1	—	—	—	—	1	7	45	77	145	159	—
332	70*c*	Cerebral embolism and thrombosis	M.	247	—	—	—	—	1	1	—	5	29	90	121	—
			F.	295	—	—	—	—	—	—	2	7	31	88	167	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	22	—	—	—	—	—	—	—	—	2	7	13	—
			F.	29	—	—	—	—	—	—	1	1	3	10	14	—
340	71	Nonmeningococcal meningitis	M.	6	3	1	—	—	1	—	—	1	—	—	—	—
			F.	7	3	2	—	—	—	—	—	—	1	1	—	—
345	72	Multiple sclerosis	M.	11	—	—	—	—	1	1	—	3	5	1	—	—
			F.	17	—	—	—	—	—	1	5	7	2	1	1	—
353	73	Epilepsy	M.	9	—	1	—	—	1	3	2	1	1	—	—	—
			F.	5	—	1	1	—	1	—	1	—	—	—	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	3	—	1	—	1	—	1	—	—	—	—	—	—
			F.	5	1	—	—	—	1	1	1	1	—	—	—	—
350	78*a*	Paralysis agitans	M.	10	—	—	—	—	—	—	—	—	3	5	2	—
			F.	11	—	—	—	—	—	—	—	—	1	6	4	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	38	—	2	—	2	2	3	7	2	11	4	5	—
			F.	33	1	—	1	1	1	—	—	7	4	9	9	—
400-402	79	Rheumatic fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	5	—	—	—	2	1	—	—	1	1	—	—	—
		Heart disease (410-443) TOTAL	M.	1,684	—	—	1	—	5	12	51	159	313	550	593	—
			F.	1,524	—	—	—	2	6	16	33	67	199	452	749	—
410-416	80	Chronic rheumatic heart disease	M.	55	—	—	—	—	3	8	9	9	10	8	8	—
			F.	91	—	—	—	2	3	8	18	23	16	10	11	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	684	—	—	—	—	—	1	30	103	174	255	121	—
			F.	331	—	—	—	—	—	1	2	11	75	146	96	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	45	—	—	—	—	2	—	2	8	9	12	12	—
			F.	47	—	—	—	—	2	2	3	6	3	19	12	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	1	1	1	—	—	—
			F.	4	—	—	—	—	—	—	—	—	3	1	—	—
422.1	81*d*	Myocardial degeneration of heart	M.	319	—	—	—	—	—	—	—	3	23	101	192	—
			F.	410	—	—	—	—	—	—	1	3	20	100	286	—
422.2	81*e*	Other myocardial degeneration	M.	425	—	—	—	—	—	—	3	24	67	128	203	—
			F.	513	—	—	—	—	—	2	7	15	53	144	292	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	18	—	—	1	—	—	1	—	2	5	3	6	—
			F.	24	—	—	—	—	1	2	2	1	4	7	7	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	94	—	—	—	—	—	1	5	3	11	33	41	—
			F.	79	—	—	—	—	—	1	—	7	14	19	38	—
440-443	83	Hypertension with heart disease	M.	41	—	—	—	—	—	1	1	6	13	10	10	—
			F.	25	—	—	—	—	—	—	—	1	11	6	7	—
444-447	84	Hypertension without mention of heart disease	M.	31	—	—	—	—	—	2	1	1	5	10	12	—
			F.	39	—	—	—	—	—	—	2	7	11	9	10	—
450	85*a*	General arteriosclerosis	M.	68	—	—	—	—	—	—	1	4	1	20	42	—
			F.	46	—	—	—	—	—	—	—	3	2	8	33	—
451-456	85*b*	Other diseases of arteries	M.	21	—	—	—	—	—	—	—	—	—	8	13	—
			F.	10	—	—	—	—	—	—	1	—	1	2	6	—
460-468	86	Other diseases of circulatory system	M.	11	—	—	1	—	—	—	—	2	1	4	3	—
			F.	25	—	—	—	1	—	2	—	3	6	7	6	—
470-475	87	Acute upper respiratory infections	M.	4	2	1	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	12	1	—	—	—	2	—	2	1	2	2	2	—
			F.	20	—	—	—	—	—	1	—	2	4	5	8	—
490	89	Lobar pneumonia	M.	41	3	2	—	—	1	—	2	7	7	10	9	—
			F.	26	1	—	—	1	—	—	2	4	4	6	8	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	112	42	6	2	—	1	1	4	6	12	21	17	—
			F.	101	24	7	—	—	1	1	2	1	7	26	32	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	14	3	—	—	—	—	—	2	1	3	3	2	—
			F.	20	4	1	—	1	—	—	—	—	3	6	5	—
		Bronchitis (500-502) TOTAL	M.	232	1	1	—	—	—	2	7	28	64	63	66	—
			F.	139	2	2	—	—	1	3	3	8	16	45	59	—
500	92	Acute	M.	24	1	1	—	—	—	—	1	—	3	6	12	—
			F.	31	1	1	—	—	1	—	2	2	4	6	14	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	114	—	—	—	—	—	—	3	16	37	31	27	—
			F.	56	—	—	—	—	—	1	—	4	6	25	20	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	94	—	—	—	—	—	2	3	12	24	26	27	—
			F.	52	1	1	—	—	—	2	1	2	6	14	25	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	—	1	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	6	—	—	—	—	—	1	—	2	1	2	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
519	96	Pleurisy	M.	5	—	—	—	—	—	—	—	—	—	5	—	—
			F.	3	—	—	—	—	—	—	1	—	1	—	1	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	66	1	—	—	—	2	2	2	9	18	16	16	—
			F.	20	1	—	—	—	—	—	—	1	4	5	9	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	31	—	—	—	—	—	1	2	6	9	6	7	—
			F.	9	—	—	—	—	—	—	1	—	2	4	2	—
541	100	Ulcer of duodenum	M.	54	—	—	—	—	—	1	8	12	13	15	5	—
			F.	9	—	—	—	—	—	—	1	2	—	5	1	—
543	101	Gastritis and duodenitis	M.	4	—	—	—	—	—	1	—	—	—	2	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
550-553	102	Appendicitis	M.	10	—	1	—	—	1	2	—	1	—	2	3	—
			F.	9	—	—	—	—	1	2	—	4	—	2	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	30	2	1	—	1	—	1	3	1	6	10	5	—
			F.	28	2	—	—	—	1	—	2	1	3	10	9	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	33	31	2	—	—	—	—	—	—	—	—	—	—
			F.	28	26	2	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	4	—	—	1	—	—	1	1	—	—	—	1	—
			F.	8	—	1	—	1	—	—	—	—	2	—	4	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	8	—	—	—	—	—	—	1	2	1	2	2	—
			F.	16	—	—	—	—	1	3	3	1	4	4	—	—
581	105	Cirrhosis of liver	M.	12	—	—	—	—	—	—	—	1	2	6	3	—
			F.	11	—	—	—	—	—	1	1	2	2	3	2	—
584-585	106	Cholelithiasis and cholecystitis	M.	3	—	—	—	—	—	—	—	—	—	2	1	—
			F.	22	—	—	—	—	—	—	2	3	7	5	5	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	5	—	—	—	—	—	1	—	1	1	1	1	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	15	—	—	—	—	2	—	—	3	4	4	2	—
			F.	18	1	—	1	—	—	—	2	1	4	4	5	—
590	108	Acute nephritis	M.	2	—	—	—	—	—	1	—	—	1	—	—	—
			F.	5	—	—	—	—	2	3	—	—	—	—	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	51	—	—	—	—	1	6	2	5	14	14	9	—
			F.	70	—	—	—	—	6	2	8	14	14	12	14	—

TABLE 44D.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	8	1	—	—	—	—	—	1	1	3	2	—	—
			F.	10	—	—	—	—	—	—	—	3	2	2	3	—
602, 604	111	Calculi of urinary system	M.	2	—	—	—	—	—	—	1	—	—	—	1	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
610	112	Hyperplasia of prostate	M.	68	—	—	—	—	—	—	—	—	1	26	41	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	8	—	—	—	—	—	—	—	—	1	3	4	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	7	—	—	—	—	—	—	—	1	1	2	3	—
			F.	8	—	—	—	—	—	—	—	2	4	—	2	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	4	—	—	—	—	3	1	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and childbirth	F.	6	—	—	—	—	—	3	3	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	—	—	—	—	—	—	—	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	6	—	—	—	—	1	2	3	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	—	1	1	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	2	—	—	—	—	—	—	—	1	1	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
720-725	122	Arthritis and spondylitis	M.	6	—	—	—	—	—	—	—	—	—	3	3	—
			F.	17	—	—	—	—	—	—	—	2	4	6	5	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
730	124	Osteomyelitis and periostitis	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	8	3	—	—	1	1	—	—	2	1	—	—	—
			F.	3	—	—	—	—	—	—	1	1	—	1	—	—
		Congenital malformations and certain diseases of early infancy (750-776)	Total M.	264	246	5	2	2	3	1	—	4	1	—	—	—
			Total F.	164	155	7	—	—	1	—	1	—	—	—	—	—
751	127	Spina bifida and meningocele	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	19	18	1	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	20	12	1	2	1	3	—	—	1	—	—	—	—
			F.	8	7	—	—	—	1	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	33	23	4	—	1	—	1	—	3	1	—	—	—
			F.	21	14	6	—	—	—	—	1	—	—	—	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760-761	130	Birth injuries	M.	38	38	—	—	—	—	—	—	—	—	—	—	—
			F.	13	13	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	30	30	—	—	—	—	—	—	—	—	—	—	—
			F.	17	17	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	19	19	—	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	14	14	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	13	13	—	—	—	—	—	—	—	—	—	—	—
			F.	11	11	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	89	89	—	—	—	—	—	—	—	—	—	—	—
			F.	60	60	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	88	—	—	—	—	—	—	—	—	—	10	78	—
			F.	132	—	—	—	—	—	—	—	—	1	13	118	—
780-793, 795	137	Ill-defined and unknown causes	M.	110	10	—	1	—	—	—	4	14	23	30	28	—
			F.	52	10	2	—	—	1	—	3	5	6	15	10	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	225	12	19	14	6	17	29	20	30	26	24	28	—
			F.	154	11	13	8	2	6	7	9	15	13	16	54	—
E810-E835	138	Motor vehicle accidents	M.	50	—	10	6	3	9	6	3	5	3	4	1	—
			F.	15	—	2	6	1	2	—	1	2	—	—	1	—
E800-E802, E840-E866	139	Other transport accidents	M.	19	—	—	1	—	1	5	3	4	2	2	1	—
			F.	1	—	—	1	—	—	—	—	—	—	—	—	—
E870-E895	140	Accidental poisoning	M.	21	—	—	—	—	1	2	3	4	5	5	1	—
			F.	24	—	2	—	—	—	2	2	4	4	3	7	—
E900-E904	141	Accidental falls	M.	42	—	3	—	—	1	3	2	5	2	5	21	—
			F.	51	—	1	—	—	—	—	—	—	3	7	40	—
E912	142	Accident caused by machinery	M.	2	—	—	—	—	—	1	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	3	—	1	—	—	—	—	—	—	—	1	1	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	3	—	2	—	—	—	—	—	—	—	—	1	—
			F.	10	—	1	—	—	—	—	2	1	1	2	3	—
E919	145	Accident caused by firearm	M.	2	—	—	—	—	—	—	1	—	1	—	—	—
			F.	1	—	—	—	—	—	—	1	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	24	—	2	6	1	1	2	1	3	2	5	1	—
			F.	9	—	3	1	—	1	—	—	2	—	2	—	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	17	11	1	—	1	—	1	1	1	1	—	—	—
			F.	14	11	2	—	—	—	—	—	—	—	1	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	18	1	—	1	1	2	3	4	2	3	1	—	—
			F.	3	—	—	—	—	1	1	—	1	—	—	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	21	—	—	—	—	1	5	2	5	5	2	1	—
			F.	20	—	—	—	—	2	4	3	5	4	—	2	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	4	—	1	—	—	1	1	—	—	1	—	—	—
			F.	3	—	1	—	1	—	—	—	—	1	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44E.—Deaths in Aggregate of Small Burghs in Scotland by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**10,979**	**540**	**101**	**40**	**32**	**129**	**218**	**385**	**836**	**1,576**	**2,812**	**4,310**	—
		Total Males		**5,307**	**307**	**65**	**27**	**22**	**64**	**102**	**197**	**471**	**876**	**1,443**	**1,733**	—
		Total Females		**5,672**	**233**	**36**	**13**	**10**	**65**	**116**	**188**	**365**	**700**	**1,369**	**2,577**	—
		All Tuberculosis (001-019)	Total M.	160	1	7	2	3	18	22	22	32	37	15	1	—
			Total F.	130	1	4	2	2	36	36	19	10	7	9	4	—
001-008	1	Respiratory system	M.	144	—	3	1	1	16	20	22	31	35	14	1	—
			F.	111	—	2	—	1	35	32	18	9	5	7	2	—
010	2	Meninges and central nervous system	M.	11	1	4	1	2	2	—	—	1	—	—	—	—
			F.	8	1	2	2	1	1	—	—	—	1	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	2	—	—	—	—	—	—	—	—	1	1	—	—
			F.	4	—	—	—	—	—	1	1	1	1	—	—	—
012, 013	4	Bones and joints	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	3	—	—	—	—	—	—	—	—	—	1	2	—
014-019	5	All other forms	M.	2	—	—	—	—	—	1	—	—	1	—	—	—
			F.	4	—	—	—	—		3	—	—	—	1	—	—
		Syphilis (020-029)	Total M.	16	—	—	—	—	—	—	3	2	5	6	—	—
			Total F.	4	—	—	—	—	—	—	—	2	1	1	—	—
020	6	Congenital syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
025	9	General paralysis of insane	M.	6	—	—	—	—	—	—	1	1	2	2	—	—
			F.	1	—	—	—	—	—	—	—	1	—	—	—	—
022, 023 026-029	10	All other syphilis	M.	8	—	—	—	—	—	—	2	—	3	3	—	—
			F.	2	—	—	—	—	—	—	—	1	1	—	—	—
030-035	11	Gonococcal infection	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
052	19	Erysipelas	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
053	20	Septicæmia and pyæmia	M.	4	—	—	—	—	—	—	—	—	2	1	1	—
			F.	3	—	—	—	—	—	—	1	1	1	—	—	—
055	21	Diphtheria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	4	3	1	—	—	—	—	—	—	—	—	—	—
			F.	4	3	1	—	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	2	—	1	—	—	—	—	—	1	—	—	—	—
			F.	2	1	1	—	—	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	2	—	1	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	4	—	2	—	—	—	1	—	—	1	—	—	—
			F.	6	—	2	—	—	—	2	2	—	—	—	—	—
082	29	Acute infectious encephalitis	M.	3	—	—	2	—	—	1	—	—	—	—	—	—
			F.	1	—	—	—	—	—	1	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	8	—	—	—	—	—	—	1	1	3	2	1	—
			F.	4	—	—	—	—	—	—	1	1	—	1	1	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	4	—	2	1	—	—	—	—	—	—	1	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	4	—	1	—	—	—	—	—	1	—	1	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	2	—	—	—	—	—	—	—	—	1	—	1	—
			F.	2	—	—	—	—	—	—	—	1	—	—	1	—
		Malignant neoplasms (140-205)	Total M.	784	1	6	1	5	5	12	32	89	169	269	195	—
			Total F.	867	1	6	2	2	1	8	55	122	178	260	232	—
140-148	44	Buccal cavity and pharynx ...	M.	36	—	—	—	—	—	—	1	3	4	11	17	—
			F.	13	—	—	—	—	—	—	1	1	1	6	4	—
150	45	Œsophagus ...	M.	31	—	—	—	—	—	—	2	3	3	15	8	—
			F.	28	—	—	—	—	—	—	—	1	6	10	11	—
151	46	Stomach ...	M.	139	—	—	—	—	—	—	8	15	35	44	37	—
			F.	129	—	—	—	—	—	2	4	12	23	47	41	—
152, 153	47	Intestines, except rectum ...	M.	102	—	—	—	—	—	—	1	4	18	44	35	—
			F.	148	—	—	—	—	—	—	3	17	25	47	56	—
154	48	Rectum ...	M.	69	—	—	—	—	—	—	—	6	14	32	17	—
			F.	43	—	—	—	—	—	—	3	5	4	12	19	—
161	49	Larynx ...	M.	10	—	—	—	—	—	—	—	—	1	6	3	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	159	—	—	—	—	—	1	9	37	55	46	11	—
			F.	54	—	—	—	—	—	—	6	11	11	18	8	—
170	51	Breast ...	M.	2	—	—	—	—	—	—	—	—	—	2	—	—
			F.	150	—	—	—	—	—	2	9	30	39	41	29	—
171	52	Cervix uteri ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	26	—	—	—	—	—	—	5	6	8	4	3	—
172-174	53	Other and unspecified parts of uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	42	—	—	—	—	—	1	1	6	11	19	4	—
177	54	Prostate ...	M.	51	—	—	—	—	—	—	—	—	6	23	22	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin ...	M.	4	—	—	—	—	—	—	—	—	—	1	3	—
			F.	11	—	—	—	—	—	1	—	3	1	—	6	—
196, 197	56	Bone and connective tissue ...	M.	12	—	—	—	—	1	—	1	4	1	2	3	—
			F.	7	—	1	—	—	—	—	2	1	—	—	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	124	—	3	—	2	—	7	6	12	26	35	33	—
			F.	180	1	1	—	—	1	2	18	23	41	48	45	—
204	58	Leukæmia and aleukæmia ...	M.	19	1	2	—	2	1	1	1	2	2	4	3	—
			F.	19	—	4	2	2	—	—	1	5	1	3	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	26	—	1	1	1	3	3	3	3	4	4	3	—
			F.	15	—	—	—	—	—	—	2	1	7	4	1	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	19	2	1	2	1	1	1	1	—	3	4	3	—
			F.	23	—	—	—	—	1	2	4	4	7	3	2	—
250, 251	61	Nontoxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	6	—	—	—	—	—	—	1	1	2	1	1	—
260	63	Diabetes mellitus	M.	21	—	—	—	—	—	3	1	2	4	9	2	—
			F.	80	—	—	—	—	—	1	4	2	16	31	26	—
280-286	64	Avitaminosis and other deficiency states	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	18	—	—	—	—	—	—	—	1	2	5	10	—
			F.	23	—	—	—	—	—	—	1	1	2	7	12	—
291-293	65*b*	Other anæmias	M.	8	1	1	—	—	—	1	—	1	1	2	1	—
			F.	12	—	—	—	—	2	—	—	2	2	2	4	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	37	2	1	2	—	—	1	4	5	8	10	4	—
			F.	59	—	—	1	1	2	3	5	10	13	14	10	—
300-309	67	Psychoses	M.	9	—	—	—	—	—	—	—	—	1	2	6	—
			F.	14	—	—	—	—	—	—	—	—	3	2	9	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	3	—	—	—	—	—	—	—	2	—	1	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
325	69	Mental deficiency	M.	2	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	7	—	—	—	—	1	—	2	2	—	1	1	—
			F.	18	—	—	—	—	—	3	2	6	2	2	3	—
331	70*b*	Cerebral hæmorrhage	M.	347	—	—	—	—	—	1	5	17	50	136	138	—
			F.	542	—	—	—	—	—	2	5	33	77	165	260	—
332	70*c*	Cerebral embolism and thrombosis	M.	286	—	—	—	—	—	—	1	2	34	100	149	—
			F.	368	—	—	—	—	—	—	2	14	28	96	228	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	25	—	—	—	—	—	—	—	2	3	7	13	—
			F.	29	—	—	—	—	—	1	—	—	2	5	21	—
340	71	Nonmeningococcal meningitis	M.	3	2	1	—	—	—	—	—	—	—	—	—	—
			F.	2	1	—	—	—	—	—	—	—	1	—	—	—
345	72	Multiple sclerosis	M.	5	—	—	—	—	—	—	2	1	1	—	1	—
			F.	22	—	—	—	—	—	3	5	7	5	2	—	—
353	73	Epilepsy	M.	12	—	—	1	—	2	2	2	3	1	1	—	—
			F.	12	—	—	—	—	—	3	3	2	1	1	2	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
387	76	Glaucoma	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	16	—	—	—	—	—	—	—	—	3	9	4	—
			F.	13	—	—	—	—	—	—	1	—	2	8	2	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	44	1	—	2	1	2	1	2	6	12	10	7	—
			F.	37	1	—	—	—	—	1	4	6	7	8	10	—
400-402	79	Rheumatic fever	M.	4	—	—	—	1	—	—	—	1	2	—	—	—
			F.	5	—	1	1	—	—	—	1	—	1	1	—	—
		Heart disease (410-443) TOTAL	M.	1,787	1	1	1	3	5	10	45	150	304	542	725	—
			F.	1,961	—	—	—	—	5	16	25	62	209	524	1,120	—
410-416	80	Chronic rheumatic heart disease	M.	57	—	—	—	—	2	2	11	10	11	13	8	—
			F.	81	—	—	—	—	4	11	11	11	12	14	18	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	789	—	—	—	—	1	2	27	111	191	273	184	—
			F.	499	—	—	—	—	—	1	6	23	72	192	205	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	57	—	—	1	1	1	1	3	7	12	16	15	—
			F.	57	—	—	—	—	—	—	1	5	14	17	20	—
422.0	81*c*	Fatty degeneration of heart	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	13	—	—	—	—	—	—	—	1	4	3	5	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	347	—	—	—	—	—	—	—	6	26	83	232	—
			F.	526	—	—	—	—	—	—	—	3	34	102	387	—
422.2	81*e*	Other myocardial degeneration	M.	401	—	—	—	1	1	2	1	11	34	117	234	—
			F.	633	—	—	—	—	—	2	4	12	48	146	421	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	23	1	1	—	1	—	2	1	2	5	2	8	—
			F.	27	—	—	—	—	1	1	1	3	5	6	10	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	73	—	—	—	—	—	1	1	1	14	25	31	—
			F.	89	—	—	—	—	—	1	1	2	14	32	39	—
440-443	83	Hypertension with heart disease	M.	39	—	—	—	—	—	—	1	2	11	12	13	—
			F.	36	—	—	—	—	—	—	1	2	6	12	15	—
444-447	84	Hypertension without mention of heart disease	M.	35	—	—	—	—	1	—	3	5	5	7	14	—
			F.	44	—	—	—	—	—	—	2	7	4	9	22	—
450	85*a*	General arteriosclerosis	M.	81	—	—	—	—	—	—	—	2	7	23	49	—
			F.	60	—	—	—	—	—	—	—	1	1	13	45	—
451-456	85*b*	Other diseases of arteries	M.	23	—	—	—	—	—	—	1	2	2	8	10	—
			F.	14	—	—	—	—	1	—	—	—	1	1	11	—
460-468	86	Other diseases of circulatory system	M.	19	—	1	—	—	—	1	1	2	4	5	5	—
			F.	28	—	—	—	—	—	1	1	5	6	7	8	—
470-475	87	Acute upper respiratory infections	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	3	3	—	—	—	—	—	—	—	—	—	—	—
480-483	88	Influenza	M.	31	—	—	—	—	—	1	1	3	6	8	12	—
			F.	55	1	1	—	—	—	2	5	6	5	15	20	—
490	89	Lobar pneumonia	M.	28	3	—	—	—	—	1	1	1	8	8	6	—
			F.	29	5	—	—	1	1	—	1	5	2	5	9	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	82	26	7	—	1	—	—	—	4	16	12	16	—
			F.	107	22	1	—	—	—	2	4	6	6	26	40	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	11	1	1	—	—	—	—	—	1	1	3	4	—
			F.	12	1	2	—	—	—	—	2	—	—	2	5	—
		Bronchitis (500-502) TOTAL	M.	190	6	2	—	—	—	1	1	26	59	45	50	—
			F.	132	7	—	1	—	—	—	4	5	18	23	74	—
500	92	Acute	M.	26	3	1	—	—	—	—	—	4	3	4	11	—
			F.	43	3	—	—	—	—	—	—	3	6	4	27	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	79	—	—	—	—	—	—	—	11	27	18	23	—
			F.	44	—	—	—	—	—	—	1	2	4	10	27	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	85	3	1	—	—	—	1	1	11	29	23	16	—
			F.	45	4	—	1	—	—	—	3	—	8	9	20	—
510	94	Hypertrophy of tonsils and adenoids	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
518, 521	95	Empyema and abscess of lung	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
519	96	Pleurisy	M.	3	—	—	—	—	—	—	—	2	—	—	1	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	56	1	2	—	—	—	3	1	9	18	10	12	—
			F.	30	1	—	—	—	—	—	3	2	5	2	17	—
530-535	98	Diseases of teeth and supporting structures	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
540	99	Ulcer of stomach	M.	31	—	—	—	—	—	3	4	3	8	9	4	—
			F.	18	—	—	—	—	—	1	—	1	4	7	5	—
541	100	Ulcer of duodenum	M.	51	—	—	—	—	—	3	8	14	9	13	4	—
			F.	4	—	—	—	—	—	—	—	1	3	—	—	—
543	101	Gastritis and duodenitis	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	3	1	—	—	—	—	—	—	—	1	—	1	—
550-553	102	Appendicitis	M.	16	—	—	1	1	1	—	2	2	2	7	—	—
			F.	11	—	1	—	—	—	1	—	1	1	2	5	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	24	1	1	—	—	—	—	—	3	2	5	12	—
			F.	28	—	1	—	—	—	—	1	4	4	6	12	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	19	18	1	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	6	—	—	—	—	—	—	—	—	3	—	3	—
			F.	12	—	—	—	—	—	—	—	2	1	4	5	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	6	—	—	—	—	—	—	2	1	2	—	1	—
			F.	9	—	—	—	—	—	1	2	—	3	3	—	—
581	105	Cirrhosis of liver	M.	13	—	1	—	—	—	—	3	1	5	3	—	—
			F.	10	—	—	—	—	—	—	1	—	—	6	3	—
584,585	106	Cholelithiasis and cholecystitis	M.	7	—	—	—	—	—	—	—	1	1	2	3	—
			F.	32	—	—	—	—	—	—	2	4	6	7	13	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	9	—	—	—	—	—	—	2	2	2	2	1	—
			F.	7	—	—	—	—	—	—	1	1	2	—	3	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	15	—	1	—	—	—	—	—	—	3	5	6	—
			F.	17	—	1	—	—	1	—	1	1	6	5	2	—
590	108	Acute nephritis	M.	4	—	1	—	—	—	—	—	1	1	—	1	—
			F.	5	1	1	—	—	1	—	—	—	1	1	—	—
591-594	109	Chronic, other and unspecified nephritis	M.	52	—	1	—	—	2	1	5	7	8	21	7	—
			F.	62	—	—	1	—	1	4	—	8	15	17	16	—

TABLE 44E.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: –1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
600	110	Infections of kidney	M.	10	—	—	—	—	—	—	—	—	2	2	6	—
			F.	10	—	—	—	—	1	—	—	—	7	—	2	—
602, 604	111	Calculi of urinary system	M.	5	—	—	—	—	—	—	1	1	—	1	2	—
			F.	3	—	—	—	—	—	1	—	—	1	1	—	—
610	112	Hyperplasia of prostate	M.	109	—	—	—	—	—	—	—	1	7	28	73	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	4	—	—	—	—	—	—	—	—	—	1	3	—
			F.	5	—	—	—	—	—	—	—	—	—	—	5	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	14	—	—	1	—	—	1	—	—	1	4	7	—
			F.	10	—	—	—	—	—	—	2	2	2	4	—	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	3	—	—	—	—	—	3	—	—	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	1	—	—	—	—	—	—	—
651	119	Abortion with sepsis	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
645-649, 660, 673, 680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	10	—	—	—	—	—	8	1	1	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	4	—	—	—	—	—	—	—	1	—	1	2	—
			F.	3	—	—	—	—	—	—	—	—	—	—	3	—
720-725	122	Arthritis and spondylitis	M.	4	—	—	—	—	—	—	—	—	—	2	1	—
			F.	11	—	—	—	1	1	—	1	—	1	3	5	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	3	—	—	—	—	1	—	—	—	—	1	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
730	124	Osteomyelitis and periostitis	M.	3	—	—	—	—	—	—	1	1	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	6	2	—	—	—	1	—	—	—	—	1	2	—
			F.	7	1	—	—	—	—	1	—	—	1	2	2	—
		Congenital malformations and certain diseases of early infancy (750-776) Total	M.	220	211	2	—	—	1	2	2	—	2	—	—	—
			F.	171	160	4	—	1	3	—	1	—	1	1	—	—
751	127	Spina bifida and meningocele	M.	8	7	1	—	—	—	—	—	—	—	—	—	—
			F.	10	10	—	—	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	18	14	1	—	—	1	2	—	—	—	—	—	—
			F.	19	13	4	—	1	1	—	—	—	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	20	16	—	—	—	—	—	2	—	2	—	—	—

760-761	130	Birth injuries	F.	16	16	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	38	38	—	—	—	—	—	—	—	—	—	—
			F.	18	18	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	18	18	—	—	—	—	—	—	—	—	—	—
			F.	9	9	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	1	1	—	—	—	—	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—
			F.	6	6	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	8	8	—	—	—	—	—	—	—	—	—	—
			F.	8	8	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	81	81	—	—	—	—	—	—	—	—	—	—
			F.	63	63	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	110	—	—	—	—	—	—	—	—	—	15	95	—
			F.	193	—	—	—	—	—	—	—	—	—	10	183	—
780-793, 795	137	Ill-defined and unknown causes	M.	94	10	2	—	—	—	2	7	13	12	27	21	—
			F.	66	8	1	1	1	—	3	2	3	7	15	25	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	256	11	16	11	6	23	27	27	40	32	30	33	—
			F.	172	7	6	3	1	6	2	9	12	15	27	84	—
E810-E835	138	Motor vehicle accidents	M.	46	—	8	5	2	5	4	5	9	3	4	1	—
			F.	16	—	2	2	1	2	1	1	1	1	2	3	—
E800-E802, E840-E866	139	Other transport accidents	M.	16	—	—	—	—	3	2	3	2	5	—	1	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
E870-E895	140	Accidental poisoning	M.	25	—	1	—	1	1	5	—	8	3	3	3	—
			F.	19	—	—	1	—	1	—	1	3	3	4	6	—
E900-E904	141	Accidental falls	M.	40	—	1	1	2	1	—	—	6	3	4	22	—
			F.	83	—	—	—	—	—	—	1	—	4	12	66	—
E912	142	Accident caused by machinery	M.	7	—	—	—	—	—	1	2	1	—	2	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	6	1	3	—	—	—	1	—	—	—	—	1	—
			F.	15	—	3	—	—	1	—	—	—	—	4	7	—
E919	145	Accident caused by firearm	M.	7	—	—	—	—	—	1	5	—	1	—	—	—
			F.	2	—	—	—	—	2	—	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	36	—	1	4	1	4	3	3	2	6	9	3	—
			F.	10	—	1	—	—	—	1	2	2	1	2	1	—
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	17	10	1	1	—	1	—	2	1	1	—	—	—
			F.	6	5	—	—	—	—	—	1	—	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	26	—	1	—	—	7	3	5	3	5	2	—	—
			F.	5	1	—	—	—	—	—	1	1	1	—	1	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	25	—	—	—	—	—	3	2	8	5	6	1	—
			F.	14	—	—	—	—	—	—	2	5	4	3	—	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	3	—	—	—	—	1	2	—	—	—	—	—	—
			F.	1	1	—	—	—	—	—	—	—	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	1	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 44F.—Deaths in Aggregate of Landward Areas in Scotland by Sex and Age Groups—1950

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75 and over	Not stated
		ALL CAUSES—Both Sexes		**18,007**	**1,039**	**196**	**79**	**60**	**323**	**400**	**652**	**1,286**	**2,473**	**4,559**	**6,938**	**2**
		Total Males		**9,084**	**594**	**102**	**43**	**40**	**180**	**192**	**338**	**732**	**1,323**	**2,329**	**3,210**	**1**
		Total Females		**8,923**	**445**	**94**	**36**	**20**	**143**	**208**	**314**	**554**	**1,150**	**2,230**	**3,728**	**1**
		All Tuberculosis (001-019)	Total M.	283	3	11	3	5	35	42	51	59	36	29	9	—
			Total F.	276	1	12	5	2	81	77	44	22	15	14	3	—
001-008	1	Respiratory system	M.	244	3	2	—	1	29	40	46	54	34	27	8	—
			F.	240	1	3	2	2	74	71	40	19	13	13	2	—
010	2	Meninges and central nervous system	M.	18	—	8	3	3	4	—	—	—	—	—	—	—
			F.	18	—	7	3	—	5	2	—	1	—	—	—	—
011	3	Intestines, peritoneum and mesenteric glands	M.	3	—	1	—	1	—	—	1	—	—	—	—	—
			F.	5	—	1	—	—	—	1	2	1	—	—	—	—
012, 013	4	Bones and joints	M.	5	—	—	—	—	—	—	—	2	—	2	1	—
			F.	5	—	—	—	—	1	1	1	—	1	1	—	—
014-019	5	All other forms	M.	13	—	—	—	—	2	2	4	3	2	—	—	—
			F.	8	—	1	—	—	1	2	1	1	1	—	1	—
		Syphilis (020-029)	Total M.	26	2	1	—	—	—	—	—	5	9	7	2	—
			Total F.	11	2	—	—	—	—	—	—	—	2	2	5	—
020	6	Congenital syphilis	M.	3	2	1	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
021	7	Early syphilis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
024	8	Tabes dorsalis	M.	3	—	—	—	—	—	—	—	—	—	3	—	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
025	9	General paralysis of insane	M.	7	—	—	—	—	—	—	—	1	5	1	—	—
			F.	2	—	—	—	—	—	—	—	—	1	—	1	—
022, 023 026-029	10	All other syphilis	M.	13	—	—	—	—	—	—	—	4	4	3	2	—
			F.	6	—	—	—	—	—	—	—	—	—	2	4	—
030-035	11	Gonococcal infection	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
040	12	Typhoid fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
041, 042	13	Paratyphoid fever and other salmonella infections	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
043	14	Cholera	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
044	15	Brucellosis (undulant fever)	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	16	Dysentery, all forms	M.	3	1	—	—	1	—	—	—	—	—	1	—	—
			F.	2	—	—	—	—	—	1	—	—	—	—	1	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
050	17	Scarlet fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
051	18	Streptococcal sore throat	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	—	1	—
052	19	Erysipelas	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	3	—	—	—	—	—	—	1	—	—	2	—	—
053	20	Septicæmia and pyæmia	M.	8	3	1	—	—	—	—	1	2	1	—	—	—
			F.	4	1	—	—	—	—	—	—	—	2	1	—	—
055	21	Diphtheria	M.	1	1	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	1	—	—	—	—	—	—	—	—	—	—
056	22	Whooping-cough	M.	13	8	4	1	—	—	—	—	—	—	—	—	—
			F.	14	7	6	1	—	—	—	—	—	—	—	—	—
057	23	Meningococcal infections	M.	7	2	4	—	—	—	—	1	—	—	—	—	—
			F.	2	—	1	—	1	—	—	—	—	—	—	—	—
058	24	Plague	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
060	25	Leprosy	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
061	26	Tetanus	M.	1	—	—	—	—	—	—	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
062	27	Anthrax	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
080	28	Acute poliomyelitis	M.	13	—	3	2	4	2	2	—	—	—	—	—	—
			F.	7	—	2	—	—	1	2	—	2	—	—	—	—
082	29	Acute infectious encephalitis	M.	2	1	—	—	—	—	1	—	—	—	—	—	—
			F.	4	2	1	—	—	—	1	—	—	—	—	—	—
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	M.	5	—	—	—	—	—	—	2	2	1	—	—	—
			F.	7	—	—	—	—	—	1	2	1	2	1	—	—
084	31	Smallpox	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
085	32	Measles	M.	7	4	3	—	—	—	—	—	—	—	—	—	—
			F.	5	1	4	—	—	—	—	—	—	—	—	—	—
091	33	Yellow fever	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
092	34	Infectious hepatitis	M.	4	—	—	—	—	—	—	—	—	2	1	1	—
			F.	2	—	—	1	—	—	—	—	—	1	—	—	—
094	35	Rabies	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
100-108	36	Typhus and other rickettsial diseases	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
110-117	37	Malaria	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
123	38	Schistosomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
125	39	Hydatid disease	M.	1	—	—	—	—	—	—	—	—	—	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
127	40	Filariasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
129	41	Ankylostomiasis	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
124, 126, 128, 130	42	Other diseases due to helminths	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
036-039, 049-054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic ...	M.	3	—	—	—	—	—	1	1	1	—	—	—	—
			F.	1	—	—	—	—	1	—	—	—	—	—	—	—
		Malignant neoplasms (140-205) TOTAL	M.	1,309	—	3	3	4	11	20	59	162	271	448	328	—
			F.	1,289	—	8	4	1	8	23	89	162	266	366	362	—
140-148	44	Buccal cavity and pharynx ...	M.	57	—	—	—	—	—	—	1	5	3	23	25	—
			F.	17	—	—	—	—	—	—	1	1	3	5	7	—
150	45	Œsophagus ...	M.	48	—	—	—	—	—	1	5	2	9	19	12	—
			F.	39	—	—	—	—	—	—	1	6	4	17	11	—
151	46	Stomach ...	M.	258	—	—	—	—	—	1	5	22	55	102	73	—
			F.	250	—	—	—	—	1	2	11	13	46	88	89	—
152, 153	47	Intestine, except rectum ...	M.	182	—	—	—	—	—	—	5	15	27	71	64	—
			F.	232	—	—	—	—	1	1	7	18	35	68	102	—
154	48	Rectum ...	M.	98	—	—	—	—	—	2	—	4	24	44	24	—
			F.	67	—	—	—	—	—	1	2	5	20	22	17	—
161	49	Larynx ...	M.	17	—	—	—	—	—	—	—	2	—	9	6	—
			F.	8	—	—	—	—	—	—	—	1	3	1	3	—
162, 163	50	Trachea, bronchus and lung not specified as secondary ...	M.	185	—	—	—	—	—	2	15	53	64	36	15	—
			F.	54	—	—	—	—	—	2	4	9	12	18	9	—
170	51	Breast ...	M.	2	—	—	—	—	—	—	—	—	2	—	—	—
			F.	211	—	—	—	—	—	3	23	48	42	58	37	—
171	52	Cervix uteri ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	57	—	1	—	—	—	1	11	10	20	6	8	—
172-174	53	Other and unspecified parts of uterus ...	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	71	—	—	—	—	—	2	4	15	17	22	11	—
177	54	Prostate ...	M.	93	—	—	—	—	—	—	—	1	9	43	40	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
190, 191	55	Skin ...	M.	18	—	—	—	—	—	—	1	1	2	3	11	—
			F.	13	—	—	—	—	—	—	2	2	1	3	5	—
196, 197	56	Bone and connective tissue ...	M.	21	—	—	—	—	1	2	2	4	2	3	7	—
			F.	16	—	—	—	—	—	2	3	3	3	2	3	—
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites ...	M.	253	—	2	—	1	4	9	14	39	61	75	48	—
			F.	216	—	1	1	1	4	5	18	20	57	53	56	—
204	58	Leukæmia and aleukæmia ...	M.	36	—	1	3	1	3	2	4	6	4	10	2	—
			F.	21	—	6	1	—	2	1	2	6	—	—	3	—
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system	M.	41	—	—	—	2	3	1	7	8	9	10	1	—
			F.	17	—	—	2	—	—	3	—	5	3	3	1	—
210-239	60	Benign neoplasms and neoplasms of unspecified nature ...	M.	19	1	—	1	—	1	1	2	2	4	4	3	—
			F.	33	—	—	—	—	—	1	5	9	5	5	8	—
250, 251	61	Nontoxic goitre	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
252	62	Thyrotoxicosis with or without goitre	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	13	—	—	—	—	—	3	—	4	3	2	1	—
260	63	Diabetes mellitus	M.	59	—	—	1	—	2	2	10	3	8	20	13	—
			F.	129	—	—	—	—	2	3	1	11	29	50	33	—
280-286	64	Avitaminosis and other deficiency states	M.	2	1	—	—	—	—	—	1	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
290	65*a*	Pernicious and other hyperchromic anæmias	M.	30	—	—	—	—	—	—	—	1	3	15	11	—
			F.	35	—	—	—	—	—	—	—	1	9	9	16	—
291-293	65*b*	Other anæmias	M.	13	—	—	—	—	1	—	—	2	2	4	4	—
			F.	32	—	2	—	—	1	1	—	5	2	12	9	—
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	M.	60	2	1	—	—	2	3	6	10	10	18	8	—
			F.	72	2	—	—	—	2	7	8	15	10	16	12	—
300-309	67	Psychoses	M.	31	—	—	—	—	—	—	1	4	5	7	14	—
			F.	38	—	—	—	—	1	1	1	4	8	4	19	—
310-324, 326	68	Psychoneuroses and disorders of personality	M.	1	—	—	—	—	—	—	1	—	—	—	—	—
			F.	2	—	—	—	—	—	—	—	—	—	—	2	—
325	69	Mental deficiency	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	3	2	1	—	—	—	—	—	—	—	—	—	—
330	70*a*	Subarachnoid hæmorrhage	M.	13	—	—	—	—	2	1	1	2	4	1	2	—
			F.	20	—	—	—	—	—	1	2	4	7	4	2	—
331	70*b*	Cerebral hæmorrhage	M.	529	—	—	—	—	3	1	8	28	98	191	200	—
			F.	784	—	—	—	—	—	3	17	56	142	268	298	—
332	70*c*	Cerebral embolism and thrombosis	M.	460	—	—	—	—	—	—	1	7	53	124	275	—
			F.	572	—	—	—	1	—	2	1	10	59	163	336	—
333, 334	70*d*	Other vascular lesions affecting central nervous system ...	M.	41	—	—	—	—	—	1	2	3	3	14	18	—
			F.	68	—	—	—	—	—	—		1	11	21	35	—
340	71	Nonmeningococcal meningitis	M.	9	2	2	—	—	—	—	—	2	2	—	1	—
			F.	8	3	3	—	—	—	—	2	—	—	—	—	—
345	72	Multiple sclerosis	M.	13	—	—	—	—	—	4	—	4	4	—	1	—
			F.	18	—	—	—	—	2	—	5	6	3	2	—	—
353	73	Epilepsy	M.	20	1	1	—	4	3	3	3	—		1	2	—
			F.	22	2	1	—	—	3	5	4	2	1	3	1	—
370-379	74	Inflammatory diseases of eye	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
385	75	Cataract	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	1	—	—	—	—	—	—	—	—	—	1	—	—
387	76	Glaucoma	M.	1	—	—	—	—	—	—	—	—	—	—	1	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
391-393	77	Otitis media and mastoiditis	M.	4	—	1	—	—	1	1	—	1	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
350	78*a*	Paralysis agitans	M.	22	—	—	—	—	—	—	1	—	2	15	4	—
			F.	35	—	—	—	—	—	—	—	—	5	14	16	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	M.	66	1	4	1	2	1	1	1	5	8	16	26	—
			F.	63	1	2	—	3	—	4	4	2	4	19	24	—
400-402	79	Rheumatic fever	M.	2	—	—	—	—	1	1	—	—	—	—	—	—
			F.	6	—	—	—	1	1	—	—	2	1	—	1	—
		Heart disease (410-443) TOTAL	M.	3,015	—	1	2	2	19	11	59	207	441	904	1,369	—
			F.	2,980	—	1	1	1	9	18	50	113	330	850	1,607	—
410-416	80	Chronic rheumatic heart disease	M.	97	—	—	—	2	12	3	15	15	14	20	16	—
			F.	146	—	—	1	—	5	12	24	23	24	30	27	—
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	M.	1,216	—	—	—	—	1	5	33	128	299	437	313	—
			F.	728	—	—	—	—	—	—	9	40	137	309	233	—
421	81*b*	Chronic endocarditis not specified as rheumatic	M.	87	—	1	—	—	4	—	2	10	7	30	33	—
			F.	95	—	—	—	—	1	2	7	6	13	25	41	—
422.0	81*c*	Fatty degeneration of heart	M.	3	—	—	—	—	—	—	—	—	2	1	—	—
			F.	10	—	—	—	—	—	—	—	1	4	3	2	—
422.1	81*d*	Myocardial degeneration with arteriosclerosis	M.	643	—	—	—	—	—	—	1	5	35	150	452	—
			F.	748	—	—	—	—	—	—	—	7	31	150	560	—
422.2	81*e*	Other myocardial degeneration	M.	739	—	—	1	—	—	3	1	31	50	198	455	—
			F.	981	—	1	—	—	—	2	6	20	73	260	619	—
430-432	82*a*	Acute non-rheumatic heart disease	M.	37	—	—	1	—	2	—	3	4	4	11	12	—
			F.	37	—	—	—	1	3	—	—	2	8	8	15	—
433, 434	82*b*	Other and unspecified diseases of heart	M.	144	—	—	—	—	—	—	4	8	20	44	68	—
			F.	178	—	—	—	—	—	1	3	10	24	51	89	—
440-443	83	Hypertension with heart disease	M.	49	—	—	—	—	—	—	—	6	10	13	20	—
			F.	57	—	—	—	—	—	1	1	4	16	14	21	—
444-447	84	Hypertension without mention of heart	M.	84	—	—	—	—	—	1	3	11	14	22	33	—
			F.	82	—	—	—	—	—	1	6	6	14	26	29	—
450	85*a*	General arteriosclerosis	M.	131	—	—	—	—	—	—	—	—	3	25	103	—
			F.	150	—	—	—	—	—	—	—	1	2	35	112	—
451-456	85*b*	Other diseases of arteries	M.	23	—	—	—	1	—	1	3	1	2	6	9	—
			F.	31	—	—	—	—	—	—	1	2	2	4	22	—
460-468	86	Other diseases of circulatory system	M.	24	—	—	—	—	—	1	1	4	7	10	1	—
			F.	42	—	—	—	—	1	1	1	5	12	13	9	—
470-475	87	Acute upper respiratory infections	M.	5	—	—	—	1	1	1	—	—	—	—	2	—
			F.	3	—	—	—	—	—	—	—	—	—	2	1	—
480-483	88	Influenza	M.	63	6	2	—	—	—	—	7	5	10	11	22	—
			F.	82	3	2	1	—	2	2	1	5	6	18	42	—
490	89	Lobar pneumonia	M.	71	7	2	—	—	3	2	3	7	9	13	25	—
			F.	46	4	—	—	—	1	—	3	5	5	7	21	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
491	90	Bronchopneumonia	M.	193	58	11	1	2	3	1	6	11	18	30	52	—
			F.	160	33	10	—	—	1	3	3	4	11	31	64	—
492, 493	91	Primary atypical, other and unspecified pneumonia	M.	20	8	—	—	1	—	—	—	1	1	3	6	—
			F.	26	3	—	—	—	—	1	2	4	5	5	6	—
		Bronchitis (500-502) TOTAL	M.	266	10	2	—	—	1	1	3	23	41	86	99	—
			F.	190	4	1	—	—	—	—	7	9	30	44	95	—
500	92	Acute	M.	48	8	1	—	—	—	—	—	1	5	11	22	—
			F.	52	3	1	—	—	—	—	1	1	5	13	28	—
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary ...	M.	116	—	—	—	—	—	—	1	9	21	47	38	—
			F.	69	—	—	—	—	—	—	3	3	17	12	34	—
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	M.	102	2	1	—	—	1	1	2	13	15	28	39	—
			F.	69	1	—	—	—	—	—	3	5	8	19	33	—
510	94	Hypertrophy of tonsils and adenoids	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
518, 521	95	Empyema and abscess of lung	M.	4	2	—	—	—	—	—	—	1	1	—	—	—
			F.	6	—	—	—	—	—	1	—	—	2	2	1	—
519	96	Pleurisy	M.	9	—	—	—	—	—	—	—	1	2	4	2	—
			F.	5	—	—	—	—	—	—	—	1	1	1	2	—
511-517, 520, 522-527	97	All other respiratory diseases	M.	113	1	—	1	—	—	2	4	11	49	22	23	—
			F.	60	2	2	—	—	1	2	—	3	8	11	31	—
530-535	98	Diseases of teeth and supporting structures	M.	1	—	—	1	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
540	99	Ulcer of stomach	M.	45	—	—	—	—	—	4	2	8	10	13	8	—
			F.	27	—	—	—	—	—	1	2	4	2	8	10	—
541	100	Ulcer of duodenum	M.	74	—	—	—	—	1	2	6	14	27	15	9	—
			F.	8	—	—	—	1	—	—	—	1	—	6	—	—
543	101	Gastritis and duodenitis	M.	5	—	—	—	—	—	—	—	1	—	1	3	—
			F.	6	—	—	—	—	—	—	—	—	3	1	2	—
550-553	102	Appendicitis	M.	22	—	3	1	—	4	2	—	5	5	1	1	—
			F.	18	—	4	1	—	2	—	—	1	6	4	—	—
560, 561, 570	103	Intestinal obstruction and hernia	M.	62	2	—	1	—	1	—	5	4	10	21	18	—
			F.	56	3	—	1	—	—	1	3	2	12	16	18	—
571.0	104*a*	Gastro-enteritis, between 4 weeks and 2 years	M.	45	42	3	—	—	—	—	—	—	—	—	—	—
			F.	29	29	—	—	—	—	—	—	—	—	—	—	—
571.1	104*b*	Gastro-enteritis over 2 years	M.	6	—	1	—	—	—	—	—	3	—	2	—	—
			F.	21	—	—	1	—	—	—	—	1	2	4	13	—
572	104*c*	Chronic enteritis and ulcerative colitis	M.	17	—	—	—	—	2	—	—	3	3	4	5	—
			F.	22	—	—	—	—	1	4	—	2	6	8	1	—
581	105	Cirrhosis of liver	M.	28	—	—	—	—	—	1	3	6	8	6	4	—
			F.	18	—	—	—	—	—	2	1	3	7	3	2	—
584-585	106	Cholelithiasis and cholecystitis	M.	14	—	—	—	—	—	—	1	—	2	7	4	—
			F.	49	—	—	—	—	—	—	1	4	8	22	14	—
580, 582, 583, 586	107*a*	Other diseases of liver	M.	7	—	—	—	—	—	—	—	1	3	2	1	—
			F.	14	—	1	—	1	—	2	2	3	2	1	2	—
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	M.	16	—	1	1	—	—	1	—	2	4	4	3	—
			F.	24	—	—	—	—	1	—	1	5	8	5	4	—
590	108	Acute nephritis	M.	7	1	—	—	—	2	—	—	—	—	3	1	—
			F.	7	—	—	—	—	—	—	1	2	1	1	2	—
591-594	109	Chronic, other and unspecified nephritis	M.	104	1	1	3	1	3	4	12	7	17	23	32	—
			F.	104	—	—	—	1	2	3	7	17	22	31	21	—

TABLE 44F.—*continued*

International Classification: Detailed List	International Classification: Intermediate List "A"	Causes of Death		All Ages	Ages: -1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over	Not stated
600	110	Infections of kidney	M.	11	—	—	—	—	1	—	1	—	2	1	6	—
			F.	19	2	—	—	—	1	—	—	3	2	4	7	—
602, 604	111	Calculi of urinary system	M.	4	—	—	—	—	—	—	—	—	1	—	3	—
			F.	1	—	—	—	—	—	—	—	—	1	—	—	—
610	112	Hyperplasia of prostate	M.	162	—	—	—	—	—	—	—	1	11	44	106	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
620, 621	113	Diseases of breast	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
605, 606	114*a*	Diseases of bladder	M.	15	—	—	—	—	—	—	—	—	2	4	9	—
			F.	6	—	—	—	—	—	—	—	1	—	1	4	—
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system	M.	22	—	—	—	—	—	—	—	1	1	6	14	—
			F.	17	—	—	—	—	—	1	1	5	3	6	1	—
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	F.	6	—	—	—	—	—	3	3	—	—	—	—	—
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	F.	11	—	—	—	—	3	4	3	1	—	—	—	—
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth	F.	2	—	—	—	—	—	—	2	—	—	—	—	—
671, 672	117*b*	Postpartum hæmorrhage	F.	1	—	—	—	—	—	1	—	—	—	—	—	—
650	118	Abortion without mention of sepsis or toxæmia	F.	1	—	—	—	—	—	—	1	—	—	—	—	—
651	119	Abortion with sepsis	F.	2	—	—	—	—	—	2	—	—	—	—	—	—
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and puerperium	F.	16	—	—	—	—	4	6	6	—	—	—	—	—
690-698	121	Infections of skin and subcutaneous tissue	M.	8	1	—	—	—	—	—	—	—	2	2	3	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
720-725	122	Arthritis and spondylitis	M.	4	—	—	—	—	—	—	1	—	—	1	2	—
			F.	25	1	—	—	—	—	—	1	1	4	6	12	—
726, 727	123	Muscular rheumatism and rheumatism unspecified	M.	3	—	—	—	—	—	—	—	—	1	—	2	—
			F.	2	—	—	—	—	—	—	—	—	—	1	1	—
730	124	Osteomyelitis and periostitis	M.	5	—	—	—	—	1	—	—	1	2	1	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	M.	—	—	—	—	—	—	—	—	—	—	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	M.	8	2	—	—	—	2	—	—	—	—	2	2	—
			F.	6	—	—	—	—	—	—	1	—	1	1	3	—
		Congenital malformations and certain diseases of early infancy (750-776)	TOTAL M.	388	375	5	2	—	3	—	1	2	—	—	—	—
			TOTAL F.	328	304	5	5	2	1	2	1	6	2	—	—	—
751	127	Spina bifida and meningocele	M.	12	11	—	—	—	1	—	—	—	—	—	—	—
			F.	22	20	1	1	—	—	—	—	—	—	—	—	—
754	128	Congenital malformations of circulatory system	M.	33	29	2	1	—	1	—	—	—	—	—	—	—
			F.	35	24	4	3	—	1	1	1	1	—	—	—	—
750, 752, 753, 755-759	129	All other congenital malformations	M.	50	42	3	1	—	1	—	1	2	—	—	—	—
			F.	29	18	—	1	2	—	1	—	5	2	—	—	—
(*a*)	(*b*)	(*c*)		(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
760-761	130	Birth injuries	M.	44	44	—	—	—	—	—	—	—	—	—	—	—
			F.	26	26	—	—	—	—	—	—	—	—	—	—	—
762	131	Postnatal asphyxia and atelectasis	M.	58	58	—	—	—	—	—	—	—	—	—	—	—
			F.	39	39	—	—	—	—	—	—	—	—	—	—	—
763	132*a*	Pneumonia of newborn	M.	16	16	—	—	—	—	—	—	—	—	—	—	—
			F.	22	22	—	—	—	—	—	—	—	—	—	—	—
764	132*b*	Diarrhœa of newborn	M.	3	3	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
765-768	132*c*	Other infections of newborn	M.	2	2	—	—	—	—	—	—	—	—	—	—	—
			F.	2	2	—	—	—	—	—	—	—	—	—	—	—
770	133	Hæmolytic disease of newborn	M.	5	5	—	—	—	—	—	—	—	—	—	—	—
			F.	7	7	—	—	—	—	—	—	—	—	—	—	—
769, 771, 772	134	All other defined diseases of early infancy	M.	14	14	—	—	—	—	—	—	—	—	—	—	—
			F.	17	17	—	—	—	—	—	—	—	—	—	—	—
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified	M.	151	151	—	—	—	—	—	—	—	—	—	—	—
			F.	122	122	—	—	—	—	—	—	—	—	—	—	—
794	136	Senility without mention of psychosis	M.	199	—	—	—	—	—	—	—	—	1	12	186	—
			F.	283	—	—	—	—	—	—	—	—	—	17	266	—
780-793, 795	137	Ill-defined and unknown causes	M.	180	23	3	—	—	1	2	6	14	27	49	55	—
			F.	104	6	3	1	—	2	2	1	5	22	20	42	—
		"E" code.—Alternative classification of accidents, poisonings and violence (external cause)														
		Violence (E800-E999) TOTAL	M.	514	20	28	18	12	67	70	58	70	57	51	62	1
			F.	241	27	20	14	5	8	9	16	10	21	35	75	1
E810-E835	138	Motor vehicle accidents	M.	143	—	18	12	4	36	17	16	9	14	11	6	—
			F.	36	—	7	8	4	—	2	3	1	4	3	4	—
E800-E802, E840-E866	139	Other transport accidents	M.	42	—	—	—	—	3	11	11	4	7	2	4	—
			F.	6	1	—	—	1	2	—	1	1	—	—	—	—
E870-E895	140	Accidental poisonings	M.	14	—	—	—	—	—	2	1	6	2	1	2	—
			F.	12	—	—	—	—	—	1	2	—	3	3	3	—
E900-E904	141	Accidental falls	M.	67	—	—	1	2	1	1	1	5	4	17	35	—
			F.	78	—	1	—	—	—	1	1	—	2	16	57	—
E912	142	Accident caused by machinery	M.	12	—	—	—	—	2	2	2	4	2	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—
E916	143	Accident caused by fire and explosion of combustible material	M.	3	—	—	—	—	—	—	—	—	—	1	2	—
			F.	7	—	—	—	—	—	—	1	—	1	1	4	—
E917, E918	144	Accident caused by hot substance, corrosive liquid, steam and radiation	M.	9	—	2	—	—	1	—	—	2	2	—	2	—
			F.	16	1	3	—	—	—	1	1	—	1	5	4	—
E919	145	Accident caused by firearm	M.	15	—	—	—	—	5	1	2	6	—	—	1	—
			F.	3	—	—	—	—	2	1	—	—	—	—	—	—
E929	146	Accidental drowning and submersion	M.	65	3	7	5	6	6	13	4	8	3	6	3	1
			F.	29	—	6	3	—	—	1	5	4	4	3	2	1
E921-E925	147*a*	Accidental mechanical suffocation, etc.	M.	37	15	—	—	—	2	7	5	6	2	—	—	—
			F.	25	23	2	—	—	—	—	—	—	—	—	—	—
E910, E911, E913-E915, E920, E926-E928, E930-E962	147*b*	All other accidental causes	M.	68	2	1	—	—	8	15	8	12	13	6	3	—
			F.	9	1	1	2	—	1	—	1	—	2	1	—	—
E963, E970-E979	148	Suicide and self-inflicted injury	M.	36	—	—	—	—	3	1	8	7	7	6	4	—
			F.	16	—	—	—	—	2	2	1	3	4	3	1	—
E964, E980-E985	149	Homicide and injury purposely inflicted by other persons (not in war)	M.	2	—	—	—	—	—	—	—	1	—	1	—	—
			F.	4	1	—	1	—	1	—	—	1	—	—	—	—
E965, E990-E999	150	Injury resulting from operations of war	M.	1	—	—	—	—	—	—	—	—	1	—	—	—
			F.	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
		ALL CAUSES	**63996**	**2266**	**1710**	**280**	**2411**	**1095**	**990**	**510**	**541**	**2682**	**591**	**389**	**305**	**338**	**448**	**497**	**293**	**1164**	**345**	**740**	**561**	**510**	**674**	**2677**	**362**	**806**	**350**	**113**	**399**
		All Tuberculosis (001-019) ... TOTAL	2775	43	17	7	111	22	29	13	9	54	7	7	6	13	15	22	23	37	4	19	16	15	27	78	13	24	4	3	13
001-008	1	Respiratory system	2439	38	11	6	104	18	23	11	8	45	7	6	6	11	13	19	17	35	4	15	15	12	21	71	11	22	4	2	13
010	2	Meninges and central nervous system ...	191	4	–	–	2	2	3	1	–	6	–	1	–	1	2	2	3	1	–	1	–	2	3	4	2	1	–	–	–
011	3	Intestines, peritoneum and mesenteric glands	28	–	1	–	–	–	1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–	1	–	1	–
012, 013	4	Bones and joints	38	–	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
014-019	5	All other forms	79	1	5	1	4	2	1	–	–	1	–	–	–	–	–	–	3	–	–	3	1	1	1	2	–	–	–	–	–
		Syphilis (020-029) ... ... TOTAL	170	6	1	–	14	1	3	1	2	7	2	1	–	1	1	–	–	5	1	2	1	–	2	4	2	1	–	–	1
020	6	Congenital syphilis	11	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	21	1	–	–	2	1	2	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	33	1	–	–	–	–	–	–	–	2	–	–	–	–	1	–	–	2	–	–	–	–	1	2	–	–	–	–	–
022, 023, 026-029	10	All other syphilis	105	4	1	–	12	–	1	–	2	4	2	1	–	1	–	–	–	1	1	2	1	–	1	1	1	1	–	–	1
030-035	11	Gonococcal infection	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
050	17	Scarlet fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
052	19	Erysipelas	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
053	20	Septicæmia and pyæmia	44	2	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–
055	21	Diphtheria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	61	–	–	–	1	–	–	–	–	4	1	–	–	–	3	–	–	1	1	–	2	–	2	2	–	3	–	–	–
057	23	Meningococcal infections	35	1	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	2	–	–	–	–	–	2	–	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	64	2	1	–	7	1	2	–	–	7	–	–	–	–	–	–	–	–	–	1	–	2	1	3	1	2	–	–	–
082	29	Acute infectious encephalitis	14	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
081, 083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	45	1	1	–	1	1	1	1	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	1	–	–	–	–	–
084	31	Smallpox	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	38	1	–	–	–	–	–	–	–	4	–	–	–	–	2	1	–	4	1	–	–	–	–	1	1	–	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	16	–	–	–	–	2	–	–	–	–	1	1	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
		ALL CAUSES	**332**	**512**	**14088**	**447**	**805**	**330**	**3607**	**6161**	**1114**	**536**	**113**	**307**	**201**	**491**	**1149**	**944**	**1175**	**259**	**1684**	**862**	**589**	**331**	**449**	**328**	**1335**	**201**	**892**	**365**	**342**
		All Tuberculosis (001-019) ... TOTAL	15	40	1039	27	52	17	177	259	34	15	4	8	7	12	17	67	75	12	73	27	8	3	15	10	49	2	44	5	11
001-008	1	Respiratory system	15	35	918	24	41	15	156	237	31	15	2	7	6	12	13	54	67	12	65	18	8	2	10	9	43	2	39	5	10
010	2	Meninges and central nervous system ...	–	4	71	3	8	1	14	11	3	–	–	–	–	–	2	9	5	–	3	3	–	1	4	1	3	–	4	–	–
011	3	Intestines, peritoneum and mesenteric glands	–	–	7	–	1	–	2	3	–	–	1	–	1	–	1	1	–	–	–	1	–	–	1	–	–	–	1	–	–
012, 013	4	Bones and joints	–	1	15	–	–	–	2	1	–	–	–	–	–	–	1	1	1	–	4	1	–	–	–	–	2	–	–	–	1
014-019	5	All other forms	–	–	28	–	2	1	3	7	–	–	1	1	–	–	–	2	2	–	1	4	–	–	–	–	1	–	–	–	–
		Syphilis (020-029) ... ... TOTAL	1	–	49	6	2	1	7	17	4	1	–	–	1	3	1	3	2	–	5	2	–	–	1	–	4	–	–	1	–
020	6	Congenital syphilis	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	1	–
021	7	Early syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
024	8	Tabes dorsalis	–	–	6	1	1	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
025	9	General paralysis of insane	–	–	10	1	–	–	4	3	–	1	–	–	–	–	–	1	–	–	2	1	–	–	–	–	1	–	–	–	–
022, 023, 026-029	10	All other syphilis	–	–	31	3	1	1	2	12	4	–	–	–	1	3	1	1	2	–	2	–	–	–	1	–	2	–	–	–	–
030-035	11	Gonococcal infection	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
040	12	Typhoid fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
041, 042	13	Paratyphoid fever & other salmonella infections	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
043	14	Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
044	15	Brucellosis (undulant fever)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	16	Dysentery, all forms	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–	2	–	–
050	17	Scarlet fever	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
051	18	Streptococcal sore throat	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
052	19	Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
053	20	Septicæmia and pyæmia	–	–	9	–	1	–	3	8	1	–	–	–	1	1	–	–	1	–	1	–	1	–	–	1	–	–	2	1	–
055	21	Diphtheria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	22	Whooping cough	1	–	12	–	1	–	8	3	–	–	–	1	–	–	1	1	3	–	2	–	–	–	1	–	4	–	2	–	1
057	23	Meningococcal infections	–	1	13	1	1	–	2	2	2	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	1	–	–	–	–
058	24	Plague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
060	25	Leprosy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
061	26	Tetanus	–	–	1	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
062	27	Anthrax	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	28	Acute poliomyelitis	–	1	10	–	1	–	5	6	–	–	–	–	–	–	1	2	1	–	4	1	–	–	–	–	1	–	–	1	–
082	29	Acute infectious encephalitis	–	–	1	–	1	–	2	1	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
081,083	30	Late effects of acute poliomyelitis and acute infectious encephalitis	1	–	10	–	–	–	2	7	3	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	4	–	2	–	—
084	31	Smallpox	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	32	Measles	–	1	14	–	–	–	2	–	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	2	–	–	–	–
091	33	Yellow fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
092	34	Infectious hepatitis	–	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–
094	35	Rabies	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
100-108	36	Typhus and other rickettsial diseases ...	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
110-117	37	Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Sub-headings indicated by letters (*a*, *b*, *c*, etc.) apply to the Scottish List only.

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirkc'dbr't Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	27	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
		Malignant neoplasms (140-205) TOTAL	10029	392	255	44	448	149	143	65	74	397	89	47	31	46	59	79	47	177	68	99	92	85	99	400	62	126	67	14	53
140-148	44	Buccal cavity and pharynx	296	5	6	2	20	3	8	2	3	11	4	1	2	–	2	3	2	8	4	3	2	1	2	9	–	4	2	1	–
150	45	Œsophagus	337	20	10	1	18	7	3	1	1	16	3	2	1	–	2	2	3	13	–	1	2	3	5	13	4	3	4	1	2
151	46	Stomach	1829	62	44	9	82	28	23	10	12	61	15	8	5	5	13	15	12	35	9	22	23	18	15	66	8	27	14	2	13
152, 153	47	Intestine (except rectum)	1445	54	38	3	68	37	22	7	8	69	16	8	7	11	13	12	4	22	7	15	12	6	5	60	8	25	8	1	11
154	48	Rectum	586	20	10	3	23	7	16	5	7	21	6	3	–	1	5	2	2	10	5	6	10	7	11	29	4	10	4	2	6
161	49	Larynx	106	1	3	1	7	–	1	5	–	2	–	–	1	–	–	–	2	2	1	–	1	2	–	5	1	–	1	–	–
162, 163	50	Trachea, bronchus and lung not specified as secondary	1401	56	26	4	59	12	14	9	11	52	5	4	2	1	7	12	9	25	9	9	10	15	16	46	7	4	6	3	3
170	51	Breast	829	31	18	5	36	14	19	8	7	36	2	4	4	4	2	8	4	11	6	10	2	10	10	29	7	13	8	–	3
171	52	Cervix uteri	208	16	5	2	11	2	3	3	2	7	2	2	–	1	2	–	1	2	1	3	1	4	2	10	–	1	1	–	2
172-174	53	Other and unspecified parts of uterus ...	257	14	16	–	14	4	2	4	5	9	2	–	1	1	2	2	2	4	5	4	3	2	3	14	2	1	1	1	–
177	54	Prostate	317	12	13	2	9	3	5	4	2	11	6	1	2	1	2	2	2	3	4	4	3	1	4	13	4	7	2	–	1
190, 191	55	Skin	101	5	3	–	3	1	1	–	2	6	3	–	–	1	–	–	–	–	1	–	1	2	1	2	1	4	–	–	1
196, 197	56	Bone and connective tissue	135	3	4	–	7	1	3	–	2	4	2	–	–	1	–	3	–	2	2	3	2	3	1	6	1	1	–	–	1
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	1774	76	45	9	76	25	20	7	10	75	19	11	6	16	8	13	3	32	12	14	19	10	23	77	12	22	12	3	7
204	58	Leukæmia and aleukæmia	200	10	9	2	7	2	–	–	–	8	2	1	–	2	–	3	1	3	2	3	–	1	1	10	1	1	2	–	1
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	208	7	5	1	8	3	3	–	2	9	2	2	–	1	1	2	–	5	–	2	1	–	–	11	2	3	2	–	2
210-239	60	Benign neoplasms and neoplasms of unspecified nature	221	6	8	3	6	5	4	2	1	8	1	3	1	2	1	3	1	4	1	3	1	1	2	10	1	2	2	1	1
250-251	61	Nontoxic goitre	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	45	3	4	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	1	1	1	–	3	1	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
123	38	Schistosomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
125	39	Hydatid disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
127	40	Filariasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
129	41	Ankylostomiasis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
124, 126, 128, 130	42	Other diseases due to helminths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
036-039, 049, 054, 059, 063-074, 086-090, 093, 095, 096, 120-122, 131-138	43	All other diseases classified as infective and parasitic	–	–	9	1	–	–	–	4	–	1	2	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–
		Malignant neoplasms (140-205) TOTAL	59	73	2306	75	99	49	498	1076	176	81	19	33	27	80	180	145	188	41	269	144	92	49	79	47	195	19	121	49	53
140-148	44	Buccal cavity and pharynx	2	2	66	4	9	2	15	26	6	3	1	1	–	3	4	6	2	1	4	3	2	–	5	1	4	2	9	2	1
150	45	Œsophagus	1	5	73	1	3	1	21	30	6	–	–	2	–	–	5	4	5	1	5	3	9	2	8	1	7	–	2	–	1
151	46	Stomach	11	15	447	17	27	9	104	172	26	14	3	2	3	13	30	29	34	7	46	33	17	5	12	8	44	5	26	10	4
152, 153	47	Intestine (except rectum)	8	7	309	12	7	7	70	156	26	13	3	8	5	8	28	24	35	7	39	20	11	13	11	8	27	1	11	5	9
154	48	Rectum	4	4	100	2	8	3	26	69	7	3	–	3	1	4	17	6	9	4	19	13	8	2	6	1	12	–	13	3	4
161	49	Larynx	–	1	28	2	1	–	5	10	2	1	–	1	–	2	2	1	2	2	5	1	–	–	–	–	3	–	–	–	1
162, 163	50	Trachea, bronchus and lung not specified as secondary	9	12	451	13	12	8	57	158	28	5	3	4	3	6	19	21	30	6	33	8	6	5	12	4	23	–	13	9	7
170	51	Breast	4	3	167	2	6	7	35	88	13	14	4	1	4	15	15	13	10	2	25	13	10	8	8	7	20	1	14	4	5
171	52	Cervix uteri	–	2	37	1	3	–	9	25	3	2	–	1	–	2	3	3	6	1	5	4	1	–	1	2	3	–	3	2	3
172-174	53	Other and unspecified parts of uterus ...	2	–	45	1	4	1	10	24	6	–	–	2	2	1	8	3	4	–	9	4	–	–	4	2	4	–	1	1	1
177	54	Prostate	2	2	60	2	3	1	13	40	2	3	2	–	3	4	7	6	6	–	7	8	6	–	1	–	8	1	3	1	3
190, 191	55	Skin	2	–	21	1	1	1	5	10	2	1	–	1	–	1	3	2	–	–	4	2	1	–	1	–	–	2	–	1	1
196, 197	56	Bone and connective tissue	1	4	32	–	1	–	7	13	4	–	–	–	1	1	2	1	1	1	–	2	2	2	1	1	3	–	2	–	1
155-160, 164, 165, 175, 176, 178-181, 192-195, 198, 199	57	All other and unspecified sites	13	15	380	14	10	8	90	214	40	17	3	4	4	13	31	20	35	8	50	29	14	11	9	11	30	4	17	9	9
204	58	Leukæmia and aleukæmia	–	1	40	1	2	–	14	21	2	4	–	1	–	5	4	2	4	–	11	–	2	–	–	1	2	3	5	1	2
200-203, 205	59	Lymphosarcoma and other neoplasms of lymphatic and hæmatopoietic system ...	–	–	50	2	2	1	17	20	3	1	–	2	1	2	2	4	5	1	7	1	3	1	–	–	5	–	2	1	1
210-239	60	Benign neoplasms and neoplasms of unspecified nature	3	–	42	2	4	–	10	34	5	1	1	3	1	–	3	5	5	1	5	2	2	–	2	2	2	–	1	–	1
250-251	61	Nontoxic goitre	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
252	62	Thyrotoxicosis with or without goitre ...	1	–	10	–	–	–	5	4	1	–	–	–	–	–	1	1	2	–	1	–	–	–	–	1	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dumb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
260	63	Diabetes mellitus	565	20	14	2	21	10	10	6	3	29	7	5	3	4	4	5	4	7	–	6	8	2	7	25	2	11	6	–	6
280-286	64	Avitaminosis and other deficiency states ...	20	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1
290	65*a*	Pernicious and other hyperchromic anæmias	231	11	5	–	9	6	5	1	2	11	1	1	1	–	–	1	–	2	2	5	–	3	–	18	–	1	1	–	2
291-293	65*b*	Other anæmias	126	3	–	1	7	2	2	2	–	6	–	–	–	–	2	1	–	4	–	2	1	–	1	7	1	3	–	–	1
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	500	27	14	4	25	9	8	6	4	20	7	2	1	2	2	1	4	7	6	3	7	5	5	19	1	6	2	1	4
300-309	67	Psychoses	156	4	2	1	2	15	2	–	4	7	–	3	2	1	–	–	–	–	–	3	4	–	–	4	6	18	2	–	1
310-324, 326	68	Psychoneuroses and disorders of personality	22	4	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–
325	69	Mental deficiency	17	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	1
330	70*a*	Subarachnoid hæmorrhage	128	6	1	–	12	2	2	1	3	8	–	3	1	–	1	1	–	2	2	2	2	3	2	8	–	1	1	–	1
331	70*b*	Cerebral hæmorrhage	4524	133	121	18	107	89	75	42	52	217	47	34	28	22	38	59	33	80	22	56	39	41	61	222	19	53	31	3	34
332	70*c*	Cerebral embolism and thrombosis	3721	168	102	17	151	55	60	29	40	163	34	17	20	16	20	17	7	73	19	52	43	24	35	153	32	48	15	9	25
333, 334	70*d*	Other vascular lesions affecting central nervous system	359	6	11	–	4	6	9	1	2	17	5	4	–	1	–	–	–	5	1	3	4	5	9	22	–	1	2	–	1
340	71	Nonmeningococcal meningitis	58	2	–	1	5	–	1	1	–	3	–	1	–	–	–	1	2	–	–	–	–	2	1	3	–	1	–	–	–
345	72	Multiple sclerosis	142	4	5	2	5	2	2	2	–	6	1	1	–	–	2	1	1	–	–	4	–	1	1	5	2	2	–	–	1
353	73	Epilepsy	124	4	4	–	6	4	1	1	1	5	1	–	–	2	2	–	–	1	–	1	–	–	1	9	1	3	3	–	3
370-379	74	Inflammatory diseases of eye	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	76	Glaucoma	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
391-393	77	Otitis media and mastoiditis	25	–	1	–	2	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–
350	78*a*	Paralysis agitans	185	7	9	–	7	2	4	1	1	7	1	–	2	1	1	2	1	6	2	–	1	1	2	9	–	2	1	1	–
341-344, 351, 352, 354-369, 380-384, 386, 388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	445	12	4	1	12	5	28	–	5	18	2	3	6	3	2	4	3	10	–	5	4	3	3	16	3	5	2	–	3
400-402	79	Rheumatic fever	57	2	1	–	3	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	6	–	–	–	–	–
		Heart Disease (410-443) ... TOTAL	20303	744	591	86	795	385	329	193	169	891	201	167	110	106	133	141	87	421	130	273	196	178	227	861	119	218	132	36	138
410-416	80	Chronic rheumatic heart disease	942	46	31	3	48	10	10	8	4	47	8	8	3	3	2	6	3	14	6	14	8	8	15	27	4	11	2	1	4
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	6777	343	241	32	224	134	90	63	54	306	55	56	36	29	53	50	20	140	54	93	69	53	71	282	48	62	40	4	38
421	81*b*	Chronic endocarditis not specified as rheumatic	600	22	15	5	21	11	9	10	3	37	11	4	1	1	3	5	3	15	4	11	3	3	2	25	3	11	1	–	4
422.0	81*c*	Fatty degeneration of heart	50	2	1	–	4	2	–	–	1	1	1	–	–	–	–	–	–	1	–	–	1	1	–	6	1	–	1	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
260	63	Diabetes mellitus	3	6	114	3	7	1	38	32	11	4	1	2	1	7	10	9	10	3	13	10	2	3	5	4	15	3	13	6	2
280-286	64	Avitaminosis and other deficiency states ...	–	1	7	–	1	–	1	4	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
290	65*a*	Pernicious and other hyperchromic anæmias	2	1	53	2	–	1	13	25	6	–	–	1	1	2	–	2	4	2	11	3	–	–	–	2	5	–	6	1	–
291-293	65*b*	Other anæmias	1	–	25	–	2	2	12	7	4	1	–	1	–	1	1	2	3	1	1	3	3	1	1	–	3	2	2	–	1
240-245, 253, 254, 270-277, 287-289, 294-299	66	Allergic disorders; all other endocrine, metabolic and blood diseases	2	5	86	4	4	3	29	54	10	5	–	4	2	3	10	7	7	1	12	7	4	1	3	5	12	3	7	6	2
300-309	67	Psychoses	–	–	37	–	3	–	2	4	1	1	2	1	–	1	1	–	–	–	2	6	–	–	2	–	1	3	2	1	5
310-324, 326	68	Psychoneuroses and disorders of personality	–	–	8	–	–	–	–	3	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
325	69	Mental deficiency	–	–	3	–	–	–	2	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	2	–	–	–	–
330	70*a*	Subarachnoid hæmorrhage	1	–	13	–	2	1	4	15	2	–	–	–	1	2	6	–	2	2	5	1	–	–	2	–	–	–	3	–	1
331	70*b*	Cerebral hæmorrhage...	19	23	907	29	54	22	238	407	66	50	9	17	12	44	102	64	88	19	150	62	40	24	34	24	95	12	74	31	32
332	70*c*	Cerebral embolism and thrombosis	10	15	778	16	48	17	175	396	85	28	7	23	5	28	74	50	72	10	94	50	46	30	25	31	67	4	58	21	14
333, 334	70*d*	Other vascular lesions affecting central nervous system	–	2	78	3	10	2	22	57	3	–	4	1	3	3	9	4	5	2	14	3	4	1	1	1	4	–	3	1	–
340	71	Nonmeningococcal meningitis	1	–	13	1	1	–	5	3	1	–	–	1	–	–	1	–	1	–	2	–	–	–	1	–	2	–	1	–	–
345	72	Multiple sclerosis	2	1	31	1	2	–	9	16	3	1	–	2	1	1	–	2	6	–	2	4	–	–	2	1	2	–	1	1	1
353	73	Epilepsy	–	1	27	–	–	–	10	7	6	3	–	–	–	–	1	3	4	1	2	–	1	–	–	1	2	–	1	–	1
370-379	74	Inflammatory diseases of eye	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
385	75	Cataract	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
387	76	Glaucoma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
391-393	77	Otitis media and mastoiditis	1	–	9	–	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–
350	78*a*	Paralysis agitans	–	1	36	1	2	–	8	28	2	3	–	2	1	2	3	1	2	1	7	2	3	–	1	–	1	–	4	–	3
341-344, 351, 352, 354-369, 380-384, 386,388-390, 394-398	78*b*	All other diseases of the nervous system and sense organs	3	2	96	3	3	2	27	44	7	1	–	2	4	5	7	10	4	1	7	7	5	3	8	8	12	2	5	2	3
400-402	79	Rheumatic fever	1	–	23	–	–	–	3	7	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	2	1	–
		Heart Disease (410-443) ... TOTAL	115	159	3901	130	256	128	1128	1914	373	193	34	118	82	166	403	288	352	61	541	287	219	130	121	101	463	72	286	123	102
410-416	80	Chronic rheumatic heart disease	10	3	234	4	10	8	50	87	12	8	1	10	2	9	16	10	22	4	22	4	9	3	5	4	11	2	18	10	–
420	81*a*	Arteriosclerotic heart disease (including coronary disease)	32	38	1261	34	87	44	382	704	132	56	12	28	21	58	125	74	117	11	207	48	74	62	45	29	159	10	110	50	27
421	81*b*	Chronic endocarditis not specified as rheumatic	2	5	120	8	3	8	29	49	11	5	3	2	2	4	11	8	7	4	13	12	3	6	3	2	21	1	7	3	5
422.0	81*c*	Fatty degeneration of heart	–	–	9	2	–	–	1	1	2	–	–	–	–	1	1	1	–	–	3	1	1	–	–	–	1	–	1	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	4670	178	175	19	235	67	68	23	31	179	51	31	18	29	28	20	7	85	34	72	38	17	77	222	36	46	58	15	44
422.2	81*e*	Other myocardial degeneration	5565	111	89	21	211	130	119	76	66	258	63	55	44	41	34	48	30	125	31	65	56	79	50	219	12	72	24	13	39
430-432	82*a*	Acute non-rheumatic heart disease ...	227	3	7	–	3	1	3	1	3	13	5	3	–	1	2	2	4	4	–	2	2	3	1	22	–	2	–	–	1
433, 434	82*b*	Other and unspecified diseases of heart ...	1022	28	25	6	40	20	16	8	6	37	4	3	5	1	8	8	18	32	–	11	18	10	10	42	5	10	4	3	6
440-443	83	Hypertension with heart disease ...	450	11	7	–	9	10	14	4	1	13	3	7	3	1	3	2	2	5	1	5	1	4	1	16	10	4	2	–	2
444-447	84	Hypertension without mention of heart ...	539	27	17	7	9	17	9	1	–	20	4	1	1	1	3	4	3	10	2	4	2	5	6	13	5	7	5	1	2
450	85*a*	General arteriosclerosis	830	25	30	4	27	12	17	5	6	28	11	3	3	14	6	4	3	10	4	10	10	8	9	40	2	14	4	2	7
451-456	85*b*	Other diseases of arteries	193	8	5	1	8	1	4	–	2	7	5	–	–	3	3	2	–	6	3	2	2	–	4	12	2	4	2	1	–
460-468	86	Other diseases of circulatory system ...	234	9	6	1	6	2	7	–	2	13	5	–	–	–	2	2	2	6	–	4	–	2	3	10	5	1	3	1	4
470-475	87	Acute upper respiratory infections	29	1	–	–	1	1	–	–	–	3	–	1	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–
480-483	88	Influenza	386	13	15	–	5	3	14	2	5	24	6	3	–	7	–	1	–	9	–	5	4	2	5	23	–	15	1	–	2
490	89	Lobar pneumonia	425	16	13	5	14	7	4	2	4	21	2	2	1	1	2	2	1	9	5	3	2	1	4	12	6	6	2	3	3
491	90	Bronchopneumonia	1487	85	43	13	89	37	14	11	12	44	9	5	3	5	9	14	3	20	5	19	8	6	16	31	6	15	5	2	4
492, 493	91	Primary atypical, other and unspecified pneumonia	205	5	4	–	12	5	–	2	4	5	2	–	–	–	5	3	–	2	2	5	–	–	–	5	–	4	–	1	1
		Bronchitis (500-502) ... ... TOTAL	2259	85	56	11	45	23	11	15	21	70	10	4	20	9	12	11	5	29	10	20	15	13	29	88	7	10	3	6	6
500	92	Acute...	347	23	18	4	5	2	2	2	–	14	2	2	10	1	–	1	–	5	1	4	2	3	8	25	–	–	–	1	2
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary	990	37	10	2	25	5	4	6	11	33	2	–	10	3	7	4	3	15	4	12	6	5	12	31	4	4	2	5	4
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	922	25	28	5	15	16	5	7	10	23	6	2	–	5	5	6	2	9	5	4	7	5	9	32	3	6	1	–	–
510	94	Hypertrophy of tonsils and adenoids ...	5	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
518-521	95	Empyema and abscess of lung	30	1	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	2	–	1	–	–	–
519	96	Pleurisy	47	1	1	–	–	–	2	–	1	–	–	2	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	521	11	6	2	23	8	6	2	4	23	2	3	2	6	5	5	6	7	3	7	9	8	3	25	–	1	1	–	1
530-535	98	Diseases of teeth and supporting structures...	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	297	14	8	1	17	2	5	–	2	8	1	1	1	–	–	2	1	8	–	4	3	3	2	13	3	7	4	–	–
541	100	Ulcer of duodenum	332	27	14	1	20	7	2	4	1	11	6	2	–	3	8	5	2	4	1	1	1	3	3	9	4	4	1	2	1
543	101	Gastritis and duodenitis	36	–	1	–	1	–	1	1	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–	3	1	1	–	1	–
550-553	102	Appendicitis	154	3	3	–	7	3	1	1	4	2	3	–	–	2	1	1	1	4	–	3	3	1	–	4	2	1	2	1	1
560, 561, 570	103	Intestinal obstruction and hernia	370	15	7	3	15	6	4	4	4	14	5	1	–	4	2	2	1	5	–	3	3	3	4	16	2	2	1	1	1
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	264	1	2	–	7	9	–	1	1	14	3	–	–	3	3	6	5	2	1	–	1	1	3	14	1	–	–	–	2
571.1	104*b*	Gastro-enteritis over 2 years	88	4	1	–	3	–	–	–	–	8	–	–	3	–	–	1	–	1	1	2	2	1	3	3	–	–	–	–	1
572	104*c*	Chronic enteritis and ulcerative colitis ...	125	1	5	–	7	1	2	3	4	8	1	1	–	–	–	–	1	1	2	3	–	2	1	2	–	1	–	–	3
581	105	Cirrhosis of liver	163	3	7	–	8	–	2	1	–	7	3	–	–	–	1	1	–	–	–	1	1	1	3	8	–	2	1	–	1
584-585	106	Cholelithiasis and cholecystitis	205	8	6	1	12	4	1	1	2	10	3	1	2	–	3	2	–	4	–	5	3	3	1	9	–	3	1	–	4
580, 582, 583, 586	107*a*	Other diseases of liver	66	1	1	–	1	1	2	–	–	5	–	1	–	1	2	1	–	2	–	–	–	–	–	4	–	–	–	–	–
536-539, 542, 544, 545, 573-578, 587	107*b*	Other diseases of digestive system	169	6	7	1	8	2	7	2	4	10	3	2	–	1	3	2	–	2	3	5	2	–	2	4	1	–	1	–	1
590	108	Acute nephritis	49	1	2	1	1	–	–	–	1	6	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	1	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
422.1	81*d*	Myocardial degeneration with arteriosclerosis	31	66	738	42	54	32	221	526	78	64	1	22	27	30	116	72	93	12	139	78	52	16	15	18	118	5	55	26	20
422.2	81*e*	Other myocardial degeneration	27	32	1205	29	78	25	342	346	83	53	13	41	23	45	107	101	94	18	114	121	68	38	41	35	122	48	69	30	36
430-432	82*a*	Acute non-rheumatic heart disease ...	4	–	44	–	2	3	21	11	12	1	–	3	2	2	4	8	5	4	3	–	3	–	–	–	2	–	5	–	–
433, 434	82*b*	Other and unspecified diseases of heart ...	4	14	177	9	16	6	69	120	29	5	2	12	1	14	17	7	10	6	30	14	7	5	6	10	19	5	11	2	11
440-443	83	Hypertension with heart disease ...	5	1	113	2	6	2	13	70	14	1	2	–	4	3	6	7	4	2	10	9	2	–	6	3	10	1	10	1	2
444-447	84	Hypertension without mention of heart ...	1	5	121	1	–	6	36	67	3	1	2	3	3	2	6	4	8	2	27	13	5	2	7	1	9	1	11	3	3
450	85*a*	General arteriosclerosis	3	3	172	3	8	1	48	70	9	4	2	6	5	8	26	7	23	2	28	11	10	5	8	3	15	9	17	2	4
451-456	85*b*	Other diseases of arteries	2	1	36	–	2	–	12	19	1	–	–	–	–	3	4	2	1	1	3	2	3	–	5	–	4	1	2	–	2
460-468	86	Other diseases of circulatory system ...	–	–	31	1	2	2	14	39	2	3	–	–	1	2	5	2	3	–	2	2	4	3	4	3	3	1	6	3	–
470-475	87	Acute upper respiratory infections	–	1	10	–	–	–	1	2	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1
480-483	88	Influenza	1	–	55	–	2	3	17	50	8	6	1	7	1	4	8	2	5	–	11	9	4	1	–	–	11	3	2	7	4
490	89	Lobar pneumonia	3	6	115	–	2	4	23	39	3	1	–	1	1	2	9	1	10	1	18	9	1	1	3	2	8	1	3	2	–
491	90	Bronchopneumonia	11	18	364	10	17	5	62	194	27	8	1	7	5	3	21	21	20	6	32	17	5	8	7	9	34	2	25	8	7
492, 493	91	Primary atypical, other and unspecified pneumonia	2	–	62	–	6	3	12	23	1	2	–	1	–	1	1	3	3	1	2	3	–	2	2	2	4	1	1	–	–
		Bronchitis (500-502) ... ... TOTAL	18	22	756	21	47	15	124	224	40	14	–	9	–	11	18	30	41	14	46	14	16	6	21	9	51	3	29	10	6
500	92	Acute...	4	3	60	1	10	1	17	35	15	2	–	3	–	4	4	2	4	–	10	2	2	–	5	2	11	2	5	2	4
501*b*-502*b*	93*a*	Chronic and unqualified with heart disease secondary	6	12	360	11	16	8	56	90	10	6	–	2	–	3	7	22	26	7	21	5	6	2	7	1	21	–	15	4	–
501*a*-502*a*	93*b*	Chronic and unqualified otherwise defined	8	7	336	9	21	6	51	99	15	6	–	4	–	4	7	6	11	7	15	7	8	4	9	6	19	1	9	4	2
510	94	Hypertrophy of tonsils and adenoids ...	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
518-521	95	Empyema and abscess of lung	–	–	6	–	1	–	1	5	–	–	–	1	–	–	–	–	2	–	1	1	–	–	1	–	–	–	1	–	–
519	96	Pleurisy	–	2	14	1	1	1	4	5	–	2	–	1	–	–	–	–	–	–	1	1	–	–	–	1	2	–	–	–	–
511-517, 520, 522-527	97	All other respiratory diseases	2	3	98	5	13	1	69	44	19	2	–	1	3	7	4	2	10	1	12	6	2	1	4	5	14	1	8	1	4
530-535	98	Diseases of teeth and supporting structures...	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540	99	Ulcer of stomach	–	–	74	1	2	2	11	31	3	–	–	1	–	2	8	4	8	1	7	3	3	1	5	1	6	4	6	2	1
541	100	Ulcer of duodenum	1	2	62	1	3	1	12	23	7	–	2	1	2	5	5	8	7	4	5	3	4	3	5	2	6	1	8	2	–
543	101	Gastritis and duodenitis	–	–	14	–	–	–	4	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
550-553	102	Appendicitis	–	1	39	–	1	–	8	19	4	3	1	1	1	1	1	1	2	1	1	–	2	1	2	–	5	2	1	–	2
560,561, 570	103	Intestinal obstruction and hernia	–	2	69	4	6	1	23	43	9	6	2	3	2	–	7	6	5	2	4	5	4	2	4	5	12	3	6	3	4
571.0	104*a*	Gastro-enteritis between 4 weeks and 2 years	4	8	82	8	5	2	21	14	4	2	–	1	–	–	1	8	6	1	6	1	1	1	–	–	6	–	2	–	–
571.1	104*b*	Gastro-enteritis over 2 years	–	1	17	–	–	–	10	7	3	1	1	–	1	1	3	1	–	2	–	–	–	2	–	1	3	–	–	–	–
572	104*c*	Chronic enteritis and ulcerative colitis ...	–	1	27	3	1	1	12	12	–	1	–	–	–	1	2	–	2	1	4	1	2	–	1	–	3	1	–	–	–
581	105	Cirrhosis of liver	–	1	44	1	4	1	14	16	2	1	1	1	2	4	1	2	3	–	5	1	–	–	1	–	3	–	4	–	–
584-585	106	Cholelithiasis and cholecystitis	1	3	38	–	3	–	14	20	7	3	–	–	1	–	3	1	4	–	3	1	3	–	2	1	2	1	4	1	–
580, 582, 583, 586	107*a*	Other diseases of liver	–	1	17	–	1	–	5	3	2	–	1	–	–	1	1	1	1	–	4	–	–	–	1	–	1	–	2	2	–
536-539, 542, 544-545, 573-578, 587	107*b*	Other diseases of digestive system	–	4	23	1	1	2	9	26	2	1	–	–	–	–	1	4	5	1	5	1	1	–	–	–	2	–	1	–	–
590	108	Acute nephritis	–	–	15	1	1	–	2	2	3	1	–	–	–	–	1	–	2	–	1	1	–	–	–	–	1	1	–	1	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dunb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
591-594	109	Chronic, other and unspecified nephritis ...	650	21	15	4	9	10	6	6	4	32	5	4	3	8	5	5	4	11	4	10	3	4	12	26	3	17	4	6	2
600	110	Infections of kidney	119	4	5	1	12	3	1	–	1	5	1	–	–	–	1	–	1	1	–	–	–	–	–	5	1	1	4	–	–
602, 604	111	Calculi of urinary system	32	2	1	–	1	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
610	112	Hyperplasia of prostate	509	29	31	2	19	15	9	3	6	25	6	–	1	1	2	2	1	6	1	6	3	10	2	25	3	3	3	1	6
620, 621	113	Diseases of breast	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	71	1	1	–	5	1	–	1	–	5	1	1	–	–	1	–	–	1	2	–	–	1	1	1	–	–	–	–	1
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	116	1	7	1	4	4	–	–	1	6	1	–	–	1	1	–	1	2	–	1	–	–	–	10	3	2	–	1	–
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	15	–	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	1	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	26	–	1	–	–	1	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	1	3	–	–	–	–	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	10	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	5	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
651	119	Abortion with sepsis	8	–	–	–	1	–	–			1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	39	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	1	–	–	–	2	–
690-698	121	Infections of skin and subcutaneous tissue ...	31	1	–	1	1	3	–	–	–	2	–	–	–	1	1	–	–	2	1	–	–	–	1	–	–	2	–	–	–
720-725	122	Arthritis and spondylitis	99	5	5	–	4	1	2	–	–	3	2	2	2	–	–	2	–	1	1	–	1	1	1	7	1	2	–	–	–
726, 727	123	Muscular-rheumatism and rheumatism unspecified	13	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
730	124	Osteomyelitis and periostitis	14	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	82	2	2	–	–	–	1	–	–	2	–	–	1	–	–	1	1	2	–	1	1	1	–	2	–	1	–	–	–
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	2413	64	67	15	96	31	23	23	23	110	27	12	8	7	13	30	8	52	17	23	18	14	24	114	16	30	10	5	14
751	127	Spina bifida and meningocele	122	5	–	2	3	1	1	3	3	8	–	–	–	1	1	1	–	2	1	–	2	1	2	9	1	–	1	–	–
754	128	Congenital malformations of circulatory system	216	8	6	–	5	1	–	3	1	16	2	–	1	2	1	2	–	7	1	1	3	3	1	17	1	1	–	2	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
591-594	109	Chronic, other and unspecified nephritis ...	2	7	131	5	7	7	39	46	7	3	1	2	2	3	20	10	20	1	22	12	5	2	7	6	13	1	7	11	8
600	110	Infections of kidney	1	1	20	1	3	1	7	15	4	–	–	–	–	2	2	–	3	–	1	1	1	1	2	–	–	1	2	1	2
602, 604	111	Calculi of urinary system	–	–	8	–	1	–	3	5	1	–	–	1	–	–	–	–	1	–	2	–	–	–	1	–	–	–	–	–	–
610	112	Hyperplasia of prostate	1	1	72	1	4	5	36	50	9	6	1	4	2	4	19	7	9	2	9	5	11	6	3	1	5	2	6	4	3
620, 621	113	Diseases of breast	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
605, 606	114*a*	Diseases of bladder	–	1	16	1	–	–	7	10	2	1	–	1	–	1	2	–	–	–	1	–	–	–	1	–	–	–	1	2	–
601, 603, 607-609, 611-617, 622-637	114*b*	Other diseases of genito-urinary system ...	2	–	21	2	–	–	8	12	1	2	–	2	–	1	3	1	2	1	6	1	1	–	–	–	1	1	–	–	1
640, 641, 681, 682, 684	115	Sepsis of pregnancy, childbirth and the puerperium	–	–	2	–	–	1	2	1	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
642, 652, 685, 686	116	Toxæmias of pregnancy and the puerperium	–	2	5	–	–	–	2	1	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	1	–	–	2	–
643, 644, 670	117*a*	Hæmorrhage of pregnancy and childbirth ...	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
671, 672	117*b*	Postpartum hæmorrhage	–	–	1	–	1	–	–	–						1	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–
650	118	Abortion without mention of sepsis or toxæmia	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
651	119	Abortion with sepsis	–	–	2	–	–	–	1	–	–	–		–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
645-649, 660, 673-680, 683, 687-689	120	Other complications of pregnancy, childbirth and the puerperium	–	–	9	–	–	–	4	3	3	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	2	–	–	1	1
690-698	121	Infections of skin and subcutaneous tissue ...	–	–	5	–	–	–	3	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
720-725	122	Arthritis and spondylitis	2	3	15	4	1	–	5	8	2	–	–	–	–	1	1	–	3	–	2	2	–	–	3	–	2	–	1	1	–
726, 727	123	Muscular-rheumatism and rheumatism unspecified	–	–	2	–	–	1	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–
730	124	Osteomyelitis and periostitis	–	1	4	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
737, 745-749	125	Ankylosis and acquired musculoskeletal deformities	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
700-716, 731-736, 738-744	126	All other diseases of skin and musculoskeletal system	–	–	31	–	2	–	4	11	3	1	–	–	–	1	4	1	–	1	–	–	–	1	3	–	–	–	–	–	1
		Congenital malformations and certain diseases of early infancy (750-776) TOTAL	17	41	559	17	34	8	174	159	53	24	6	8	1	16	18	47	35	21	60	24	20	10	13	9	59	12	43	21	10
751	127	Spina bifida and meningocele	1	1	30	–	–	–	8	8	1	–	–	1	–	2	2	2	3	1	2	1	2	1	–	–	3	1	3	1	–
754	128	Congenital malformations of circulatory system	2	–	54	2	2	–	17	16	6	2	–	1	–	–	–	3	4	2	5	3	–	1	1	–	1	2	4	1	1

TABLE 45.—Causes of Death in the Public Health Districts of Scotland. 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Scotland	Aberdeen Co. of C.	Remainder of Aberdeen Co.	Arbroath B.	Dundee Co. of C.	Remainder of Angus Co.	Argyll Co.	Ayr Burgh	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackman'n Co.	Clydebank B.	Dumbarton B.	Remainder of Dumb'ton Co.	Dumfries B.	Remainder of Dumfries Co.	East Lothian Co.	Dunf'mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remainder of Inverness Co.	Kincardine Co.	Kinross Co.	Kirke'dbr't Co.
750, 752, 753 755-759	129	All other congenital malformations ...	275	7	7	1	14	1	2	2	4	15	4	1	–	–	1	6	1	7	1	6	3	2	5	13	3	2	1	–	2
760, 761	130	Birth injuries	306	7	6	2	19	2	2	–	1	10	2	1	1	–	2	4	2	3	–	–	1	3	8	11	1	4	1	–	–
762	131	Postnatal asphyxia and atelectasis ...	341	15	16	3	15	9	3	1	1	13	2	2	–	–	3	5	1	6	2	2	3	1	1	13	3	3	3	–	2
763	132*a*	Pneumonia of newborn	146	3	7	1	11	5	2	2	2	7	1	–	–	–	–	2	–	4	–	1	–	–	1	5	1	1	–	–	1
764	132*b*	Diarrhœa of newborn	35	–	–	1	5	–	1	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
765-768	132*c*	Other infections of newborn	14	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
770	133	Hæmolytic disease of newborn	73	1	–	–	1	1	–	–	2	1	–	1	–	–	–	–	–	1	2	–	–	1	–	2	1	1	–	1	–
769, 771, 772	134	All other defined diseases of early infancy	93	–	–	1	1	–	3	4	–	6	4	2	–	–	–	1	–	–	–	1	–	–	–	5	–	3	–	–	1
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	792	18	24	4	21	11	9	8	9	32	12	5	6	4	4	9	3	21	10	11	6	3	6	37	5	15	4	2	7
794	136	Senility without mention of psychosis ...	1283	13	49	4	9	44	48	6	8	62	16	6	17	18	25	10	18	12	3	12	7	14	22	78	9	64	4	–	17
780-793, 795	137	Ill-defined and unknown causes	997	24	13	1	3	5	34	18	8	50	10	6	15	8	12	3	4	19	1	9	6	10	7	21	1	23	4	3	8
	E Code	Alternative classification of accidents, poisonings and violence (external cause)																													
		Violence (800-999) ... ... TOTAL	2598	105	72	11	137	45	27	26	31	118	22	22	8	11	26	28	5	58	9	27	20	14	11	124	10	27	13	5	14
E810-835	E138	Motor vehicle accidents	489	14	15	1	11	10	2	6	4	23	4	4	–	2	7	4	2	13	4	8	1	2	3	28	–	5	4	–	3
E800-E802, E840-E866	E139	Other transport accidents	147	7	6	1	1	1	1	1	–	2	1	2	–	–	1	4	–	2	–	2	–	–	–	4	–	–	–	–	–
E870-E895	E140	Accidental poisoning	234	21	2	2	29	10	2	6	3	4	–	1	1	–	2	2	1	7	1	–	–	2	1	9	–	1	–	–	–
E900-E904	E141	Accidental falls	641	25	18	3	37	12	9	2	8	23	5	8	6	6	6	2	9	1	5	7	4	1	23	4	6	2	2	4
E912	E142	Accident caused by machinery	35	–	1	–	4	–	–	1	–	1	1	–	–	1	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–
E916	E143	Accident caused by fire and explosion of combustible material	23	–	1	–	–	1	–	–	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–
E917, E918	E144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	86	2	3	–	2	3	–	–	1	5	2	–	–	–	2	2	–	1	–	1	1	–	1	5	1	1	1	–	1
E919	E145	Accident caused by firearm	31	1	2	–	–	–	1	–	1	10	–	1	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–
E929	E146	Accidental drowning and submersion ...	234	10	13	–	5	4	9	1	5	10	4	2	1	1	3	6	–	11	2	2	3	2	–	16	3	3	2	1	1
E921-E925	E147*a*	Accidental mechanical suffocation, etc. ...	196	4	4	–	17	–	1	2	3	18	1	–	–	–	3	1	–	4	–	2	2	1	2	10	1	2	1	–	1
E910, E911, E913-E915, E920, E926-E928, E930-E962, E963,	E147*b*	All other accidental causes	173	4	1	–	5	–	2	4	1	11	–	1	–	1	–	1	–	5	–	1	1	–	1	14	1	6	1	–	3
E970-E979	E148	Suicide and self-inflicted injury	269	17	6	2	22	3	–	3	2	9	4	2	–	–	–	1	–	5	1	3	2	2	2	11	–	1	2	2	1
E964, E980-E985	E149	Homicide and injury purposely inflicted by other persons (not in war)	31	–	–	2	2	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–
E965, E990-E999	E150	Injury resulting from operations of war ...	9	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 45.—Causes of Death in the Public Health Districts of Scotland, 1950.—*continued*

International Classification: Detailed Long List Nos.	International Classification: Intermediate List Nos. "A"	Causes of Death	Airdrie B.	Coatbridge B.	Glasgow Co. of C.	Hamilton B.	Motherwell & Wishaw B.	Rutherglen B.	Remainder of Lanark Co.	Edinburgh Co. of C.	Remainder of Midlothian Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remainder of Perth Co.	Greenock B.	Paisley Burgh	Port Glasgow Burgh	Remainder of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Rem. Stirling C.	Sutherland Co.	West Lothian C.	Wigtown Co.	Zetland Co.
750, 752, 753, 755-759	129	All other congenital malformations ...	2	5	58	1	6	2	22	22	4	1	–	–	–	3	2	5	3	1	5	2	2	1	1	–	7	1	5	3	–
760, 761	130	Birth injuries	3	9	96	1	4	–	19	26	5	6	1	–	–	1	2	3	3	1	5	5	4	3	3	2	6	1	2		2
762	131	Postnatal asphyxia and atelectasis ...	3	3	92	2	6	–	20	19	9	1	–	2	–	1	1	5	2	6	17	1	2	1	–	1	9	–	6	1	3
763	132*a*	Pneumonia of newborn	–	4	30	1	2	–	9	10	2	1	–	2	–	4	1	2	2	1	4	–	–	–	1	1	4	1	5	2	–
764	132*b*	Diarrhœa of newborn	–	–	12	1	1	–	2	1	2	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–		–
765-768	132*c*	Other infections of newborn	–	–	2	–	–	1	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–
770	133	Hæmolytic disease of newborn	–	1	25	1	1	1	2	6	2	2	–	–	–	3	–	2	1	1	2	2	1	–	–	–	–	1	2	1	–
769, 771, 772	134	All other defined diseases of early infancy	–	3	16	2	3	–	9	5	2	2	1	–	1	1	–	3	4	1	3	–	2	–	1	–	1	–	–		1
773-776	135	Ill-defined diseases peculiar to early infancy and immaturity unqualified ...	6	15	144	6	9	4	64	43	20	9	4	2	–	1	10	21	12	7	16	10	7	3	6	5	27	5	15	12	3
794	136	Senility without mention of psychosis ...	3	13	185	20	19	4	75	71	5	7	–	9	1	10	37	15	23	8	33	44	15	10	2	9	24	14	6	4	22
780-793, 795	137	Ill-defined and unknown causes	5	9	336	9	18	3	64	28	5	10	2	2	4	6	12	33	9	8	29	17	13	1	5	4	16	6	9	3	5
	E Code	Alternative classification of accidents poisonings and violence (external cause) *Violence* (800-999) ... ... TOTAL	7	15	512	19	28	3	150	282	46	22	6	12	12	25	58	44	51	12	57	25	20	14	19	11	51	6	34	15	16
E810-835	E138	Motor vehicle accidents	3	2	113	4	1	–	36	45	7	3	1	1	1	3	16	9	7	2	14	5	6	2	7	1	11	–	7	1	1
E800-E802, E840-E866	E139	Other transport accidents	–	–	42	–	4	–	12	12	3	8	2	–	1	1	2	4	3	1	4	1	–	1	–	1	5	–	2	2	–
E870-E895	E140	Accidental poisoning	–	1	30	3	3	1	4	39	5	–	–	1	–	4	3	7	5	–	4	2	2	–	1	2	6	1	3	–	–
E900-E904	E141	Accidental falls	3	5	131	3	5	2	30	87	10	3	–	4	7	8	11	11	13	4	8	6	6	5	5	3	8	3	7	2	7
E912	E142	Accident caused by machinery	–	–	7	–	1	–	5	3	–	–	–	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	2	–	–
E916	E143	Accident caused by fire and explosion of combustible material	–	–	4	–	1	–	–	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	2
E917, E918	E144	Accident caused by hot substance, corrosive liquid, steam and radiation ...	–	–	16	–	–	–	7	7	2	–	–	2	–	1	4	2	3	2	3	–	1	1	–	–	–	–	–	–	–
E919	E145	Accident caused by firearm	–	–	–	2	–	–	2	–	–	1	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–
E929	E146	Accidental drowning and submersion ...	–	2	35	1	2	–	11	11	1	2	1	1	1	2	5	1	2	–	9	2	2	3	2	2	6	1	1	5	3
E921-E925	E147*a*	Accidental mechanical suffocation, etc. ...	–	5	38	2	3	–	11	21	3	3	–	–	2	1	5	3	3	1	3	1	1	–	2	1	1	–	3	2	1
E910, E911, E913-E915, E920, E926-E928, E930-E962, E963,	E147*b*	All other accidental causes	–	–	21	1	3	–	19	14	11	1	2	3	–	1	2	4	2	–	5	3	1	–	1	1	5	–	6	1	2
E970-E979	E148	Suicide and self-inflicted injury	1	–	62	1	5	–	11	36	1	1	–	–	–	4	5	3	13	1	5	3	1	1	–	–	8	1	2	1	–
E964, E980-E985	E149	Homicide and injury purposely inflicted by other persons (not in war)	–	–	8	2	–	–	1	4	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	1	–	–
E965, E990-E999	E150	Injury resulting from operations of war ...	–	–	5	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950

International Classification		Causes of Death		ABERDEEN Co. of C. (inc. part in Kincardine Co.)															ABERDEEN COUNTY (excluding County of City)														
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**2266**	**53**	**39**	**19**	**9**	**6**	**29**	**33**	**85**	**192**	**347**	**607**	**646**	**201**	**1710**	**60**	**24**	**17**	**8**	**8**	**13**	**28**	**45**	**100**	**208**	**443**	**547**	**209**
		Total Males ...		**1105**	**31**	**15**	**12**	**5**	**4**	**14**	**18**	**46**	**118**	**197**	**297**	**285**	**63**	**824**	**31**	**15**	**8**	**3**	**7**	**9**	**14**	**26**	**52**	**98**	**219**	**261**	**81**
		Total Females ...		**1161**	**22**	**24**	**7**	**4**	**2**	**15**	**15**	**39**	**74**	**150**	**310**	**361**	**138**	**886**	**29**	**9**	**9**	**5**	**1**	**4**	**14**	**19**	**48**	**110**	**224**	**286**	**128**
001-008	1	Tuberculosis of respiratory system	M.	24	–	–	–	–	–	1	5	5	6	4	2	1	–	7	–	–	–	–	–	–	–	3	1	–	1	2	–
			F.	14	–	–	–	–	–	2	2	4	1	2	1	2	–	4	–	–	1	–	–	1	2	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	1	1	–	–	–	–	–
			F.	4	–	–	1	–	–	–	1	1	1	–	–	–	–	3	–	–	1	–	–	–	–	–	1	–	–	–	1
020-029	3	Syphilis and its sequelæ ...	M.	5	–	–	–	–	–	–	–	–	1	2	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	1	–	–	–	–	–	1	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	2	–
			F.	3	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	196	–	–	–	–	–	1	3	14	36	48	58	31	5	117	–	–	1	–	1	–	3	2	14	19	33	35	9
			F.	196	–	–	1	1	–	3	2	12	26	49	58	36	8	138	–	–	–	–	–	1	1	7	15	37	38	30	9
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	4	–	–	–	1	1	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	1	–	–	1	–	1	1	–	4	–	–	–	–	–	–	–	2	1	–	1	–	–
260	20	Diabetes mellitus	M.	7	–	–	1	–	–	–	1	1	1	1	2	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	13	–	–	–	–	–	–	–	–	1	1	3	7	1	11	–	–	–	–	–	–	1	1	–	3	4	2	–
290-293	21	Anæmias	M.	6	–	–	–	–	–	–	–	–	1	–	3	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	8	–	–	–	–	–	–	–	–	–	2	1	3	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	15	1	–	–	–	–	–	2	–	1	6	2	3	–	5	–	–	–	–	–	–	–	–	2	2	–	1	–
			F.	17	–	–	–	–	–	–	1	1	2	6	5	2	–	13	–	–	–	1	1	–	1	–	2	5	2	–	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	118	–	–	–	–	–	1	–	–	6	12	40	51	8	94	–	–	–	–	–	–	–	3	3	11	30	38	9
			F.	195	–	–	–	–	–	1	1	4	8	26	70	65	20	141	–	–	–	–	–	–	–	–	3	18	42	61	17
340	23	Nonmeningococcal meningitis	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	17	–	–	–	1	–	2	1	2	3	3	4	1	–	3	–	–	–	–	–	–	1	–	–	1	–	1	–
			F.	19	–	1	–	1	–	–	1	1	3	2	4	6	–	23	–	–	–	–	–	–	1	3	3	4	6	6	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	16	–	–	–	1	–	–	1	2	4	2	2	4	–	12	–	–	–	–	–	–	1	1	3	1	4	2	–
			F.	30	–	–	–	–	–	–	2	5	6	7	6	4	–	19	–	–	–	1	–	–	3	2	1	3	7	1	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	317	–	–	–	–	–	2	–	6	29	60	105	93	22	265	–	–	–	–	–	1	–	3	15	34	85	93	34
			F.	339	–	–	–	1	–	1	1	1	9	33	95	132	66	256	–	–	–	–	–	–	–	–	6	20	68	109	53
430-434	27	Other diseases of heart ...	M.	12	–	–	–	–	–	–	–	–	1	2	4	4	1	14	–	–	–	–	–	–	1	–	1	2	3	6	1
			F.	19	–	–	–	–	–	1	1	–	–	–	8	5	4	18	–	–	–	–	–	–	–	–	1	1	4	9	3
440-443	28	Hypertension with heart disease	M.	7	–	–	–	–	–	–	–	–	–	–	1	4	2	3	–	–	–	–	–	–	–	–	1	–	–	2	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
444-447	29	Hypertension without heart disease	M.	16	–	–	–	–	–	–	–	–	1	4	7	3	1	8	–	–	–	–	–	–	–	2	–	–	2	2	2
			F.	11	–	–	–	–	–	–	–	1	1	1	2	5	1	9	–	–	–	–	–	–	–	1	1	–	3	2	2

NINETY-SIXTH ANNUAL REPORT
OF THE REGISTRAR-GENERAL FOR SCOTLAND
1950

CORRIGENDUM

Page Nos. 266 to 365, Tables 46 and 47

for heading "Intermediate List B"
read "Abbreviated List B"

EDINBURGH: HER MAJESTY'S STATIONERY OFFICE
1953

450-468	46.3	Other circulatory disease	M.	20	–	–	–	–	–	–	1	–	2	3	11	3	19	–	–	–	–	–	–	–	2	–	–	5	8	4
			F.	22	–	–	–	–	–	–	–	–	2	9	8	3	22	–	–	–	–	–	–	–	–	2	1	4	9	6
480-483	30	Influenza	M.	3	–	–	–	–	–	–	–	–	–	2	–	1	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	10	–	–	–	–	–	–	1	–	–	3	6	–	11	–	–	1	–	–	–	–	–	–	–	1	6	2	–
490-493	31	Pneumonia	M.	56	–	7	1	–	–	1	–	–	8	20	15	4	35	–	6	1	–	–	–	–	–	6	8	13	1
			F.	50	–	8	–	–	2	1	2	1	2	4	7	16	7	25	–	4	1	–	–	–	1	–	3	3	2	10	1
500-502	32	Bronchitis	M.	47	–	1	–	–	–	–	1	7	12	5	18	3	28	–	–	1	–	–	–	1	–	1	3	12	6	4
			F.	38	–	–	–	–	–	–	–	1	2	7	22	6	28	–	–	–	–	–	–	–	1	1	3	7	12	4
470-475, 510-527	46.4	Other respiratory diseases ...	M.	8	–	–	–	–	–	–	1	2	1	2	2	–	5	–	–	–	–	–	–	–	1	–	–	1	2	1
			F.	7	–	–	2	–	–	1	–	–	1	–	2	1	3	–	–	–	–	–	–	–	–	–	–	2	1	–
540-541	33	Ulcer of stomach and duodenum	M.	35	–	1	–	–	–	–	4	3	11	8	7	1	15	–	–	–	–	–	–	2	–	3	6	3	1	–
			F.	6	–	–	–	–	–	–	–	–	2	1	2	1	7	–	–	–	–	–	–	1	–	–	–	5	1	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–	–	–	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	9	–	–	–	–	–	–	–	2	2	3	2	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
			F.	6	–	–	–	–	–	–	–	–	1	2	2	1	4	1	–	–	–	–	–	–	–	–	–	1	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	6	–	2	–	–	–	1	–	–	1	–	–	2	–
			F.	4	–	1	–	–	–	–	1	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	1	–	–	–	–	1	–	1	2	–	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	–	1	1	2	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
			F.	5	–	–	–	–	–	–	–	2	2	1	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	4	–	–	–	–	–	–	–	2	–	–	2	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	–	–	1	3	–	1	–
590-594	38	Nephritis and nephrosis ...	M.	8	–	–	–	–	–	–	1	2	3	1	1	–	6	–	–	–	–	–	–	–	1	–	1	4	–	–
			F.	14	–	1	–	–	–	–	–	2	–	4	6	1	11	–	–	–	–	–	–	–	–	2	2	6	1	–
610	39	Hyperplasia of prostate ...	M.	29	–	–	–	–	–	–	–	–	1	12	11	5	31	–	–	–	–	–	–	–	–	1	1	12	13	4
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	8	–	–	–	–	–	–	–	–	–	–	2	5	1
			F.	6	–	–	–	–	–	–	2	–	–	3	1	–	6	–	–	–	–	–	–	1	–	–	1	2	2	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	4	–	–	–	–	–	1	2	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	1	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	1	–	–	1	1	1
			F.	5	–	–	–	–	–	–	1	–	–	2	2	–	5	–	1	–	–	–	–	–	–	–	–	1	3	–
750-759	41	Congenital malformations ...	M.	7	3	2	1	1	–	–	–	–	–	–	–	–	8	3	3	1	–	–	1	–	–	–	–	–	–	–
			F.	13	5	6	1	–	–	–	–	–	–	1	–	–	5	1	–	2	–	–	1	–	–	1	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	13	13	–	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	8	1	–	–	–	–	–	–	–	–	–	–	11	10	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	8	1	–	–	–	–	–	–	–	–	–	–	11	11	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	18	–	–	–	–	–	–	–	–	–	–	11	7
			F.	11	–	–	–	–	–	–	–	–	–	–	2	9	31	–	–	–	–	–	–	–	–	–	–	2	7	22
780-793, 795	45.1	Cause ill-defined and unknown	M.	14	–	1	–	–	–	–	2	2	4	3	–	2	5	–	2	–	–	–	–	–	1	–	–	–	2	–
			F.	10	–	–	–	–	–	–	–	1	1	3	4	1	8	1	–	–	–	–	–	–	1	–	1	1	2	2
E963, E970-979	E49	Suicide	M.	6	–	–	–	–	1	1	2	1	1	–	–	–	4	–	–	–	–	–	–	–	–	1	1	1	–	1
			F.	11	–	–	–	–	1	1	1	1	3	3	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
E810-835	E47	Motor vehicle accidents ...	M.	11	–	–	7	1	–	1	–	2	–	–	–	–	13	–	–	2	1	–	3	3	1	–	2	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
E840-845	E48.0	Other road transport accidents	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	39	1	1	1	2	2	4	3	1	6	4	3	9	27	1	1	–	–	5	2	2	3	4	2	2	4	1
			F.	31	1	2	1	–	–	–	–	2	1	–	4	15	5	23	–	2	2	1	–	–	–	–	1	3	3	6	5

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		DUNDEE COUNTY OF CITY														ARBROATH BURGH													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes		**2411**	**91**	**67**	**24**	**3**	**5**	**42**	**50**	**109**	**228**	**389**	**610**	**607**	**186**	**280**	**13**	**4**	**4**	**1**	**1**	**6**	**3**	**10**	**15**	**40**	**66**	**93**	**24**
		Total Males		**1196**	**49**	**43**	**16**	**2**	**5**	**20**	**21**	**59**	**139**	**238**	**307**	**248**	**49**	**127**	**7**	**3**	**3**	–	–	**3**	**1**	**5**	**6**	**26**	**26**	**39**	**8**
		Total Females		**1215**	**42**	**24**	**8**	**1**	–	**22**	**29**	**50**	**89**	**151**	**303**	**359**	**137**	**153**	**6**	**1**	**1**	**1**	**1**	**3**	**2**	**5**	**9**	**14**	**40**	**54**	**16**
001-008	1	Tuberculosis of respiratory system	M.	58	–	–	–	–	–	6	9	12	12	8	8	3	–	4	–	–	1	–	–	1	–	–	1	1	–	–	–
			F.	46	–	–	1	–	–	10	16	6	4	6	2	–	1	2	–	–	–	–	–	1	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	6	–	–	1	–	–	–	1	2	–	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	12	–	–	–	–	–	–	–	–	2	2	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	6	–	1	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	227	–	–	2	1	1	3	2	8	43	62	61	40	4	19	–	–	1	–	–	–	–	1	2	6	3	6	–
			F.	221	–	–	–	–	–	2	2	19	35	43	61	47	12	25	–	–	–	–	–	1	–	1	4	2	6	11	–
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	1	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	–	–	–	–	–	–	–	–	2	3	6	5	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
290-293	21	Anæmias	M.	6	–	–	–	–	–	–	–	–	–	1	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	1	1	4	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	9	–	–	–	–	–	–	–	–	3	3	3	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	16	–	1	–	–	–	–	–	–	1	5	7	2	–	3	–	–	–	1	–	–	–	–	–	2	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	116	–	–	–	–	–	1	1	1	5	22	46	37	3	13	–	–	–	–	–	–	–	–	–	3	6	4	–
			F.	158	–	–	–	–	–	1	–	4	8	16	50	61	18	22	–	–	–	–	–	–	–	–	1	1	5	14	[illegible]
340	23	Nonmeningococcal meningitis	M.	3	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	1	–	1	–	1	–	1	2	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	22	–	–	–	–	–	2	1	5	1	5	5	3	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	17	–	–	–	–	–	–	1	3	5	3	4	1	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	31	–	–	–	–	–	1	3	3	8	4	4	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	324	–	–	–	–	–	–	1	9	26	66	99	101	22	36	–	–	–	–	–	–	–	2	1	9	10	9	5
			F.	371	–	–	–	–	–	–	2	3	9	30	100	155	72	41	–	–	–	–	–	–	1	–	–	2	12	15	11
430-434	27	Other diseases of heart ...	M.	24	–	–	–	–	–	–	–	–	1	7	7	6	3	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	19	–	–	–	–	–	–	–	1	1	3	5	5	4	4	–	–	–	–	–	–	–	–	–	2	2	–	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	5	–	–	–	–	–	–	–	–	–	2	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	4	–	–	–	–	–	–	–	1	–	1	–	2	–	5	–	–	–	–	–	–	–	1	1	–	2	1	–
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

450-468	46.3	Other circulatory disease	M.	23	–	–	–	–	–	–	–	3	2	8	6	4	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–
			F.	18	–	–	–	–	–	–	–	1	2	5	6	4	3	–	–	–	–	–	–	–	–	1	–	1	1	–
480-483	30	Influenza	M.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	63	–	21	2	–	–	–	–	3	3	10	11	12	1	10	–	2	–	–	–	–	–	–	1	2	2	3	–
			F.	52	–	14	3	–	–	1	–	–	3	6	10	11	4	8	–	–	–	–	–	–	–	1	–	–	4	1	2
500-502	32	Bronchitis	M.	23	–	–	–	–	–	–	–	1	4	10	6	1	1	6	–	–	–	–	–	–	–	–	–	1	–	4	1
			F.	22	–	–	–	–	–	–	–	–	1	3	5	10	3	5	–	–	–	–	–	–	–	–	–	–	1	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	13	–	–	–	–	1	–	–	1	3	5	–	3	–	3	–	–	–	–	–	–	–	–	1	–	1	–	1
			F.	12	–	–	–	–	–	2	–	–	–	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	35	–	–	–	–	–	1	1	5	4	10	11	3	–	2	–	–	–	–	–	–	–	2	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	5	–	–	1	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	8	–	1	–	–	–	–	–	–	3	1	–	2	1	3	–	1	–	–	–	–	–	–	–	1	1	–
			F.	7	–	–	1	–	–	–	–	–	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	8	–	3	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	4	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	6	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	–	–	–	1	1	–	8	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	2	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–
			F.	7	–	–	–	–	–	–	1	–	–	2	2	2	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	19	–	–	–	–	–	–	–	–	–	–	5	13	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	11	–	–	–	–	–	–	–	1	–	4	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	1	–	2	–	4	4	–	2	–	–	–	–	–	–	–	1	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	11	6	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	11	11	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	22	22	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–
			F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	8	2	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
			F.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	7	–	–	–	–	–	–	–	–	–	–	–	2	5	3	–	–	–	–	–	–	–	–	–	–	2	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	18	–	–	–	–	–	1	1	3	7	5	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	7	–	–	1	–	1	2	–	–	2	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
			F.	4	–	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	48	1	7	2	–	2	3	2	5	3	5	6	9	3	2	–	–	–	–	–	1	–	–	–	1	–	–
			F.	56	1	4	1	–	–	–	–	3	4	4	9	20	10	6	–	–	1	–	1	–	–	–	–	–	1	3	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		ANGUS COUNTY (ex. Co. of City and Large Burgh)														ARGYLL COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	ALL CAUSES—Both Sexes ...		1095	28	20	13	5	3	12	22	36	72	135	238	361	150	990	23	9	5	3	2	16	11	29	71	130	261	288	142
		Total Males ...		500	17	13	6	2	2	9	12	16	38	64	117	160	44	489	11	6	4	2	2	7	7	18	39	67	142	132	52
		Total Females ...		595	11	7	7	3	1	3	10	20	34	71	121	201	106	501	12	3	1	1	–	9	4	11	32	63	119	156	90
001-008	1	Tuberculosis of respiratory system	M.	12	–	–	–	–	–	1	4	2	2	–	3	–	–	11	–	–	–	–	–	–	2	2	2	2	3	–	–
			F.	6	–	–	–	–	–	2	3	–	–	–	1	–	–	12	–	–	–	–	–	6	3	–	1	–	2	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	2	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	1	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	1	–	–	–	1	–	–	1	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	4	–	1	1	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	73	–	–	–	–	1	–	1	5	8	15	22	21	–	70	–	–	–	–	–	1	3	4	9	16	25	10	2
			F.	76	–	–	1	–	–	–	–	3	15	13	24	15	5	73	–	–	–	–	–	–	–	2	10	12	26	18	5
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
			F.	8	–	–	–	–	–	–	1	–	1	1	2	3	–	6	–	–	–	–	–	–	–	–	–	3	2	1	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	4	–	–	–	–	–	–	–	–	–	1	–	3	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	–	–	–	–	–	–	1	2	–	3	6	–	–	–	–	–	–	–	2	1	1	1	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	63	–	–	–	–	–	–	–	–	2	9	15	31	6	67	–	–	–	–	–	–	–	1	4	8	18	27	9
			F.	89	–	–	–	–	–	–	–	–	5	18	24	31	11	79	–	–	–	–	–	–	–	–	6	9	25	31	8
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	–	–	–	–	1	1	1	2	2	5	–	–	20	–	–	–	–	–	–	1	–	2	5	8	3	1
			F.	17	–	–	1	–	–	1	2	1	1	1	9	1	–	17	–	–	–	–	–	–	–	–	2	3	4	6	2
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	1	–	–	–	1	1	–	–	4	–	–	–	–	–	1	–	–	1	–	2	–	–
			F.	7	–	–	–	–	–	–	–	2	2	3	–	–	–	6	–	–	–	–	–	–	–	2	3	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	142	–	–	–	–	–	–	1	–	10	13	37	60	21	154	–	–	–	–	–	1	–	2	7	19	53	56	16
			F.	202	–	–	–	–	–	–	1	2	4	21	37	90	47	132	–	–	–	–	–	–	–	1	–	15	35	50	31
430-434	27	Other diseases of heart ...	M.	11	–	–	–	–	–	–	1	–	–	2	4	4	–	7	–	–	–	–	1	–	–	–	1	2	1	2	–
			F.	10	–	–	–	–	1	–	1	–	–	3	4	–	1	12	–	–	–	–	–	–	–	–	1	2	3	3	3
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	6	–	–	–	–	–	–	–	–	–	1	3	1	1
			F.	7	–	–	–	–	–	–	–	–	–	3	2	–	2	8	–	–	–	–	–	–	–	1	–	2	1	3	1
444-447	29	Hypertension without heart disease	M.	6	–	–	–	–	–	–	–	–	1	1	1	3	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
			F.	11	–	–	–	–	–	–	–	–	1	2	3	4	1	6	–	–	–	–	–	–	–	–	1	–	2	2	1

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	8	–	–	1	–	–	–	–	1	–	1	–	2	3
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	6	–	–	–	–	–	–	–	–	–	–	1	3	2
490-493	31	Pneumonia	M.	20	–	4	1	–	–	–	–	–	1	3	6	3	2	10	–	1	–	–	–	1	–	–	–	3	1	2	2
			F.	29	–	2	1	–	–	–	1	1	2	1	8	10	3	8	–	1	–	–	–	–	–	–	1	–	–	3	3
500-502	32	Bronchitis	M.	14	–	1	–	–	–	–	–	–	4	–	3	4	2	4	–	1	–	–	–	–	–	–	–	1	–	–	2
			F.	9	–	1	–	–	–	–	–	–	–	2	–	2	4	7	–	–	–	–	–	–	–	1	–	2	–	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	–	1	–	1	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	6	–	–	–	–	–	1	–	–	–	1	1	1	2
540-541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	–	–	3	1	2	1	2	–	5	–	–	–	–	–	–	–	1	–	2	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	7	–	6	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	2	–	–	–	1	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	2	2	–	1
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	1	–	2	–	2	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	4	–	–	–	–	–	–	–	1	–	–	–	1	2	3	–	–	–	–	–	–	–	–	1	2	–	–	–
610	39	Hyperplasia of prostate ...	M.	15	–	–	–	–	–	–	–	–	–	2	3	7	3	9	–	–	–	–	–	–	–	–	–	–	4	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	6	–	–	–	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	9	9	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	7	6	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	12	–	–	–	–	–	–	–	–	–	–	1	6	5	14	–	–	–	–	–	–	–	–	–	2	4	8
			F.	32	–	–	–	–	–	–	–	–	–	–	3	9	20	34	–	–	–	–	–	–	–	–	–	1	12	21
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	23	–	3	–	–	–	–	–	3	2	4	3	7	1
			F.	3	–	–	1	–	–	–	–	–	–	1	–	1	–	11	–	–	–	–	–	–	–	–	–	2	4	3	2
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	7	–	–	1	1	–	3	–	–	–	2	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
			F.	3	–	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	14	–	–	–	1	–	1	2	–	5	1	2	1	1	14	–	–	1	1	–	2	1	3	3	–	–	2	1
			F.	18	–	–	2	1	–	–	–	1	–	–	2	9	3	11	1	–	1	–	–	1	–	–	1	1	1	2	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		AYR BURGH															KILMARNOCK BURGH													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"																															
		ALL CAUSES—Both Sexes ...		**510**	**19**	**7**	**4**	–	**1**	**6**	**9**	**24**	**50**	**80**	**133**	**138**	**39**	**541**	**19**	**13**	**3**	**4**	**4**	**8**	**17**	**20**	**37**	**95**	**142**	**140**	**39**
		Total Males ...		**266**	**12**	**3**	**3**	–	**1**	**4**	**4**	**19**	**25**	**46**	**63**	**66**	**20**	**282**	**13**	**10**	**1**	**3**	**2**	**1**	**9**	**8**	**22**	**59**	**71**	**69**	**14**
		Total Females ...		**244**	**7**	**4**	**1**	–	–	**2**	**5**	**5**	**25**	**34**	**70**	**72**	**19**	**259**	**6**	**3**	**2**	**1**	**2**	**7**	**8**	**12**	**15**	**36**	**71**	**71**	**25**
001-008	1	Tuberculosis of respiratory system	M.	7	–	–	–	–	–	–	–	3	2	1	–	1	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	4	–	–	–	–	–	–	3	–	–	1	–	–	–	6	–	–	–	–	–	1	1	3	–	–	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	29	–	–	–	–	–	–	–	3	8	12	6	–	–	39	–	–	–	–	–	–	2	1	6	11	10	9	–
			F.	36	–	–	–	–	–	–	–	2	7	10	12	5	–	35	–	–	–	–	–	–	–	4	5	11	5	8	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	3	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	5	–	–	–	–	–	–	–	1	–	1	3	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	39	–	–	–	–	–	–	–	–	5	6	11	13	4	48	–	–	–	–	–	–	–	1	–	9	14	22	2
			F.	34	–	–	–	–	–	–	–	–	2	2	10	19	1	49	–	–	–	–	–	–	1	–	3	4	19	19	3
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	1	–	2	1	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	–	1	–	7	–	–	–	–	1	1	1	1	–	–	1	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	1	1	2	–	–	–	4	–	–	–	–	–	–	–	1	2	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	86	–	–	–	–	–	–	–	1	5	16	20	29	15	82	–	–	–	–	–	–	–	1	9	17	30	23	2
			F.	86	–	–	–	–	–	–	–	1	4	8	26	34	13	73	–	–	–	–	–	–	–	3	–	8	30	20	12
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	1	1	1	–	1	–	4	–	–	–	–	–	–	1	–	1	–	1	–	1
			F.	5	–	–	–	–	–	–	–	–	–	–	2	2	1	5	–	–	–	–	–	1	–	–	–	1	–	2	1
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

430-468	46.3	Other circulatory disease	F.	4	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
490-493	31	Pneumonia	M.	6	–	–	1	–	–	–	1	–	–	3	1	–	9	–	6	–	–	–	–	–	–	–	1	1	1	–
			F.	9	–	1	–	–	–	–	1	–	–	3	3	1	–	11	–	1	1	–	–	–	–	–	1	5	2	1
500-502	32	Bronchitis	M.	7	–	–	–	–	–	–	1	1	1	2	2	–	13	–	–	–	–	–	–	–	1	1	5	3	2	1
			F.	8	–	–	–	–	–	–	–	–	2	4	1	1	8	–	–	–	–	–	–	–	–	–	1	2	4	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–	–	–	–	–	2	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
540-541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	2	–	1	–	3	–	–	–	–	–	–	–	1	–	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	3	–	–	–	–	1	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	1	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	1	1	1	–	–	–	4	–	–	–	–	–	–	–	–	1	3	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	6	–	–	–	–	–	–	–	–	–	–	3	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	5	2	1	–	–	1	1	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	5	2	1	1	–	–	1	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	8	7	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	3	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	6	–	–	–	–	–	–	–	–	–	–	–	4	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	13	–	–	–	–	–	–	–	1	1	4	3	4	6	–	–	–	–	–	–	–	–	1	–	1	2	2
			F.	5	–	–	–	–	–	1	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	6	–	–	1	–	–	1	–	1	2	–	1	–	3	–	–	–	1	1	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	10	–	–	–	–	–	–	2	3	–	2	2	1	–	14	–	2	1	1	–	–	2	1	1	3	–	2	1
			F.	7	–	1	1	–	–	–	1	–	2	1	–	–	1	11	–	1	–	–	–	–	1	–	–	2	2	4	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		AYR COUNTY (excluding Large Burghs)														BANFF COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	ALL CAUSES— Both Sexes		2682	97	64	28	11	11	39	61	106	208	418	701	724	214	591	24	14	3	–	2	6	16	10	46	63	161	169	77
		Total Males		1354	56	37	18	7	7	23	28	51	124	231	364	340	68	305	13	7	1	–	1	3	5	8	28	41	90	80	28
		Total Females		1328	41	27	10	4	4	16	33	55	84	187	337	384	146	286	11	7	2	–	1	3	11	2	18	22	71	89	49
001-008	1	Tuberculosis of respiratory system	M.	24	–	–	1	–	1	3	3	3	4	5	4	–	–	3	–	–	–	–	–	1	–	–	2	–	–	–	–
			F.	21	–	–	–	–	2	5	5	5	1	–	3	–	–	4	–	–	–	–	–	1	2	–	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	5	–	–	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	7	–	–	–	–	–	–	–	1	3	3	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	6	–	–	2	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	183	–	1	1	–	–	2	–	7	26	37	69	36	4	59	–	–	–	–	–	1	–	–	4	11	28	12	3
			F.	214	–	–	–	–	–	–	5	18	31	46	60	44	10	30	–	–	1	–	–	–	2	2	3	5	5	7	5
210-239	19	Benign and unspecified neoplasms	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	1	2	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	24	–	–	–	–	–	1	–	–	2	6	9	4	2	4	–	–	–	–	–	–	–	–	–	–	1	3	–
290-293	21	Anæmias	M.	10	–	–	1	–	–	–	–	–	1	1	1	6	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	–	–	–	–	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	7	–	–	–	–	–	–	–	1	2	1	1	2	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
			F.	13	–	–	–	–	–	–	–	–	3	5	3	1	1	5	–	–	–	–	–	–	2	–	–	–	1	1	1
330-334	22	Vascular lesions affecting central nervous system	M.	166	–	–	–	–	–	1	–	1	6	22	65	61	10	45	–	–	–	–	–	–	–	1	1	6	15	19	3
			F.	239	–	–	–	–	–	–	2	3	10	37	72	89	26	41	–	–	–	–	–	–	1	–	3	3	15	13	6
340	23	Nonmeningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	24	–	2	1	–	–	1	–	2	–	4	6	8	–	5	–	–	–	–	–	–	–	1	2	1	1	–	–
			F.	22	–	–	–	–	–	1	3	1	2	7	6	1	1	2	–	–	–	–	–	–	1	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	20	–	–	–	–	1	5	–	3	1	3	3	3	1	3	–	–	–	–	–	1	–	1	1	–	–	–	–
			F.	27	–	–	–	–	–	2	2	7	3	4	7	2	–	5	–	–	–	–	–	2	1	–	–	–	1	–	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	407	–	–	–	–	–	–	3	6	37	79	127	131	24	76	–	–	–	–	–	–	–	2	6	10	25	23	10
			F.	374	–	–	–	–	–	–	–	5	11	45	111	137	65	105	–	–	–	–	–	–	–	–	3	5	26	49	22
430-434	27	Other diseases of heart	M.	22	–	–	–	–	–	–	–	1	3	7	7	3	1	6	–	–	–	–	–	–	1	–	–	1	1	3	–
			F.	28	–	–	–	–	–	–	–	1	1	3	14	9	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
440-443	28	Hypertension with heart disease	M.	6	–	–	–	–	–	–	–	–	1	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	–	–	–	–	–	–	4	3	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
444-447	29	Hypertension without heart disease	M.	13	–	–	–	–	–	–	1	1	3	1	4	3	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	7	–	–	–	–	–	–	–	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

450-468	46.3	Other circulatory disease ...	F.	26	–	–	–	–	–	–	1	–	2	5	2	12	4	9	–	–	–	–	–	–	–	–	–	1	3	3	2
480-483	30	Influenza	M.	12	–	1	–	–	–	–	–	1	1	3	4	1	1	3	–	1	1	–	–	–	–	–	–	1	–	–	–
			F.	12	–	–	–	–	–	–	2	1	1	2	1	2	3	3	–	–	–	–	–	–	–	–	1	–	2	–	–
490-493	31	Pneumonia	M.	38	–	10	3	–	–	1	–	–	2	9	6	6	1	3	–	2	–	–	–	–	–	–	–	–	1	–	–
			F.	32	–	12	2	–	–	–	–	–	–	1	4	11	2	10	–	2	–	–	–	–	–	–	2	–	4	2	–
500-502	32	Bronchitis	M.	43	–	–	–	–	–	–	–	2	7	11	10	11	2	5	–	–	–	–	–	–	–	–	1	–	1	2	1
			F.	27	–	–	–	–	–	–	–	–	1	4	5	9	8	5	–	–	–	–	–	–	–	–	–	1	3	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	20	–	–	–	–	–	1	1	–	2	8	3	3	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	8	–	–	–	–	–	–	–	1	1	2	–	3	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
540-541	33	Ulcer of stomach and duodenum	M.	18	–	–	–	–	–	–	2	1	2	7	3	3	–	6	–	–	–	–	–	–	1	2	–	1	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	10	–	–	1	–	–	–	–	–	2	2	2	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	4	–	–	–	–	–	–	–	–	–	1	2	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	15	–	10	–	–	–	–	–	–	1	–	1	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	15	–	4	–	–	–	–	1	1	1	2	3	2	1	3	–	2	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	6	–	–	–	–	–	–	1	2	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	1	–	2	–	1	3	3	2	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	5	–	–	–	–	–	–	–	–	–	2	1	2	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	5	–	–	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	15	–	–	1	2	–	–	1	2	1	3	3	2	–	5	–	–	–	–	–	–	–	–	2	–	–	1	2
			F.	23	–	1	1	–	1	1	2	–	3	6	3	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	25	–	–	–	–	–	–	–	–	–	2	5	13	5	6	–	–	–	–	–	–	–	–	–	–	1	4	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	7	–	–	–	–	–	–	–	–	–	1	2	3	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	4	1	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	–	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	2	–	–	–	–	1	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	16	13	–	–	1	–	–	–	1	–	1	–	–	–	4	3	1	–	–	–	–	–	–	–	–	–	–	–
			F.	23	13	5	1	1	–	1	1	–	–	–	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	15	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	25	23	2	–	–	–	–	–	–	–	–	–	–	–	10	9	1	–	–	–	–	–	–	–	–	–	–	–
			F.	14	13	1	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	25	–	–	–	–	–	–	–	–	–	–	2	12	11	7	–	–	–	–	–	–	–	–	–	–	–	2	5
			F.	37	–	–	–	–	–	–	–	–	–	–	5	20	12	9	–	–	–	–	–	–	–	–	–	–	–	2	7
780-793, 795	45.1	Cause ill-defined and unknown	M.	29	–	4	1	–	–	–	–	1	5	4	9	4	1	7	–	–	–	–	–	–	–	–	1	3	1	1	1
			F.	21	2	2	–	–	–	–	2	1	2	2	2	6	2	3	–	–	–	–	–	–	–	–	1	–	–	2	–
E963, E970-979	E49	Suicide	M.	7	–	–	–	–	–	1	–	–	–	2	3	1	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	18	–	–	2	3	2	3	3	1	1	2	–	1	–	4	–	–	–	–	1	–	1	–	1	–	–	1	–
			F.	5	–	–	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	56	–	4	1	1	1	1	9	10	10	6	7	5	1	7	–	–	–	–	–	–	2	–	–	2	2	1	–
			F.	29	–	2	–	–	–	4	–	3	–	–	5	10	5	7	–	2	–	–	–	–	–	–	–	–	1	2	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		BERWICK COUNTY: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	BUTE COUNTY: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**389†**	**13**	**4**	**1**	**1**	**1**	**3**	**8**	**9**	**23**	**48**	**114**	**127**	**36**	**305**	**8**	**2**	**2**	–	–	**1**	**2**	**11**	**22**	**31**	**89**	**102**	**35**
		Total Males ...		**194†**	**9**	**1**	**1**	–	**1**	**2**	**2**	**5**	**17**	**27**	**57**	**59**	**12**	**132**	**7**	**1**	**1**	–	–	**1**	**1**	**6**	**12**	**13**	**38**	**46**	**6**
		Total Females ...		**195**	**4**	**3**	–	**1**	–	**1**	**6**	**4**	**6**	**21**	**57**	**68**	**24**	**173**	**1**	**1**	**1**	–	–	–	**1**	**5**	**10**	**18**	**51**	**56**	**29**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	5	–	–	1	–	–	–	1	–	3	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	25	–	–	–	–	1	–	–	1	2	6	8	6	1	16	–	–	–	–	–	–	–	1	2	3	4	6	–
			F.	22	–	–	–	–	–	–	–	–	–	10	9	2	1	15	–	–	–	–	–	–	–	–	3	2	6	4	–
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	23	–	–	–	–	–	–	–	–	3	3	8	7	2	18	–	–	–	–	–	–	–	1	–	2	8	6	1
			F.	35	–	–	–	–	–	–	–	–	1	3	12	17	2	31	–	–	–	–	–	–	–	–	1	4	11	9	6
340	23	Nonmeningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	7	–	–	–	–	–	–	–	1	–	1	2	3	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	1	–	–	–	2	1	1	3	–	–	–	–	–	–	–	1	1	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	74	–	–	–	–	–	–	–	–	5	6	28	29	6	42	–	–	–	–	–	–	–	1	2	5	15	17	2
			F.	72	–	–	–	–	–	–	–	1	3	2	23	30	13	57	–	–	–	–	–	–	–	1	3	4	18	23	8
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	4	–	–	–	–	–	–	–	–	–	1	1	2	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	Hypertension without heart	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	4	–	1	–	–	–	1	–	–	–	1	1	–	–	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	2	–	–	–	–	–	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	7	–	–	–	–	–	–	–	–	2	1	3	1	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	–	1	13	–	–	–	–	–	–	–	1	–	1	1	8	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
610	39	Hyperplasia of prostate ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	–	–	–	1	5	1
			F.	5	–	–	–	–	–	–	–	–	–	–	–	4	1	10	–	–	–	–	–	–	–	–	–	–	1	3	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	5	–	–	–	–	–	–	–	2	1	–	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	–	1	10	–	1	–	–	–	–	–	1	1	1	2	2	2
E963, E970-979	E49	Suicide	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	†9	1	–	–	–	–	–	–	–	3	1	2	–	1	4	–	–	–	–	–	1	–	–	–	–	2	1	–
			F.	6	–	–	–	1	–	–	–	–	–	–	1	3	1	4	–	–	–	–	–	–	–	–	–	–	2	–	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis. † 1 Age not stated.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		CAITHNESS COUNTY															CLACKMANNAN COUNTY													
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	undzr 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**338**	**7**	**6**	**7**	**2**	**1**	**5**	**7**	**12**	**21**	**41**	**85**	**99**	**45**	**448**	**13**	**12**	**9**	**4**	**1**	**12**	**7**	**16**	**45**	**66**	**100**	**120**	**43**
		Total Males ...		**152**	**6**	**3**	**4**	**2**	**1**	**3**	**2**	**7**	**13**	**17**	**44**	**35**	**15**	**224**	**5**	**4**	**6**	**4**	–	**8**	**5**	**10**	**25**	**39**	**50**	**56**	**12**
		Total Females ...		**186**	**1**	**3**	**3**	–	–	**2**	**5**	**5**	**8**	**24**	**41**	**64**	**30**	**224**	**8**	**8**	**3**	–	**1**	**4**	**2**	**6**	**20**	**27**	**50**	**64**	**31**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	–	–	–	2	1	2	1	–	–	–	–	7	–	–	–	–	–	3	1	1	–	2	–	–	–
			F.	5	–	–	–	–	–	1	2	1	–	1	–	–	–	6	–	–	1	–	–	2	1	1	–	–	–	1	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
140-205	18	Malignant neoplasms	M.	20	–	–	–	–	1	–	–	2	2	5	8	2	–	32	–	–	–	–	–	–	–	2	6	7	12	5	–
			F.	26	–	–	1	–	–	–	–	1	2	7	9	6	–	27	–	–	–	–	–	–	–	2	4	5	10	4	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	4	–	–	–	–	–	–	–	–	–	–	2	2	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	12	–	–	–	–	–	–	–	–	1	2	4	4	1	19	–	–	–	–	–	–	–	1	–	1	6	10	1
			F.	27	–	–	–	–	–	–	–	1	–	5	6	12	3	40	–	–	–	–	–	–	–	–	2	6	11	16	5
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	1	–	1	–	2	–	–	3	–	–	–	1	–	1	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	–	2	–	4	–	–	–	–	–	–	1	1	1	1	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	49	–	–	–	–	–	–	–	1	1	3	18	18	8	59	–	–	–	–	–	–	–	2	7	17	12	18	3
			F.	51	–	–	–	–	–	–	–	1	1	7	11	22	9	59	–	–	–	–	–	–	–	1	3	8	15	23	9
430-434	27	Other diseases of heart ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	–	1	1	–	–	4
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
444-447	29	Hypertension without heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

450-468	46.3	Other circulatory disease	M.	3	–	–	–	–	–	–	–	–	–	–	2	5	7	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	14	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	M.	2	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	3	1	–	–	–	–	–	1	2	–	2	–
490-493	31	Pneumonia	M.	5	–	3	2	–	–	–	–	–	–	–	1	–	7	–	1	–	–	–	–	–	–	3	–	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	1	6	–	–	–	–	–	–	–	–	–	4	1	1	–
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	–	2	–	3	6	–	–	–	–	–	–	–	–	1	1	1	3	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	–	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	1	–	–	2	1	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	5	–	–	–	–	–	–	–	2	–	–	–	–	6	–	–	–	–	–	–	1	–	3	–	1	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	1	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	2	–	–	–	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	2	–	–	2	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	–	–	1	2	2	–	1	4	–	–	–	–	–	–	–	–	2	–	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	1	3	1	11	–	–	–	–	–	–	–	–	–	–	–	5	6
			F.	13	–	–	–	–	–	–	–	–	–	1	8	4	14	–	–	–	–	–	–	–	–	–	–	–	6	8
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	1	–	–	–	–	–	–	–	–	3	–	1	9	–	–	–	–	–	–	1	–	3	1	4	–	–
			F.	3	–	1	1	–	–	–	–	–	–	1	–	–	3	1	–	–	–	–	–	–	–	1	1	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	4	–	–	1	1	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	6	–	–	–	–	–	1	–	–	2	2	–	1	–	12	–	1	–	1	–	3	1	2	1	–	2	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	3	–	7	–	1	–	–	–	–	–	–	–	1	–	2	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		CLYDEBANK BURGH															DUMBARTON BURGH														
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45	55–	65–	75–	85 and over	All Ages	under 4 week	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes	...	**497**	**24**	**14**	**13**	**2**	**1**	**9**	**18**	**27**	**46**	**73**	**134**	**109**	**27**	**293**	**9**	**11**	**3**	**2**	**1**	**8**	**6**	**11**	**23**	**49**	**80**	**62**	**28**
		Total Males	...	**246**	**18**	**7**	**4**	**2**	–	**3**	**5**	**13**	**27**	**40**	**66**	**46**	**15**	**162**	**5**	**3**	**2**	**2**	-	**3**	**1**	**6**	**14**	**27**	**49**	**35**	**15**
		Total Females	...	**251**	**6**	**7**	**9**	–	**1**	**6**	**13**	**14**	**19**	**33**	**68**	**63**	**12**	**131**	**4**	**8**	**1**	–	**1**	**5**	**5**	**5**	**9**	**22**	**31**	**27**	**13**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	1	–	–	1	1	2	2	2	–	–	10	–	–	–	–	–	–	–	3	2	3	2	–	–
			F.	10	–	–	–	–	–	2	5	2	1	–	–	–	–	7	–	–	–	–	–	2	4	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	2	–	–	–	–	–	–	–
			F.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	2	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	41	–	–	–	–	–	–	1	2	8	7	14	9	–	25	–	–	–	–	–	–	–	–	4	7	7	6	1
			F.	38	–	–	–	–	–	–	2	6	5	6	10	6	3	22	–	–	–	–	–	–	–	1	4	6	7	3	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	1	–	–	–	–	–	–	2	2	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	4	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	37	–	–	1	–	–	–	–	1	–	5	11	14	5	23	–	–	–	–	–	–	1	–	1	5	7	6	3
			F.	40	–	–	–	–	–	–	–	–	3	7	15	15	–	17	–	–	–	–	–	–	–	2	–	5	6	4	–
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
			F.	6	–	–	–	–	–	–	2	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	1	1	–	–	–	3	–	–	1	1	–	–	–	–	1	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	62	–	–	–	–	–	–	1	3	7	16	20	11	4	39	–	–	–	–	–	–	–	2	4	7	10	9	7
			F.	61	–	–	–	–	–	–	–	–	4	8	27	19	3	21	–	–	–	–	–	–	–	–	–	4	8	4	5
430-434	27	Other diseases of heart ...	M.	6	–	–	–	–	–	–	–	–	1	–	2	2	1	11	–	–	–	–	–	–	–	–	–	1	6	4	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	2	–	11	–	–	–	–	–	–	–	–	1	1	4	4	1
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–

450-468	46.3	Other circulatory disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	–	5	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	7	–	2	–	–	–	1	–	–	4	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
			F.	12	–	3	1	–	–	1	–	1	–	1	2	2	1	2	–	1	–	–	–	–	–	–	–	–	1	–
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	1	2	4	2	–	3	–	–	–	–	–	–	–	–	1	1	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	1	–	–	–	–	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–	–	–	2	1	1
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	1	3	2	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	3	–	2	1	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
			F.	4	–	3	–	–	1	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	1	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	–	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
750-759	41	Congenital malformations ...	M.	4	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	1	1	2	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	7	–	–	–	–	–	–	–	–	–	1	4	2
			F.	7	–	–	–	–	–	–	–	–	1	–	1	5	11	–	–	–	–	–	–	–	–	–	–	2	5	4
780-793, 795	45.1	Cause ill-defined and unknown	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	1	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	–	1	1	–	–	2	1	3	2	–	1	–	3	–	–	–	–	–	–	–	–	1	1	–	–	1
			F.	11	–	–	2	–	–	1	–	–	2	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		DUNBARTON COUNTY (excluding Large Burghs)														DUMFRIES BURGH													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**1164**	**49**	**19**	**16**	**7**	**4**	**14**	**30**	**45**	**90**	**186**	**313**	**299**	**92**	**345**	**17**	**4**	**5**	**1**	**1**	**4**	**8**	**11**	**28**	**51**	**93**	**98**	**24**
		Total Males ...		**588**	**26**	**14**	**6**	**2**	**2**	**10**	**15**	**25**	**52**	**98**	**169**	**138**	**31**	**179**	**9**	**3**	**3**	–	–	**3**	**5**	**6**	**16**	**33**	**56**	**38**	**7**
		Total Females ...		**576**	**23**	**5**	**10**	**5**	**2**	**4**	**15**	**20**	**38**	**88**	**144**	**161**	**61**	**166**	**8**	**1**	**2**	**1**	**1**	**1**	**3**	**5**	**12**	**18**	**37**	**60**	**17**
001-008	1	Tuberculosis of respiratory system	M.	20	–	–	–	–	–	2	7	3	2	3	3	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
			F.	15	–	–	1	1	–	2	7	2	1	–	–	1	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	94	–	–	–	–	–	1	1	5	20	16	25	21	5	32	–	–	–	–	–	–	–	3	3	7	8	9	2
			F.	83	–	–	–	–	–	1	2	3	6	23	27	20	1	36	–	–	–	–	–	–	1	1	10	8	8	6	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	4	–	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	3	–	–	1	–	–	–	–	–	1	1	–	–	–
			F.	4	1	–	–	–	–	–	1	–	1	1	–	–	–	3	–	–	–	1	–	–	–	1	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	70	–	–	–	–	–	1	–	2	3	12	28	20	4	21	–	–	–	–	–	–	–	–	2	5	7	6	1
			F.	90	–	–	–	–	–	–	–	1	6	14	26	35	8	23	–	–	–	–	–	–	–	–	1	5	4	9	4
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	10	–	1	1	–	–	1	1	1	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	1	–	–	1	1	–	2	2	–	2	–	–	1	–	–	–	–	–	–	–	1	–	–
400-402	24	Rheumatic fever	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	12	–	–	–	–	–	–	1	1	2	4	4	–	–	5	–	–	–	–	1	–	–	1	–	–	2	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	181	–	–	–	1	–	–	–	2	10	35	66	52	15	67	–	–	–	–	–	–	–	1	7	12	30	15	2
			F.	185	–	–	–	–	–	–	1	1	6	20	49	73	35	56	–	–	–	–	–	–	–	–	–	3	16	30	7
430-434	27	Other diseases of heart ...	M.	12	–	–	–	–	–	–	–	–	–	1	4	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	24	–	–	–	–	–	–	–	2	1	4	7	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	5	–	–	–	–	–	–	–	1	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–

450-468	46.3	Other circulatory disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	1	1	1	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
480-483	30	Influenza	M.	5	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	15	–	4	1	–	1	1	–	1	1	3	1	2	–	5	–	2	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
			F.	16	–	4	1	–	–	–	–	1	2	2	2	3	1	7	–	–	1	–	–	–	–	–	–	–	1	4	1	–	–	–	–	–	–
500-502	32	Bronchitis	M.	20	–	–	–	–	–	–	–	–	1	2	10	7	–	6	–	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	–	–	2	2	3	2	4	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	–	3	2	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	6	–	–	–	–	–	1	–	2	1	1	1	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	2	1	1	1	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	1	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	12	8	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	1	–	1	1	–	–	–	–	–	1	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	–	1	2	4	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	16	1	3	1	–	–	–	–	1	2	1	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
E810-835	E47	Motor vehicle accidents ...	M.	8	–	–	–	1	–	–	1	2	1	–	2	1	–	4	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	2	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	23	–	–	–	–	1	4	3	2	8	1	4	–	4	–	–	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
			F.	16	2	–	–	1	–	–	1	4	1	3	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		DUMFRIES COUNTY (excluding Large Burgh): All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	EAST LOTHIAN COUNTY: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**740**	**18**	**13**	**4**	**1**	**3**	**12**	**14**	**22**	**42**	**89**	**225**	**231**	**66**	**561**	**17**	**7**	**3**	**1**	**1**	**7**	**13**	**10**	**38**	**71**	**160**	**181**	**52**
		Total Males	...	**370**	**11**	**11**	**3**	**1**	**2**	**8**	**10**	**12**	**20**	**47**	**111**	**112**	**22**	**270**	**10**	**5**	**2**	**1**	**1**	**4**	**5**	**5**	**26**	**39**	**77**	**76**	**19**
		Total Females	...	**370**	**7**	**2**	**1**	–	**1**	**4**	**4**	**10**	**22**	**42**	**114**	**119**	**44**	**291**	**7**	**2**	**1**	–	–	**3**	**8**	**5**	**12**	**32**	**83**	**105**	**33**
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	2	2	3	–	1	–	–	10	–	–	–	–	–	1	–	1	4	2	2	–	–
			F.	7	–	–	–	–	–	2	1	1	–	1	2	–	–	5	–	–	–	–	–	1	2	2	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	49	–	–	–	–	–	1	–	1	4	8	16	17	2	43	–	–	–	–	–	1	–	–	5	11	11	14	1
			F.	50	–	–	–	–	–	–	–	4	8	7	20	9	2	49	–	1	–	–	–	–	–	1	4	11	18	10	4
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	1	–	–	–	–	–	2	–
			F.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	5	–	–	–	–	–	–	–	–	–	1	4	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	2	–	–
			F.	3	–	–	–	–	–	–	–	2	1	–	–	–	–	4	–	–	–	–	–	–	–	–	2	1	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	43	–	–	–	–	–	–	2	–	1	6	18	12	4	37	–	–	–	–	–	–	–	–	2	2	16	15	2
			F.	70	–	–	–	–	–	–	1	1	3	9	23	25	8	51	–	–	–	–	–	–	1	–	–	6	12	28	4
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	–	–	–	1	–	–	–	1	2	–	1	–	3	–	–	–	1	–	–	–	–	1	1	–	–	–
			F.	8	–	–	–	–	–	–	1	1	2	–	1	1	2	7	–	–	1	–	–	–	–	–	1	–	3	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	1	–	–	1	–	4	–	5	–	–	–	–	–	–	–	1	–	2	2	–	–
			F.	8	–	–	–	–	–	–	–	–	4	–	2	2	–	3	–	–	–	–	–	–	–	1	–	–	2	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	124	–	–	–	–	–	1	–	2	3	14	48	50	6	79	–	–	–	–	–	–	–	–	6	6	27	32	8
			F.	117	–	–	–	–	–	–	1	–	–	9	39	50	18	88	–	–	–	–	–	–	–	–	1	7	29	38	13
430-434	27	Other diseases of heart ...	M.	8	–	–	–	–	–	–	–	–	–	2	2	2	2	10	–	–	–	–	–	–	–	1	–	3	2	4	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	10	–	–	–	–	–	–	–	–	2	1	2	4	1
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
				(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(bb)	(cc)	(dd)	(ee)	(ff)	(gg)
450-468	46.3	Other circulatory disease	M.	5	–	–	–	–	–	–	–	–	–	1	–	2	2	7	–	–	–	–	–	–	–	–	1	–	–	2	4	–	–
			F.	11	–	–	–	–	–	–	–	–	–	1	2	4	4	5	–	–	–	–	–	–	–	–	–	–	3	1	–	–
480-483	30	Influenza	M.	4	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	–	1	2	–	1	–
490-493	31	Pneumonia	M.	15	–	5	–	–	–	–	–	–	1	1	2	5	1	4	–	1	–	–	–	–	–	–	–	1	–	2	–	–
			F.	12	–	1	1	–	–	–	–	–	–	1	2	4	3	6	–	–	–	–	–	–	–	–	–	–	4	1	1	–
500-502	32	Bronchitis	M.	12	–	1	–	–	–	–	–	–	2	2	3	2	2	7	–	–	–	–	–	–	–	–	2	3	1	1	–	–
			F.	8	–	–	–	–	–	–	–	–	–	3	2	2	1	8	–	–	–	–	–	–	–	–	–	–	2	4	2	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	1	2	5	–	6	–	–	–	–	–	–	1	–	–	1	–	2	2	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–
530-539, 542-545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	7	–	–	–	–	–	1	–	–	–	–	5	–	1	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	2	1	2	1	3	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	2	–	1	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	4	2	1	–	–	–	–	–	1	–	–	–	–	–	5	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	1	–	–	1	–	–	–	1	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F'	5	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
			F.	8	–	–	–	–	–	–	–	–	–	–	–	4	4	4	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	6	–	1	–	–	–	–	–	–	–	–	1	4	–	5	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	–	2	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	8	–	–	–	–	1	4	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	13	1	–	2	–	–	1	3	1	2	1	1	1	–	11	–	1	1	–	–	–	3	1	3	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	6	–	–	–	–	–	1	–	–	1	1	1	2	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		DUNFERMLINE BURGH: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	KIRKCALDY BURGH: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**510**	**10**	**12**	**5**	**2**	–	**8**	**6**	**22**	**43**	**96**	**141**	**123**	**42**	**674**	**21**	**16**	**4**	**2**	**2**	**7**	**11**	**28**	**47**	**106**	**194**	**189**	**47**
		Total Males		**253**	**9**	**6**	**3**	**1**	–	**4**	**1**	**14**	**28**	**44**	**66**	**55**	**22**	**346**	**13**	**10**	**1**	**1**	**1**	**3**	**8**	**17**	**26**	**57**	**99**	**92**	**18**
		Total Females		**257**	**1**	**6**	**2**	**1**	–	**4**	**5**	**8**	**15**	**52**	**75**	**68**	**20**	**328**	**8**	**6**	**3**	**1**	**1**	**4**	**3**	**11**	**21**	**49**	**95**	**97**	**29**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	1	–	–	1	–	1	1	2	–	–	–	15	–	–	–	–	–	1	2	2	4	2	3	1	–
			F.	6	–	–	–	–	–	2	2	1	–	1	–	–	–	6	–	–	–	–	–	2	2	–	2	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	2	–	–	–	–	1	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	38	–	–	–	–	–	–	5	8	8	11	5	1	48	–	–	–	–	–	–	2	**4**	4	12	18	8	–
			F.	47	–	–	–	–	–	1	1	7	18	11	8	1	51	–	–	–	–	–	–	–	3	6	16	17	7	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	–	–	2	1	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	3	–	–	–	–	–	–	–	–	–	1	2	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	30	–	–	–	–	–	–	–	1	3	5	12	6	3	50	–	–	–	–	–	–	–	–	2	6	18	20	4
			F.	43	–	–	–	–	–	–	–	1	1	10	15	14	2	57	–	–	–	–	–	–	–	–	3	5	27	16	6
340	23	Nonmeningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	1	1	1	–	–	5	–	–	–	–	–	–	1	–	–	3	–	1	–
			F.	3	–	–	1	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	1	1	–	–	1	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	1	–	–	–	–	1	–	–	11	–	–	–	–	–	–	–	3	2	2	2	2	–
			F.	6	–	–	–	–	–	–	–	2	1	2	1	–	–	4	–	–	–	–	–	–	–	–	1	2	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	79	–	–	–	–	–	–	–	3	7	13	22	25	9	92	–	–	–	–	–	–	–	2	8	11	31	34	6
			F.	74	–	–	–	–	–	–	–	–	2	10	27	28	7	108	–	–	–	–	–	–	–	1	1	12	34	46	14
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	4	–	–	–	–	–	–	1	–	–	2	1	–	–
			F.	9	–	–	–	–	–	–	–	–	–	2	3	4	–	7	–	–	–	–	–	–	–	–	1	2	–	3	1
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	4	–	–	–	–	–	–	–	–	–	2	1	1	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–

450-468	46.3	Other circulatory disease ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	–	1	2	3	5	–	–	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–
480-483	30	Influenza	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	4	–	1	–	–	–	–	–	–	1	2	–	–	–	8	–	2	–	–	–	–	1	–	–	2	2	1	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	–	–	1	1	12	–	3	2	–	–	–	–	–	1	1	3	2	–	–	–	–	–
500-502	32	Bronchitis	M.	6	–	–	–	–	–	–	–	–	–	2	–	3	1	23	–	–	–	–	–	–	–	–	3	4	7	8	–	–	–	–	–
			F.	7	–	1	–	–	–	–	–	–	1	1	4	–	–	6	–	–	–	–	–	–	–	–	1	2	1	1	1	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	7	–	1	1	–	–	–	–	–	–	2	1	–	2	4	1	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	1	–	–	3	–	1	3	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	1	–	–	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	3	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	2	3	–	1	–	–	–	–
			F.	4	–	–	–	–	–	–	2	–	2	–	–	–	–	6	–	–	–	–	–	–	1	2	–	1	1	1	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	10	–	–	–	–	–	–	–	–	–	–	3	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	4	1	1	–	–	–	1	–	–	1	–	–	–	–	5	3	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	2	6	–	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	3	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	4	2	13	–	–	–	–	–	–	–	–	–	–	1	8	4	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	8	–	1	–	–	–	–	–	–	3	3	1	–	–	5	–	2	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	5	–	–	–	1	–	–	–	1	1	2	–	–	–	4	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1
			F.	5	–	1	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		FIFE COUNTY (excluding Large Burghs)															INVERNESS BURGH														
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"																																
		ALL CAUSES—Both Sexes ...		**2677**	**96**	**67**	**29**	**7**	**12**	**51**	**59**	**98**	**195**	**404**	**673**	**757**	**229**	**362**	**15**	**3**	**5**	**2**	**2**	**4**	**9**	**6**	**32**	**42**	**88**	**115**	**39**
		Total Males ...		**1320**	**54**	**43**	**19**	**5**	**8**	**26**	**27**	**48**	**106**	**208**	**352**	**339**	**85**	**182**	**8**	**1**	**4**	**1**	**2**	**2**	**4**	**1**	**18**	**23**	**49**	**54**	**15**
		Total Females ...		**1357**	**42**	**24**	**10**	**2**	**4**	**25**	**32**	**50**	**89**	**196**	**321**	**418**	**144**	**180**	**7**	**2**	**1**	**1**	–	**2**	**5**	**5**	**14**	**19**	**39**	**61**	**24**
001-008	1	Tuberculosis of respiratory system	M.	36	–	–	–	–	–	5	6	8	9	6	2	–	–	3	–	–	1	–	–	–	2	–	–	–	–	–	–
			F.	35	–	–	–	–	–	12	9	5	5	2	1	1	–	8	–	–	–	–	–	1	2	2	1	1	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	5	–	–	1	–	1	1	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	1	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	194	–	–	1	1	–	3	4	10	24	44	62	38	7	37	–	–	–	–	–	–	1	–	4	8	12	11	1
			F.	206	–	–	3	1	2	2	2	19	29	42	55	46	5	25	–	–	–	–	–	–	1	2	4	2	9	6	1
210-239	19	Benign and unspecified neoplasms	M.	5	–	–	–	1	–	1	–	1	–	2	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	5	–	–	–	–	–	–	–	–	1	–	2	2	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	20	–	–	–	–	–	–	–	–	2	6	4	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	11	–	1	–	–	–	–	1	–	1	2	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	14	–	–	–	–	–	–	1	–	–	3	3	7	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	5	–	–	1	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	18	–	–	–	–	–	2	–	1	4	5	4	2	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	183	–	–	–	–	–	1	–	1	6	24	67	66	18	18	–	–	–	–	–	–	–	–	–	–	6	9	3
			F.	222	–	–	–	–	–	–	5	1	10	28	65	95	18	33	–	–	–	–	–	–	–	–	3	2	7	17	4
340	23	Nonmeningococcal meningitis	M.	3	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	19	–	–	–	–	–	1	1	1	1	4	6	5	–	6	–	–	–	–	–	–	1	–	1	1	1	2	–
			F.	26	–	1	–	–	–	1	3	1	3	5	8	3	1	7	1	–	–	–	–	–	–	–	1	1	2	–	2
400-402	24	Rheumatic fever	M.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	8	–	–	–	–	1	–	–	2	2	–	1	–	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	19	–	–	–	–	–	–	1	2	2	5	1	5	3	2	–	–	–	–	–	–	–	–	–	–	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	367	–	–	–	–	1	1	–	10	25	54	118	128	30	54	–	–	–	–	–	–	–	1	6	5	21	15	6
			F.	387	–	–	–	–	–	–	2	3	11	47	116	140	68	46	–	–	–	–	–	–	–	–	–	5	8	20	13
430-434	27	Other diseases of heart ...	M.	28	–	–	1	–	–	–	–	–	2	4	8	11	2	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	36	–	–	–	–	–	2	1	–	2	6	8	15	2	2	–	–	–	–	–	–	–	–	–	2	–	–	–
440-443	28	Hypertension with heart disease	M.	9	–	–	–	–	–	–	–	1	–	5	–	1	2	5	–	–	–	–	–	–	–	–	–	1	1	1	1
			F.	7	–	–	–	–	–	–	–	–	–	1	1	5	–	5	–	–	–	–	–	–	–	–	–	1	1	2	1
444-447	29	Hypertension without heart disease	M.	7	–	–	–	–	–	1	–	–	–	–	4	2	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	–	–	–	–	–	–	–	1	5	–	3	–	–	–	–	–	–	–	–	1	1	–	1	–

			F.	30	–	–	–	–	–	–	–	–	3	7	10	10	6	–	–	–	–	–	–	–	–	–	–	2	1	3	–
480-483	30	Influenza	M.	11	–	1	–	–	–	–	–	1	1	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	–	–	–	2	3	–	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	22	–	9	2	–	–	–	–	2	1	3	5	–	–	8	–	–	1	1	–	–	–	–	–	2	1	2	1
			F.	26	–	5	–	–	–	–	1	1	–	2	8	7	2	4	–	–	–	–	–	–	–	–	–	–	3	1	–
500-502	32	Bronchitis	M.	45	–	2	–	–	–	–	–	–	5	7	16	15	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	43	1	1	–	–	–	–	–	3	2	8	10	10	8	5	–	–	–	–	–	–	1	–	–	–	1	2	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	24	–	3	–	–	–	–	1	1	4	9	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	1	–	–	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	16	–	–	–	–	–	–	–	–	3	6	4	3	–	5	–	–	–	–	–	–	–	–	2	2	–	1	–
			F.	6	–	–	–	–	–	–	–	–	1	3	1	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	1	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	12	–	–	–	–	–	–	–	3	1	5	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	13	–	11	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	3	–	–	–	–	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	4	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	4	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	9	–	–	–	–	–	–	–	1	1	1	1	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	38	Nephritis and nephrosis ...	M.	17	–	–	–	1	1	1	–	2	1	1	5	5	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	–	–	3	1	4	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
610	39	Hyperplasia of prostate ...	M.	25	–	–	–	–	–	–	–	–	–	3	6	13	3	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	7	–	–	–	–	–	–	–	–	–	2	2	2	1	2	–	1	–	–	–	–	–	–	1	–	–	–	–
			F.	10	–	1	–	–	–	–	–	–	1	5	2	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	6	–	1	–	–	–	–	–	–	1	–	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	15	8	4	–	–	–	2	1	–	–	–	–	–	–	3	2	–	–	–	1	–	–	–	–	–	–	–	–
			F.	24	14	8	–	–	–	2	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	17	16	1	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	26	24	2	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	31	–	–	–	–	–	–	–	–	–	–	3	18	10	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	47	–	–	–	–	–	–	–	–	–	–	2	29	16	5	–	–	–	–	–	–	–	–	–	–	1	3	1
780-793, 795	45.1	Cause ill-defined and unknown	M.	13	1	1	–	–	–	–	1	–	2	4	3	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	8	–	–	–	–	–	–	1	–	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	6	–	–	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	23	–	–	3	–	1	5	4	1	4	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	54	–	4	4	2	3	3	5	5	7	5	8	7	1	3	–	–	–	–	–	1	–	–	1	–	–	1	–
			F.	31	–	2	2	–	1	–	–	3	1	3	2	9	8	7	–	–	1	–	–	–	–	1	1	–	1	3	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		INVERNESS COUNTY (excluding Large Burgh)														INSULAR PORTION OF INVERNESS COUNTY													
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**806**	**28**	**11**	**4**	**6**	**3**	**15**	**16**	**22**	**38**	**93**	**181**	**268**	**121**	**366**	**9**	**5**	**3**	**2**	–	**6**	**7**	**5**	**15**	**36**	**77**	**133**	**68**
		Total Males		**394**	**15**	**5**	**2**	**4**	**3**	**5**	**10**	**12**	**22**	**57**	**84**	**134**	**41**	**169**	**4**	**2**	**1**	**2**	–	**1**	**3**	**3**	**7**	**21**	**33**	**70**	**22**
		Total Females		**412**	**13**	**6**	**2**	**2**	–	**10**	**6**	**10**	**16**	**36**	**97**	**134**	**80**	**197**	**5**	**3**	**2**	–	–	**5**	**4**	**2**	**8**	**15**	**44**	**63**	**46**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	1	2	1	3	2	–	–	–	3	–	–	–	–	–	1	1	–	–	1	–	–	–
			F.	13	–	–	–	–	–	6	3	2	1	–	1	–	–	7	–	–	–	–	–	3	2	1	1	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
140-205	18	Malignant neoplasms	M.	71	–	–	–	1	1	–	3	–	3	15	19	28	1	27	–	–	–	–	–	–	–	–	2	6	7	12	–
			F.	55	–	–	–	–	–	–	1	4	7	5	14	18	6	29	–	–	–	–	–	–	1	–	4	4	8	11	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	8	–	–	–	1	–	–	1	3	1	–	1	1	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	2	–	1	3	–	–	–	–	–	–	–	–	–	–	2	–	1
240-254, 270-289, 294-299	46.1	Other general diseases	M.	3	–	1	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	39	–	–	–	–	–	–	1	–	–	5	9	15	9	16	–	–	–	–	–	–	1	–	–	–	4	8	3
			F.	64	–	–	–	–	–	–	–	1	2	5	14	29	13	21	–	–	–	–	–	–	–	–	1	3	3	11	3
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	15	–	–	–	–	–	–	2	2	2	2	3	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	15	–	–	–	–	–	2	–	–	–	4	–	8	1	6	–	–	–	–	–	1	–	–	–	2	–	3	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	5	–	–	–	–	–	–	–	1	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	–	–	–	–	1	1	–	2	2	–	3	–	–	–	–	–	–	–	–	1	–	2	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	96	–	–	–	–	1	1	–	2	3	18	22	41	8	41	–	–	–	–	–	–	–	1	1	5	7	21	6
			F.	95	–	–	–	–	–	–	–	–	2	10	29	32	22	35	–	–	–	–	–	–	–	–	–	2	12	10	11
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	–	5	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	7	–	–	–	–	–	–	–	–	–	–	3	3	1	3	–	–	–	–	–	–	–	–	–	–	1	2	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	3	–	–	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

490-493	46.3	Other circulatory disease	F.	9	–	–	–	–	–	–	1	–	–	5	2	1	4	–	–	–	–	–	–	–	–	–	–	3	1	–
480-483	30	Influenza	M.	2	1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	13	–	–	–	–	–	–	–	–	–	–	7	6	8	–	–	–	–	–	–	–	–	–	–	3	5
490-493	31	Pneumonia	M.	13	–	2	1	–	–	–	–	1	2	1	4	2	4	–	1	1	–	–	–	–	–	–	1	–	–	1
			F.	12	–	1	–	–	–	–	–	1	3	2	4	1	9	–	1	–	–	–	–	–	–	–	3	1	3	1
500-502	32	Bronchitis	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	7	–	–	–	–	–	–	–	–	2	2	3	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	4	–	1	1	–	3	–	–	–	–	–	–	–	–	2	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	–	3	–	2	4	–	–	–	–	–	–	–	–	–	–	3	–	1
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	11	–	–	–	–	–	–	–	–	1	2	7	1	7	–	–	–	–	–	–	–	–	–	1	2	4	–
			F.	7	–	–	–	–	–	–	–	–	2	3	–	2	4	–	–	–	–	–	–	–	–	–	–	2	–	2
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–
			F.	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	5	4	1	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	11	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	27	–	–	–	–	–	–	–	–	–	1	16	10	22	–	–	–	–	–	–	–	–	–	–	–	13	9
			F.	37	–	–	–	–	–	–	–	–	–	3	16	18	33	–	–	–	–	–	–	–	–	–	3	13	17
780-793, 795	45.1	Cause ill-defined and unknown	M.	13	–	1	–	–	–	–	1	–	1	5	4	1	9	–	–	–	–	–	–	–	1	–	1	4	3	–
			F.	10	–	1	–	–	–	–	–	–	2	2	3	2	6	–	1	–	–	–	–	–	–	–	–	1	2	2
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	4	–	–	–	1	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	12	1	–	1	–	–	2	1	–	3	–	1	3	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	9	–	1	–	–	–	1	1	–	–	–	4	1	1	3	–	–	–	–	–	–	1	–	–	–	–	1	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		KINCARDINE COUNTY														KINROSS COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**350**	**9**	**5**	–	–	**1**	**7**	**6**	**9**	**28**	**37**	**100**	**111**	**37**	**113**	**5**	**2**	–	–	**2**	**2**	**2**	**5**	**7**	**11**	**26**	**37**	**14**
		Total Males ...		**163**	**3**	**2**	–	–	**1**	**5**	**4**	**3**	**19**	**17**	**50**	**50**	**9**	**52**	**3**	**1**	–	–	**1**	**1**	–	**1**	**3**	**8**	**11**	**17**	**6**
		Total Females ...		**187**	**6**	**3**	–	–	–	**2**	**2**	**6**	**9**	**20**	**50**	**61**	**28**	**61**	**2**	**1**	–	–	**1**	**1**	**2**	**4**	**4**	**3**	**15**	**20**	**8**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	32	–	–	–	–	–	–	1	–	5	5	13	7	1	9	–	–	–	1	–	–	–	1	3	3	1	–	–
			F.	35	–	–	–	–	–	–	1	2	4	5	9	13	1	5	–	–	–	–	–	–	–	–	1	1	3	–	–
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	15	–	–	–	–	–	–	–	–	2	3	3	5	2	5	–	–	–	–	–	–	–	–	1	–	2	1	1
			F.	34	–	–	–	–	–	–	–	1	1	5	7	15	5	7	–	–	–	–	–	–	–	–	–	–	1	5	1
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	2	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	1	–	1	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	59	–	–	–	–	–	–	–	1	7	4	18	25	4	16	–	–	–	–	–	–	–	–	1	–	1	9	5
			F.	65	–	–	–	–	–	–	–	–	1	3	18	25	18	16	–	–	–	–	–	–	–	1	–	–	4	8	3
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

450-468	46.3	Other circulatory disease	F.	5	–	–	–	–	–	–	–	1	–	1	3	–	4	–	–	–	–	–	–	–	–	–	1	1	2
			M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	3	–	1	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	F.	4	–	–	–	–	–	–	–	–	–	2	–	2	5	–	–	–	–	1	–	–	1	–	2	1	–
			M.	2	–	–	–	–	–	–	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	1	2	–	–
500-502	32	Bronchitis	F.	1	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	2	–	1
			M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	3	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–
540, 541	33	Ulcer of stomach and duodenum	F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
550-553	34	Appendicitis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	3	–	–	–	–	–	1	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–
590-594	38	Nephritis and nephrosis ...	F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	2	–	–	1	1
			M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–
610	39	Hyperplasia of prostate ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	F.	4	–	–	–	–	–	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	–	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	F.	3	3	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	3	–	–	–	–	–	–	–	–	–	1	2	–	2	–	1	–	–	–	–	–	–	1	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	F.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
			M.	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–
			M.	4	–	–	–	–	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			M.	4	1	–	–	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	F.	3	–	1	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		KIRKCUDBRIGHT COUNTY															AIRDRIE BURGH													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**399**	**12**	**8**	**–**	**1**	**1**	**7**	**3**	**14**	**29**	**54**	**103**	**130**	**37**	**332**	**15**	**13**	**3**	**1**	**1**	**9**	**10**	**16**	**32**	**51**	**86**	**80**	**15**
		Total Males ...		**198**	**6**	**8**	**–**	**1**	**1**	**5**	**2**	**8**	**13**	**26**	**53**	**61**	**14**	**178**	**9**	**9**	**3**	**1**	**1**	**2**	**6**	**5**	**20**	**29**	**46**	**39**	**8**
		Total Females ...		**201**	**6**	**–**	**–**	**–**	**–**	**2**	**1**	**6**	**16**	**28**	**50**	**69**	**23**	**154**	**6**	**4**	**–**	**–**	**–**	**7**	**4**	**11**	**12**	**22**	**40**	**41**	**7**
001-008	1	Tuberculosis of respiratory system	M.	9	–	–	–	–	–	1	1	2	–	1	3	1	–	8	–	–	1	–	–	–	2	–	3	2	–	–	–
			F.	4	–	–	–	–	–	–	1	–	1	1	1	–	–	7	–	–	–	–	–	4	2	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	23	–	–	–	–	–	1	2	4	7	8	–	1		25	–	–	–	–	–	–	–	2	4	6	7	6	–
			F.	30	–	–	–	–	–	–	2	5	6	8	7	2		34	–	–	–	–	–	–	–	3	3	6	9	11	2
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–		3	–	–	–	–	–	–	1	–	–	2	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	1	2	2	1	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	1	–	–	–	–	–	–	–	3	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	23	–	–	–	–	–	–	–	–	–	3	10	10	–	15	–	–	–	–	–	–	–	–	–	3	6	3	3
			F.	38	–	–	–	–	–	–	–	1	3	6	10	14	4	15	–	–	–	–	–	–	–	–	3	2	5	5	–
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	1	–	–	–	1	–	–	–	1	–	–	2	–	3	–	–	–	–	1	1	–	1	–	–	–	–	–
			F.	4	–	–	–	–	–	2	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	1	1	–	–	–	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	8	–	–	–	–	–	–	1	2	2	1	1	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	65	–	–	–	–	–	–	–	1	2	7	20	27	8	52	–	–	–	–	–	–	–	1	9	9	16	15	2
			F.	60	–	–	–	–	–	–	–	1	2	4	15	28	10	40	–	–	–	–	–	–	–	–	3	3	14	17	3
430-434	27	Other diseases of heart ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	6	–	–	–	–	–	–	–	1	–	2	1	2	–
			F.	5	–	–	–	–	–	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[illegible]	46.3	Other circulatory disease	M.	9	–	–	–	–	–	–	–	–	–	1	3	4	1	4	–	–	–	–	–	–	–	–	–	–	–	4	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
480-483	30	Influenza	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	5	–	3	–	–	–	–	–	–	–	1	–	–	1	11	–	3	2	–	–	–	–	–	2	2	1	1	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1	5	–	2	–	–	–	–	–	1	–	2	–	–	–
500-502	32	Bronchitis	M.	5	–	–	–	–	–	–	–	–	1	–	–	3	1	10	–	–	–	–	–	–	1	–	–	3	5	1	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	1	–	–	–	1	4	1	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540-541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	2	–	–	–	–	–	–	1	1	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	1	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F'	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	4	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	12	–	–	–	–	–	–	–	–	–	–	2	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	1	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	5	–	–	–	–	–	–	–	–	–	3	2	–	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	1	–	2	–	–	–	–	–	–	–	3	–	–	–	1	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	4	–	–	–	–	–	1	–	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	6	–	–	–	–	–	–	–	–	–	–	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		COATBRIDGE BURGH														GLASGOW COUNTY OF CITY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	ALL CAUSES—Both Sexes		512	37	24	8	2	4	9	19	25	37	89	123	102	33	14088	496	384	191	77	43	354	456	680	1401	2532	3651	3128	695
		Total Males		292	20	14	4	1	2	2	4	15	27	54	74	58	17	7339	288	219	108	45	23	143	190	370	862	1477	1908	1482	224
		Total Females		220	17	10	4	1	2	7	15	10	10	35	49	44	16	6749	208	165	83	32	20	211	266	310	539	1055	1743	1646	471
001-008	1	Tuberculosis of respiratory system	M.	17	–	–	1	–	–	1	3	5	–	5	2	–	–	485	–	10	8	2	1	58	75	90	107	86	40	8	–
			F.	18	–	–	1	–	1	5	6	1	–	3	1	–	–	433	–	3	8	4	5	142	145	69	29	19	8	1	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	59	–	3	23	3	1	12	7	5	3	–	1	1	–
			F.	4	–	–	1	–	1	–	1	–	–	1	–	–	–	62	–	2	17	4	3	9	7	7	7	4	2	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	38	1	–	–	–	–	–	1	1	8	15	11	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	–	–	1	2	5	2	1	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	5	3	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	2	2	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–	1	5	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	3	4	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	1	–	–	2	2	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	3	–	–	–	–	1	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	3	4	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	7	–	5	1	1	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	4	2	3	–	1	1	1	3	6	4	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	1	–	–	–	4	2	2	2	–	4	2	–
140-205	18	Malignant neoplasms	M.	43	–	–	–	–	–	–	2	6	15	12	7	1		1249	–	–	4	3	2	10	22	64	192	357	391	191	13
			F.	30	–	–	1	–	–	–	2	2	1	6	9	8	1	1057	–	–	3	1	2	3	18	68	161	277	306	190	28
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20	–	1	2	–	–	–	1	2	6	1	4	3	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	22	1	–	–	–	–	1	–	2	5	4	4	4	1
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	30	–	–	–	–	–	2	–	4	4	6	6	8	–
			F.	6	–	–	–	–	–	–	1	–	2	2	1	–		84	–	–	–	–	–	1	–	1	3	23	39	15	2
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	31	–	–	–	1	–	1	–	–	2	1	13	11	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	47	1	–	1	–	–	–	2	1	3	8	17	12	2
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	5	–	–	–	–	–	–	–	1	2	–	2	–	–	46	–	1	–	3	1	2	1	1	9	16	10	2	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	57	–	–	3	3	–	2	2	2	8	17	11	9	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	18	–	–	–	–	–	–	–	1	4	7	4	2		740	–	–	–	–	1	3	4	11	43	112	286	250	30
			F.	22	–	–	–	–	–	–	1	–	4	2	5	9	1	1036	–	–	–	1	–	2	4	10	64	165	374	341	75
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	1	2	3	–	–	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	2	1	–	–	–	–	–	–	3	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	119	1	3	5	4	2	4	2	9	14	23	29	22	1
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	128	–	1	2	1	–	4	9	13	11	26	33	20	8
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	2	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19	–	–	1	2	2	3	2	1	4	4	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	74	–	–	–	–	2	9	11	8	17	8	11	7	1
			F.	3	–	–	–	–	–	–	2	–	–	1	–	–	–	160	–	–	–	1	3	9	18	28	38	27	24	11	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	83	–	–	–	–	–	1	–	1	4	15	26	28	8	1727	–	–	–	–	1	–	5	50	181	351	563	492	84
			F.	58	–	–	–	–	–	–	–	1	1	10	20	15	11	1606	–	–	–	–	–	2	9	19	68	227	527	585	169
430-434	27	Other diseases of heart ...	M.	10	–	–	–	–	–	–	–	–	1	1	2	5	1	105	–	–	1	–	–	–	1	5	14	26	30	22	6
			F.	4	–	–	–	–	–	–	1	–	–	1	1	–	1	116	–	–	–	–	–	2	1	5	11	22	39	31	5
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	57	–	–	–	–	–	–	1	2	4	13	19	17	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	56	–	–	–	–	–	–	–	1	2	13	25	12	3
444-447	29	Hypertension without heart disease	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	68	–	–	–	–	–	–	1	1	11	17	17	18	3
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	53	–	–	–	–	–	–	–	2	2	7	10	15	16	–

450-468	46.3	Other circulatory disease	M.	4	–	–	–	–	–	–	–	–	–	–	4	–	–	125	–	–	–	–	1	–	–	2	5	10	34	60	13
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	114	–	1	–	–	–	–	–	2	3	8	25	44	31
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19	–	–	–	1	–	–	–	2	–	7	6	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	36	–	–	4	–	–	–	2	–	1	3	11	14	1
490-493	31	Pneumonia	M.	14	–	2	–	–	–	–	–	1	2	1	4	3	1	303	–	60	11	1	–	4	4	5	26	52	65	65	10
			F.	10	–	2	–	–	–	–	–	–	–	–	6	2	–	238	–	44	10	2	–	6	5	11	20	30	31	57	22
500-502	32	Bronchitis	M.	17	–	–	–	–	–	–	–	1	5	6	3	2	–	510	1	10	2	–	–	–	2	19	63	157	134	102	20
			F.	5	–	–	–	–	–	–	–	–	–	2	2	1	–	246	–	4	1	–	1	–	2	8	21	43	78	62	21
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	–	1	–	–	–	–	1	–	–	2	1	–	61	–	3	–	–	2	1	1	10	11	14	12	4	3
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	67	–	8	–	–	1	–	1	2	2	8	7	21	17
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	112	–	–	–	–	–	–	6	12	24	29	29	11	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24	–	–	–	–	–	–	2	–	5	3	8	5	1
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	16	–	–	2	–	–	1	3	–	4	2	3	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	–	–	3	1	–	4	3	2	3	4	2	1	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	–	–	–	–	–	1	–	–	1	–	–	37	1	1	–	1	–	–	–	1	2	6	14	11	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32	–	2	–	–	–	1	–	5	1	8	9	6	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	–	1	–	–	–	–	2	–	2	2	2	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	5	–	–	–	–	–	–	–	–	–	–	–	65	–	45	4	1	–	–	1	–	3	7	2	1	1
			F.	5	–	3	–	–	–	–	–	–	–	2	–	–	–	61	–	33	4	–	–	1	1	2	3	1	14	1	1
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	29	–	–	–	1	–	1	–	5	4	12	3	3	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	15	–	–	–	–	–	–	–	2	5	4	1	1	2
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	–	–	1	–	–	–	–	6	3	4	2	–
			F.	4	–	–	–	–	–	–	–	2	–	1	1	–	–	39	–	–	–	–	–	–	–	3	7	10	11	7	1
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	12	–	–	–	–	–	–	–	1	3	3	4	–	1
			F.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	11	–	–	–	–	–	–	–	–	–	4	2	5	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	1	–	–	1	1	1	–	72	–	1	1	–	2	4	7	7	10	16	10	12	2
			F.	3	–	–	–	–	–	2	1	–	–	–	–	–	–	74	–	–	–	–	–	4	9	8	13	16	14	9	1
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	72	–	–	–	–	–	–	–	1	–	2	23	37	9
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	40	–	1	–	–	–	2	–	2	–	9	13	13	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	25	–	–	–	1	–	–	–	4	3	8	6	3	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	3	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	1	–	–	–	–	–	17	–	–	–	–	–	4	7	6	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	15	–	2	–	–	–	–	–	–	1	4	2	6	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	43	–	–	1	–	–	1	1	3	5	9	12	6	5
750-759	41	Congenital malformations ...	M.	4	1	3	–	–	–	–	–	–	–	–	–	–	–	76	38	26	4	1	1	3	–	2	1	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	66	35	21	5	–	–	1	2	–	1	1	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	119	118	1	–	–	–	–	–	–	–	–	–	–	–
			F.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	69	66	3	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	18	18	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	10	–	–	–	–	–	–	–	–	–	–	–	–	101	98	3	–	–	–	–	–	–	–	–	–	–	–
			F.	9	8	1	–	–	–	–	–	–	–	–	–	–	–	84	81	3	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	–	2	1	4	57	–	–	–	–	–	–	–	–	–	1	11	34	11
			F.	6	–	–	–	–	–	–	–	–	–	–	–	5	1	128	–	–	–	–	–	–	–	–	–	–	11	69	48
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	–	–	–	–	–	–	–	–	1	3	1	–	214	2	14	2	–	–	–	1	5	35	60	69	24	2
			F.	4	–	1	–	–	–	–	–	1	–	1	–	1	–	122	2	17	–	–	–	–	3	5	8	15	36	31	5
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	45	–	–	–	–	1	3	2	10	16	7	4	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	–	–	–	1	4	1	3	3	4	1	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	1	1	–	–	–	–	–	–	–	–	–	81	–	–	14	6	1	7	9	7	8	2	11	16	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32	–	–	3	7	–	2	1	1	2	3	9	4	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	1	–	–	1	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	–	–	1	1	2	1	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	9	–	2	–	–	2	–	–	–	3	–	–	2	–	190	1	18	8	11	3	13	17	23	20	32	18	18	8
			F.	4	–	2	1	–	–	–	–	–	–	–	–	1	–	135	4	10	5	2	3	1	2	6	7	12	17	45	21

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		HAMILTON BURGH														MOTHERWELL AND WISHAW BURGH													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Inter-mediate List "B"																														
		ALL CAUSES—Both Sexes ...		**447**	**16**	**19**	**11**	**2**	**5**	**11**	**15**	**25**	**41**	**73**	**104**	**99**	**26**	**805**	**29**	**21**	**12**	**5**	**3**	**23**	**25**	**28**	**75**	**120**	**241**	**186**	**37**
		Total Males ...		**240**	**7**	**10**	**4**	**1**	**3**	**5**	**8**	**13**	**27**	**36**	**66**	**56**	**4**	**440**	**18**	**10**	**5**	**4**	**3**	**10**	**14**	**12**	**42**	**74**	**139**	**91**	**18**
		Total Females ...		**207**	**9**	**9**	**7**	**1**	**2**	**6**	**7**	**12**	**14**	**37**	**38**	**43**	**22**	**365**	**11**	**11**	**7**	**1**	–	**13**	**11**	**16**	**33**	**46**	**102**	**95**	**19**
001-008	1	Tuberculosis of respiratory system	M.	10	–	–	–	–	–	2	1	3	2	1	1	–	–	22	–	–	–	–	–	6	7	1	4	2	2	–	–
			F.	14	–	–	–	–	1	4	5	2	1	–	1	–	–	19	–	–	–	–	–	7	7	3	–	–	2	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	1	–	–	1	–	–	–	–	–	–	–	–	6	–	–	1	3	–	–	–	–	1	1	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	5	–	–	2	–	–	2	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	1	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	44	–	–	–	1	–	–	2	3	7	9	12	10	–	47	–	–	–	–	1	2	–	3	5	9	17	10	–
			F.	31	–	–	–	–	–	–	–	4	5	6	9	5	2	52	–	–	–	–	–	–	–	2	8	13	14	14	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	4	–	–	1	–	–	–	–	–	1	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	2	1	–	–	–	4	–	–	–	–	–	–	–	–	1	–	2	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	21	–	–	–	–	–	–	–	1	1	2	12	5	–	52	–	–	–	–	–	–	–	–	2	13	18	15	4
			F.	27	–	1	–	–	–	–	–	1	1	8	7	7	2	62	–	–	–	–	–	–	–	2	5	9	25	19	2
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	1	1	–	–	1	–	1	–	–	8	–	–	1	–	–	–	2	–	1	1	2	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	1	–	1	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	9	–	–	–	–	–	2	1	2	3	1	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	72	–	–	–	–	–	–	–	1	9	13	21	25	3	125	–	–	–	–	–	–	–	2	11	19	60	30	3
			F.	43	–	–	–	–	–	–	–	–	–	8	11	18	6	97	–	–	–	–	–	–	–	2	3	13	37	35	7
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	9	–	–	–	–	–	–	–	2	–	–	4	2	1
			F.	5	–	–	–	–	–	–	–	–	–	2	1	1	1	9	–	–	–	–	–	–	–	–	3	–	1	4	1
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	6	–	–	–	–	–	–	–	–	1	3	–	–	2
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

450-468	46.3	Other circulatory disease ...	F.	4	–	–	–	–	–	–	–	–	–	1	2	1	6	–	–	–	–	–	–	–	–	–	1	2	3	–
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
490-493	31	Pneumonia	M.	6	–	5	–	–	–	–	1	–	–	–	–	–	10	–	1	1	–	–	–	–	–	1	1	4	2	–
			F.	4	–	1	1	–	–	–	1	–	–	1	–	–	15	–	2	1	–	–	–	–	–	1	2	3	4	2
500-502	32	Bronchitis	M.	13	–	–	–	–	–	–	1	1	3	3	5	–	34	–	–	1	–	–	–	–	–	5	6	12	8	2
			F.	8	–	–	2	–	–	–	1	1	2	–	1	1	–	13	–	–	–	–	–	–	1	1	–	1	4	4	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	14	–	–	–	–	–	1	–	–	1	6	4	1	1
			F.	3	–	–	–	–	–	–	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	1	–	–	2	1	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	5	–	2	1	–	–	–	1	–	–	1	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	3	2	–	–	1	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	1	–	–	1	1	–	1	–	6	–	–	–	–	–	1	–	3	2	–	–	–
610	39	Hyperplasia of prostate ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	1	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	1	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	5	1	3	1	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	1	1	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	6	5	1	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	1	5	1	11	–	–	–	–	–	–	–	–	–	–	1	6	4
			F.	13	–	–	–	–	–	–	–	–	–	1	6	6	8	–	–	–	–	–	–	–	–	–	–	1	5	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	7	–	–	–	–	–	–	–	1	2	3	1	–	10	1	1	–	1	–	–	–	–	–	2	1	4	–
			F.	2	1	–	–	–	–	–	–	–	1	–	–	–	8	–	2	1	–	–	–	–	–	2	1	2	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	8	–	–	1	–	–	2	–	1	1	2	1	–	17	–	2	–	–	1	1	2	2	3	1	3	1	1
			F.	6	–	2	–	–	–	–	–	1	–	–	–	3	4	–	–	–	1	–	–	–	–	–	1	1	1	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		RUTHERGLEN BURGH All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	LANARK CO. (ex. County of City and Large Burghs) All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes	...	**330**	**7**	**2**	**3**	**1**	**1**	**7**	**7**	**16**	**33**	**55**	**89**	**88**	**21**	**3607**	**150**	**106**	**48**	**20**	**15**	**90**	**92**	**153**	**311**	**613**	**931**	**858**	**220**
		Total Males	...	**165**	**4**	**2**	**2**	**1**	–	**4**	**3**	**8**	**21**	**30**	**45**	**35**	**10**	**1876**	**76**	**62**	**25**	**12**	**8**	**39**	**38**	**81**	**193**	**340**	**475**	**446**	**81**
		Total Females	...	**165**	**3**	–	**1**	–	**1**	**3**	**4**	**8**	**12**	**25**	**44**	**53**	**11**	**1731**	**74**	**44**	**23**	**8**	**7**	**51**	**54**	**72**	**118**	**273**	**456**	**412**	**139**
001-008	1	Tuberculosis of respiratory system	M.	10	–	–	–	–	–	3	1	2	3	–	1	–	–	70	–	2	–	–	1	10	11	9	18	13	4	2	–
			F.	5	–	–	–	–	–	1	–	–	1	2	1	–	–	86	–	1	–	1	1	35	21	14	9	3	1	–	–
010-019	2	Tuberculosis, other forms ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	10	–	–	2	2	3	1	–	1	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	11	–	–	2	2	–	2	4	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	2	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–	1	–	–	–	–	–	–	–	1	–	1	1
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	2	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	2	3	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	2	–	1	–	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	1	–	1	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	–	–	–	–	2	–	1	–	–	–
140-205	18	Malignant neoplasms	M.	24	–	–	–	–	–	–	–	3	7	4	5	5	–	251	–	–	–	1	–	2	5	20	33	66	82	40	2
			F.	25	–	–	–	–	–	–	–	3	2	5	9	6	–	247	–	–	1	2	–	1	7	15	24	61	75	51	10
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	–	1	3	–	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	–	–	–	–	–	1	–	2	–	2	4	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	27	–	–	–	–	–	–	1	–	1	8	13	2	2
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	3	4	2	1
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	15	–	–	2	–	–	–	–	–	3	3	5	2	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	–	1	1	–	–	–	3	3	3	2	1	2	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	19	–	1	–	–	–	–	1	3	7	2	2	2	1
330-334	22	Vascular lesions affecting central nervous system ...	M.	14	–	–	–	–	–	–	1	–	–	1	7	4	1	177	–	–	–	–	–	1	–	3	8	27	60	68	10
			F.	28	–	–	–	–	–	–	–	–	–	4	12	12	–	262	–	–	–	–	1	–	–	5	16	50	95	75	20
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	1	–	–	–	–	1	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	32	–	1	3	–	2	–	2	1	5	5	6	7	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	26	–	2	1	–	2	–	1	2	3	1	10	3	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	1	–	1	–	1	–	–	–	20	–	–	–	–	–	3	1	3	3	2	6	2	–
			F.	5	–	–	–	–	–	–	–	–	4	–	1	–	–	30	–	–	–	–	–	3	4	6	6	3	2	6	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	57	–	–	–	–	–	–	–	1	6	12	16	17	5	516	–	–	–	–	–	–	2	8	55	103	159	152	37
			F.	52	–	–	–	–	–	–	2	2	2	11	10	20	5	459	–	–	1	–	–	1	–	7	16	66	151	168	49
430-434	27	Other diseases of heart ...	M.	6	–	–	–	–	–	–	–	–	–	1	1	4	–	48	–	–	–	1	–	–	–	5	3	4	16	18	1
			F.	3	–	–	–	–	–	–	1	1	–	–	–	1	–	42	–	–	–	–	–	2	–	–	2	10	13	14	1
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–	–	–	–	–	–	–	–	1	2	3	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	3	1	1	–	–
444-447	29	Hypertension without heart	M.	4	–	–	–	–	–	–	–	–	–	–	4	–	–	21	–	–	–	–	–	–	–	–	4	4	4	9	–

			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	37	–	–	–	–	–	1	1	–	1	5	11	9	9
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	1	–	–	–	–	–	1	–	2	–	4	–
			F.	2	–	–	–	–	–	–	–	–	1	–	–	1	9	–	3	1	–	–	–	1	–	–	1	1	2	–
490-493	31	Pneumonia	M.	5	–	–	–	1	–	–	–	–	–	2	1	–	1	54	–	15	4	–	–	–	–	1	9	5	10	10	–
			F.	7	–	–	–	–	1	–	–	–	–	1	2	2	1	43	–	9	–	–	–	1	–	1	4	7	7	9	5
500-502	32	Bronchitis	M.	13	–	–	–	–	–	–	–	–	2	6	3	–	2	92	–	4	–	–	–	1	–	1	12	18	24	29	3
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	32	–	–	–	–	–	–	–	1	2	4	7	12	6
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	57	–	1	–	–	–	–	1	3	6	23	15	6	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18	–	1	–	–	–	–	1	–	3	4	5	3	1
540, 541	33	Ulcer of stomach and duodenum	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	17	–	–	–	–	–	1	–	3	2	7	3	–	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	6	–	–	–	–	–	–	–	–	3	–	2	1	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	1	1	–	–	–	–	–	1	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	9	–	–	–	1	–	–	–	1	2	2	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	1	–	–	1	–	–	2	7	2	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	20	–	14	1	–	–	–	–	–	2	1	2	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	23	–	6	–	–	–	–	3	–	2	1	7	4	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	1	4	3	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	6	–	–	–	–	–	–	–	–	2	2	1	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	1	2	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	14	–	–	–	–	–	–	–	2	1	4	6	–	1
530-539, 542-545 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	3	1	1	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	19	–	–	1	–	–	1	1	3	1	2	6	4	–
			F.	6	–	–	–	–	–	1	–	1	1	1	1	1	–	22	–	–	–	–	–	1	–	2	1	8	8	2	–
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	36	–	–	–	–	–	–	–	–	–	3	10	22	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	16	–	–	–	–	–	1	–	–	–	2	5	5	3
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9	–	1	–	–	–	–	–	1	–	1	3	2	1
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	1	2	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	1	2	5	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	11	1	1	–	–	–	2	–	–	–	2	2	2	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	–	–	1	3	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	23	12	8	–	1	–	–	–	–	2	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	24	9	8	3	–	–	–	1	1	2	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	23	23	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	15	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	38	36	2	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	37	37	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	32	–	–	–	–	–	–	–	–	–	–	3	16	13
			F.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	43	–	–	–	–	–	–	–	–	–	–	2	17	24
780-793, 795	45.1	Cause ill-defined and unknown	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	42	1	4	1	–	–	–	1	1	3	5	14	12	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	22	1	1	–	–	–	2	–	–	–	6	4	8	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	2	2	2	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–	–	–
E810-835	E47	Motor vehicle accidents ..	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	28	–	–	6	5	–	5	1	4	2	1	3	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	1	1	3	–	–	1	–	1	–	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	65	1	4	1	1	–	8	6	5	10	14	7	8	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	38	2	6	1	–	–	–	1	–	2	2	10	8	6

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		COUNTY OF CITY OF EDINBURGH														MIDLOTHIAN COUNTY (excluding County of City)													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**6161**	**139**	**86**	**34**	**22**	**24**	**77**	**132**	**229**	**529**	**961**	**1677**	**1715**	**536**	**1114**	**46**	**29**	**15**	**3**	**3**	**21**	**32**	**53**	**67**	**176**	**285**	**293**	**91**
		Total Males ...		**2930**	**88**	**45**	**25**	**12**	**11**	**34**	**64**	**124**	**304**	**559**	**783**	**717**	**164**	**593**	**25**	**16**	**3**	**3**	**3**	**9**	**15**	**26**	**44**	**105**	**172**	**137**	**35**
		Total Females ...		**3231**	**51**	**41**	**9**	**10**	**13**	**43**	**68**	**105**	**225**	**402**	**894**	**998**	**372**	**521**	**21**	**13**	**12**	–	–	**12**	**17**	**27**	**23**	**71**	**113**	**156**	**56**
001-008	1	Tuberculosis of respiratory system	M.	137	–	–	1	–	–	7	23	24	35	29	17	1	–	12	–	–	–	–	–	1	2	2	1	3	2	1	–
			F.	100	–	1	–	1	1	29	29	12	10	9	6	2	–	19	–	–	–	–	–	6	7	3	3	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	11	–	–	2	–	–	1	1	1	2	–	4	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
			F.	11	–	1	1	1	2	2	–	2	1	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	13	–	–	–	–	–	–	–	–	1	6	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	3	–	–	–	–	–	–	–	–	–	–	1	2	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	6	–	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	11	–	–	1	–	1	2	1	2	1	2	1	–	–	4	–	–	1	–	–	–	1	–	2	–	–	–	–
			F.	13	–	1	–	1	–	1	–	2	1	2	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	485	–	–	2	3	–	5	6	18	59	120	161	100	11	93	–	–	–	–	1	2	1	4	11	19	40	13	2
			F.	591	–	–	1	–	–	1	7	30	84	123	194	126	25	83	–	–	3	–	–	–	2	10	6	22	16	18	6
210-239	19	Benign and unspecified neoplasms	M.	11	–	–	1	–	–	–	1	1	1	4	–	2	1	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	23	–	–	–	1	1	–	2	2	6	6	3	2	–	3	–	–	–	–	–	–	–	–	2	–	–	1	–
260	20	Diabetes mellitus	M.	13	–	–	–	–	–	–	–	2	2	2	4	2	1	5	–	–	–	–	–	–	1	–	–	1	3	–	–
			F.	19	–	–	–	–	1	–	–	–	–	2	9	6	1	6	–	–	–	–	–	1	–	1	–	–	3	1	–
290-293	21	Anæmias	M.	14	–	–	–	–	–	–	–	–	–	3	6	4	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	18	–	–	–	–	–	–	–	–	1	–	5	10	2	9	–	–	–	–	–	1	–	–	1	1	2	2	2
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	32	–	–	–	–	3	1	–	–	5	7	11	5	–	6	–	1	–	1	–	–	–	1	–	1	2	–	–
			F.	33	–	1	1	–	1	1	–	3	5	4	10	6	1	5	–	–	–	–	–	–	1	–	1	2	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	347	–	–	–	–	–	–	1	2	19	48	127	121	29	70	–	–	–	–	–	–	–	2	2	5	26	26	9
			F.	528	–	–	–	–	1	1	1	9	21	63	160	209	63	86	–	–	–	–	–	–	–	2	1	12	24	35	12
340	23	Nonmeningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	45	–	–	1	–	1	1	2	5	2	11	9	12	1	9	–	–	–	–	2	4	–	1	1	–	1	–	–
			F.	59	–	–	–	–	1	–	–	3	6	8	15	23	3	12	1	1	–	–	–	–	1	2	2	–	1	2	2
400-402	24	Rheumatic fever	M.	5	–	–	–	2	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	31	–	–	–	1	–	–	2	6	8	7	4	3	–	9	–	–	–	–	–	1	1	2	–	3	–	2	–
			F.	56	–	–	–	1	1	–	6	14	10	10	5	9	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	789	–	–	–	–	–	–	2	19	72	160	246	227	63	163	–	–	–	–	–	–	1	3	14	37	40	52	16
			F.	837	–	–	–	–	–	–	–	5	23	69	250	340	150	143	–	–	–	–	–	–	–	–	4	16	42	60	21
430-434	27	Other diseases of heart ...	M.	63	–	–	–	–	–	1	–	3	5	16	22	13	3	24	–	–	–	–	–	–	–	–	1	3	12	6	2
			F.	68	–	–	–	–	–	–	1	2	2	11	35	11	6	17	–	–	–	–	–	–	–	–	–	3	8	2	4
440-443	28	Hypertension with heart disease	M.	33	–	–	–	–	–	–	–	–	4	5	7	12	5	7	–	–	–	–	–	–	–	–	–	2	4	1	–
			F.	37	–	–	–	–	–	–	–	1	4	3	14	11	4	7	–	–	–	–	–	–	–	–	–	2	1	2	2
444-447	29	Hypertension without heart disease	M.	28	–	–	–	–	–	–	–	2	3	5	8	10	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	39	–	–	–	–	–	–	1	–	7	7	13	9	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

430-468	46.3	Other circulatory disease ...	F.	72	–	–	1	1	–	2	–	3	11	11	30	13	3	–	–	–	–	–	–	–	–	–	–	1	1	1
480-483	30	Influenza	M.	22	–	–	–	–	–	2	1	–	2	3	7	6	1	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	28	–	–	1	–	1	1	1	1	–	1	4	13	5	4	–	–	–	–	–	–	–	–	–	–	3	1	–
490-493	31	Pneumonia	M.	121	–	7	2	1	1	1	–	3	11	20	27	42	6	17	–	2	–	–	–	–	–	1	2	2	5	4	1
			F.	135	–	7	1	–	1	1	2	4	5	11	44	44	15	14	–	1	–	–	–	–	–	1	–	3	1	7	1
500-502	32	Bronchitis	M.	122	–	4	–	–	–	–	2	2	14	37	30	27	6	26	1	1	–	–	–	–	–	–	3	7	6	7	1
			F.	102	–	4	1	–	–	–	1	1	6	12	24	32	21	14	–	2	1	–	–	–	–	1	–	1	3	5	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	26	–	1	1	–	–	1	–	1	7	9	3	3	–	15	–	–	1	–	–	–	2	–	2	6	3	1	–
			F.	31	2	2	–	1	–	–	1	2	1	2	8	10	2	4	–	–	1	–	–	–	–	–	–	1	–	1	1
540, 541	33	Ulcer of stomach and duodenum	M.	43	–	–	–	–	–	–	1	2	9	18	7	4	2	9	–	–	–	–	–	–	–	2	1	2	4	–	–
			F.	11	–	–	–	–	–	–	1	–	–	2	5	1	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	11	–	–	–	–	–	2	2	–	2	1	2	2	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
			F.	8	–	–	–	–	1	–	–	–	1	3	3	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	21	–	2	–	–	–	–	–	2	2	1	4	8	2	6	–	–	–	–	–	–	–	1	–	–	2	3	–
			F.	22	–	–	–	–	–	1	–	1	–	3	9	6	2	3	–	–	–	–	–	–	–	–	–	2	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	15	–	7	1	–	–	–	–	–	–	2	3	2	–	4	–	2	–	–	–	–	–	–	–	1	–	–	1
			F.	18	–	6	1	–	–	–	2	1	–	2	3	2	1	3	–	2	–	–	–	–	–	–	–	–	–	1	–
581	37	Cirrhosis of liver	M.	9	–	–	–	–	–	–	–	4	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	7	–	–	–	–	–	–	–	2	1	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
580, 582-586	46.5	Other diseases of liver ...	M.	7	–	–	–	–	–	–	–	–	–	3	4	–	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
			F.	16	–	–	–	–	–	–	1	1	5	1	6	1	1	6	–	–	–	–	–	–	–	–	–	2	3	1	–
530-539, 542-545, 573-578, 587, 590-594	46.6	Other digestive diseases ...	M.	14	–	–	–	–	–	–	–	–	4	–	5	5	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	13	–	1	–	–	–	–	–	–	3	4	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	38	Nephritis and nephrosis ...	M.	22	–	1	–	–	–	–	1	4	1	6	2	7	–	5	–	–	–	–	–	–	–	1	–	1	2	1	–
			F.	26	–	–	1	–	–	–	–	1	1	5	1	15	2	5	–	–	–	–	–	1	1	–	2	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	50	–	–	–	–	–	–	–	–	–	3	14	28	5	9	–	–	–	–	–	–	–	–	–	1	3	5	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	19	1	–	–	–	–	–	1	–	1	4	5	6	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	23	–	–	–	–	–	1	2	1	2	4	8	3	2	6	–	–	–	–	–	1	–	1	–	1	1	2	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	3	1	–	–	–	–	–	4	–	–	–	–	–	–	–	3	1	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	9	–	–	–	–	–	–	1	1	–	1	3	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	15	–	–	–	–	–	–	–	–	1	4	4	3	3	6	–	–	–	–	–	1	1	1	–	–	1	2	–
750-759	41	Congenital malformations ...	M.	23	8	8	2	–	1	–	2	1	1	–	–	–	–	4	1	3	–	–	–	–	–	–	–	–	–	–	–
			F.	23	12	8	–	–	–	1	1	–	–	–	1	–	–	7	2	4	–	–	–	–	–	–	–	1	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	29	29	–	–	–	–	–	–	–	–	–	–	–	–	8	7	1	–	–	–	–	–	–	–	–	–	–	–
			F.	16	15	1	–	–	–	–	–	–	–	–	–	–	–	6	6	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	42	42	–	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	12	–	–	–	–	–	–	–	–	–	–	–	–	11	10	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	23	–	–	–	–	–	–	–	–	–	–	1	11	11	3	–	–	–	–	–	–	–	–	–	–	1	–	2
			F.	48	–	–	–	–	–	–	–	–	–	–	1	24	23	2	–	–	–	–	–	–	–	–	–	–	1	1	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	14	–	–	1	–	–	–	–	–	–	5	4	2	2	5	–	3	–	–	–	–	–	–	1	–	1	–	–
			F.	14	–	1	–	1	–	–	–	–	–	1	5	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	19	–	–	–	–	–	–	1	2	4	3	5	4	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	17	–	–	–	–	–	–	1	3	6	3	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	29	–	–	5	2	1	5	3	1	2	2	3	4	1	5	–	–	1	1	–	–	–	1	1	1	–	–	–
			F.	16	–	–	–	1	–	–	1	1	3	3	4	3	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–
E840-845	E48.0	Other road transport accidents	M.	8	–	–	–	–	–	1	–	–	–	1	1	5	–	2	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	89	1	11	4	2	2	2	7	12	18	7	7	9	7	23	–	1	–	–	–	1	4	4	3	3	3	4	–
			F.	103	3	6	–	–	–	2	1	–	5	8	20	36	22	13	1	1	4	–	–	–	–	–	–	–	1	3	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		MORAY COUNTY															NAIRN COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**536**	**23**	**9**	**9**	**2**	**3**	**11**	**21**	**17**	**36**	**53**	**127**	**158**	**67**	**113**	**6**	**–**	**1**	**1**	**–**	**4**	**2**	**3**	**7**	**10**	**27**	**35**	**17**
		Total Males ...		**241**	**9**	**5**	**5**	**1**	**–**	**7**	**13**	**8**	**25**	**25**	**61**	**60**	**22**	**50**	**4**	**–**	**–**	**1**	**–**	**–**	**1**	**2**	**3**	**4**	**18**	**11**	**6**
		Total Females ...		**295**	**14**	**4**	**4**	**1**	**3**	**4**	**8**	**9**	**11**	**28**	**66**	**98**	**45**	**63**	**2**	**–**	**1**	**–**	**–**	**4**	**1**	**1**	**4**	**6**	**9**	**24**	**11**
001-008	1	Tuberculosis of respiratory system	M.	6	–	–	1	–	–	–	1	–	2	2	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–	–
			F.	9	–	–	–	–	–	2	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	1	–
140-205	18	Malignant neoplasms	M.	41	–	–	–	–	–	–	–	–	8	6	18	8	1	5	–	–	–	–	–	–	–	–	1	1	3	–	–
			F.	40	–	–	1	1	–	1	1	1	5	8	14	6	2	14	–	–	–	–	–	–	–	1	3	3	2	4	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	30	–	–	–	–	–	1	–	1	2	1	11	12	2	10	–	–	–	–	–	–	–	–	–	–	4	5	1
			F.	48	–	–	–	–	–	–	–	–	–	2	14	22	10	10	–	–	–	–	–	–	–	–	–	1	2	5	2
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	5	–	–	–	–	–	–	–	1	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	4	–	–	–	–	–	–	–	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	67	–	–	–	–	–	–	–	2	4	10	15	24	12	15	–	–	–	–	–	–	–	–	–	3	5	4	3
			F.	111	–	–	–	–	–	–	–	1	3	7	22	57	21	14	–	–	–	–	–	–	–	–	–	–	3	7	4
430-434	27	Other diseases of heart ...	M.	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–	1	–	–	1
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1

480-483	30	Influenza	M.	4	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
490-493	31	Pneumonia	M.	5	–	1	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	1	–	–	–	–	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–
500-502	32	Bronchitis	M.	8	–	–	–	–	–	–	–	–	–	1	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	3	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	–	6	–	1	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	–	–	–	–	–	–	–	–	–	–
			F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	–	2	4	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	–	1	–	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
			F.	5	–	–	–	–	1	–	–	–	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	15	–	–	–	–	3	8	–	1	–	–	1	2	–	2	–	–	–	–	–	–	1	–	–	–	1	–
			F.	3	–	2	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		ORKNEY COUNTY															PEEBLES COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes		**307**	**7**	**6**	**3**	**1**	–	**3**	**5**	**9**	**11**	**31**	**65**	**119**	**47**	**201**	**1**	**3**	**2**	–	–	**2**	**3**	**7**	**12**	**27**	**60**	**66**	**18**
		Total Males		**152**	**4**	**3**	**3**	–	–	**2**	**4**	**3**	**8**	**14**	**28**	**60**	**23**	**96**	–	**2**	**2**	–	–	**1**	**1**	**4**	**5**	**15**	**29**	**30**	**7**
		Total Females		**155**	**3**	**3**	–	**1**	–	**1**	**1**	**6**	**3**	**17**	**37**	**59**	**24**	**105**	**1**	**1**	–	–	–	**1**	**2**	**3**	**7**	**12**	**31**	**36**	**11**
001-008	1	Tuberculosis of respiratory system	M.	2	–	–	–	–	–	–	–	–	2	–	–	–	–	3	–	–	–	–	–	–	–	2	1	–	–	–	–
			F.	5	–	–	–	–	–	1	–	1	–	1	2	–	–	3	–	–	–	–	–	1	1	1	–	–	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	14	–	–	1	–	–	–	–	1	1	2	3	6	–	12	–	–	1	–	–	–	–	–	–	–	2	4	4
			F.	19	–	–	–	–	–	–	–	1	–	3	8	5	2	15	–	–	–	–	–	–	1	–	4	1	1	8	–
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	4	–	–	–	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	17	–	–	–	–	–	–	–	–	–	4	3	8	2	6	–	–	–	–	–	–	–	–	–	1	2	3	–
			F.	24	–	–	–	–	–	–	–	–	–	2	3	14	5	15	–	–	–	–	–	–	–	–	–	1	8	5	1
340	23	Nonmeningococcal meningitis	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	–	2	1	–	1	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	3	–	–	–	–	–	–	–	2	–	–	–	1	–	4	–	–	–	–	–	–	–	–	–	2	–	1	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	–	–	–	–	–	2	4	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	49	–	–	–	–	–	–	–	–	4	3	14	19	9	35	–	–	–	–	–	–	–	–	1	4	14	12	4
			F.	44	–	–	–	–	–	–	–	–	1	5	9	19	10	38	–	–	–	–	–	–	–	–	–	5	14	13	6
430-434	27	Other diseases of heart	M.	7	–	–	–	–	–	–	–	1	–	2	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	8	–	–	–	–	–	–	–	–	–	–	2	5	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
440-443	28	Hypertension with heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	1	3	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

[illegible]	46.3	Other circulatory disease ...	F.	4	–	–	–	–	–	–	–	–	–	1	3	–	3	–	–	–	–	–	–	–	–	–	–	3	–	–
480-483	30	Influenza	M.	4	–	–	–	–	–	–	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	6	–	2	–	–	–	1	–	–	–	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	–	–	–	–	–	–	1	1	–	–	4	–	1	–	–	–	–	–	1	–	–	2	–	–
500-502	32	Bronchitis	M.	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
540, 541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
581	37	Cirrhosis of liver	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 83, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	6	–	–	–	–	–	–	–	–	–	–	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	1	1	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	5	–	–	–	–	1	1	–	–	–	3	–	7	–	1	–	–	–	–	1	1	–	–	–	1	2	1
			F.	6	–	–	–	1	–	–	–	1	–	–	2	2	–	4	–	–	–	–	–	–	–	–	–	–	2	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		PERTH BURGH															PERTH COUNTY (excluding Large Burgh)														
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**491**	**10**	**7**	**4**	**4**	–	**3**	**20**	**12**	**48**	**60**	**120**	**154**	**49**	**1149**	**17**	**18**	**11**	**4**	**1**	**13**	**16**	**34**	**78**	**136**	**310**	**376**	**135**
		Total Males ...		**223**	**8**	**5**	–	**3**	–	**3**	**8**	**5**	**24**	**29**	**52**	**67**	**19**	**549**	**9**	**10**	**7**	**3**	**1**	**9**	**6**	**17**	**39**	**72**	**146**	**187**	**43**
		Total Females ...		**268**	**2**	**2**	**4**	**1**	–	–	**12**	**7**	**24**	**31**	**68**	**87**	**30**	**600**	**8**	**8**	**4**	**1**	–	**4**	**10**	**17**	**39**	**64**	**164**	**189**	**92**
001-008	1	Tuberculosis of respiratory system	M.	5	–	–	–	–	–	–	1	1	1	2	–	–	–	5	–	–	–	–	–	1	–	1	1	–	2	–	–
			F.	7	–	–	–	1	–	–	5	1	–	–	–	–	–	8	–	–	–	–	–	2	4	2	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	1	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	34	–	–	–	–	–	1	–	3	6	10	6	8	–	94	–	–	–	1	1	–	–	3	9	16	37	23	4
			F.	46	–	–	–	–	–	–	2	3	7	6	16	9	3	86	–	–	–	–	–	–	–	6	12	16	30	18	4
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
260	20	Diabetes mellitus	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	4	–	–	–	–	–	–	–	–	1	2	1	–	–	7	–	–	–	–	–	–	–	–	–	1	2	4	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	2	1	–	2	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	–	1	6	–	–	–	–	–	–	–	1	2	1	1	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	26	–	–	–	–	–	–	–	–	3	–	6	14	3	77	–	–	–	–	–	–	–	–	2	8	24	38	5
			F.	51	–	–	–	–	–	–	1	–	6	6	16	21	1	114	–	–	–	–	–	–	1	3	8	11	41	44	6
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	–	–	–	–	2	–	2	–	–	6	–	–	1	–	–	–	–	–	1	–	1	2	1
			F.	5	–	1	–	–	–	–	–	–	1	–	2	1	–	7	–	–	–	–	–	–	–	–	1	–	4	2	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	1	–	–	–	1	–	1	5	–	–	–	–	–	–	–	–	1	1	1	1	1
			F.	6	–	–	–	–	–	–	1	1	1	–	1	2	–	11	–	–	–	–	–	–	2	–	3	2	1	2	1
420-422	26	Arteriosclerotic and degenerative heart disease	M.	59	–	–	–	–	–	–	–	1	8	8	16	22	4	174	–	–	–	–	–	–	–	4	7	27	44	76	16
			F.	79	–	–	–	–	–	–	1	–	1	6	19	35	17	186	–	–	–	–	–	–	–	–	5	21	53	63	44
430-434	27	Other diseases of heart ...	M.	9	–	–	–	–	–	–	–	–	–	–	6	3	–	11	–	–	–	–	–	1	–	–	1	2	–	5	2
			F.	7	–	–	–	–	–	–	–	–	–	1	2	3	1	10	–	–	–	–	–	–	–	1	–	1	2	4	2
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	1	1	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	5	–	–	–	–	–	–	–	–	–	1	1	3	–

450-468	46.3	Other circulatory disease ...	M.	8	–	–	–	–	–	–	–	–	2	–	2	1	–	22	–	–	–	–	–	–	–	–	1	–	4	8	9
			F.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–	–	–	1	–	–	3	3	1
			F.	4	–	–	–	–	–	1	–	–	1	–	2	–	–	18	–	4	1	–	–	–	1	5	1	3	1	2
490-493	31	Pneumonia	M.	5	–	3	–	–	–	–	–	–	–	2	–	–	–	13	–	3	1	–	–	–	1	–	–	3	3	2
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	9	–	1	–	–	–	–	–	1	–	2	4	1
500-502	32	Bronchitis	M.	3	–	–	–	–	–	–	–	–	1	1	1	9	–	–	–	–	–	–	–	–	–	1	2	4	2
			F.	8	–	–	–	–	–	–	–	–	1	2	2	3	–	9	–	–	–	–	–	–	–	–	1	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	–	–	–	–	1	–	–	2	1	–	–	1	1	–	–	–	–	–	–	–	1	–	–	1	1
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	3	5	–	–
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	–	–	1	–	4	1	–	9	–	–	–	–	–	1	–	1	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	1	–	1	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	1	–	–	–	–	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	1	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	1	–	–	–	1	–	1
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	10	–	–	–	–	–	1	–	1	3	1	2	2	–
			F.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	11	–	–	–	–	–	–	1	1	–	2	2	4	1
610	39	Hyperplasia of prostate ...	M.	4	–	–	–	–	–	–	–	–	–	–	–	4	–	19	–	–	–	–	–	–	–	–	–	2	7	9	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	1	1	–	1	5	–	–	–	–	–	–	–	–	–	1	1	2	1
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	1	–	–	1	–	5	–	–	–	–	–	–	–	–	–	2	2	1
750-759	41	Congenital malformations ...	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
			F.	3	1	–	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2	13	–	–	–	–	–	–	–	–	1	3	5	4
			F.	7	–	–	–	–	–	–	–	–	–	–	–	4	3	24	–	–	–	–	–	–	–	–	–	3	11	10
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	10	–	–	–	–	–	–	–	–	2	2	5	1
			F.	3	–	–	–	–	–	–	–	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–	1	1	–
E963, E970-979	E49	Suicide	M.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	–	–	–	–	–	–	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	1	1	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	2	–	–	–	–	–	–	2	–	–	–	–	–	–	12	–	–	1	1	–	3	2	2	1	1	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	1	1	–	–	–	–	–	–	–	2	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	1	–	3	–	–	2	–	–	–	1	3	1	19	–	3	2	–	–	2	3	3	–	1	2	2	1
			F.	7	–	–	1	–	–	–	–	–	–	–	–	3	3	18	–	2	1	–	–	–	–	–	–	3	2	4	6

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		GREENOCK BURGH															PAISLEY BURGH														
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**944**	**37**	**40**	**16**	**4**	**5**	**27**	**30**	**45**	**76**	**147**	**253**	**217**	**47**	**1175**	**29**	**34**	**13**	**7**	**2**	**25**	**46**	**58**	**115**	**223**	**278**	**267**	**78**
		Total Males ...		**504**	**20**	**21**	**9**	**2**	**2**	**12**	**18**	**27**	**47**	**86**	**136**	**107**	**17**	**596**	**19**	**24**	**10**	**2**	–	**11**	**20**	**18**	**61**	**133**	**155**	**118**	**25**
		Total Females ...		**440**	**17**	**19**	**7**	**2**	**3**	**15**	**12**	**18**	**29**	**61**	**117**	**110**	**30**	**579**	**10**	**10**	**3**	**5**	**2**	**14**	**26**	**40**	**54**	**90**	**123**	**149**	**53**
001-008	1	Tuberculosis of respiratory system	M.	32	–	–	–	–	–	3	10	3	6	5	4	1	–	28	–	–	–	–	–	2	8	3	7	2	4	2	–
			F.	22	–	–	1	–	–	11	4	3	–	2	1	–	–	39	–	1	–	–	1	10	15	10	2	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	5	–	–	1	–	1	–	–	2	–	–	1	–	–	3	–	–	–	1	–	1	–	–	–	1	–	–	–
			F.	8	–	1	3	1	1	1	–	–	1	–	–	–	–	5	–	–	1	–	–	–	–	3	–	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	2	1	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	2	–
140-205	18	Malignant neoplasms	M.	78	–	–	–	–	1	2	1	2	6	20	28	15	3	91	–	–	1	–	–	2	1	3	11	28	27	17	1
			F.	67	–	–	–	–	–	–	1	5	6	22	25	4	4	97	–	–	–	1	–	–	3	9	20	22	24	13	5
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	7	–	–	–	–	–	–	–	–	1	1	2	3	–	8	–	–	–	–	–	–	–	–	–	2	4	2	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	1	1	3	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	–	–	1	–	1	–	1	1	–	–	4	–	2	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	1	1	1	–	–	1	–	7	–	–	–	–	–	–	–	1	2	3	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	43	–	–	–	–	–	1	–	–	–	3	22	14	3	65	–	–	–	–	–	–	1	–	4	8	29	19	4
			F.	75	–	–	–	–	–	–	–	2	4	10	25	29	5	102	–	–	–	–	–	–	–	4	9	21	23	30	15
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	10	–	–	1	–	–	1	–	3	1	3	1	–	–	11	–	1	1	–	–	–	3	–	–	4	1	1	–
			F.	7	–	–	–	–	–	–	1	1	1	–	2	2	–	7	–	–	–	1	–	1	–	–	2	2	1	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	4	–	–	–	–	–	–	–	–	3	1	–	–	–	10	–	–	–	–	–	–	2	–	2	1	2	3	–
			F.	6	–	–	–	–	–	–	1	1	1	–	2	1	–	12	–	–	–	–	–	–	1	2	4	3	–	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	147	–	–	–	–	–	1	–	6	17	27	45	45	6	162	–	–	–	–	–	–	–	5	12	47	48	40	10
			F.	109	–	–	–	–	–	1	–	1	5	14	35	36	17	149	–	–	–	–	–	–	1	1	4	15	47	62	19
430-434	27	Other diseases of heart ...	M.	7	–	–	–	–	–	–	–	1	–	2	1	3	–	11	–	–	–	–	–	–	–	–	–	3	4	3	1
			F.	8	–	–	–	–	–	–	–	1	–	1	4	2	–	4	–	–	–	–	–	–	1	–	–	–	–	3	–
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	3	–	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
444-447	29	Hypertension without heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–

		Other circulatory disease ...	F.	5	–	–	–	–	–	–	1	–	–	–	–	4	–	10	–	–	–	–	1	–	–	–	1	2	3	2	1
480-483	30	Influenza	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	1	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	1	–	1
490-493	31	Pneumonia	M.	16	–	6	1	–	–	1	–	2	1	1	2	2	–	26	–	8	1	–	–	1	–	–	1	6	4	3	2
			F.	12	–	6	–	–	–	–	–	–	–	1	2	3	–	7	–	2	–	–	–	–	–	–	1	1	–	1	2
500-502	32	Bronchitis	M.	17	–	–	–	–	–	–	–	1	4	4	5	2	1	27	–	1	–	–	–	–	–	–	1	2	6	5	–
			F.	13	–	–	–	–	–	–	–	–	2	1	3	7	–	14	–	–	–	–	–	–	–	1	1	3	5	3	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	11	–	–	–	–	–	–	–	–	5	1	4	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
540,541	33	Ulcer of stomach and duodenum	M.	9	–	–	–	–	–	–	–	1	2	3	2	1	–	12	–	–	–	–	–	–	–	–	4	6	–	2	–
			F.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	–	1	–	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	2	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	–	3	1	–	3	–	1	–	–	–	–	–	–	–	1	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	4	1	–	–	–	–	–	–	–	–	–	–	4	–	3	–	–	–	–	–	–	–	–	1	–	–
581	37	Cirrhosis of liver	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	–	–	–	–	–	–	1	–	1	1	1	1	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	3	–	–	–	–	–	–	–	–	–	1	2	–	–	2	–	–	–	–	–	1	–	–	1	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	1
590-594	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	2	–	–	1	2	–	–	6	–	–	–	–	–	–	–	–	2	–	1	2	1
			F.	5	–	–	–	–	–	–	–	–	2	1	1	1	–	16	–	–	–	–	–	1	2	2	3	2	2	4	–
610	39	Hyperplasia of prostate ...	M.	7	–	–	–	–	–	–	–	–	–	–	5	2	–	9	–	–	–	–	–	–	–	–	–	1	4	3	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	2	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
750-759	41	Congenital malformations ...	M.	10	3	4	1	1	–	–	–	–	1	–	–	–	–	5	–	2	1	–	–	1	1	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	4	1	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	13	10	3	–	–	–	–	–	–	–	–	–	–	–	13	13	–	–	–	–	–	–	–	–	–	–	–	–
			F.	13	13	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	8	–	–	–	–	–	–	–	–	–	–	–	4	4	8	–	–	–	–	–	–	–	–	–	–	2	5	1
			F.	7	–	–	–	–	–	–	–	–	–	–	–	4	3	15	–	–	–	–	–	–	–	–	–	–	2	10	3
780-793, 795	45.1	Cause ill-defined and unknown	M.	20	–	1	–	–	–	–	–	1	3	6	4	5	–	8	–	2	–	–	–	–	–	–	–	2	3	1	–
			F.	13	–	3	–	–	–	–	–	–	2	2	3	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	7	–	–	–	–	–	1	3	–	2	–	1	–	–
			F.	2	–	–	–	–	–	1	1	–	–	–	–	–	–	6	–	–	–	–	–	1	1	1	2	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	5	–	–	1	–	–	1	1	1	–	–	1	–	–	5	–	–	3	–	–	–	–	1	–	1	–	–	–
			F.	4	–	–	1	–	1	–	–	1	1	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	17	–	1	3	1	–	–	2	1	2	3	2	2	–	16	–	2	1	1	–	2	–	2	1	–	3	1	3
			F.	15	–	3	1	–	–	1	1	–	–	–	3	5	1	15	–	1	–	1	–	–	–	2	1	1	1	5	3

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		PORT-GLASGOW BURGH														RENFREW COUNTY (excluding Large Burghs)														
				All Ages	under 4 weeks	4 weeks	1–	5–	10	15–	25–	35	45–	55–	65–	75	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**259**	**20**	**9**	**4**	**2**	–	**4**	**9**	**11**	**26**	**40**	**56**	**66**	**12**	**1684**	**54**	**36**	**20**	**10**	**1**	**22**	**41**	**80**	**136**	**285**	**419**	**452**	**128**
		Total Males ...		**159**	**13**	**6**	**2**	**1**	–	**2**	**7**	**7**	**19**	**29**	**35**	**35**	**3**	**821**	**36**	**18**	**9**	**6**	**1**	**11**	**19**	**37**	**61**	**166**	**211**	**197**	**49**
		Total Females ...		**100**	**7**	**3**	**2**	**1**	–	**2**	**2**	**4**	**7**	**11**	**21**	**31**	**9**	**863**	**18**	**18**	**11**	**4**	–	**11**	**22**	**43**	**75**	**119**	**208**	**255**	**79**
001-008	1	Tuberculosis of respiratory system	M.	10	–	–	1	–	–	–	3	2	–	4	–	–	–	43	–	–	1	–	–	3	2	7	10	15	5	–	–
			F.	2	–	1	–	–	–	–	1	–	–	–	–	–	–	22	–	–	1	–	–	6	6	5	1	1	1	1	–
010-019	2	Tuberculosis, other forms ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	1	–	1	–	1	1	–	–	–	1	–	2
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	2	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	1	–	1	–	–	–	–
140-205	18	Malignant neoplasms	M.	27	–	–	–	–	–	1	1	2	6	9	6	2	–	119	–	–	1	–	1	1	1	4	6	6	31	42	25	2
			F.	14	–	–	–	–	–	–	–	–	1	5	6	2	–	150	–	–	–	–	–	1	1	15	27	30	36	36	4
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	1	1	1	1	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	5	–	–	–	–	–	–	–	2	–	–	3	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	8	–	–	–	–	–	–	–	1	–	1	3	3	–
290-293	21	Anæmias	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	5	–	–	–	–	–	–	–	–	1	–	1	3	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	7	–	–	–	–	–	–	–	1	1	1	1	3	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	8	–	–	–	–	–	–	–	1	2	1	2	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	2	–	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	16	–	–	–	–	–	–	–	–	3	2	3	8	–	96	–	–	–	–	–	1	–	1	2	21	36	28	7
			F.	17	–	–	–	–	–	–	–	1	4	2	4	5	1	167	–	–	–	–	–	–	–	4	13	28	50	58	14
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	9	–	–	–	1	–	–	1	–	1	2	3	1	–
			F.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	12	–	–	–	–	–	–	1	2	–	–	5	4	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	11	–	–	–	–	–	1	–	3	2	3	2	–	–
			F.	3	–	–	–	–	–	–	–	1	–	–	1	–	1	11	–	–	–	–	–	1	–	4	–	1	3	2	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	30	–	–	–	–	–	–	–	–	3	4	13	9	1	258	–	–	–	–	–	–	2	3	19	52	78	87	17
			F.	15	–	–	–	–	–	–	–	–	1	1	3	8	2	218	–	–	–	–	–	–	1	2	10	25	63	85	32
430-434	27	Other diseases of heart ...	M.	5	–	–	–	1	–	–	–	–	1	–	2	1	–	17	–	–	–	–	–	–	–	–	3	1	3	8	2
			F.	5	–	–	–	–	–	–	–	–	–	1	1	1	2	16	–	–	–	–	–	–	1	–	2	2	6	3	2
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	1	2	2	2	–	–
444-447	29	Hypertension without heart disease	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	10	–	–	–	–	–	–	–	–	–	2	3	3	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	–	–	–	–	–	–	–	–	2	2	3	8	2

450-468	46.3	Other circulatory disease ...	M.	2	–	–	–	–	–	–	–	–	–	–	2	–	13	–	–	–	–	–	–	–	2	1	2	3	4	1
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	20	–	–	–	–	–	–	–	–	–	2	8	6	4
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–	–	–	–	–	–	–	2	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	–	–	–	–	–	–	1	–	2	2
490-493	31	Pneumonia	M.	6	–	3	–	–	–	–	–	1	–	1	1	–	22	–	5	2	–	–	–	2	2	–	2	1	5	3
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	30	–	7	2	–	–	1	2	1	2	–	5	10	–
500-502	32	Bronchitis	M.	11	–	–	–	–	–	–	–	1	4	2	3	1	26	–	2	–	–	–	–	1	–	–	9	7	6	1
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	20	–	–	–	1	–	–	–	1	2	5	2	6	3
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	–	–	–	1	–	1	1	–	–	3
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	8	–	1	–	–	–	–	–	–	–	2	–	3	2
540, 541	33	Ulcer of stomach and duodenum	M.	5	–	–	–	–	–	–	–	1	–	3	1	–	11	–	–	–	–	–	–	1	2	1	5	2	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	4	–	2	1	–	–	–	–	–	1	–	–	–	–
			F.	3	–	1	–	–	–	–	–	–	–	–	2	–	6	–	3	–	–	–	–	1	–	–	1	1	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	1	1	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	1	–	–	–	–	–	–	1	2	2	–
530-539, 542 545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	1	2	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	–	–	2	–	8	–	1	–	–	–	–	1	–	–	3	1	1	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	1	–	–	1	–	2	5	3	3	–
610	39	Hyperplasia of prostate ...	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	9	–	–	–	–	–	–	–	–	–	–	1	6	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	6	–	–	–	1	–	–	–	1	–	1	–	3	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	4	–	–	–	–	–	–	1	–	2	–	1	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.0		F.	1	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	1	1	–	–	–	–	3	–	–	–	–	–	–	3	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
750-759	41	Congenital malformations ...	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	9	5	4	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	3	1	1	–	1	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	15	15	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	7	7	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	6	6	–	–	–	–	–	–	–	–	–	–	–	12	12	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	9	8	1	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	15	–	–	–	–	–	–	–	–	–	–	1	7	7
			F.	8	–	–	–	–	–	–	–	–	–	1	6	1	18	–	–	–	–	–	–	–	–	–	–	–	11	7
780-793, 795	45.1	Cause ill-defined and unknown	M.	7	–	1	–	–	–	–	1	1	1	1	2	–	19	1	1	–	–	–	–	–	–	3	3	7	4	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	10	–	1	1	–	–	–	–	–	1	–	3	2	2
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	1	1	1	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	9	–	–	–	–	–	1	2	2	3	–	1	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	5	–	–	2	–	–	1	–	–	–	1	–	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	2	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	5	–	1	–	–	–	1	2	–	1	–	–	–	19	–	–	2	3	–	3	2	1	3	2	2	1	–
			F.	4	–	–	1	–	–	–	–	–	–	–	2	1	16	–	1	2	–	–	–	–	1	1	2	3	4	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		ROSS & CROMARTY COUNTY															INSULAR PORTION OF ROSS AND CROMARTY COUNTY														
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**862**	**21**	**13**	**6**	**2**	**1**	**11**	**11**	**26**	**61**	**82**	**180**	**304**	**144**	**347**	**9**	**2**	**3**	–	–	**4**	**4**	**15**	**30**	**33**	**63**	**115**	**69**
		Total Males ...		**428**	**14**	**9**	**6**	**2**	**1**	**7**	**8**	**15**	**32**	**41**	**91**	**144**	**58**	**157**	**7**	–	**3**	–	–	**2**	**4**	**10**	**15**	**13**	**25**	**48**	**30**
		Total Females ...		**434**	**7**	**4**	–	–	–	**4**	**3**	**11**	**29**	**41**	**89**	**160**	**86**	**190**	**2**	**2**	–	–	–	**2**	–	**5**	**15**	**20**	**38**	**67**	**30**
001-008	1	Tuberculosis of respiratory system	M.	15	–	–	–	–	–	2	2	4	4	1	1	1	–	11	–	–	–	–	–	1	2	3	3	1	–	1	–
			F.	3	–	–	–	–	–	2	–	–	–	–	1	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	6	–	–	1	–	–	1	1	1	1	1	–	–	–	3	–	–	–	–	–	1	1	–	1	–	–	–	–
			F.	3	–	–	–	–	–	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	2	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050, 051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	66	–	–	–	–	–	–	1	2	6	15	22	17	3	24	–	–	–	–	–	–	–	1	1	6	7	9	–
			F.	78	–	–	–	–	–	–	2	4	10	11	26	20	5	31	–	–	–	–	–	–	–	2	6	6	11	5	1
210-239	19	Benign and unspecified neoplasms	M.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	2	3	3	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	6	–	–	–	–	–	1	1	2	1	–	–	1	–	2	–	–	–	–	–	–	–	1	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	47	–	–	–	–	–	–	–	–	–	5	14	21	7	17	–	–	–	–	–	–	–	–	–	–	5	7	5
			F.	69	–	–	–	–	–	–	–	1	3	5	19	32	9	28	–	–	–	–	–	–	–	–	–	2	8	13	5
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	11	–	–	–	–	–	–	1	–	2	–	4	4	–	3	–	–	–	–	–	–	–	–	1	–	1	1	–
			F.	8	–	–	–	–	–	–	–	–	2	2	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	3	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	120	–	–	–	–	–	–	–	–	3	6	30	54	27	45	–	–	–	–	–	–	–	–	2	3	10	18	12
			F.	140	–	–	–	–	–	–	–	1	5	8	21	58	47	69	–	–	–	–	–	–	–	1	4	5	10	30	19
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	10	–	–	–	–	–	–	–	–	–	1	2	7	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–
440-443	28	Hypertension with heart disease	M.	4	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	2	3	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
444-447	29	Hypertension without heart disease	M.	6	–	–	–	–	–	–	–	–	1	1	1	1	2	3	–	–	–	–	–	–	–	–	1	1	–	–	1
			F.	7	–	–	–	–	–	–	–	–	1	2	3	–	1	3	–	–	–	–	–	–	–	–	–	1	2	–	–
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

450-468	46.3	Other circulatory disease ...	F.	8	–	–	–	–	–	–	–	–	2	–	–	3	3	5	–	–	–	–	–	–	–	–	1	–	–	1	3
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	–	–	–	–	–	–	–	–	1	1	4	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–
490-493	31	Pneumonia	M.	22	–	4	–	–	1	1	–	–	1	3	6	6	–	3	–	–	–	–	–	–	–	–	1	–	–	2	–
			F.	7	–	1	–	–	–	–	–	1	1	–	–	3	1	5	–	1	–	–	–	–	–	1	1	–	–	1	1
500-502	32	Bronchitis	M.	6	–	–	2	–	–	–	–	–	–	–	1	2	1	2	–	–	1	–	–	–	–	–	–	–	–	–	1
			F.	8	–	–	–	–	–	–	–	–	1	1	1	4	1	4	–	–	–	–	–	–	–	–	1	–	–	3	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	3	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	–	–	1	–	2	2	5	–	–	–	–	–	–	–	–	–	1	–	2	2
540, 541	33	Ulcer of stomach and duodenum	M.	6	–	–	–	–	–	–	1	2	1	–	2	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	3	–	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	Nephritis and nephrosis ...	M.	5	–	–	–	–	–	–	1	1	–	–	1	2	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–
			F.	8	–	–	–	–	–	–	–	1	1	1	3	1	1	5	–	–	–	–	–	–	–	–	1	–	3	–	1
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	1	–	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	5	2	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	8	8	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	24	–	–	–	–	–	–	–	–	–	–	–	13	11	10	–	–	–	–	–	–	–	–	–	–	–	3	7
			F.	20	–	–	–	–	–	–	–	–	–	–	–	11	9	10	–	–	–	–	–	–	–	–	–	–	–	4	6
780-793, 795	45.1	Cause ill-defined and unknown	M.	10	–	1	–	–	–	–	–	–	–	2	3	3	1	2	–	–	–	–	–	–	–	–	–	–	1	–	1
			F.	7	–	–	–	–	–	–	–	–	–	3	–	3	1	4	–	–	–	–	–	–	–	–	–	2	–	1	1
E963, E970-979	E49	Suicide	M.	2	–	–	–	–	–	–	–	1	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	5	–	–	1	–	–	2	–	1	1	–	–	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	11	–	–	1	–	–	1	1	–	4	–	–	3	1	4	–	–	1	–	–	–	–	–	2	–	–	1	–
			F.	5	–	1	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		ROXBURGH COUNTY															SELKIRK COUNTY														
Detailed List	Intermediate List "B"			All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**589**	**14**	**9**	**3**	**5**	**1**	**6**	**11**	**8**	**47**	**88**	**136**	**205**	**56**	**331**	**7**	**4**	**4**	**2**	**1**	**2**	**4**	**8**	**18**	**39**	**85**	**118**	**39**
		Total Males		**269**	**10**	**5**	**1**	**3**	**1**	**1**	**5**	**4**	**23**	**49**	**56**	**90**	**21**	**169**	**4**	**1**	**4**	–	–	**2**	**3**	**5**	**11**	**27**	**50**	**45**	**17**
		Total Females		**320**	**4**	**4**	**2**	**2**	–	**5**	**6**	**4**	**24**	**39**	**80**	**115**	**35**	**162**	**3**	**3**	–	**2**	**1**	–	**1**	**3**	**7**	**12**	**35**	**73**	**22**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	1	1	–	1	–	1	–	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	43	–	–	–	–	–	–	2	–	2	8	13	18	–	22	–	–	1	–	–	–	–	–	–	1	5	10	3	2
			F.	49	–	–	1	–	–	1	–	–	11	11	12	13	–	27	–	–	–	–	–	–	–	2	5	3	6	9	2
210-239	19	Benign and unspecified neoplasms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
290-293	21	Anæmias	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
330-334	22	Vascular lesions affecting central nervous system	M.	33	–	–	–	–	–	–	–	–	–	8	7	15	3	27	–	–	–	–	–	–	–	–	–	8	4	10	5
			F.	57	–	–	–	–	–	–	–	–	3	7	20	23	4	28	–	–	–	–	–	–	–	–	1	5	7	12	3
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	1	–	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	2	–	–
			F.	5	–	1	–	–	–	–	–	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	6	–	–	–	–	–	–	1	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	84	–	–	–	–	–	–	–	1	8	13	19	36	7	59	–	–	–	–	–	1	1	3	3	8	21	15	7
			F.	114	–	–	–	–	–	–	–	–	2	13	30	50	19	63	–	–	–	–	–	–	–	1	–	1	18	31	12
430-434	27	Other diseases of heart	M.	4	–	–	–	–	–	–	–	1	–	1	–	1	1	4	–	–	–	–	–	–	–	–	–	–	2	1	1
			F.	6	–	–	–	–	–	–	–	–	–	1	2	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
440-443	28	Hypertension with heart disease	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	2	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1

			F.	11	–	–	–	–	–	–	–	–	–	1	3	4	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	4	–	–	–	1	1	–	–	–	–	–	1	–	1	3	–	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	8	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	1
500-502	32	Bronchitis	M.	10	–	–	1	–	–	–	–	–	2	3	3	1	–	3	–	–	–	–	–	–	–	–	–	–	2	–	1	–
			F.	6	–	1	–	–	–	–	–	–	–	–	4	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	3	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1
540,541	33	Ulcer of stomach and duodenum	M.	7	–	–	–	–	–	–	–	–	1	3	2	1	–	4	–	–	–	–	–	–	–	–	1	1	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	1	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587 590-594	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	38	Nephritis and nephrosis ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	11	–	–	–	–	–	–	–	–	–	–	–	8	3	6	–	–	–	–	–	–	–	–	–	–	–	6	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
640, 641, 651, 681, 682, 684 642-650, 652-680, 683, 685-689	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.0		F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
750-759	41	Congenital malformations ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	2	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	5	4	1	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	5	–	–	–	–	–	–	–	–	–	–	–	1	4	5	–	–	–	–	–	–	–	–	–	–	1	3	1
			F.	10	–	–	–	–	–	–	–	–	–	–	–	6	4	5	–	–	–	–	–	–	–	–	–	–	–	3	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	8	–	–	–	–	–	–	–	–	2	1	2	2	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	3	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	3	–	–	–	1	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	9	–	1	–	–	–	–	–	–	1	3	1	3	–	6	–	–	1	–	–	1	–	1	1	1	1	–	–
			F.	4	–	–	1	1	–	1	–	–	–	–	–	–	1	5	–	–	–	1	–	–	–	–	–	–	–	4	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		FALKIRK BURGH: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	STIRLING BURGH: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes ...		**449**	**12**	**7**	**7**	**5**	**2**	**11**	**5**	**20**	**44**	**76**	**129**	**109**	**22**	**328**	**9**	**7**	**2**	–	**1**	**5**	**12**	**14**	**30**	**47**	**81**	**90**	**30**
		Total Males ...		**246**	**8**	**4**	**4**	**3**	**2**	**3**	**5**	**11**	**27**	**43**	**72**	**54**	**10**	**144**	**6**	**2**	**1**	–	–	**4**	**6**	**7**	**12**	**20**	**43**	**34**	**9**
		Total Females ...		**203**	**4**	**3**	**3**	**2**	–	**8**	–	**9**	**17**	**33**	**57**	**55**	**12**	**184**	**3**	**5**	**1**	–	**1**	**1**	**6**	**7**	**18**	**27**	**38**	**56**	**21**
001-008	1	Tuberculosis of respiratory system	M.	8	–	–	–	–	–	–	2	2	1	3	–	–	–	6	–	–	–	–	–	1	1	–	1	1	1	1	–
			F.	2	–	–	–	–	–	1	–	1	–	–	–	–	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	50	–	–	–	–	–	1	–	2	8	15	16	7	1	16	–	–	–	–	–	–	2	–	1	2	4	6	1	–
			F.	29	–	–	–	–	–	–	–	4	4	9	10	1	1	31	–	–	–	–	–	–	–	2	2	6	8	7	5	1
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	1	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–
			F.	5	–	–	–	–	–	–	–	1	1	–	–	3	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	1	–	–	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	33	–	–	–	–	–	–	–	–	3	3	11	14	2	24	–	–	–	–	–	–	–	–	1	2	8	12	1	–
			F.	29	–	–	–	–	–	1	–	–	2	8	8	10	–	32	–	–	–	–	–	–	–	–	2	2	9	11	8	–
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	4	–	–	–	–	1	–	–	2	–	1	–	–	–	3	–	–	–	–	–	–	–	1	–	–	1	1	–	–
			F.	10	–	1	–	–	–	2	–	1	1	–	4	1	–	7	–	–	–	–	–	–	–	–	1	1	1	1	2	1
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	2	–	–	–	–	–	4	–	–	–	–	–	–	–	–	2	1	–	–	–	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	M.	55	–	–	–	–	–	–	–	2	3	9	23	14	4	36	–	–	–	–	–	–	–	–	3	5	17	6	5	–
			F.	49	–	–	–	–	–	1	–	–	1	4	16	22	5	48	–	–	–	–	–	–	–	1	3	9	10	19	6	–
430-434	27	Other diseases of heart ...	M.	3	–	–	–	–	–	–	–	–	–	1	–	2	–	4	–	–	–	–	–	–	–	–	–	–	1	3	–	–
			F.	3	–	–	–	–	–	–	–	–	2	–	1	–	–	6	–	–	–	–	–	–	–	–	1	–	3	1	1	–
440-443	28	Hypertension with heart disease	M.	5	–	–	–	–	–	–	–	–	–	3	1	1	–	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
444-447	29	Hypertension without heart disease	M.	4	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–

(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
450-468	46.3	Other circulatory disease ...	M.	11	–	–	–	1	–	–	–	–	–	–	3	6	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	6	–	–	–	–	–	–	–	–	–	3	2	1	–	3	–	–	–	–	–	–	1	–	–	–	1	1	–
480-483	30	Influenza	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
490-493	31	Pneumonia	M.	5	–	1	–	–	–	–	–	1	2	–	–	1	–	4	–	1	–	–	–	–	–	–	1	–	1	1	–
			F.	7	–	2	–	–	–	–	–	–	–	–	1	4	–	9	–	2	–	–	1	–	–	–	2	1	1	2	–
500-502	32	Bronchitis	M.	9	–	–	–	–	–	–	–	–	2	1	3	2	1	3	–	–	–	–	–	–	1	–	–	–	2	–	–
			F.	12	–	–	–	–	–	–	–	–	–	–	5	4	3	6	–	–	–	–	–	–	–	–	–	–	1	5	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	5	–	–	–	–	–	–	1	–	–	1	3	–	–	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	1	1	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	8	–	–	–	–	–	–	–	2	–	1	5	–	–	3	–	–	–	–	–	–	1	–	1	1	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	1	–	1	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	5	–	–	–	–	–	–	1	1	–	2	–	1	–
			F.	5	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	5	–	–	–	–	1	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	2	1	–
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–	6	–	–	–	–	–	–	–	–	–	2	2	2	–
780-793, 795	45.1	Cause ill-defined and unknown	M.	5	–	–	–	–	–	–	–	–	3	–	2	–	–	3	–	–	–	–	–	–	–	–	–	1	1	–	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	6	–	–	3	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	2	–	–	–	–	–	–	1	–	1	–	–	–	–	8	–	–	1	–	–	–	1	2	1	–	1	2	–
			F.	10	–	–	2	–	–	–	–	–	2	2	2	1	1	2	–	–	–	–	–	–	–	1	–	–	–	–	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		STIRLING COUNTY (excluding Large Burghs): All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	SUTHERLAND COUNTY: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes	...	**1335**	**50**	**47**	**15**	**7**	**5**	**16**	**34**	**70**	**120**	**186**	**349**	**346**	**90**	**201**	**12**	**1**	**3**	–	–	**2**	**1**	**3**	**12**	**16**	**37**	**70**	**44**
		TOTAL Males	...	**720**	**26**	**34**	**9**	**4**	**5**	**12**	**16**	**36**	**72**	**107**	**190**	**177**	**32**	**102**	**7**	**1**	**2**	–	–	**2**	–	**1**	**6**	**7**	**19**	**34**	**23**
		TOTAL Females	...	**615**	**24**	**13**	**6**	**3**	–	**4**	**18**	**34**	**48**	**79**	**159**	**169**	**58**	**99**	**5**	–	**1**	–	–	–	**1**	**2**	**6**	**9**	**18**	**36**	**21**
001-008	1	Tuberculosis of respiratory system	M.	23	–	1	1	–	–	3	5	2	3	5	2	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
			F.	20	–	–	–	–	–	3	8	5	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	3	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	3	–	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	5	Dysentery, all forms	M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	5	–	–	–	–	–	–	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	100	–	–	–	–	–	1	7	20	21	31	17	3	12	12	–	–	1	–	–	–	–	–	1	–	7	2	1
			F.	95	–	–	–	1	–	–	3	9	12	15	29	23	3	7	–	–	1	–	–	–	–	–	1	2	1	1	1
210-239	19	Benign and unspecified neoplasms	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	11	–	–	–	–	–	–	1	1	–	3	4	2	–	3	–	–	–	–	–	–	–	1	–	–	–	2	–
290-293	21	Anæmias	M.	4	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	3	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	4	–	–	–	–	–	1	–	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	8	–	–	–	–	–	–	1	1	2	1	2	1	–	2	–	–	–	–	–	–	1	–	–	–	1	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	78	–	–	–	–	–	–	1	–	6	15	24	26	6	5	–	–	–	–	–	–	–	–	1	1	1	1	1
			F.	88	–	–	–	–	–	–	–	1	9	10	31	26	11	11	–	–	–	–	–	–	–	–	2	–	4	5	–
340	23	Nonmeningococcal meningitis	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	12	–	1	1	–	–	–	–	–	1	2	1	5	1	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	11	–	–	1	–	–	–	1	1	–	2	–	5	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	4	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	231	–	–	–	–	–	1	2	6	23	25	78	83	13	32	–	–	–	–	–	–	–	–	1	2	3	16	10
			F.	190	–	–	–	–	–	–	–	1	8	21	61	73	26	32	–	–	–	–	–	–	–	1	1	1	5	12	12
430-434	27	Other diseases of heart ...	M.	5	–	–	–	–	–	–	–	–	–	1	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
			F.	16	–	–	–	–	–	–	–	–	2	3	4	6	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1
440-443	28	Hypertension with heart disease	M.	6	–	–	–	–	–	–	–	–	2	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	4	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	Hypertension without heart disease	M.	5	–	–	–	–	–	–	–	–	2	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	4	–	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

																				(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
450-468	46.3	Other circulatory disease ...	M.	9	–	–	–	–	1	–	–	–	–	–	2	6	–	6	–	–	–	–	–	–	–	–	–	–	–	4	2
			F.	13	–	–	–	–	–	–	–	–	1	–	2	6	4	5	–	–	–	–	–	–	–	–	–	–	2	1	2
480-483	30	Influenza	M.	5	–	–	–	–	–	–	–	1	–	2	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	6	–	–	–	–	–	1	–	1	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
490-493	31	Pneumonia	M.	27	–	10	1	–	1	–	–	1	–	2	5	6	1	4	–	1	–	–	–	–	–	–	–	–	1	1	1
			F.	19	–	3	1	–	–	–	–	1	2	4	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
500-502	32	Bronchitis	M.	36	–	1	–	–	–	–	–	–	3	17	12	1	2	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	15	–	2	–	–	–	–	–	2	2	4	1	4	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
470-475, 510-527	46.4	Other respiratory diseases ...	M.	13	–	–	–	–	–	–	–	–	–	7	1	4	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	8	–	–	–	–	–	–	–	1	1	–	4	1	1	3	–	–	–	–	–	–	–	–	1	1	1	–	–
			F.	4	–	–	–	–	–	–	1	–	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
550-553	34	Appendicitis	M.	4	–	–	–	–	–	1	–	–	–	1	1	1	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	8	–	–	–	–	–	–	–	2	–	–	2	3	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
			F.	4	–	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	8	–	2	–	1	–	–	–	–	1	2	1	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	9	–	1	1	–	–	–	–	1	–	4	2	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
610	39	Hyperplasia of prostate ...	M.	5	–	–	–	–	–	–	–	–	–	–	3	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
750-759	41	Congenital malformations ...	M.	8	3	4	–	–	–	–	1	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	2	1	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	12	10	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the new-born	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	9	1	–	–	–	–	–	–	–	–	–	–	–	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	18	18	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	11	–	–	–	–	–	–	–	–	–	–	3	6	2	4	–	–	–	–	–	–	–	–	–	–	–	2	2
			F.	13	–	–	–	–	–	–	–	–	–	–	–	8	5	10	–	–	–	–	–	–	–	–	–	–	–	6	4
780-793, 795	45.1	Cause ill-defined and unknown	M.	9	–	2	–	–	–	1	–	1	1	–	3	1	–	5	–	–	–	–	–	–	–	–	1	1	3	–	–
			F.	7	–	–	–	–	–	–	–	–	–	2	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-979	E49	Suicide	M.	4	–	–	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	4	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	10	–	–	2	2	–	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	21	–	1	–	2	2	2	4	3	1	–	2	4	–	2	–	–	–	–	–	1	–	–	–	–	–	–	1
			F.	10	1	1	–	–	–	–	–	3	–	1	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–	2	1

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification		Causes of Death		WEST LOTHIAN COUNTY														WIGTOWN COUNTY													
				All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over	All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
Detailed List	Intermediate List "B"	**ALL CAUSES**—Both Sexes ...		**892**	**37**	**18**	**8**	**4**	**4**	**17**	**21**	**37**	**92**	**127**	**235**	**226**	**66**	**365†**	**17**	**13**	**5**	–	–	**4**	**14**	**18**	**26**	**52**	**76**	**108**	**31**
		Total Males ...		**448**	**24**	**8**	**4**	**1**	**1**	**7**	**8**	**18**	**51**	**71**	**127**	**95**	**33**	**188**	**7**	**6**	**3**	–	–	**1**	**5**	**11**	**17**	**34**	**41**	**49**	**14**
		Total Females ...		**444**	**13**	**10**	**4**	**3**	**3**	**10**	**13**	**19**	**41**	**56**	**108**	**131**	**33**	**177†**	**10**	**7**	**2**	–	–	**3**	**9**	**7**	**9**	**18**	**35**	**59**	**17**
001-008	1	Tuberculosis of respiratory system	M.	21	–	–	–	–	–	2	4	7	3	4	1	–	–	3	–	–	–	–	–	–	–	1	1	–	–	1	–
			F.	18	–	–	1	–	–	7	5	2	1	1	1	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
010-019	2	Tuberculosis, other forms ...	M.	4	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	3	–	1	–	–	–	–	–	–	1	1	–	–	–	3	–	–	1	–	–	–	–	–	–	–	1	1	–
			F.	2	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	64	–	–	1	–	–	–	–	1	13	12	22	13	2	25	–	–	–	–	–	–	1	3	–	4	9	8	–
			F.	57	–	–	–	–	1	1	–	6	9	13	13	14	–	24	–	–	1	–	–	–	–	3	4	4	6	3	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
260	20	Diabetes mellitus	M.	4	–	–	–	–	–	–	–	1	–	–	2	1	–	2	–	–	–	–	–	–	–	–	1	1	–	–	–
			F.	9	–	–	–	–	–	–	–	–	1	1	4	3	–	4	–	–	–	–	–	–	–	–	–	1	3	–	–
290-293	21	Anæmias	M.	3	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	5	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
240-254, 270-289, 294-299	46.1	Other general diseases ...	M.	3	–	1	–	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–	1	–	–
			F.	4	–	–	–	–	–	–	1	–	1	–	2	–	–	4	–	–	–	–	–	–	–	–	–	–	3	–	–
330-334	22	Vascular lesions affecting central nervous system ...	M.	60	–	–	–	–	–	–	–	1	3	10	24	17	5	28	–	–	–	–	–	–	–	1	2	6	7	8	4
			F.	78	–	–	–	–	–	–	–	3	10	10	18	32	5	25	–	–	–	–	–	–	–	–	2	5	6	8	4
340	23	Nonmeningococcal meningitis	M.	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	7	–	–	–	–	–	–	1	1	–	1	4	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	6	–	–	–	–	–	–	–	1	1	2	2	–	–	2	–	–	–	–	–	–	1	–	1	–	–	–	–
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	6	–	–	–	–	–	–	–	1	3	1	–	–	1	4	–	–	–	–	–	–	–	2	–	–	2	–	–
			F.	12	–	–	–	–	–	–	3	1	2	4	1	1	–	6	–	–	–	–	–	1	1	–	–	–	1	3	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	116	–	–	–	1	–	–	–	1	11	19	43	27	14	70	–	–	–	–	–	1	–	1	7	16	14	23	8
			F.	126	–	–	–	–	–	–	1	–	6	6	45	51	17	40	–	–	–	–	–	–	–	–	–	2	11	24	3
430-434	27	Other diseases of heart ...	M.	4	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	12	–	–	–	–	–	–	–	1	1	4	1	4	1	2	–	–	–	–	–	–	–	–	1	–	–	1	–
440-443	28	Hypertension with heart disease	M.	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	–	–	–	–	–	–	–	–	–	4	1	2	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–
444-447	29	Hypertension without heart disease	M.	5	–	–	–	–	–	–	–	–	–	1	1	3	–	3	–	–	–	–	–	–	–	–	–	1	1	1	–
			F.	6	–	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

450-468	46.3	Other circulatory disease ...	F.	12	–	–	–	–	–	1	–	1	1	2	2	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	2	1
			M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–
480-483	30	Influenza	F.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	5	–
490-493	31	Pneumonia	M.	13	–	1	–	–	–	–	–	–	–	2	4	6	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	16	–	4	1	–	–	–	–	2	–	–	6	3	–	9	–	2	–	–	–	1	1	–	–	–	2	3	–
500-502	32	Bronchitis	M.	16	–	–	–	–	–	–	–	–	–	5	5	5	1	6	–	1	–	–	–	–	–	–	1	1	1	2	–
			F.	13	–	1	–	–	–	–	–	–	2	1	1	5	3	4	–	1	–	–	–	–	–	–	–	–	–	1	2
470-475, 510-527	46.4	Other respiratory diseases ...	M.	8	1	–	–	–	–	–	–	–	2	2	1	1	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
540,541	33	Ulcer of stomach and duodenum	M.	12	–	–	–	–	–	–	–	1	6	1	2	–	2	3	–	–	–	–	–	–	1	–	1	–	1	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
550-553	34	Appendicitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	4	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–	–	–	–	–	1	–	2	–
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	3	–	2	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	4	–	–	–	–	–	–	–	–	–	–	1	2	1
			F.	5	–	–	–	–	–	–	1	–	1	1	1	–	1	8	–	–	–	–	–	–	–	–	–	1	2	3	2
610	39	Hyperplasia of prostate ...	M.	6	–	–	–	–	–	–	–	–	–	–	4	2	–	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	1	–	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	2	1	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
750-759	41	Congenital malformations ...	M.	6	4	1	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
			F.	6	2	1	–	–	1	–	–	1	1	–	–	–	–	4	2	2	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	5	5	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	3	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	10	9	1	–	–	–	–	–	–	–	–	–	–	–	5	5	–	–	–	–	–	–	–	–	–	–	–	–
			F.	7	6	1	–	–	–	–	–	–	–	–	–	–	–	8	8	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	4	–	–	–	–	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–	–	1	2
780-793, 795	45.1	Cause ill-defined and unknown	M.	3	–	–	–	–	–	–	–	–	–	1	1	1	–	2	–	–	1	–	–	–	–	–	–	1	–	–	–
			F.	6	–	1	–	2	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
E963, E970-979	E49	Suicide	M.	2	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	5	–	–	1	–	–	1	–	–	–	2	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
			F.	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	19	1	–	–	–	–	1	3	3	5	2	1	1	2	6	–	2	1	–	–	–	2	–	1	–	–	–	–
			F.	5	–	1	–	–	–	–	–	–	1	–	1	2	–	7†	–	–	1	–	–	–	1	1	–	2	1	–	–

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis. † 1 Age not stated

TABLE 46.—Causes of Death by Sex and Age-group in the Public Health Districts of Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"	Causes of Death		ZETLAND COUNTY: All Ages	under 4 weeks	4 weeks	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over
		ALL CAUSES—Both Sexes		**342**	**9**	**2**	**3**	**1**	**1**	**6**	**5**	**12**	**13**	**43**	**76**	**108**	**63**
		Total Males		**160**	**6**	**1**	**3**	–	**1**	**5**	**3**	**6**	**4**	**25**	**30**	**56**	**20**
		Total Females		**182**	**3**	**1**	–	**1**	–	**1**	**2**	**6**	**9**	**18**	**46**	**52**	**43**
001-008	1	Tuberculosis of respiratory system	M.	4	–	–	–	–	–	1	1	–	–	1	1	–	–
			F.	6	–	–	–	–	–	1	–	1	1	2	1	–	–
010-019	2	Tuberculosis, other forms	M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
020-029	3	Syphilis and its sequelæ	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
040	4	Typhoid fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
045-048	6	Dysentery, all forms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
050,051	7	Scarlet fever and streptococcal sore throat	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
055	8	Diphtheria	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
056	9	Whooping-cough	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
057	10	Meningococcal infections	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
080	12	Acute poliomyelitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
085	14	Measles	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infective and parasitic diseases (B5, 11, 13, 15, 16)*	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
140-205	18	Malignant neoplasms	M.	22	–	–	–	–	–	1	–	1	–	4	8	8	–
			F.	31	–	–	–	1	–	–	–	1	4	4	10	8	3
210-239	19	Benign and unspecified neoplasms	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
260	20	Diabetes mellitus	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–
290-293	21	Anæmias	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–
240-254, 270-289, 294-299	46.1	Other general diseases	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
330-334	22	Vascular lesions affecting central nervous system	M.	25	–	–	–	–	–	–	–	–	–	6	5	11	3
			F.	22	–	–	–	–	–	–	1	–	–	4	6	9	2
340	23	Nonmeningococcal meningitis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
300-326, 341-398	46.2	Other diseases of nervous system	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	10	–	–	–	–	–	–	–	1	1	–	3	2	3
400-402	24	Rheumatic fever	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
410-416	25	Chronic rheumatic heart disease	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
420-422	26	Arteriosclerotic and degenerative heart disease	M.	39	–	–	1	–	–	–	1	1	2	4	9	14	7
			F.	50	–	–	–	–	–	–	–	1	–	5	16	15	13
430-434	27	Other diseases of heart	M.	5	–	–	–	–	–	–	–	–	–	4	–	1	–
			F.	6	–	–	–	–	–	–	–	–	–	1	–	4	1
440-443	28	Hypertension with heart disease	M.	2	–	–	–	–	–	–	–	–	–	–	1	1	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
444-447	29	Hypertension without heart disease	M.	3	–	–	–	–	–	–	–	1	–	2	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(a)	(b)	(c)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

450-468	46.3	Other circulatory disease ...	M.	4	–	–	–	–	–	–	–	–	1	–	–	2	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	2	–
480-483	30	Influenza	M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–
			F.	3	–	–	–	–	–	–	–	–	1	–	1	–	1
490-493	31	Pneumonia	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	4	–	–	–	–	–	–	–	–	–	–	–	4	–
500-502	32	Bronchitis	M.	2	–	–	–	–	–	–	–	–	–	–	–	1	1
			F.	4	–	–	–	–	–	–	–	–	–	–	3	–	1
470-475, 510-527	46.4	Other respiratory diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	5	–	–	–	–	–	–	–	–	–	–	1	1	3
540,541	33	Ulcer of stomach and duodenum	M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
550-553	34	Appendicitis	M.	2	–	–	–	–	–	–	–	1	–	1	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
560, 561, 570	35	Intestinal obstruction and hernia	M.	2	–	1	–	–	–	–	–	–	–	–	–	–	1
			F.	2	–	–	–	–	–	–	–	–	–	–	–	–	2
543	36.1	Gastritis and duodenitis ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
571, 572	36.2	Diarrhœa (except of newborn)	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
581	37	Cirrhosis of liver	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
580, 582-586	46.5	Other diseases of liver ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
530-539, 542-545, 573-578, 587	46.6	Other digestive diseases ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
590-594	38	Nephritis and nephrosis ...	M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–
			F.	4	–	–	–	–	–	–	–	1	1	–	2	–	–
610	39	Hyperplasia of prostate ...	M.	3	–	–	–	–	–	–	–	–	–	–	–	2	1
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
600-609, 611-637	46.7	Other diseases of genito-urinary system	M.	3	–	–	–	–	–	–	–	–	–	–	–	1	2
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–
690-749	46.8	Diseases of skin and organs of locomotion	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–
750-759	41	Congenital malformations ...	M.	1	–	–	1	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	M.	4	4	–	–	–	–	–	–	–	–	–	–	–	–
			F.	1	1	–	–	–	–	–	–	–	–	–	–	–	–
763	43.1	Pneumonia of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
764	43.2	Diarrhœa of the newborn ...	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
765-768	43.3	Other infections of the newborn	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
769-776	44	Other diseases peculiar to early infancy	M.	2	2	–	–	–	–	–	–	–	–	–	–	–	–
			F.	2	2	–	–	–	–	–	–	–	–	–	–	–	–
794	45.0	Senility	M.	7	–	–	–	–	–	–	–	–	–	–	1	5	1
			F.	15	–	–	–	–	–	–	–	–	–	–	–	4	11
780-793, 795	45.1	Cause ill-defined and unknown	M.	4	–	–	–	–	–	–	–	2	–	–	–	2	–
			F.	1	–	–	–	–	–	–	–	–	–	–	–	–	1
E963, E970-979	E49	Suicide	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E810-835	E47	Motor vehicle accidents ...	M.	1	–	–	–	–	–	1	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E840-845	E48.0	Other road transport accidents	M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
			F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE 50) ...	M.	8	–	–	–	1	2	1	–	1	–	–	1	1	1
			F.	7	–	1	–	–	–	–	1	1	–	–	–	2	2

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.
* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950

International Classification: Detailed List	International Classification: Intermediate List "B"		Scotland	Aberdeen County: Aberdeen County	Aberdeen County: Aberdeen County of City	Aberdeen County: Ballater Burgh	Aberdeen County: Ellon Burgh	Aberdeen County: Fraserburgh Burgh	Aberdeen County: Huntly Burgh	Aberdeen County: Inverurie Burgh	Aberdeen County: Kintore Burgh	Aberdeen County: Oldmeldrum Burgh	Aberdeen County: Peterhead Burgh	Aberdeen County: Rosehearty Burgh	Aberdeen County: Turriff Burgh	Aberdeen County: Landward
		Population (Estimated), 30th June, 1950	5,174,459	333,035	187,961	1,209	1,401	10,618	3,899	4,805	796	1,006	13,159	1,120	2,719	104,342
		Total Live Births Registered (including Illegitimate)	92,530	6,250	3,842	10	—	415	219	13	6	6	141	10	167	1,421
		,, Corr. for Mother's Resid. (,,) ...	92,530	6,007	3,226	14	21	219	85	80	11	17	263	31	63	1,977
		,, ,, ,, Male ...	47,822	3,106	1,664	7	12	116	43	43	7	10	147	15	36	1,006
		,, ,, ,, Female ...	44,708	2,901	1,562	7	9	103	42	37	4	7	116	16	27	971
		,, ,, ,, Illegitimate ...	4,837	421	172	3	2	10	14	4	1	3	18	1	6	187
		Still-Births Registered (including Illegitimate) ...	2,557	145	104	—	—	6	8	—	—	—	5	—	2	20
		,, Corrected for Mother's Residence ...	2,557	129	74	1	—	1	5	—	—	—	8	1	3	36
		Marriages Registered	40,483	2,786	1,853	8	52	82	44	45	8	20	119	2	44	509
		Deaths Registered	63,996	4,161	2,765	13	17	95	72	61	5	14	125	22	34	938
		,, Corrected for Residence	63,996	3,976	2,266	12	16	103	58	58	6	19	157	26	45	1,210
		,, ,, Male	32,191	1,929	1,105	7	8	41	27	27	2	11	85	20	20	576
		,, ,, Female	31,805	2,047	1,161	5	8	62	31	31	4	8	72	6	25	634
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	2,439	49	38	—	—	—	—	—	—	1	1	—	—	9
010-019	2	Tuberculosis, other forms	336	11	5	—	—	—	—	—	—	—	—	1	—	5
020-029	3	Syphilis and its sequelæ	170	7	6	—	—	—	—	—	—	—	—	—	—	1
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	14	—	—	—	—	—	—	—	—	—	—	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ..	4	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	3	1	1	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	61	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	35	1	1	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	64	3	2	—	—	—	—	—	—	—	—	—	—	1
085	14	Measles	38	1	1	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	175	8	5	—	—	—	—	1	—	—	1	—	—	1
140-205	18	Malignant neoplasms	10,029	647	392	2	1	13	5	8	2	3	30	5	4	182
210-239	19	Benign and unspecified neoplasms	221	14	6	—	—	2	—	—	—	1	1	—	—	4
260	20	Diabetes mellitus	565	34	20	—	—	1	—	—	—	—	1	—	—	12
290-293	21	Anæmias	357	19	14	—	—	1	—	—	—	—	1	—	—	3
240-254, 270-289, 294-299	46.1	Other general diseases	569	50	32	1	—	1	1	—	—	—	3	—	3	9
330-334	22	Vascular lesions affecting central nervous system ...	8,732	548	313	5	3	18	9	7	1	1	19	3	9	160
340	23	Nonmeningococcal meningitis	58	2	2	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1,120	62	36	—	—	2	—	3	—	—	1	—	1	19
400-402	24	Rheumatic fever	57	3	2	—	—	1	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	942	77	46	—	—	1	2	—	—	1	4	1	1	21
420-422	26	Arteriosclerotic and degenerative heart disease ...	17,662	1,177	656	3	10	42	18	15	2	9	38	11	9	364
430-434	27	Other diseases of heart	1,249	63	31	—	—	2	—	2	—	—	1	—	2	25
440-443	28	Hypertension with heart disease	450	18	11	—	—	—	—	2	—	—	1	—	—	4
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	539	44	27	—	—	—	—	—	—	1	—	—	—	16
450-468	46.3	Other circulatory disease	1,257	83	42	—	1	—	—	4	—	—	2	—	1	33
480-483	30	Influenza	386	28	13	—	—	—	2	1	—	—	1	—	—	11
490-493	31	Pneumonia	2,117	166	106	—	—	1	1	1	—	—	6	1	2	48
500-502	32	Bronchitis	2,259	141	85	—	1	4	3	1	—	—	5	1	2	39
470-475, 510-527	46.4	Other respiratory diseases	632	23	15	—	—	1	—	—	—	—	—	—	1	6
540, 541	33	Ulcer of stomach and duodenum	629	63	41	—	—	—	1	1	—	—	2	—	—	18
550-553	34	Appendicitis	154	6	3	—	—	—	1	—	—	—	—	—	—	2
560, 561, 570	35	Intestinal obstruction and hernia	370	22	15	—	—	—	1	1	—	—	1	—	—	4
543	36.1	Gastritis and duodenitis	36	1	—	—	—	—	—	—	—	—	—	—	1	—
571, 572	36.2	Diarrhœa (except of newborn)	477	14	6	—	—	—	—	—	—	1	1	—	—	6
581	37	Cirrhosis of liver	163	10	3	—	—	1	—	—	—	—	2	—	1	3
580, 582-586	46.5	Other diseases of liver	271	16	9	1	—	1	—	—	—	—	2	—	—	3
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	172	13	6	—	—	1	1	1	—	1	—	—	—	3
590-594	38	Nephritis and nephrosis	699	39	22	—	—	2	1	—	—	—	2	1	1	10
610	39	Hyperplasia of prostate	509	60	29	—	—	1	—	—	—	—	1	—	—	29
600-609, 611-637	46.7	Other diseases of genito-urinary system	339	23	9	—	—	—	—	—	—	—	1	—	1	12
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	23	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	83	5	1	—	—	—	1	1	—	—	—	—	—	2
690-749	46.8	Diseases of skin and organs of locomotion	240	17	8	—	—	—	—	2	—	—	2	—	—	5
750-759	41	Congenital malformations	613	33	20	—	—	2	2	—	—	—	2	—	—	7
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	647	44	22	—	—	1	1	1	—	—	4	—	—	15
763	43.1	Pneumonia of newborn	146	10	3	—	—	—	1	1	—	—	2	—	—	3
764	43.2	Diarrhœa of newborn	35	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	14	1	—	—	—	—	—	—	—	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	958	43	19	—	—	2	4	1	—	—	1	—	1	15
794	45.0	Senility	1,283	62	13	—	—	—	1	1	—	—	15	—	1	31
780-793, 795	45.1	Cause ill-defined and unknown	997	37	24	—	—	1	1	—	—	—	—	—	2	9
E963, E970-979	E49	Suicide	269	23	17	—	—	—	—	—	—	—	—	—	1	5
E810-835	E47	Motor vehicle accidents	489	29	14	—	—	—	—	1	—	—	1	—	—	13
E840-845	E48.0	Other road transport accidents	41	5	4	—	—	—	—	—	—	—	—	—	—	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	1,799	120	70	—	—	1	1	2	1	—	2	2	1	40
		ALL CAUSES	63,996	3,976	2,266	12	16	103	58	58	6	19	157	26	45	1,210
		AGES AT DEATH														
		Under 1	3,569	176	92	—	—	4	8	4	—	—	10	1	3	54
		1– 4	694	36	19	—	—	1	1	1	—	—	4	—	1	9
		5– 9	279	17	9	—	—	1	—	—	—	—	1	—	1	5
		10–14	207	14	6	—	—	1	—	—	—	—	1	—	1	5
		15–24	1,148	42	29	—	—	1	—	—	—	—	—	—	—	12
		25–34	1,574	61	33	—	—	1	—	1	—	1	2	2	1	20
		35–44	2,569	130	85	1	—	4	2	—	—	1	3	1	2	31
		45–54	5,350	292	192	—	—	3	5	2	1	1	20	1	3	64
		55–64	9,891	555	347	—	1	18	5	9	2	2	22	4	5	140
		65–74	16,547	1,050	607	4	6	27	20	13	1	7	39	6	11	309
		75–84	17,014	1,193	646	5	7	26	12	21	2	4	44	9	13	404
		85 and over	5,152	410	201	2	2	16	5	7	—	3	11	2	4	157
		Not stated	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	63,996	3,976	2,266	12	16	103	58	58	6	19	157	26	45	1,210

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		ANGUS COUNTY: Angus County	Arbroath Burgh	Brechin Burgh	Carnoustie Burgh	Dundee County of City	Forfar Burgh	Kirriemuir Burgh	Monifieth Burgh	Montrose Burgh	Landward	ARGYLL COUNTY: Argyll County	Campbeltown Burgh	Dunoon Burgh
		Population (Estimated), 30th June, 1950	**277,102**	19,422	7,093	5,014	178,349	10,227	3,475	3,405	11,282	38,835	**67,320**	7,203	10,302
		Total Live Births Registered (including Illegitimate)	**5,086**	374	31	18	3,648	412	14	15	21	553	**918**	222	220
		,, Corr. for Mother's Resid. (,,) ...	**4,832**	360	137	75	3,171	176	39	60	185	629	**1,023**	133	144
		,, ,, ,, Male ...	**2,485**	194	66	41	1,621	97	18	35	108	305	**505**	69	79
		,, ,, ,, Female ...	**2,347**	166	71	34	1,550	79	21	25	77	324	**518**	64	65
		,, ,, ,, Illegitimate ...	**294**	12	8	3	208	14	2	1	6	40	**54**	2	5
		Still-Births Registered (including Illegitimate) ...	**146**	5	1	1	121	12	—	—	1	5	**16**	5	3
		,, Corrected for Mother's Residence ...	**139**	6	6	2	100	3	—	1	2	19	**25**	4	2
		Marriages Registered	**2,213**	175	74	15	1,582	98	40	14	84	131	**340**	77	62
		Deaths Registered	**3,964**	267	80	65	2,608	146	43	43	145	567	**941**	100	169
		,, Corrected for Residence	**3,786**	280	134	101	2,411	139	68	66	187	400	**990**	97	180
		,, ,, Male	**1,823**	127	59	42	1,196	75	28	25	86	185	**489**	51	82
		,, ,, Female	**1,963**	153	75	59	1,215	64	40	41	101	215	**501**	46	98
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**128**	6	5	1	104	—	1	—	4	7	**23**	2	2
010-019	2	Tuberculosis, other forms	**12**	1	—	—	7	1	1	—	1	1	**6**	2	—
020-029	3	Syphilis and its sequelæ	**15**	—	—	—	14	1	—	—	—	—	**3**	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	**1**	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	—	—	—	1	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**8**	—	—	—	7	—	—	—	—	1	**2**	—	1
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**9**	—	2	—	3	—	—	—	—	4	**2**	—	—
140-205	18	Malignant neoplasms	**641**	44	15	17	448	15	9	9	26	58	**143**	12	32
210-239	19	Benign and unspecified neoplasms	**14**	3	1	1	6	—	—	—	1	2	**4**	—	—
260	20	Diabetes mellitus	**33**	2	2	—	21	1	1	—	1	5	**10**	1	2
290-293	21	Anæmias	**25**	1	—	3	16	1	—	1	—	3	**7**	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**38**	4	—	2	25	1	1	1	1	3	**8**	2	1
330-334	22	Vascular lesions affecting central nervous system ...	**461**	35	17	22	274	22	5	16	17	53	**146**	20	31
340	23	Nonmeningococcal meningitis	**6**	1	—	—	5	—	—	—	—	—	**1**	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**67**	4	4	3	34	1	1	1	6	13	**37**	2	9
400-402	24	Rheumatic fever	**3**	—	—	—	3	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**61**	3	1	1	48	—	3	1	2	2	**10**	1	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	**1,116**	77	42	25	695	43	24	22	75	113	**286**	13	51
430-434	27	Other diseases of heart	**70**	6	6	—	43	3	1	1	2	8	**19**	4	3
440-443	28	Hypertension with heart disease	**19**	—	2	1	9	2	—	1	1	3	**14**	—	7
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	**33**	7	2	2	9	4	—	—	2	7	9	1	—
450-468	46.3	Other circulatory disease	**62**	6	5	—	41	4	1	—	3	2	**28**	8	3
480-483	30	Influenza	**8**	—	—	—	5	—	1	1	—	1	**14**	—	2
490-493	31	Pneumonia	**182**	18	5	4	115	5	3	2	9	21	**18**	2	5
500-502	32	Bronchitis	**79**	11	2	1	45	6	2	1	3	8	**11**	2	2
470-475, 510-527	46.4	Other respiratory diseases	**37**	3	2	1	25	2	1	—	1	2	8	2	2
540, 541	33	Ulcer of stomach and duodenum	**48**	2	3	1	37	1	—	—	—	4	7	1	—
550-553	34	Appendicitis	**10**	—	—	—	7	—	1	1	—	1	**1**	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**24**	3	—	—	15	1	—	1	—	4	4	1	—
543	36.1	Gastritis and duodenitis	**1**	—	—	—	1	—	—	—	—	—	**1**	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**27**	—	—	1	17	—	—	1	2	6	2	—	—
581	37	Cirrhosis of liver	**8**	—	—	—	8	—	—	—	—	—	**2**	—	—
580, 582-586	46.5	Other diseases of liver	**19**	1	—	—	13	1	—	—	3	1	3	—	1
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	**11**	1	—	—	8	—	—	—	—	2	7	—	2
590-594	38	Nephritis and nephrosis	**25**	5	1	—	10	1	3	—	1	4	6	2	1
610	39	Hyperplasia of prostate	**36**	2	4	1	19	3	1	—	1	5	9	3	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	**34**	2	—	—	22	1	1	3	1	4	**1**	—	—
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**2**	—	1	—	1	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**1**	—	—	—	—	—	—	—	—	1	**1**	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**11**	1	1	2	5	—	—	—	—	2	**4**	—	2
750-759	41	Congenital malformations	**28**	3	1	—	22	—	—	—	—	2	**3**	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**50**	5	2	2	34	—	—	1	1	5	**5**	—	—
763	43.1	Pneumonia of newborn	**17**	1	—	2	11	—	—	—	2	1	**2**	1	—
764	43.2	Diarrhœa of newborn	**6**	1	—	—	5	—	—	—	—	—	**1**	—	—
765-768	43.3	Other infections of the newborn	**1**	—	—	—	1	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**40**	5	—	—	23	3	1	1	3	4	**12**	1	1
794	45.0	Senility	**57**	4	3	1	9	9	5	—	14	12	**48**	5	6
780-793, 795	45.1	Cause ill-defined and unknown	**9**	1	1	—	3	—	1	1	1	1	**34**	2	7
E963, E970-979	E49	Suicide	**27**	2	—	2	22	—	—	—	—	1	—	—	—
E810-835	E47	Motor vehicle accidents	**22**	1	—	—	11	1	—	—	—	9	**2**	1	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**144**	8	4	5	104	6	—	—	3	14	**25**	6	3
		ALL CAUSES	**3,786**	280	134	101	2,411	139	68	66	187	400	**990**	97	180
		AGES AT DEATH													
		Under 1	**223**	17	4	5	158	4	1	3	9	22	**32**	3	3
		1– 4	**41**	4	4	—	24	—	—	—	2	7	**5**	2	1
		5– 9	**9**	1	—	—	3	—	—	—	—	5	**3**	—	—
		10–14	**9**	1	—	—	5	—	—	—	—	3	**2**	2	—
		15–24	**60**	6	2	3	42	1	—	—	1	5	**16**	2	2
		25–34	**75**	3	5	1	50	4	1	1	4	6	**11**	—	2
		35–44	**155**	10	3	1	109	3	2	3	4	20	**29**	5	1
		45–54	**315**	15	11	9	228	8	3	3	11	27	**71**	5	15
		55–64	**564**	40	17	12	389	19	10	8	19	50	**130**	15	26
		65–74	**914**	66	35	19	610	29	16	14	41	84	**261**	24	48
		75–84	**1,061**	93	33	37	607	50	20	26	70	125	**288**	32	59
		85 and over	**360**	24	20	14	186	21	15	8	26	46	**142**	7	23
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**3,786**	280	134	101	2,411	139	68	66	187	400	**990**	97	180

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		ARGYLL COUNTY—*cont.*					AYR COUNTY								
			Inveraray Burgh	Lochgilphead Burgh	Oban Burgh	Tobermory Burgh	Landward	Ayr County	Ardrossan Burgh	Ayr Burgh	Cumnock and Holmhead Burgh	Darvel Burgh	Galston Burgh	Girvan Burgh	Irvine Burgh	Kilmarnock Burgh
		Population (Estimated), 30th June, 1950	511	1,258	6,790	790	40,466	325,148	8,920	43,490	4,608	3,389	4,926	5,952	15,101	42,724
		Total Live Births Registered (including Illegitimate)	—	15	49	11	401	**5,776**	66	695	41	4	19	121	75	1,000
		,, Corr. for Mother's Resid. (,,) ...	10	26	88	14	608	**5,793**	198	665	97	49	96	110	296	710
		,, ,, ,, Male ...	4	9	38	6	300	**3,008**	104	343	49	26	56	57	154	360
		,, ,, ,, Female ...	6	17	50	8	308	**2,785**	94	322	48	23	40	53	142	350
		,, ,, ,, Illegitimate ...	2	1	2	—	42	**240**	17	25	1	—	3	6	19	33
		Still-Births Registered (including Illegitimate) ...	—	—	1	—	7	**132**	—	6	—	—	1	—	—	13
		,, Corrected for Mother's Residence ...	—	—	3	—	16	**135**	3	15	2	—	2	1	3	17
		Marriages Registered	8	15	48	1	129	**2,430**	53	445	56	26	46	39	124	346
		Deaths Registered	7	6	139	13	507	**3,646**	59	569	46	28	38	95	97	562
		,, Corrected for Residence	10	13	88	17	585	**3,733**	78	510	59	41	59	103	145	541
		,, ,, Male	4	6	41	7	298	**1,902**	42	266	32	16	25	47	78	282
		,, ,, Female	6	7	47	10	287	**1,831**	36	244	27	25	34	56	67	259
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	2	1	—	16	**64**	4	11	2	—	2	3	4	8
010-019	2	Tuberculosis, other forms	—	—	1	—	3	**12**	—	2	1	—	1	—	1	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	3	**10**	—	1	—	—	—	—	1	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	1	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	**4**	—	—	—	—	—	—	—	—
057	10	Meningococcal infection	—	—	—	—	—	**2**	—	1	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	1	**7**	—	—	—	—	—	—	1	—
085	14	Measles	—	—	—	—	—	**4**	—	—	—	—	—	—	1	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	2	**3**	—	1	—	—	—	—	—	1
140-205	18	Malignant neoplasms	—	1	17	3	78	**536**	8	65	9	7	8	16	16	74
210-239	19	Benign and unspecified neoplasms	—	—	1	—	3	**11**	—	2	—	—	1	—	2	1
260	20	Diabetes mellitus	—	—	3	—	4	**38**	1	6	—	—	1	1	3	3
290-293	21	Anæmias	—	—	—	—	6	**22**	—	3	—	—	1	2	1	2
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	2	1	2	**30**	—	6	—	1	—	—	—	4
330-334	22	Vascular lesions affecting central nervous system ...	—	—	4	2	89	**575**	7	73	11	6	10	10	21	97
340	23	Nonmeningococcal meningitis	—	—	—	—	1	**4**	—	1	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	4	—	4	1	17	**62**	1	4	1	—	1	—	7	12
400-402	24	Rheumatic fever	—	—	—	—	—	**2**	—	—	—	—	—	—	—	1
410-416	25	Chronic rheumatic heart disease	—	—	—	1	6	**59**	3	8	—	—	—	—	2	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	3	4	23	4	188	**1,108**	32	172	16	17	15	35	30	155
430-434	27	Other diseases of heart	—	—	2	1	9	**68**	—	9	5	1	—	2	7	9
440-443	28	Hypertension with heart disease	—	—	—	—	7	**18**	—	4	—	1	—	—	—	1
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	1	2	—	5	**21**	—	1	—	—	—	—	1	—
450-468	46.3	Other circulatory disease	—	—	—	—	17	**63**	—	5	1	1	1	2	5	10
480-483	30	Influenza	—	—	—	—	12	**31**	4	2	—	1	—	—	2	5
490-493	31	Pneumonia	—	—	—	—	11	**105**	3	15	—	—	1	2	7	20
500-502	32	Bronchitis	—	—	2	—	5	**106**	—	15	3	2	1	5	7	21
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	—	4	**35**	—	2	3	—	1	—	3	5
540, 541	33	Ulcer of stomach and duodenum	—	—	1	—	5	**26**	1	4	1	—	—	2	—	3
550-553	34	Appendicitis	—	—	—	—	1	**7**	—	1	—	—	—	—	—	4
560, 561, 570	35	Intestinal obstruction and hernia	—	—	1	—	2	**22**	—	4	—	—	—	—	—	4
543	36.1	Gastritis and duodenitis	—	—	—	—	1	**1**	—	1	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	2	**39**	1	4	—	—	3	1	2	5
581	37	Cirrhosis of liver	—	—	—	—	2	**8**	—	1	—	—	1	1	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	2	**18**	—	1	1	1	—	—	1	2
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	—	—	1	—	4	**16**	1	2	—	—	1	—	—	4
590-594	38	Nephritis and nephrosis	—	—	1	—	2	**49**	1	6	—	1	—	4	2	5
610	39	Hyperplasia of prostate	—	—	2	—	4	**34**	—	3	1	—	—	2	—	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	1	—	—	**19**	—	1	1	—	1	—	—	2
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	**1**	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	1	**1**	—	—	1	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	1	—	1	**9**	—	—	1	—	—	—	—	—
750-759	41	Congenital malformations	—	—	—	—	3	**55**	2	8	—	—	2	5	1	8
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	2	—	3	**26**	1	1	—	—	1	1	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	1	**11**	1	2	—	—	—	—	1	2
764	43.2	Diarrhœa of newborn	—	—	—	—	1	**2**	—	—	—	—	—	1	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	**—**	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	1	—	1	—	8	**62**	—	12	1	2	1	—	1	11
794	45.0	Senility	—	—	5	3	29	**76**	—	6	—	—	1	1	7	8
780-793, 795	45.1	Cause ill-defined and unknown	—	2	8	—	15	**76**	3	18	—	—	2	4	4	8
E963, E970-979	E49	Suicide	—	—	—	—	—	**14**	1	3	—	—	—	—	—	2
E810-835	E47	Motor vehicle accidents	—	—	—	—	—	**33**	—	6	—	—	—	—	—	4
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	**1**	—	—	—	—	—	—	1	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	2	2	2	1	9	**127**	3	17	—	—	2	3	3	25
		All Causes	10	13	88	17	585	**3,733**	78	510	59	41	59	103	145	541
		Ages at Death														
		Under 1	1	1	5	—	19	**219**	8	26	1	2	6	6	6	32
		1– 4	—	—	—	—	2	**35**	1	4	—	—	2	—	2	3
		5– 9	—	—	—	—	3	**15**	—	—	—	—	—	—	—	4
		10–14	—	—	—	—	—	**16**	—	1	—	—	—	1	1	4
		15–24	1	2	1	—	8	**53**	—	6	—	—	1	2	3	8
		25–34	—	—	—	—	9	**87**	4	9	3	—	—	3	3	17
		35–44	—	1	4	—	18	**150**	9	24	2	1	4	4	5	20
		45–54	—	1	11	2	37	**295**	4	50	4	3	6	7	18	37
		55–64	1	—	12	2	74	**593**	10	80	10	7	11	12	28	95
		65–74	3	4	29	3	150	**976**	25	133	22	14	12	31	31	142
		75–84	4	2	19	7	165	**1,002**	13	138	12	7	16	25	41	140
		85 and over	—	2	7	3	100	**292**	4	39	5	7	1	12	7	39
		Not stated	—	—	—	—	—	**—**	—	—	—	—	—	—	—	—
		All Ages	10	13	88	17	585	**3,733**	78	510	59	41	59	103	145	541

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		AYR COUNTY—*continued*: Kilwinning Burgh	Largs Burgh	Maybole Burgh	Newmilns and Greenholm B.	Prestwick Burgh	Saltcoats Burgh	Stewarton Burgh	Troon Burgh	Landward	BANFF COUNTY: Banff County	Aberchirder Burgh	Banff Burgh	Buckie Burgh	Aberlour
		Population (Estimated), 30th June, 1950	6,382	7,143	4,888	4,169	11,320	12,872	2,892	9,888	136,484	**51,000**	844	3,218	8,081	1,123
		Total Live Births Registered (including Illegitimate)	853	17	57	9	120	74	13	29	2,583	**946**	25	233	264	4
		,, Corr. for Mother's Resid. (,,) ...	153	91	90	56	187	254	45	165	2,531	**940**	26	67	131	17
		,, ,, ,, Male ...	85	44	42	29	89	142	20	88	1,320	**479**	19	31	66	6
		,, ,, ,, Female ...	68	47	48	27	98	112	25	77	1,211	**461**	7	36	65	11
		,, ,, ,, Illegitimate ...	1	3	9	1	5	9	1	9	98	**81**	1	9	7	2
		Still-Births Registered (including Illegitimate) ...	6	—	1	—	—	2	1	—	102	**23**	1	5	6	—
		,, Corrected for Mother's Residence ...	7	2	2	1	2	7	2	3	66	**29**	2	—	7	1
		Marriages Registered	68	56	34	24	80	94	22	68	849	**328**	6	38	68	12
		Deaths Registered	36	114	58	37	121	102	23	89	1,572	**520**	16	80	74	20
		,, Corrected for Residence	59	143	64	52	164	149	34	127	1,405	**591**	14	50	84	13
		,, ,, Male	35	56	27	33	76	66	16	64	741	**305**	5	27	39	7
		,, ,, Female	24	87	37	19	88	83	18	63	664	**286**	9	23	45	6
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	1	1	1	—	2	2	1	2	20	**7**	—	—	—	—
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	1	5	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	—	1	—	—	1	—	—	—	4	**2**	—	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	4	**1**	—	—	1	—
057	10	Meningococcal infections	—	—	—	—	1	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	1	1	—	—	—	—	—	—	4	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	3	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	1	**2**	—	—	2	—
140-205	18	Malignant neoplasms	12	27	17	6	29	25	8	18	191	**89**	—	6	15	1
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	2	—	1	2	**1**	—	—	—	1
260	20	Diabetes mellitus	—	2	2	1	1	2	—	1	14	**7**	—	1	—	—
290-293	21	Anæmias	—	—	—	—	1	3	—	1	8	**1**	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	—	3	1	—	—	2	—	—	13	**8**	1	—	3	—
330-334	22	Vascular lesions affecting central nervous system ...	12	30	11	13	21	28	6	15	204	**86**	2	10	10	2
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	1	2	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	2	—	2	—	2	3	—	1	26	**7**	—	—	—	—
400-402	24	Rheumatic fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	—	3	—	—	—	3	2	—	34	**8**	—	—	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	10	45	8	14	67	36	8	46	402	**181**	4	11	31	3
430-434	27	Other diseases of heart	—	—	1	—	1	1	1	3	28	**9**	—	2	2	—
440-443	28	Hypertension with heart disease	—	—	1	—	—	3	—	3	5	**3**	—	1	1	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*o*)	(*p*)	(*q*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	2	—	—	—	1	1	—	1	14	**4**	—	1	—	—
450-468	46.3	Other circulatory disease	2	—	4	—	—	3	1	1	27	**21**	—	2	1	1
480-483	30	Influenza	—	—	—	1	—	3	1	—	12	**6**	—	1	1	—
490-493	31	Pneumonia	2	4	1	3	2	3	1	1	40	**13**	1	—	4	1
500-502	32	Bronchitis	1	—	4	3	6	2	—	1	35	**10**	1	2	1	—
470-475, 510-527	46.4	Other respiratory diseases	—	1	1	1	1	—	—	1	16	**2**	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	—	—	—	1	2	2	—	1	9	**7**	—	—	—	—
550-553	34	Appendicitis	—	—	—	—	—	1	—	—	1	**3**	—	—	1	—
560, 561, 570	35	Intestinal obstruction and hernia	—	2	—	1	—	2	—	1	8	**5**	—	—	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	**1**	1	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	1	—	—	1	1	—	2	18	**4**	—	1	—	—
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	5	**3**	—	1	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	—	—	—	1	1	10	**3**	—	—	—	—
530-539, 542, 544 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	1	2	1	—	2	2	**3**	—	—	—	1
590-594	38	Nephritis and nephrosis	2	3	—	—	—	2	1	3	19	**5**	—	—	—	—
610	39	Hyperplasia of prostate	—	3	—	4	1	1	—	1	12	**6**	1	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	2	—	1	2	9	**4**	—	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	1	—	—	—	—	—	—	—	**1**	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	**1**	—	—	1	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	1	—	2	5	**2**	—	1	—	1
750-759	41	Congenital malformations	—	3	—	—	4	—	—	3	19	**6**	—	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	1	—	—	2	1	—	2	12	**4**	—	—	—	—
763	43.1	Pneumonia of newborn	1	—	—	—	—	—	—	—	4	**1**	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	1	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	—	1	1	2	1	—	1	26	**16**	2	—	3	—
794	45.0	Senility	1	2	1	1	1	1	1	1	44	**16**	—	—	3	—
780-793, 795	45.1	Cause ill-defined and unknown	—	5	3	—	4	2	1	—	22	**10**	1	2	1	—
E963, E970-979	E49	Suicide	—	—	—	—	1	1	—	2	4	**4**	—	1	1	—
E810-835	E47	Motor vehicle accidents	—	—	1	—	1	4	—	—	17	**4**	—	1	—	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	6	3	4	1	5	6	—	5	44	**14**	—	4	1	—
		ALL CAUSES	59	143	64	52	164	149	34	127	1,405	**591**	14	50	84	13
		AGES AT DEATH														
		Under 1	10	4	2	3	9	4	2	7	91	**38**	2	—	5	—
		1– 4	1	—	—	1	2	4	1	—	14	**3**	—	—	2	—
		5– 9	—	—	—	—	—	1	—	1	9	—	—	—	—	—
		10–14	—	—	—	—	—	—	—	1	8	**2**	—	—	—	1
		15–24	2	1	—	—	1	3	—	—	26	**6**	—	—	—	—
		25–34	2	1	—	1	—	4	—	—	40	**16**	—	—	3	—
		35–44	1	8	2	2	2	10	—	5	51	**10**	—	—	—	—
		45–54	8	5	6	3	11	12	3	9	109	**46**	—	5	9	—
		55–64	6	11	8	9	19	31	7	28	221	**63**	3	8	10	2
		65–74	12	37	18	10	45	39	9	28	368	**161**	2	12	24	2
		75–84	13	61	20	18	56	30	10	34	368	**169**	6	16	17	3
		85 and over	4	15	8	5	19	11	2	14	100	**77**	1	9	14	5
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	59	143	64	52	164	149	34	127	1,405	**591**	14	50	84	13

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List (a)	International Classification: Intermediate List "B" (b)	(c)	BANFF COUNTY—*continued*: Cullen Burgh (d)	Dufftown Burgh (e)	Findochty Burgh (f)	Keith Burgh (g)	Macduff Burgh (h)	Portknockie Burgh (i)	Portsoy Burgh (j)	Landward (k)	BERWICK COUNTY: **Berwick County** (l)	Coldstream Burgh (m)	Duns Burgh (n)	Eyemouth Burgh (o)	Lauder Burgh (p)	Landward (q)
		Population (Estimated), 30th June, 1950	1,599	1,337	1,710	4,311	3,265	1,521	1,636	22,355	**26,069**	1,219	1,997	2,334	606	19,913
		Total Live Births Registered (including Illegitimate)	2	57	6	181	7	9	10	148	**270**	17	146	14	4	89
		,, Corr. for Mother's Resid. (,,) ...	22	20	38	83	49	28	35	424	**392**	29	42	34	14	273
		,, ,, ,, Male ...	12	7	22	42	27	11	14	222	**202**	11	24	22	10	135
		,, ,, ,, Female ...	10	13	16	41	22	17	21	202	**190**	18	18	12	4	138
		,, ,, ,, Illegitimate ...	—	3	1	9	2	2	—	45	**26**	1	5	—	1	19
		Still-Births Registered (including Illegitimate) ...	—	4	—	1	—	—	—	6	**2**	—	1	—	—	1
		,, Corrected for Mother's Residence ...	—	2	—	—	3	—	—	14	**5**	—	1	—	—	4
		Marriages Registered	10	10	9	37	31	—	12	95	**148**	12	22	17	5	92
		Deaths Registered	15	30	14	44	25	17	19	166	**290**	23	34	18	5	210
		,, Corrected for Residence	17	24	17	43	44	20	25	240	**389**	26	30	25	11	297
		,, ,, Male	7	10	7	26	25	9	13	130	**194**	10	13	11	2	158
		,, ,, Female	10	14	10	17	19	11	12	110	**195**	16	17	14	9	139
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	—	—	1	2	2	—	—	2	**6**	1	—	1	—	4
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	1	**1**	—	—	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	—	—	—	—	**3**	1	—	—	—	2
140-205	18	Malignant neoplasms	4	2	4	8	10	3	4	32	**47**	—	6	2	1	38
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	—	—	**3**	—	—	—	—	3
260	20	Diabetes mellitus	—	1	—	1	1	—	—	3	**5**	—	—	—	1	4
290-293	21	Anæmias	—	—	—	—	—	—	—	1	**1**	—	—	—	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	—	2	—	—	—	2	**2**	1	—	—	—	1
330-334	22	Vascular lesions affecting central nervous system ...	5	4	3	6	5	3	3	33	**58**	3	3	3	—	49
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	—	1	—	—	—	1	2	3	**7**	—	1	—	—	6
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	1	—	1	2	—	—	—	3	**8**	2	—	—	—	6
420-422	26	Arteriosclerotic and degenerative heart disease ...	4	7	3	10	13	8	9	78	**146**	10	12	13	3	108
430-434	27	Other diseases of heart	—	1	—	—	—	—	1	3	**6**	—	—	—	—	6
440-443	28	Hypertension with heart disease	—	—	—	—	—	1	—	—	**7**	2	—	—	—	5

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	—	—	—	—	—	—	—	3	**1**	—	1	—	—	—
450-468	46.3	Other circulatory disease	1	—	—	2	2	—	1	11	**3**	—	—	—	—	3
480-483	30	Influenza	—	—	—	—	—	—	—	4	**3**	—	—	—	—	3
490-493	31	Pneumonia	—	1	—	—	1	—	2	3	**7**	2	2	—	—	3
500-502	32	Bronchitis	—	—	—	1	1	—	—	4	**4**	1	—	—	1	3
470-475, 510-527	46.4	Other respiratory diseases	—	—	1	1	—	—	—	—	**6**	—	—	—	—	5
540, 541	33	Ulcer of stomach and duodenum	—	—	—	2	—	—	1	4	**3**	—	1	1	—	1
550-553	34	Appendicitis	—	—	—	—	1	—	—	1	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	—	—	—	—	—	4	**1**	—	—	—	1	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	1	—	—	—	2	**1**	—	—	—	—	1
581	37	Cirrhosis of liver	—	1	—	—	—	—	—	1	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	—	—	—	1	—	—	—	2	**2**	—	—	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	—	—	—	1	**2**	—	—	—	—	2
590-594	38	Nephritis and nephrosis	—	1	—	—	1	—	—	3	**4**	—	—	1	—	3
610	39	Hyperplasia of prostate	—	—	—	2	—	—	1	1	—	—	—	—	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	1	—	—	—	—	—	1	**1**	—	—	—	—	1
640, 641, 651, 681,682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	—	**2**	—	—	—	—	2
750-759	41	Congenital malformations	—	—	1	1	—	—	1	3	**1**	—	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	1	—	1	1	—	—	1	**3**	—	—	1	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	1	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	—	1	1	—	1	—	—	8	**8**	1	1	—	—	6
794	45.0	Senility	—	—	—	—	4	4	—	5	**6**	—	1	2	1	2
780-793, 795	45.1	Cause ill-defined and unknown	—	—	—	—	1	—	—	5	**6**	1	—	1	—	4
E963, E970-979	E49	Suicide	—	—	—	—	—	—	—	2	**2**	—	—	—	—	2
E810-835	E47	Motor vehicle accidents	—	—	—	—	—	—	—	3	**4**	—	—	—	—	4
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	—	2	1	—	—	—	—	6	**15**	1	2	—	2	10
		All Causes	17	24	17	43	44	20	25	240	**389**	26	30	25	11	297
		Ages at Death														
		Under 1	—	2	2	3	2	—	2	20	**17**	2	2	1	—	12
		1– 4	—	—	—	—	—	—	—	1	**1**	—	—	—	—	1
		5– 9	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
		10–14	—	—	—	—	—	—	—	1	**1**	—	—	—	—	1
		15–24	1	—	—	1	1	—	—	3	**3**	—	—	—	—	3
		25–34	—	2	2	2	1	2	—	4	**8**	1	—	—	—	7
		35–44	—	—	1	3	2	—	2	2	**9**	—	2	1	—	6
		45–54	—	1	—	6	3	1	1	20	**23**	2	—	1	2	18
		55–64	—	—	2	4	6	2	5	21	**48**	2	6	3	2	35
		65–74	6	4	8	9	16	2	6	70	**114**	10	6	9	1	88
		75–84	9	8	2	14	5	10	9	70	**127**	6	11	9	3	98
		85 and over	1	7	—	1	8	3	—	28	**36**	3	3	1	3	26
		Not stated	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
		All Ages	17	24	17	43	44	20	25	240	**389**	26	30	25	11	297

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Bute County: Bute County	Bute County: Millport Burgh	Bute County: Rothesay Burgh	Bute County: Landward	Caithness County: Caithness County	Caithness County: Thurso Burgh	Caithness County: Wick Burgh	Caithness County: Landward	Clackmannan County: Clackmannan County	Clackmannan County: Alloa Burgh	Clackmannan County: Alva Burgh	Clackmannan County: Dollar Burgh	Clackmannan County: Tillicoultry Burgh	Clackmannan County: Landward
		Population (Estimated), 30th June, 1950	**20,504**	1,861	11,211	7,432	**22,791**	2,963	6,974	12,854	**37,058**	14,495	4,475	1,606	3,483	12,999
		Total Live Births Registered (including Illegitimate)	**271**	19	192	60	**403**	17	226	160	**323**	98	23	9	46	147
		,, Corr. for Mother's Resid. (,,) ...	**283**	18	163	102	**429**	50	165	214	**724**	251	51	25	77	320
		,, ,, ,, Male ...	**161**	15	91	55	**215**	26	86	103	**359**	121	23	13	43	159
		,, ,, ,, Female ...	**122**	3	72	47	**214**	24	79	111	**365**	130	28	12	34	161
		,, ,, ,, Illegitimate ...	**16**	2	9	5	**36**	4	12	20	**34**	16	—	3	3	12
		Still-Births Registered (including Illegitimate) ...	**2**	—	1	1	**7**	—	4	3	**5**	1	1	—	2	1
		,, Corrected for Mother's Residence ...	**2**	—	1	1	**8**	1	4	3	**27**	14	3	—	3	7
		Marriages Registered	**95**	3	65	27	**159**	43	66	50	**301**	153	33	4	37	74
		Deaths Registered	**295**	38	151	106	**332**	34	86	212	**363**	148	41	14	33	127
		,, Corrected for Residence	**305**	35	154	116	**338**	44	98	196	**448**	167	59	24	48	150
		,, ,, Male	**132**	18	68	46	**152**	28	43	81	**224**	90	30	11	23	70
		,, ,, Female	**173**	17	86	70	**186**	16	55	115	**224**	77	29	13	25	80
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**6**	—	2	4	**11**	2	4	5	**13**	6	1	—	—	6
010-019	2	Tuberculosis, other forms	—	—	—	—	**2**	—	2	—	**2**	—	—	—	—	2
020-029	3	Syphilis and its sequelæ	—	—	—	—	**1**	1	—	—	**1**	—	—	—	1	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	**3**	1	—	—	—	2
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	**2**	—	—	—	—	2
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	**2**	1	—	1	**2**	1	—	1	—	—
140-205	18	Malignant neoplasms	**31**	3	13	15	**46**	7	12	27	**59**	23	6	1	9	20
210-239	19	Benign and unspecified neoplasms	**1**	1	—	—	**2**	—	1	1	**1**	1	—	—	—	—
260	20	Diabetes mellitus	**3**	—	1	2	**4**	1	1	2	**4**	3	—	—	—	1
290-293	21	Anæmias	**1**	—	1	—	—	—	—	—	**2**	2	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**2**	—	1	1	**3**	—	2	1	**2**	—	—	—	1	1
330-334	22	Vascular lesions affecting central nervous system ...	**49**	4	21	24	**39**	5	6	28	**59**	24	9	2	4	20
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**10**	—	8	2	**7**	—	5	2	**7**	3	—	—	2	2
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**3**	—	3	—	**3**	—	—	3	**2**	—	1	1	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**99**	16	48	35	**100**	12	24	64	**118**	48	16	7	17	30
430-434	27	Other diseases of heart	**5**	—	4	1	**2**	—	1	1	**10**	4	2	—	—	4
440-443	28	Hypertension with heart disease	**3**	—	1	2	**1**	1	—	—	**3**	—	—	—	1	2
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**1**	—	1	—	**1**	1	—	—	**3**	—	—	1	—	2
450-468	46.3	Other circulatory disease	**3**	2	1	—	**17**	1	3	13	**11**	7	2	—	—	2
480-483	30	Influenza	—	—	—	—	**7**	—	2	5	—	—	—	—	—	—
490-493	31	Pneumonia	**4**	—	4	—	**6**	2	2	2	**16**	8	1	—	1	6
500-502	32	Bronchitis	**20**	1	12	7	**9**	1	3	5	**12**	2	3	1	—	6
470-475, 510-527	46.4	Other respiratory diseases	**2**	1	—	1	**6**	1	—	5	**6**	2	—	—	—	4
540, 541	33	Ulcer of stomach and duodenum	**1**	—	1	—	**3**	—	1	2	**8**	3	2	—	—	3
550-553	34	Appendicitis	—	—	—	—	**2**	1	1	—	**1**	—	—	—	1	—
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	—	**4**	—	—	4	**2**	1	—	—	—	1
543	36.1	Gastritis and duodenitis	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**3**	—	1	2	**3**	—	—	3	**3**	—	—	—	—	3
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
580, 582-586	46.5	Other diseases of liver	**2**	—	2	—	**1**	1	—	—	**5**	2	—	1	1	1
530-539, 542, 544	46.6	Other digestive diseases	—	—	—	—	**1**	—	—	1	**3**	2	—	—	—	1
545, 573-578, 587			**3**	—	2	1	**8**	1	4	3	**5**	2	2	—	—	1
590-594	38	Nephritis and nephrosis														
610	39	Hyperplasia of prostate	**1**	—	1	—	**1**	—	1	—	**2**	—	1	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	**1**	1	—	—	**3**	1	2	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**3**	1	—	2	**1**	—	1	—	**1**	1	—	—	—	—
750-759	41	Congenital malformations	**1**	—	1	—	**3**	1	—	2	**3**	—	—	—	—	3
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**1**	—	1	—	—	—	—	—	**5**	3	—	—	—	2
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	**1**	—	—	—	—	1
769-776	44	Other diseases peculiar to early infancy	**6**	—	4	2	**4**	—	4	—	**4**	—	—	—	1	3
794	45.0	Senility	**17**	3	7	7	**18**	—	14	4	**25**	—	7	6	6	6
780-793, 795	45.1	Cause ill-defined and unknown	**15**	2	7	6	**8**	3	2	3	**12**	6	2	2	—	2
E963, E970-979	E49	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	—	—	—	—	**2**	—	1	1	**7**	2	1	1	—	3
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**8**	1	5	2	**9**	—	1	8	**19**	8	1	—	3	7
		ALL CAUSES	**305**	35	154	116	**338**	44	98	196	**448**	167	59	24	48	150
		AGES AT DEATH														
		Under 1	**10**	—	8	2	**13**	3	6	4	**25**	6	—	—	2	17
		1– 4	**2**	—	2	—	**7**	1	1	5	**9**	3	—	—	—	6
		5– 9	—	—	—	—	**2**	—	2	—	**4**	3	—	—	—	1
		10–14	—	—	—	—	**1**	1	—	—	**1**	—	—	—	—	1
		15–24	**1**	1	—	—	**5**	1	3	1	**12**	6	—	—	1	5
		25–34	**2**	1	—	1	**7**	1	2	4	**7**	3	1	—	—	3
		35–44	**11**	1	6	4	**12**	2	3	7	**16**	3	1	1	3	8
		45–54	**22**	3	9	10	**21**	2	4	15	**45**	20	7	2	3	13
		55–64	**31**	2	17	12	**41**	3	15	23	**66**	23	11	3	6	23
		65–74	**89**	17	42	30	**85**	11	25	49	**100**	44	13	5	15	23
		75–84	**102**	8	55	39	**99**	10	26	63	**120**	43	17	11	13	36
		85 and over	**35**	2	15	18	**45**	9	11	25	**43**	13	9	2	5	14
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**305**	35	154	116	**338**	44	98	196	**448**	167	59	24	48	150

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Dunbarton County: Dunbarton County	Clydebank Burgh	Cove and Kilcreggan Burgh	Dumbarton Burgh	Helensburgh Burgh	Kirkintilloch Burgh	Milngavie Burgh	Landward	Dumfries County: Dumfries County	Annan Burgh	Dumfries Burgh	Langholm Burgh	Lochmaben Burgh
		Population (Estimated), 30th June, 1950	**163,716**	44,039	907	24,319	8,972	15,274	7,352	62,853	**87,622**	4,597	27,048	2,385	1,156
		Total Live Births Registered (including Illegitimate)	**2,345**	412	3	850	327	168	64	521	**2,025**	50	1,538	10	11
		,, Corr. for Mother's Resid. (,,) ...	**3,164**	986	15	503	129	313	141	1,077	**1,532**	81	476	34	23
		,, ,, ,, Male ...	**1,676**	538	8	275	65	166	70	554	**768**	42	228	15	14
		,, ,, ,, Female ...	**1,488**	448	7	228	64	147	71	523	**764**	39	248	19	9
		,, ,, ,, Illegitimate ...	**133**	44	1	24	11	8	2	43	**106**	8	31	6	1
		Still-Births Registered (including Illegitimate) ...	**61**	8	—	19	19	1	—	14	**69**	—	54	—	2
		,, Corrected for Mother's Residence ...	**112**	32	—	23	7	7	1	42	**43**	—	14	1	2
		Marriages Registered	**1,045**	317	7	143	79	118	41	340	**668**	42	285	9	20
		Deaths Registered	**1,681**	321	13	315	145	125	71	691	**1,177**	62	497	39	13
		,, Corrected for Residence	**1,954**	497	20	293	144	157	109	734	**1,085**	71	345	39	13
		,, ,, Male	**996**	246	8	162	60	82	51	387	**549**	33	179	18	5
		,, ,, Female	**958**	251	12	131	84	75	58	347	**536**	38	166	21	8
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**71**	19	—	17	6	3	4	22	**19**	1	4	—	—
010-019	2	Tuberculosis, other forms	**11**	3	—	6	—	—	1	1	**4**	—	—	—	—
020-029	3	Syphilis and its sequelæ	**5**	—	—	—	—	1	1	3	**3**	—	1	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	**2**	1	—	1	—	—	—	—	**1**	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**1**	—	—	—	—	—	—	1	**1**	—	1	—	—
057	10	Meningococcal infections	**3**	1	—	—	—	—	—	2	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	**1**	—	—	1	—
085	14	Measles	**5**	1	—	—	—	2	1	1	**1**	—	1	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**4**	—	—	—	—	2	—	2	**2**	—	1	—	—
140-205	18	Malignant neoplasms	**303**	79	2	47	27	14	18	116	**167**	11	68	4	4
210-239	19	Benign and unspecified neoplasms	**8**	3	—	1	1	—	—	3	**4**	1	1	—	—
260	20	Diabetes mellitus	**16**	5	—	4	—	1	—	6	**6**	—	—	—	—
290-293	21	Anæmias	**8**	2	—	—	—	3	—	3	**9**	—	2	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**13**	1	—	5	1	—	1	5	**10**	—	6	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**277**	77	7	40	19	21	21	92	**157**	11	44	7	1
340	23	Nonmeningococcal meningitis	**3**	1	—	2	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**30**	8	—	5	1	1	1	14	**16**	2	3	—	—
400-402	24	Rheumatic fever	**1**	—	—	—	—	1	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**23**	6	—	3	1	—	2	11	**20**	3	6	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**549**	123	4	60	40	51	34	237	**364**	20	123	16	6
430-434	27	Other diseases of heart	68	10	2	22	6	9	1	18	**13**	—	—	1	—
440-443	28	Hypertension with heart disease	**9**	2	—	2	—	—	—	5	**6**	—	1	1	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	**17**	4	—	3	3	2	—	5	**6**	—	2	—	—
450-468	46.3	Other circulatory disease	**35**	8	1	5	6	—	4	11	**23**	2	7	3	—
480-483	30	Influenza	**10**	1	1	—	2	—	—	6	**5**	—	—	—	—
490-493	31	Pneumonia	**54**	19	—	4	3	9	4	15	**39**	3	12	—	—
500-502	32	Bronchitis	**45**	11	2	5	3	3	3	18	**30**	2	10	—	1
470-475, 510-527	46.4	Other respiratory diseases	**19**	6	—	6	—	1	—	6	**13**	—	4	—	—
540, 541	33	Ulcer of stomach and duodenum	**22**	7	1	3	3	1	2	5	**6**	—	1	1	—
550-553	34	Appendicitis	**6**	1	—	1	—	1	—	3	**3**	1	—	—	—
560, 561, 570	35	Injestinal obstruction and hernia	**8**	2	—	1	—	1	—	4	**3**	—	—	—	—
543	36.1	Gastritis and duodenitis	**1**	—	—	1	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn) ... + ...	**17**	7	—	6	1	1	—	2	**9**	—	4	—	—
581	37	Cirrhosis of liver	**1**	1	—	—	—	—	—	—	**1**	1	—	—	—
580, 582-586	46.5	Other diseases of liver	**9**	3	—	—	1	—	—	5	**5**	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**4**	2	—	—	1	—	1	—	**8**	—	3	1	—
590-594	38	Nephritis and nephrosis	**20**	5	—	4	—	1	1	9	**15**	4	5	—	—
610	39	Hyperplasia of prostate	**9**	2	—	1	3	—	—	3	**7**	—	1	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	**7**	—	—	2	1	1	—	3	**3**	—	2	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**2**	1	—	—	—	—	—	1	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**2**	1	—	—	—	1	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**9**	3	—	1	—	2	—	3	4	1	2	—	—
750-759	41	Congenital malformations	**26**	9	—	1	1	3	1	11	**10**	1	3	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**21**	9	—	3	—	2	—	7	**4**	—	2	—	—
763	43.1	Pneumonia of newborn	**6**	2	—	—	1	—	1	2	**1**	—	—	—	—
764	43.2	Diarrhœa of newborn	**1**	—	—	—	—	—	—	1	**1**	—	—	—	—
765-768	43.3	Other infections of the newborn	**1**	—	—	1	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**35**	10	—	3	1	3	2	16	**24**	1	12	—	—
794	45.0	Senility	**40**	10	—	18	1	4	—	7	**15**	4	3	2	1
780-793, 795	45.1	Cause ill-defined and unknown	**26**	3	—	4	1	2	—	16	**10**	—	1	1	—
E963, E970-979	E49	Suicide	**6**	1	—	—	—	2	—	3	**4**	1	1	—	—
E810-835	E47	Motor vehicle accidents	**19**	4	—	2	1	2	2	8	**12**	—	4	—	—
E840-845	E48.0	Other road transport accidents	**2**	1	—	—	—	—	—	1	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**64**	22	—	3	9	6	3	21	**20**	1	4	1	—
		ALL CAUSES	**1,954**	497	20	293	144	157	109	734	**1,085**	71	345	39	13
		AGES AT DEATH													
		Under 1	**126**	38	—	20	3	10	5	50	**52**	2	21	—	—
		1– 4	**32**	13	—	3	1	2	—	13	**9**	—	5	—	—
		5– 9	**11**	2	1	2	—	2	—	4	**2**	—	1	—	—
		10–14	**6**	1	—	1	1	1	—	2	**4**	—	1	—	—
		15–24	**31**	9	—	8	—	2	—	12	**16**	3	4	—	—
		25–34	**54**	18	—	6	1	4	5	20	**22**	1	8	—	—
		35–44	**83**	27	—	11	6	6	2	31	**33**	1	11	1	—
		45–54	**159**	46	2	23	12	13	12	51	**70**	6	28	—	—
		55–64	**308**	73	2	49	25	33	16	110	**140**	8	51	9	2
		65–74	**527**	134	5	80	32	37	30	209	**318**	16	93	15	4
		75–84	**470**	109	9	62	49	37	26	178	**329**	24	98	10	4
		85 and over	**147**	27	1	28	14	10	13	54	**90**	10	24	4	3
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**1,954**	497	20	293	144	157	109	734	**1,085**	71	345	39	13

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Dumfries County—*continued*: Lockerbie Burgh	Moffat Burgh	Sanquhar Burgh	Landward	East Lothian County: East Lothian County	Cockenzie, etc. Burgh	Dunbar Burgh	East Linton Burgh	Haddington Burgh	North Berwick Burgh	Prestonpans Burgh	Tranent Burgh	Landward
		Population (Estimated), 30th June, 1950	2,778	2,053	2,028	45,577	51,678	3,213	3,975	924	4,523	3,436	2,929	5,679	26,999
		Total Live Births Registered (including Illegitimate)	10	77	16	313	**642**	18	38	2	288	12	34	56	194
		,, Corr. for Mother's Resid. (,,) ...	39	32	41	806	**953**	65	76	15	72	41	58	139	487
		,, ,, ,, Male ...	20	17	17	415	**484**	25	31	8	37	21	25	76	261
		,, ,, ,, Female ...	19	15	24	391	**469**	40	45	7	35	20	33	63	226
		,, ,, ,, Illegitimate ...	2	2	3	53	**51**	4	2	1	5	1	3	9	26
		Still-Births Registered (including Illegitimate) ...	—	4	—	9	**7**	—	—	—	1	—	—	2	4
		,, Corrected for Mother's Residence ...	—	4	1	21	**25**	1	3	—	3	—	—	3	15
		Marriages Registered	25	13	24	250	**343**	16	40	5	56	25	52	56	93
		Deaths Registered	40	38	12	476	**464**	29	47	7	85	49	20	38	189
		,, Corrected for Residence	42	41	19	515	**561**	34	45	19	61	65	27	55	255
		,, ,, Male	20	22	7	265	**270**	16	18	9	30	26	18	28	125
		,, ,, Female	22	19	12	250	**291**	18	27	10	31	39	9	27	130
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	—	1	1	12	**15**	2	2	—	1	2	2	—	6
010-019	2	Tuberculosis, other forms	—	—	—	4	**1**	—	—	—	—	—	—	—	1
020-029	3	Syphilis and its sequelæ	2	—	—	—	**1**	—	—	1	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	1	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	**1**	—	—	—	—	—	—	—	1
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	**2**	—	—	—	—	—	—	—	2
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	—	—	**1**	—	—	—	—	—	—	—	1
140-205	18	Malignant neoplasms	11	5	1	63	**92**	3	11	—	11	12	6	10	39
210-239	19	Benign and unspecified neoplasms	—	—	—	2	**1**	—	—	—	—	—	—	—	1
260	20	Diabetes mellitus	—	—	1	5	**8**	1	1	1	—	1	—	—	4
290-293	21	Anæmias	—	—	1	6	**1**	1	—	—	—	—	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	—	—	1	3	**8**	—	—	2	—	1	2	—	3
330-334	22	Vascular lesions affecting central nervous system ...	6	3	—	85	**88**	7	6	6	15	9	1	6	38
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	2	—	8	**10**	—	2	—	1	1	—	1	5
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	2	—	—	9	**8**	1	1	—	—	3	—	1	2
420-422	26	Arteriosclerotic and degenerative heart disease ...	9	23	6	161	**167**	12	12	7	18	16	10	16	76
430-434	27	Other diseases of heart	—	1	—	11	**20**	1	1	1	2	2	—	1	12
440-443	28	Hypertension with heart disease	2	—	—	2	**1**	—	—	—	—	—	—	1	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	—	—	—	4	**2**	—	—	—	1	—	—	1	—
450-468	46.3	Other circulatory disease	2	—	2	7	**12**	—	1	—	2	4	1	—	4
480-483	30	Influenza	—	1	—	4	**4**	—	1	—	—	—	—	—	3
490-493	31	Pneumonia	—	1	1	22	**10**	1	1	—	1	2	—	2	3
500-502	32	Bronchitis	—	1	3	13	**15**	—	3	—	1	4	1	1	5
470-475, 510-527	46.4	Other respiratory diseases	—	—	—	9	**10**	—	1	—	—	—	—	3	6
540, 541	33	Ulcer of stomach and duodenum	—	—	—	4	**4**	—	1	—	—	—	—	2	1
550-553	34	Appendicitis	—	—	—	2	**3**	1	—	—	—	—	—	1	1
560, 561, 570	35	Intestinal obstruction and hernia	—	—	—	3	**3**	—	—	—	—	—	1	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	1	—	4	**3**	—	—	—	1	—	—	1	1
581	37	Cirrhosis of liver	—	—	—	—	**1**	—	—	—	1	—	—	—	—
580, 582-586	46.5	Other diseases of liver	1	1	1	2	**3**	—	—	—	—	2	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	1	2	**2**	1	—	—	—	—	—	—	1
590-594	38	Nephritis and nephrosis	—	—	—	6	**3**	—	—	—	—	—	—	—	3
610	39	Hyperplasia of prostate	1	—	—	5	**3**	—	—	—	1	1	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	1	—	—	—	—	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	**1**	—	—	—	—	—	—	—	1
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	**4**	—	—	—	—	—	2	—	2
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	1	**2**	—	—	—	—	—	—	—	2
750-759	41	Congenital malformations	—	—	—	6	**8**	—	—	—	—	1	—	**2**	5
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	1	—	1	**4**	—	—	—	—	—	—	—	4
763	43.1	Pneumonia of newborn	—	—	—	1	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	1	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	—	—	9	**6**	—	—	—	—	2	—	1	3
794	45.0	Senility	—	—	—	5	**7**	—	—	—	2	—	—	2	3
780-793, 795	45.1	Cause ill-defined and unknown	1	—	—	7	**6**	2	1	—	1	—	—	1	1
E963, E970-979	E49	Suicide	—	—	—	2	**2**	—	—	—	—	—	—	1	1
E810-835	E47	Motor vehicle accidents	—	—	—	8	**1**	—	—	—	—	—	—	—	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	—	—	—	14	**17**	1	—	1	2	2	1	1	9
		All Causes	42	41	19	515	**561**	34	45	19	61	65	27	55	255
		Ages at Death													
		Under 1	2	1	—	26	**24**	—	1	—	1	3	—	4	15
		1– 4	—	—	—	4	**3**	—	—	—	—	1	—	—	2
		5– 9	—	—	1	—	**1**	—	1	—	—	—	—	—	—
		10–14	—	—	—	3	**1**	1	—	—	—	—	—	—	—
		15–24	1	—	—	8	**7**	1	—	—	—	—	—	1	5
		25–34	1	—	1	11	**13**	—	1	—	2	—	3	1	6
		35–44	2	2	—	16	**10**	1	1	—	1	1	1	1	4
		45–54	4	2	—	30	**38**	2	5	—	3	6	2	3	17
		55–64	3	2	5	60	**71**	4	7	3	6	7	4	6	34
		65–74	11	18	5	156	**160**	13	13	7	23	21	7	17	59
		75–84	15	13	5	160	**181**	10	13	8	20	21	8	18	83
		85 and over	3	3	2	41	**52**	2	3	1	5	5	2	4	30
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	42	41	19	515	**561**	34	45	19	61	65	27	55	255

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Fife County: Fife County	Auchtermuchty Burgh	Buckhaven Burgh	Burntisland Burgh	Cowdenbeath Burgh	Crail Burgh	Culross Burgh	Cupar Burgh	Dunfermline Burgh	Elie and Earlsferry B.	Falkland Burgh	Inverkeithing Burgh	Kilrenny and Anstruther B.	Kinghorn Burgh
		Population (Estimated), 30th June, 1950	**310,276**	1,231	20,558	5,806	13,652	1,106	566	5,172	47,725	1,037	897	3,808	3,153	2,186
		Total Live Births Registered (including Illegitimate)	**5,489**	7	242	22	79	3	5	18	1,329	7	2	34	12	5
		,, Corr. for Mother's Resid. (,,) ...	**5,656**	22	454	78	235	12	12	89	738	9	6	70	43	24
		,, ,, ,, Male ...	**2,861**	12	227	48	120	5	8	38	373	4	3	37	17	13
		,, ,, ,, Female ...	**2,795**	10	227	30	115	7	4	51	365	5	3	33	26	11
		,, ,, ,, Illegitimate ...	**259**	1	22	2	4	—	—	6	36	1	1	7	—	3
		Still-Births Registered (including Illegitimate) ...	**150**	—	5	1	1	—	—	—	43	—	—	—	—	—
		,, Corrected for Mother's Residence ...	**162**	—	11	2	3	—	1	2	21	1	—	1	1	—
		Marriages Registered	**2,394**	19	200	36	118	13	25	67	394	4	9	36	18	19
		Deaths Registered	**3,475**	22	192	72	105	15	6	69	584	30	8	41	43	26
		,, Corrected for Residence	**3,861**	30	242	77	160	21	10	72	510	26	13	52	58	37
		,, ,, Male	**1,919**	12	127	42	91	8	3	36	253	9	8	32	25	21
		,, ,, Female	**1,942**	18	115	35	69	13	7	36	257	17	5	20	33	16
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**104**	—	9	1	6	1	—	3	12	—	—	1	1	—
010-019	2	Tuberculosis, other forms	**16**	—	1	—	—	—	—	1	3	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	**6**	—	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**4**	—	1	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	**2**	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**6**	—	—	—	—	—	—	—	2	—	—	—	—	—
085	14	Measles	**1**	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**6**	—	1	—	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	**584**	1	31	14	27	5	1	13	85	5	4	9	7	6
210-239	19	Benign and unspecified neoplasms	**13**	—	2	1	—	—	—	—	1	—	—	—	—	—
260	20	Diabetes mellitus	**34**	1	3	—	—	1	—	1	2	1	—	—	1	—
290-293	21	Anæmias	**29**	—	1	—	—	—	—	2	3	1	—	1	1	—
240-254, 270-289, 294-299	46.1	Other general diseases	**34**	1	3	—	2	—	—	—	6	—	—	1	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**585**	1	34	15	26	5	—	8	73	3	1	5	10	8
340	23	Nonmeningococcal meningitis	**6**	—	—	—	—	—	—	—	2	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**60**	1	4	—	2	—	—	4	6	—	—	—	2	—
400-402	24	Rheumatic fever	**6**	—	—	—	—	—	—	1	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**50**	—	1	—	5	—	—	—	8	—	—	1	2	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**1,107**	11	56	25	43	3	4	24	153	8	7	14	22	12
430-434	27	Other diseases of heart	**88**	3	7	—	2	2	—	1	13	3	—	1	1	—
440-443	28	Hypertension with heart disease	**21**	—	3	—	2	—	—	—	4	1	—	1	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**24**	—	2	—	3	—	—	1	5	—	—	—	—	1
450-468	46.3	Other circulatory disease	**88**	—	3	1	5	—	—	1	10	—	—	—	2	—
480-483	30	Influenza	**30**	2	4	—	1	—	—	—	2	—	—	—	1	—
490-493	31	Pneumonia	**75**	—	4	2	4	1	1	—	7	—	—	2	2	—
500-502	32	Bronchitis	**130**	2	11	1	7	—	—	—	13	—	—	1	1	2
470-475, 510-527	46.4	Other respiratory diseases	**44**	—	6	2	—	—	—	1	10	—	1	—	1	—
540, 541	33	Ulcer of stomach and duodenum	**33**	1	2	1	—	—	—	—	6	—	—	1	1	—
550-553	34	Appendicitis	**5**	—	1	—	—	—	—	—	1	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**23**	—	1	—	2	—	1	—	3	—	—	—	—	—
543	36.1	Gastritis and duodenitis	**3**	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**30**	—	3	—	1	—	—	—	4	—	—	—	—	1
581	37	Cirrhosis of liver	**12**	1	—	—	1	—	—	—	1	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	**17**	—	2	—	1	—	—	—	3	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**6**	—	—	—	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	**44**	—	2	1	2	1	—	1	4	—	—	—	—	—
610	39	Hyperplasia of prostate	**37**	1	3	1	—	—	—	1	10	—	—	—	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	**19**	1	2	—	2	—	—	—	1	1	—	—	—	—
640, 641, 651, 681-682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**1**	—	—	—	—	—	—	—	1	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**10**	—	—	—	—	—	—	—	2	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**15**	1	—	1	2	—	—	1	2	—	—	—	—	—
750-759	41	Congenital malformations	**53**	—	5	2	2	—	—	3	6	—	—	—	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**37**	—	5	1	—	—	—	—	4	—	—	—	—	—
763	43.1	Pneumonia of newborn	**6**	—	1	—	2	—	—	—	—	—	—	—	—	—
764	43.2.	Diarrhœa of newborn	**2**	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**54**	—	6	—	2	—	—	1	4	—	—	—	2	2
794	45.0	Senility	**114**	1	10	3	2	2	2	—	14	1	—	7	—	1
780-793, 795	45.1	Cause ill-defined and unknown	**38**	—	—	3	1	—	—	—	10	—	—	1	—	—
E963, E970-979	E49	Suicide	**15**	—	1	—	1	—	1	—	2	—	—	2	—	—
E810-835	E47	Motor vehicle accidents	**33**	—	2	1	—	—	—	—	2	—	—	—	—	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**101**	1	9	1	4	—	—	4	10	2	—	4	1	1
		ALL CAUSES	**3,861**	30	242	77	160	21	10	72	510	26	13	52	58	37
		AGES AT DEATH														
		Under 1	**222**	—	26	5	9	—	—	4	22	—	—	—	2	4
		1– 4	**38**	—	4	1	—	—	—	1	5	—	—	—	—	—
		5– 9	**11**	—	1	—	—	—	—	—	2	—	—	1	—	—
		10–14	**14**	—	—	1	1	1	—	—	—	—	—	—	—	—
		15–24	**66**	—	9	—	4	—	—	—	8	—	—	—	—	—
		25–34	**76**	—	4	—	10	1	1	1	6	—	—	1	—	—
		35–44	**148**	—	10	2	10	—	1	3	22	—	—	4	3	1
		45–54	**285**	2	28	6	13	3	—	5	43	1	—	4	4	4
		55–64	**606**	2	38	8	31	2	1	11	96	4	3	9	11	5
		65–74	**1,008**	6	45	27	38	2	1	23	141	9	6	16	11	8
		75–84	**1,069**	17	62	18	35	10	6	20	123	10	2	12	22	13
		85 and over	**318**	3	15	9	9	2	—	4	42	2	2	5	5	2
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**3,861**	30	242	77	160	21	10	72	510	26	13	52	58	37

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Fife County—*continued*: Kirkcaldy Burgh	Ladybank Burgh	Leslie Burgh	Leven Burgh	Lochgelly Burgh	Markinch Burgh	Newburgh Burgh	Newport Burgh	Pittenweem Burgh	St. Andrews Burgh	St. Monance Burgh	Tayport Burgh	Landward
		Population (Estimated), 30th June, 1950	49,425	1,164	2,633	8,654	9,696	2,286	2,341	3,076	1,602	8,548	1,622	3,328	109,004
		Total Live Births Registered (including Illegitimate)	1,170	4	15	68	76	14	14	200	7	165	3	10	1,978
		,, Corr. for Mother's Resid. (,,) ...	896	18	34	150	159	38	42	49	25	117	19	44	2,273
		,, ,, ,, Male ...	472	11	15	78	83	21	23	24	14	53	14	22	1,126
		,, ,, ,, Female ...	424	7	19	72	76	17	19	25	11	64	5	22	1,147
		,, ,, ,, Illegitimate ...	43	1	—	7	12	—	—	2	1	7	—	3	100
		Still-Births Registered (including Illegitimate) ...	38	—	1	3	2	—	—	6	—	1	—	—	49
		,, Corrected for Mother's Residence ...	27	1	3	5	5	1	5	1	—	5	1	—	65
		Marriages Registered	496	15	13	94	93	28	15	20	13	88	7	9	545
		Deaths Registered	629	11	40	69	83	37	19	42	20	128	18	38	1,128
		,, Corrected for Residence	674	16	47	86	113	40	35	59	38	148	19	46	1,232
		,, ,, Male	346	7	26	41	57	15	13	16	16	71	8	26	610
		,, ,, Female	328	9	21	45	56	25	22	43	22	77	11	20	622
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	21	—	2	2	1	2	1	1	1	3	1	2	33
010-019	2	Tuberculosis, other forms	6	—	—	—	—	—	—	—	—	—	—	1	4
020-029	3	Syphilis and its sequelæ	2	—	1	—	1	—	—	—	—	—	—	—	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	2	—	—	—	—	—	—	—	—	—	—	—	1
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	2
080	12	Acute poliomyelitis	1	—	—	—	—	—	—	1	—	—	—	—	2
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	1	—	—	—	—	—	1	—	3
140-205	18	Malignant neoplasms	99	3	6	21	20	1	9	8	11	23	3	9	163
210-239	19	Benign and unspecified neoplasms	2	—	—	—	1	—	—	—	1	—	—	—	5
260	20	Diabetes mellitus	7	—	—	—	—	—	—	1	1	1	—	—	14
290-293	21	Anæmias	1	—	1	1	3	1	—	—	—	—	—	1	12
240-254, 270-289, 294-299	46.1	Other general diseases	5	—	—	2	1	—	—	1	—	2	—	—	10
330-334	22	Vascular lesions affecting central nervous system ...	107	3	13	18	22	5	7	15	3	22	2	7	172
340	23	Nonmeningococcal meningitis	1	—	—	—	—	—	—	—	—	—	—	—	3
300-326, 341-398	46.2	Other diseases of nervous system	9	—	1	—	1	2	—	—	—	4	—	1	23
400-402	24	Rheumatic fever	—	—	1	1	—	—	—	—	1	—	—	—	2
410-416	25	Chronic rheumatic heart disease	15	—	—	—	—	2	—	—	—	2	—	—	14
420-422	26	Arteriosclerotic and degenerative heart disease ...	200	3	13	19	22	10	7	19	8	47	7	17	353
430-434	27	Other diseases of heart	11	2	—	2	5	1	1	1	—	6	—	—	26
440-443	28	Hypertension with heart disease	1	—	—	—	—	1	—	—	—	—	—	—	8
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	6	—	—	1	—	—	—	1	—	—	—	—	4
450-468	46.3	Other circulatory disease	16	2	—	3	2	2	1	1	1	10	2	—	26
480-483	30	Influenza	5	1	—	2	2	1	—	1	—	1	—	1	6
490-493	31	Pneumonia	20	—	—	1	1	1	—	—	1	—	1	—	27
500-502	32	Bronchitis	29	—	5	5	6	2	1	—	2	2	1	2	37
470-475, 510-527	46.4	Other respiratory diseases	4	—	—	2	—	—	1	—	—	2	—	—	14
540, 541	33	Ulcer of stomach and duodenum	5	—	—	—	1	—	—	3	1	1	—	1	9
550-553	34	Appendicitis	—	1	1	—	—	—	—	—	—	—	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	4	—	—	—	2	—	1	—	—	1	—	—	8
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	3
571, 572	36.2	Diarrhœa (except of newborn)	7	—	—	1	—	—	—	1	—	2	—	—	10
581	37	Cirrhosis of liver	3	—	—	—	—	—	—	—	—	1	—	—	5
580, 582-586	46.5	Other diseases of liver	1	—	—	—	2	1	1	1	—	—	—	—	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	—	—	—	—	—	—	—	—	1	—	3
590-594	38	Nephritis and nephrosis	12	—	—	—	—	—	—	—	—	2	—	—	19
610	39	Hyperplasia of prostate	2	—	1	—	2	—	1	1	1	2	—	1	9
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	—	1	2	—	—	—	—	—	—	1	7
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	—	1	—	—	—	—	1	—	—	5
690-749	46.8	Diseases of skin and organs of locomotion	2	—	—	—	1	—	—	—	—	—	—	—	5
750-759	41	Congenital malformations	8	—	1	—	1	1	1	1	—	1	—	—	20
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	9	—	—	2	1	—	1	—	1	—	—	—	13
763	43.1	Pneumonia of newborn	1	—	—	—	—	—	—	—	—	—	—	—	2
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	2
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	6	—	—	—	1	—	—	—	1	1	—	1	27
794	45.0	Senility	22	1	—	—	1	5	—	—	1	1	—	—	40
780-793, 795	45.1	Cause ill-defined and unknown	7	—	1	1	1	—	—	—	—	1	—	—	12
E963, E970-979	E49	Suicide	2	—	—	—	1	—	—	—	2	1	—	—	2
E810-835	E47	Motor vehicle accidents	3	—	—	—	1	—	—	—	—	3	—	1	19
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	6	—	—	1	6	2	2	2	1	5	—	—	39
		All Causes	674	16	47	86	113	40	35	59	38	148	19	46	1,232
		Ages at Death													
		Under 1	37	—	1	3	6	2	1	1	2	2	—	1	94
		1– 4	4	—	—	—	3	—	—	1	—	—	1	—	18
		5– 9	2	—	—	—	2	—	1	—	—	—	—	—	2
		10–14	2	—	—	—	—	—	—	—	—	2	—	—	7
		15–24	7	—	—	2	3	1	1	—	—	1	—	1	29
		25–34	11	—	1	1	—	1	—	1	1	3	1	1	31
		35–44	28	1	—	3	4	1	3	2	2	2	—	2	44
		45–54	47	1	1	5	8	4	—	1	4	15	—	2	84
		55–64	106	2	12	11	17	5	5	5	5	24	5	7	181
		65–74	194	6	14	27	27	16	9	14	12	37	4	11	304
		75–84	189	5	13	27	34	10	11	24	10	45	5	14	332
		85 and over	47	1	5	7	9	—	4	10	2	17	3	7	106
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	674	16	47	86	113	40	35	59	38	148	19	46	1,232

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Inverness County: Inverness County	Inverness County: Fort William Burgh	Inverness County: Inverness Burgh	Inverness County: Kingussie Burgh	Inverness County: Landward	Kincardine County: Kincardine County	Kincardine County: Banchory Burgh	Kincardine County: Inverbervie Burgh	Kincardine County: Laurencekirk Burgh	Kincardine County: Stonehaven Burgh	Kincardine County: Landward	Kinross County: Kinross County	Kinross County: Kinross Burgh	Kinross County: Landward
		Population (Estimated), 30th June, 1950	**88,624**	3,154	28,477	1,064	55,929	**28,852**	2,044	1,014	1,432	4,560	19,802	**7,620**	2,681	4,939
		Total Live Births Registered (including Illegitimate)	**1,464**	18	949	4	493	**259**	1	1	4	131	122	**66**	20	46
		,, Corr. for Mother's Resid. (,,) ...	**1,481**	45	501	23	912	**497**	21	8	27	83	358	**127**	42	85
		,, ,, ,, Male ...	**747**	26	238	11	472	**256**	7	—	22	47	180	**69**	22	47
		,, ,, ,, Female ...	**734**	19	263	12	440	**241**	14	8	5	36	178	**58**	20	38
		,, ,, ,, Illegitimate ...	**109**	2	38	—	69	**33**	3	—	2	3	25	**7**	—	7
		Still-Births Registered (including Illegitimate) ...	**53**	—	33	—	20	**5**	—	—	—	1	4	**1**	—	1
		,, Corrected for Mother's Residence ...	**54**	—	19	1	34	**11**	—	—	—	1	10	**2**	1	1
		Marriages Registered	**662**	51	453	8	150	**146**	21	18	15	33	59	**45**	21	24
		Deaths Registered	**1,264**	33	553	19	659	**264**	19	2	29	70	144	**112**	30	82
		,, Corrected for Residence	**1,168**	31	362	21	754	**350**	27	8	32	76	207	**113**	42	71
		,, ,, Male	**576**	16	182	10	368	**163**	11	3	13	35	101	**52**	19	33
		,, ,, Female	**592**	15	180	11	386	**187**	16	5	19	41	106	**61**	23	38
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**33**	—	11	1	21	**4**	—	—	—	3	1	**2**	—	2
010-019	2	Tuberculosis, other forms	**4**	—	2	—	2	—	—	—	—	—	—	**1**	1	—
020-029	3	Syphilis and its sequelæ	**3**	—	2	—	1	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	**3**	—	—	—	3	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**3**	—	1	—	2	—	—	—	—	—	—	—	—	—
085	14	Measles	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	—	—	2	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	**188**	2	62	3	121	**67**	4	4	9	10	40	**14**	6	8
210-239	19	Benign and unspecified neoplasms	**3**	—	1	—	2	**2**	—	—	1	1	—	**1**	—	1
260	20	Diabetes mellitus	**13**	—	2	—	11	**6**	—	—	1	—	5	—	—	—
290-293	21	Anæmias	**5**	—	1	—	4	**1**	—	—	—	—	1	—	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**8**	1	2	1	4	**2**	1	—	—	1	—	**1**	1	—
330-334	22	Vascular lesions affecting central nervous system ...	**154**	2	51	2	99	**49**	6	1	6	11	25	**12**	2	10
340	23	Nonmeningococcal meningitis	**1**	—	—	—	1	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**43**	1	13	—	29	**8**	—	1	—	2	5	**1**	—	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**15**	1	4	—	10	**2**	—	—	—	—	2	**1**	—	1
420-422	26	Arteriosclerotic and degenerative heart disease ...	**291**	12	100	6	173	**124**	9	1	11	33	70	**32**	11	21
430-434	27	Other diseases of heart	**17**	2	5	2	8	**4**	1	—	—	1	2	**3**	—	3
440-443	28	Hypertension with heart disease	**14**	1	10	—	3	**2**	1	—	—	—	1	—	—	—
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**12**	—	5	—	7	**5**	—	—	—	—	5	**1**	—	1
450-468	46.3	Other circulatory disease	**28**	1	9	—	18	**9**	1	—	1	1	6	**4**	2	2
480-483	30	Influenza	**15**	1	—	—	14	**1**	—	—	1	—	—	—	—	—
490-493	31	Pneumonia	**37**	—	12	1	24	**7**	—	—	1	3	3	**6**	4	2
500-502	32	Bronchitis	**17**	2	7	1	7	**3**	—	—	—	—	3	**6**	3	3
470-475, 510-527	46.4	Other respiratory diseases	**2**	—	—	—	2	**1**	—	—	—	—	1	—	—	—
540, 541	33	Ulcer of stomach and duodenum	**18**	—	7	—	11	**5**	3	—	—	1	1	**2**	—	2
550-553	34	Appendicitis	**3**	—	2	—	1	**2**	—	—	—	2	—	**1**	1	—
560, 561, 570	35	Intestinal obstruction and hernia	**4**	—	2	—	2	**1**	—	—	—	—	1	**1**	—	1
543	36.1	Gastritis and duodenitis	**2**	—	1	—	1	—	—	—	—	—	—	**1**	1	—
571, 572	36.2	Diarrhœa (except of newborn)	**2**	—	1	—	1	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	**2**	—	—	1	1	**1**	—	—	—	—	1	—	—	—
580, 582-586	46.5	Other diseases of liver	**3**	—	—	—	3	**1**	—	—	—	—	1	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**1**	—	1	—	—	**1**	—	—	—	—	1	—	—	—
590-594	38	Nephritis and nephrosis	**21**	1	3	—	17	**4**	—	—	—	—	4	**6**	2	4
610	39	Hyperplasia of prostate	**6**	—	3	—	3	**3**	—	—	1	2	—	**1**	—	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	**7**	—	4	1	2	**4**	—	—	—	—	4	**1**	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	—	—	—	**2**	1	1
690-749	46.8	Diseases of skin and organs of locomotion	**7**	1	1	—	5	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	**8**	—	5	1	2	**2**	—	—	—	1	1	**2**	1	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**11**	—	4	—	7	**4**	—	—	—	1	3	—	—	—
763	43.1	Pneumonia of newborn	**2**	—	1	—	1	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**25**	2	6	—	17	**4**	—	—	—	—	4	**3**	1	2
794	45.0	Senility	**73**	—	9	1	63	**4**	1	1	—	2	—	—	—	—
780-793, 795	45.1	Cause ill-defined and unknown	**24**	—	1	—	23	**4**	—	—	—	—	4	**3**	3	—
E963, E970-979	E49	Suicide	**1**	—	—	—	1	**2**	—	—	—	—	2	**2**	1	1
E810-835	E47	Motor vehicle accidents	**5**	—	—	—	5	**4**	—	—	—	—	4	—	—	—
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**31**	1	10	—	20	**7**	—	—	—	1	6	**3**	1	2
		All Causes	**1,168**	31	362	21	754	**350**	27	8	32	76	207	**113**	42	71
		Ages at Death														
		Under 1	**57**	3	18	1	35	**14**	—	—	1	2	11	**7**	4	3
		1– 4	**9**	—	5	—	4	—	—	—	—	—	—	—	—	—
		5– 9	**8**	—	2	—	6	—	—	—	—	—	—	—	—	—
		10–14	**5**	1	2	1	1	**1**	—	—	—	—	1	**2**	2	—
		15–24	**19**	—	4	1	14	**7**	—	—	—	1	6	**2**	—	2
		25–34	**25**	—	9	—	16	**6**	—	—	1	1	4	**2**	1	1
		35–44	**28**	—	6	—	22	**9**	—	—	—	3	6	**5**	3	2
		45–54	**70**	3	32	1	34	**28**	2	1	4	3	18	**7**	—	7
		55–64	**135**	7	42	4	82	**37**	4	3	4	8	18	**11**	5	6
		65–74	**269**	5	88	6	170	**100**	10	1	6	20	63	**26**	9	17
		75–84	**383**	11	115	6	251	**111**	10	2	15	24	60	**37**	13	24
		85 and over	**160**	1	39	1	119	**37**	1	1	1	14	20	**14**	5	9
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	**1,168**	31	362	21	754	**350**	27	8	32	76	207	**113**	42	71

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Kirkcudbright County: Kirkcudbright County	Kirkcudbright County: Castle Douglas Burgh	Kirkcudbright County: Dalbeattie Burgh	Kirkcudbright County: Gatehouse Burgh	Kirkcudbright County: Kirkcudbright Burgh	Kirkcudbright County: New Galloway Burgh	Kirkcudbright County: Landward	Lanark County: Lanark County	Lanark County: Airdrie Burgh	Lanark County: Biggar Burgh	Lanark County: Coatbridge Burgh	Lanark County: Glasgow County of City	Lanark County: Hamilton Burgh
		Population (Estimated), 30th June, 1950	**30,732**	3,252	3,356	905	2,487	314	20,418	**1,622,676**	30,530	1,350	48,252	1,089,303	40,645
		Total Live Births Registered (including Illegitimate)	**280**	30	38	5	20	—	187	**30,143**	704	18	612	20,633	908
		,, Corr. for Mother's Resid. (,,) ...	**541**	59	66	22	54	2	338	**30,365**	562	34	1,066	20,031	802
		,, ,, ,, Male ...	**274**	29	34	9	26	2	174	**15,744**	287	19	509	10,448	413
		,, ,, ,, Female ...	**267**	30	32	13	28	—	164	**14,621**	275	15	557	9,583	389
		,, ,, ,, Illegitimate ...	**32**	3	3	4	2	1	19	**1,473**	17	—	33	1,099	30
		Still-Births Registered (including Illegitimate) ...	**6**	1	—	—	—	—	5	**978**	17	—	22	682	20
		,, Corrected for Mother's Residence ...	**19**	3	4	—	2	—	10	**926**	19	—	48	596	20
		Marriages Registered	**218**	37	36	3	30	2	110	**14,005**	280	13	398	9,939	366
		Deaths Registered	**327**	55	36	15	35	6	180	**20,604**	285	12	372	15,043	354
		,, Corrected for Residence	**399**	46	57	21	26	9	240	**20,121**	332	21	512	14,088	447
		,, ,, Male	**198**	29	25	11	16	1	116	**10,530**	178	9	292	7,339	240
		,, ,, Female	**201**	17	32	10	10	8	124	**9,591**	154	12	220	6,749	207
		CAUSES OF DEATH													
001-008	1	Tuberculosis of respiratory system	**13**	2	1	1	1	1	7	**1,204**	15	1	35	918	24
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	**163**	—	—	5	121	3
020-029	3	Syphilis and its sequelæ	**1**	—	—	—	—	—	1	**66**	1	—	—	49	6
040	4	Typhoid fever	—	—	—	—	—	—	—	**—**	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	**3**	—	—	—	2	—
050,051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	**2**	—	—	—	1	—
055	8	Diphtheria	—	—	—	—	—	—	—	**1**	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	**22**	1	—	—	12	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	**18**	—	—	1	13	1
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	**17**	—	—	1	10	—
085	14	Measles	—	—	—	—	—	—	—	**17**	—	—	1	14	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	—	—	—	—	2	**57**	1	—	—	45	2
140-205	18	Malignant neoplasms	**53**	5	5	2	4	—	37	**3,159**	59	3	73	2,306	75
210-239	19	Benign and unspecified neoplasms	**1**	—	1	—	—	—	—	**61**	3	1	—	42	2
260	20	Diabetes mellitus	**6**	1	2	—	—	—	3	**172**	3	—	6	114	3
290-293	21	Anæmias	**3**	—	—	—	—	—	3	**114**	3	—	1	78	2
240-254, 270-289, 294-299	46.1	Other general diseases	**5**	1	—	—	—	—	4	**160**	4	—	6	103	4
330-334	22	Vascular lesions affecting central nervous system ...	**61**	4	10	4	6	1	36	**2,489**	30	3	40	1,776	48
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	**21**	1	—	—	13	1
300-326, 341-398	46.2	Other diseases of nervous system	**9**	—	—	2	—	—	7	**334**	6	—	5	247	5
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	**27**	1	—	—	23	—
410-416	25	Chronic rheumatic heart disease	**4**	—	—	—	—	—	4	**319**	10	1	3	234	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	**125**	20	13	7	9	4	72	**4,987**	92	5	141	3,333	115
430-434	27	Other diseases of heart	**7**	1	2	—	—	1	3	**369**	8	—	14	221	9
440-443	28	Hypertension with heart disease	**2**	1	—	—	—	—	1	**142**	5	—	1	113	2
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
444-447	29	Hypertension without heart disease	2	—	—	—	—	—	2	170	1	—	5	121	1
450-468	46.3	Other circulatory disease	11	1	—	—	1	—	9	341	5	—	4	239	4
480-483	30	Influenza	2	—	—	—	—	—	2	78	1	—	—	55	—
490-493	31	Pneumonia	8	1	—	1	2	—	4	725	16	2	24	541	10
500-502	32	Bronchitis	6	1	3	—	—	—	2	1,003	18	—	22	756	21
470-475, 510-527	46.4	Other respiratory diseases	1	1	—	—	—	—	—	234	2	—	6	128	6
540, 541	33	Ulcer of stomach and duodenum	1	—	—	—	—	—	1	172	1	—	2	136	2
550-553	34	Appendicitis	1	—	1	—	—	—	—	49	—	—	1	39	—
560, 561, 570	35	Intestinal obstruction and hernia	1	—	1	—	—	—	—	105	—	—	2	69	4
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	18	—	—	—	14	—
571, 572	36.2	Diarrhœa (except of newborn)	6	—	2	—	—	—	4	203	4	—	10	126	11
581	37	Cirrhosis of liver	1	—	—	—	—	—	1	65	—	—	1	44	1
580, 582-586	46.5	Other diseases of liver	4	—	1	—	—	—	3	83	1	—	4	55	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	1	—	—	—	—	—	1	40	—	—	4	23	1
590-594	38	Nephritis and nephrosis	2	—	—	—	—	—	2	217	2	1	7	146	6
610	39	Hyperplasia of prostate	6	—	—	—	2	—	4	120	1	—	1	72	1
600-609, 611-637	46.7	Other diseases of genito-urinary system	1	—	—	—	—	—	1	104	3	—	2	65	4
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	8	—	—	—	4	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	28	—	—	2	17	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	—	—	—	87	2	—	4	58	4
750-759	41	Congenital malformations	3	1	—	—	—	—	2	213	5	—	6	142	3
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	—	1	—	1	—	—	258	6	—	12	188	3
763	43.1	Pneumonia of newborn	1	—	—	1	—	—	—	46	—	—	4	30	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	16	—	—	—	12	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	5	—	—	—	2	—
769-776	44	Other diseases peculiar to early infancy	8	—	1	2	—	—	5	312	6	—	19	185	9
794	45.0	Senility	17	1	9	—	—	1	6	319	3	—	13	185	20
780-793, 795	45.1	Cause ill-defined and unknown	8	3	—	—	—	—	5	444	5	1	9	336	9
E963, E970-979	E49	Suicide	1	—	1	—	—	—	—	80	1	—	—	62	1
E810-835	E47	Motor vehicle accidents	3	1	—	—	—	—	2	159	3	2	2	113	4
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	13	—	—	—	12	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	10	1	3	1	—	1	4	482	3	1	13	325	14
		All Causes	399	46	57	21	26	9	240	20,121	332	21	512	14,088	447
		Ages at Death													
		Under 1	20	1	2	4	2	—	11	1,319	28	1	61	880	35
		1– 4	—	—	—	—	—	—	—	276	3	—	8	191	11
		5– 9	1	1	—	—	—	—	—	108	1	—	2	77	2
		10–14	1	—	—	—	—	—	1	72	1	—	4	43	5
		15–24	7	1	—	—	—	—	6	503	9	—	9	354	11
		25–34	3	—	—	—	—	—	3	624	10	—	19	456	15
		35–44	14	2	3	—	—	—	9	943	16	1	25	680	25
		45–54	29	—	6	1	3	—	19	1,930	32	2	37	1,401	41
		55–64	54	5	9	2	3	3	32	3,533	51	2	89	2,532	73
		65–74	103	13	11	6	6	2	65	5,225	86	3	123	3,651	104
		75–84	130	18	21	3	9	2	77	4,541	80	11	102	3,128	99
		85 and over	37	5	5	5	3	2	17	1,047	15	1	33	695	26
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	399	46	57	21	26	9	240	20,121	332	21	512	14,088	447

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Lanark County—*continued*: Lanark Burgh	Lanark County—*continued*: Motherwell and Wishaw Burgh	Lanark County—*continued*: Rutherglen Burgh	Lanark County—*continued*: Landward	Midlothian County: **Midlothian County**	Midlothian County: Bonnyrigg and Lasswade B.	Midlothian County: Dalkeith Burgh	Midlothian County: Edinburgh County of City	Midlothian County: Loanhead Burgh	Midlothian County: Musselburgh Burgh	Midlothian County: Penicuik Burgh	Midlothian County: Landward
		Population (Estimated), 30th June, 1950	6,274	70,051	24,953	311,318	**588,183**	5,619	8,556	488,883	4,733	18,686	4,511	57,195
		Total Live Births Registered (including Illegitimate)	32	1,256	120	5,860	**10,413**	48	106	9,379	60	235	51	534
		,, Corr. for Mother's Resid. (,,) ...	114	1,313	395	6,048	**9,477**	104	187	7,674	108	304	98	1,002
		,, ,, ,, Male ...	57	689	189	3,133	**4,907**	54	98	3,962	61	151	57	524
		,, ,, ,, Female ...	57	624	206	2,915	**4,570**	50	89	3,712	47	153	41	478
		,, ,, ,, Illegitimate ...	5	59	12	218	**478**	5	5	407	3	17	1	40
		Still-Births Registered (including Illegitimate) ...	3	37	3	194	**274**	—	—	263	—	4	—	7
		,, Corrected for Mother's Residence ...	5	39	14	185	**227**	1	1	190	2	10	1	22
		Marriages Registered	100	633	274	2,002	**4,991**	40	90	4,271	43	147	39	361
		Deaths Registered	92	563	224	3,659	**7,805**	45	101	6,947	44	133	33	502
		,, Corrected for Residence	90	805	330	3,496	**7,275**	78	107	6,161	57	200	61	611
		,, ,, Male	46	440	165	1,821	**3,523**	34	59	2,930	31	104	33	332
		,, ,, Female	44	365	165	1,675	**3,752**	44	48	3,231	26	96	28	279
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	2	41	15	153	**268**	2	2	237	1	8	4	14
010-019	2	Tuberculosis, other forms	—	11	2	21	**25**	—	1	22	—	—	—	2
020-029	3	Syphilis and its sequelæ	—	2	1	7	**21**	—	—	17	—	—	—	4
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	1	**1**	—	—	1	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	1	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	1	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	1	—	8	**3**	—	—	3	—	—	—	—
057	10	Meningococcal infections	—	1	—	2	**4**	—	—	2	—	1	—	1
080	12	Acute poliomyelitis	—	1	—	5	**6**	—	—	6	—	—	—	—
085	14	Measles	—	—	—	2	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	2	—	7	**29**	1	—	24	—	2	1	1
140-205	18	Malignant neoplasms	19	99	49	476	**1,252**	12	19	1,076	6	35	8	96
210-239	19	Benign and unspecified neoplasms	1	4	—	8	**39**	—	—	34	—	1	—	4
260	20	Diabetes mellitus	—	7	1	38	**43**	2	2	32	—	2	1	4
290-293	21	Anæmias	1	2	3	24	**42**	3	—	32	1	2	—	4
240-254, 270-289, 294-299	46.1	Other general diseases	1	5	3	34	**76**	1	—	65	1	2	2	5
330-334	22	Vascular lesions affecting central nervous system ...	7	114	42	429	**1,031**	8	22	875	4	29	4	89
340	23	Nonmeningococcal meningitis	—	1	—	5	**4**	—	—	3	—	1	—	—
300-326, 341-398	46.2	Other diseases of nervous system	1	11	2	57	**125**	1	3	104	—	7	1	9
400-402	24	Rheumatic fever	—	—	—	3	**7**	—	—	7	—	—	—	—
410-416	25	Chronic rheumatic heart disease	3	10	8	46	**99**	5	—	87	—	—	—	7
420-422	26	Arteriosclerotic and degenerative heart disease ...	30	222	109	940	**1,932**	14	27	1,626	22	55	13	175
430-434	27	Other diseases of heart	1	18	9	89	**172**	1	3	131	1	4	3	29
440-443	28	Hypertension with heart disease	1	6	2	12	**84**	2	2	70	—	1	2	7
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	1	—	6	35	**70**	—	—	67	—	—	—	3
450-468	46.3	Other circulatory disease	2	12	3	72	**140**	1	—	128	1	3	1	6
480-483	30	Influenza	2	2	3	15	**58**	3	—	50	—	1	—	4
490-493	31	Pneumonia	—	25	12	95	**287**	3	2	256	—	5	3	18
500-502	32	Bronchitis	—	47	15	124	**264**	3	3	224	2	15	1	16
470-475, 510-527	46.4	Other respiratory diseases	—	15	2	75	**76**	2	2	57	2	5	1	7
540, 541	33	Ulcer of stomach and duodenum	—	5	3	23	**64**	1	1	54	—	3	1	4
550-553	34	Appendicitis	—	1	—	8	**23**	—	—	19	—	—	—	4
560, 561, 570	35	Intestinal obstruction and hernia	1	6	1	22	**52**	—	2	43	2	—	—	5
543	36.1	Gastritis and duodenitis	—	—	—	4	**1**	—	—	1	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	6	3	43	**40**	—	1	33	1	2	—	3
581	37	Cirrhosis of liver	—	4	1	14	**18**	—	—	16	—	—	—	2
580, 582-586	46.5	Other diseases of liver	1	4	—	18	**32**	—	—	23	2	2	—	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	1	2	9	**29**	—	—	27	—	—	1	1
590-594	38	Nephritis and nephrosis	1	8	7	39	**58**	1	1	48	2	1	—	5
610	39	Hyperplasia of prostate	2	4	5	34	**59**	1	2	50	—	1	2	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	2	4	1	23	**50**	2	1	42	—	2	—	3
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis	—	—	1	3	**3**	—	—	1	—	—	—	2
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	1	—	8	**8**	—	—	4	—	1	—	3
690-749	46.8	Diseases of skin and organs of locomotion	—	3	1	15	**31**	2	1	24	1	—	—	3
750-759	41	Congenital malformations	—	8	2	47	**57**	—	—	46	1	—	2	8
760-762	42	Birth injuries, postnatal asphyxia and atelectasis	—	10	—	39	**59**	1	2	45	1	—	1	9
763	43.1	Pneumonia of newborn	—	2	—	9	**12**	—	—	10	—	—	—	2
764	43.2	Diarrhœa of newborn	—	1	—	2	**3**	—	—	1	—	—	—	2
765-768	43.3	Other infections of the newborn	—	—	1	2	**3**	—	—	3	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	2	13	5	73	**78**	2	1	54	—	6	2	13
794	45.0	Senility	5	19	4	70	**76**	—	—	71	2	—	—	3
780-793, 795	45.1	Cause ill-defined and unknown	1	18	3	62	**33**	—	—	28	1	—	1	3
E963, E970-979	E49	Suicide	—	5	—	11	**37**	—	—	36	—	1	—	—
E810-835	E47	Motor vehicle accidents	1	1	—	33	**52**	3	1	45	2	—	—	1
E840-845	E48.0	Other road transport accidents	—	1	—	—	**11**	—	—	9	—	—	—	2
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	2	21	3	100	**228**	1	6	192	1	2	6	20
		All Causes	90	805	330	3,496	**7,275**	78	107	6,161	57	200	61	611
		Ages at Death												
		Under 1	3	50	9	252	**300**	3	9	225	3	8	8	44
		1– 4	—	12	3	48	**49**	3	2	34	2	—	—	8
		5– 9	2	5	1	18	**25**	—	—	22	1	—	2	—
		10–14	—	3	1	15	**27**	—	—	24	—	1	—	2
		15–24	1	23	7	89	**98**	4	1	77	—	2	1	13
		25–34	2	25	7	90	**164**	4	1	132	3	10	2	12
		35–44	3	28	16	149	**282**	3	5	229	1	9	3	32
		45–54	8	75	33	301	**596**	5	4	529	4	18	3	33
		55–64	16	120	55	595	**1,137**	10	19	961	8	39	11	89
		65–74	20	241	89	908	**1,962**	19	30	1,677	16	50	13	157
		75–84	29	186	88	818	**2,008**	24	25	1,715	14	44	11	175
		85 and over	6	37	21	213	**627**	3	11	536	5	19	7	46
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	90	805	330	3,496	**7,275**	78	107	6,161	57	200	61	611

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Moray County: Moray County	Moray County: Burghead Burgh	Moray County: Elgin Burgh	Moray County: Forres Burgh	Moray County: Grantown-on-Spey Burgh	Moray County: Lossiemouth & Branderburgh Burgh	Moray County: Rothes Burgh	Moray County: Landward	Nairn County: Nairn County	Nairn County: Nairn Burgh	Nairn County: Landward	Orkney County: Orkney County	Orkney County: Kirkwall	Orkney County: Stromness Burgh	Orkney County: Landward
		Population (Estimated), 30th June, 1950	**49,759**	1,421	10,579	4,751	1,638	4,939	1,400	25,031	**8,933**	4,656	4,277	**21,830**	4,461	1,653	15,716
		Total Live Births Registered (including Illegitimate)	**896**	13	175	13	8	108	10	569	**141**	21	120	**369**	181	17	171
		,, Corr. for Mother's Resid. (,,) ...	**940**	33	190	93	31	112	29	452	**148**	83	65	**382**	97	28	257
		,, ,, ,, Male ...	**503**	15	93	58	16	60	15	246	**79**	45	34	**176**	51	12	113
		,, ,, ,, Female ...	**437**	18	97	35	15	52	14	206	**69**	38	31	**206**	46	16	144
		,, ,, ,, Illegitimate ...	**78**	3	16	11	3	4	6	35	**15**	4	11	**16**	5	1	10
		Still-Births Registered (including Illegitimate) ...	**22**	—	6	—	—	2	1	13	—	—	—	**11**	4	—	7
		,, Corrected for Mother's Residence ...	**23**	2	3	3	1	1	1	12	—	—	—	**12**	—	—	12
		Marriages Registered	**339**	8	144	67	13	38	7	62	**51**	48	3	**154**	67	14	73
		Deaths Registered	**490**	11	157	41	10	43	8	220	**91**	43	48	**291**	105	13	173
		,, Corrected for Residence	**536**	14	129	78	18	51	16	230	**113**	69	44	**307**	63	18	226
		,, ,, Male	**241**	6	54	29	10	30	6	106	**50**	30	20	**152**	28	8	116
		,, ,, Female	**295**	8	75	49	8	21	10	124	**63**	39	24	**155**	35	10	110
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	**15**	—	3	3	1	1	—	7	**2**	2	—	**7**	1	—	6
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	—	—	**2**	1	1	**1**	1	—	—
020-029	3	Syphilis and its sequelæ	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	**1**	1	—	—
057	10	Meningococcal infections ... ... + ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	**1**	—	—	—	—	—	1	—	—	—	—	**1**	1	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**3**	—	—	1	—	1	—	1	**2**	1	1	—	—	—	—
140-205	18	Malignant neoplasms	**81**	2	15	7	4	11	1	41	**19**	13	6	**33**	7	2	24
210-239	19	Benign and unspecified neoplasms	**1**	—	—	—	—	1	—	—	**1**	1	—	**3**	1	—	2
260	20	Diabetes mellitus	**4**	—	1	1	—	—	—	2	**1**	1	—	**2**	—	—	2
290-293	21	Anæmias	**1**	—	—	1	—	—	—	—	—	—	—	**2**	—	—	2
240-254, 270-289, 294-299	46.1	Other general diseases	**5**	—	3	1	—	—	—	1	—	—	—	**4**	—	2	2
330-334	22	Vascular lesions affecting central nervous system ...	**78**	2	19	19	2	8	2	26	**20**	12	8	**41**	9	2	30
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	**1**	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	**9**	1	4	—	—	1	—	3	**2**	—	2	**7**	2	1	4
400-402	24	Rheumatic fever	**2**	—	—	—	—	—	—	2	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**8**	1	4	—	—	—	—	3	**1**	1	—	**10**	2	—	8
420-422	26	Arteriosclerotic and degenerative heart disease ...	**178**	4	46	25	7	10	4	82	**29**	18	11	**93**	14	5	74
430-434	27	Other diseases of heart	**6**	—	—	2	—	2	—	2	**2**	—	2	**15**	2	3	10
440-443	28	Hypertension with heart disease	**1**	—	—	—	—	—	—	1	**2**	1	1	—	—	—	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	1	—	—	—	—	—	1	—	2	1	1	3	1	—	2
450-468	46.3	Other circulatory disease	7	—	4	1	—	1	—	1	2	2	—	6	—	—	6
480-483	30	Influenza	6	1	1	—	1	2	—	1	1	1	—	7	3	1	3
490-493	31	Pneumonia	11	—	4	1	—	1	—	5	1	—	1	9	1	—	8
500-502	32	Bronchitis	14	2	3	3	—	—	1	5	—	—	—	9	—	1	8
470-475, 510-527	46.4	Other respiratory diseases	5	—	1	1	—	3	—	—	—	—	—	3	1	—	2
540, 541	33	Ulcer of stomach and duodenum	—	—	—	—	—	—	—	—	2	2	—	2	—	—	2
550-553	34	Appendicitis	3	—	—	—	—	1	—	2	1	1	—	1	—	—	1
560, 561, 570	35	Intestinal obstruction and hernia	6	—	3	—	—	—	—	3	2	1	1	3	1	—	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	4	—	—	1	—	—	—	3	1	1	—	1	—	—	1
581	37	Cirrhosis of liver	1	—	1	—	—	—	—	—	1	—	1	1	—	—	1
580, 582-586	46.5	Other diseases of liver	3	—	—	1	—	—	1	1	1	1	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	4	—	1	—	1	—	—	2	1	—	1	2	2	—	—
610	39	Hyperplasia of prostate	6	—	—	1	1	—	—	4	1	1	—	4	—	—	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	—	1	—	—	1	—	1	—	—	—	4	2	1	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
750-759	41	Congenital malformations	3	—	—	—	—	2	—	1	—	—	—	2	2	—	—
760-762	42	Birth injuries, post-natal asphyxia and atelectasis...	7	—	1	3	—	—	1	2	1	—	1	2	1	—	1
763	43.1	Pneumonia of newborn	1	—	—	—	—	—	—	1	—	—	—	2	1	—	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	13	1	1	2	—	2	—	7	5	3	2	2	1	—	1
794	45.0	Senility	7	—	2	—	—	1	1	3	—	—	—	9	3	—	6
780-793, 795	45.1	Cause ill-defined and unknown	10	—	6	—	—	—	1	3	2	1	1	2	—	—	2
E963, E970-979	E49	Suicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
E810-835	E47	Motor vehicle accidents	3	—	1	—	—	—	—	2	1	1	—	1	—	—	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	2	—	2	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	18	—	—	2	1	2	2	11	3	2	1	11	3	—	8
		ALL CAUSES	536	14	129	78	18	51	16	230	113	69	44	307	63	18	226
		AGES AT DEATH															
		Under 1	32	1	2	7	—	5	1	16	6	3	3	13	6	—	7
		1– 4	9	—	3	1	—	1	1	3	1	—	1	3	2	—	1
		5– 9	2	—	1	—	—	1	—	—	1	1	—	1	1	—	—
		10–14	3	—	1	—	—	1	—	1	—	—	—	—	—	—	—
		15–24	11	—	1	—	—	2	—	8	4	1	3	3	1	—	2
		25–34	21	1	3	2	—	3	2	10	2	1	1	5	2	—	3
		35–44	17	1	8	1	—	2	—	5	3	3	—	9	3	—	6
		45–54	36	—	10	1	2	8	—	15	7	5	2	11	5	—	6
		55–64	53	1	18	8	4	5	2	15	10	6	4	31	5	4	22
		65–74	127	4	34	19	1	10	3	56	27	20	7	65	10	3	52
		75–84	158	3	35	30	7	7	3	73	35	18	17	119	18	8	93
		85 and over	67	3	13	9	4	6	4	28	17	11	6	47	10	3	34
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	536	14	129	78	18	51	16	230	113	69	44	307	63	18	226

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Peebles County: Peebles County	Peebles County: Innerleithen Burgh	Peebles County: Peebles Burgh	Peebles County: Landward	Perth County: Perth County	Perth County: Aberfeldy Burgh	Perth County: Abernethy Burgh	Perth County: Alyth Burgh	Perth County: Auchterarder Burgh	Perth County: Blairgowrie and Rattray Burgh	Perth County: Callander Burgh	Perth County: Coupar Angus Burgh	Perth County: Crieff Burgh	Perth County: Doune Burgh	Perth County: Dunblane Burgh
		Population (Estimated), 30th June, 1950	**15,277**	2,383	6,056	6,838	**129,852**	1,554	667	1,994	2,350	5,226	1,593	2,191	5,617	873	2,885
		Total Live Births Registered (including Illegitimate)	**164**	2	141	21	**1,936**	145	1	151	7	17	7	11	31	2	9
		,, Corr. for Mother's Resid. (,,) ...	**190**	25	73	92	**2,074**	29	7	28	35	85	25	35	66	10	39
		,, ,, ,, Male ...	**108**	12	46	50	**1,058**	17	5	11	18	43	14	19	31	3	15
		,, ,, ,, Female ...	**82**	13	27	42	**1,016**	12	2	17	17	42	11	16	35	7	24
		,, ,, ,, Illegitimate ...	**4**	—	1	3	**146**	1	1	1	—	9	—	4	6	—	1
		Still-Births Registered (including Illegitimate) ...	**6**	3	2	1	**45**	1	1	3	—	—	1	1	—	—	—
		,, Corrected for Mother's Residence ...	**9**	3	1	5	**45**	—	2	2	—	1	2	1	2	1	—
		Marriages Registered	**97**	12	55	30	**976**	14	10	25	23	52	15	7	34	17	25
		Deaths Registered	**152**	24	78	50	**1,670**	14	5	27	29	78	20	25	64	14	34
		,, Corrected for Residence	**201**	34	87	80	**1,640**	18	8	43	29	94	27	40	57	16	48
		,, ,, Male	**96**	15	41	40	**772**	7	5	16	11	45	11	22	24	9	24
		,, ,, Female	**105**	19	46	40	**868**	11	3	27	18	49	16	18	33	7	24
		CAUSES OF DEATH															
001-008	1	Tuberculosis of respiratory system	**6**	2	1	3	**25**	—	—	2	—	2	—	—	—	—	—
010-019	2	Tuberculosis, other forms	**1**	—	—	1	**4**	—	—	1	—	1	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	**1**	—	—	1	**4**	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	**1**	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	**1**	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	2	—	**3**	—	—	—	—	—	—	—	—	—	—
140-205	18	Malignant neoplasms	**27**	6	11	10	**260**	1	—	4	3	23	5	10	14	1	5
210-239	19	Benign and unspecified neoplasms	**1**	—	1	—	**3**	—	—	—	—	—	—	—	—	—	—
260	20	Diabetes mellitus	**1**	—	—	1	**17**	—	—	—	—	—	1	—	2	—	—
290-293	21	Anæmias	**1**	—	—	1	**4**	—	—	—	—	—	—	—	1	—	—
240-254, 270-289, 294-299	46.1	Other general diseases	**2**	1	1	—	**14**	—	—	—	1	2	—	—	2	—	—
330-334	22	Vascular lesions affecting central nervous system ...	**21**	3	12	6	**268**	4	1	4	6	7	2	4	13	5	10
340	23	Nonmeningococcal meningitis	—	—	—	—	**1**	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**6**	1	1	4	**22**	1	—	—	2	1	—	—	—	1	1
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**2**	—	1	1	**25**	—	—	—	—	—	1	1	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**73**	14	31	28	**498**	7	6	15	12	42	9	19	16	5	13
430-434	27	Other diseases of heart	**3**	—	3	—	**37**	1	—	1	1	—	—	—	—	—	—
440-443	28	Hypertension with heart disease	**4**	1	1	2	**9**	—	—	—	1	—	—	—	—	—	—
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)	(*r*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
444-447	29	Hypertension without heart disease	**3**	—	—	3	**8**	—	—	—	—	—	—	—	—	1	—
450-468	46.3	Other circulatory disease	**6**	2	2	2	**48**	—	—	1	—	1	—	1	1	—	2
480-483	30	Influenza	**1**	—	1	—	**12**	—	—	—	—	1	1	—	—	—	1
490-493	31	Pneumonia	**6**	1	4	1	**37**	—	1	2	—	1	1	—	1	—	1
500-502	32	Bronchitis	—	—	—	—	**29**	2	—	—	—	1	1	—	—	—	4
470-475, 510-527	46.4	Other respiratory diseases	**3**	—	3	—	**11**	—	—	2	—	1	—	—	—	—	—
540, 541	33	Ulcer of stomach and duodenum	**2**	1	1	—	**20**	—	—	2	—	1	1	—	—	1	1
550-553	34	Appendicitis	**1**	—	—	1	**2**	—	—	—	—	—	—	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**2**	—	1	1	**7**	—	—	—	—	—	—	—	1	—	—
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**1**	—	—	1	**8**	—	—	2	—	—	—	1	1	—	—
581	37	Cirrhosis of liver	**2**	—	1	1	**5**	—	—	—	—	—	—	—	—	—	1
580, 582-586	46.5	Other diseases of liver	**1**	—	1	—	**5**	—	—	—	—	—	1	—	—	—	1
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	**2**	—	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	**2**	—	1	1	**24**	1	—	2	—	—	—	—	—	1	1
610	39	Hyperplasia of prostate	**2**	—	1	1	**23**	—	—	—	1	—	—	1	1	—	—
600-609, 611-637	46.7	Other diseases of genito-urinary system	—	—	—	—	**11**	—	—	2	—	1	—	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	**2**	—	—	—	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	—	—	—	—	**8**	—	—	—	—	—	—	1	1	—	—
750-759	41	Congenital malformations	—	—	—	—	**9**	—	—	—	—	—	1	—	—	—	—
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	—	—	—	—	**5**	—	—	—	—	1	—	—	—	—	—
763	43.1	Pneumonia of newborn	—	—	—	—	**5**	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**1**	—	—	1	**15**	—	—	1	—	1	2	—	—	—	—
794	45.0	Senility	**1**	—	—	1	**47**	—	—	1	—	4	—	1	2	—	3
780-793, 795	45.1	Cause ill-defined and unknown	**4**	2	—	2	**18**	—	—	—	1	1	—	—	—	—	1
E963, E970-979	E49	Suicide	—	—	—	—	**9**	—	—	—	—	1	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	**1**	—	—	1	**19**	—	—	—	—	—	—	—	—	1	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**11**	—	6	5	**55**	1	—	1	1	1	1	1	1	—	1
		ALL CAUSES	**201**	34	87	80	**1,640**	18	8	43	29	94	27	40	57	16	48
		AGES AT DEATH															
		Under 1	**4**	1	1	2	**52**	1	—	1	1	2	4	—	—	—	—
		1– 4	**2**	1	—	1	**15**	—	—	1	—	—	—	—	1	1	1
		5– 9	—	—	—	—	**8**	—	—	—	—	—	—	—	—	—	—
		10–14	—	—	—	—	**1**	—	—	—	—	1	—	—	—	—	—
		15–24	**2**	1	—	1	**16**	—	—	1	—	—	—	—	—	—	—
		25–34	**3**	—	—	3	**36**	—	—	—	1	—	—	—	—	—	1
		35–44	**7**	1	2	4	**46**	—	—	2	1	4	—	—	1	—	1
		45–54	**12**	3	5	4	**126**	1	—	7	3	4	2	1	3	1	3
		55–64	**27**	4	14	9	**196**	1	—	4	4	11	2	9	7	1	7
		65–74	**60**	15	27	18	**430**	7	5	10	6	29	5	13	18	5	13
		75–84	**66**	7	30	29	**530**	3	2	10	9	31	6	12	23	7	20
		85 and over	**18**	1	8	9	**184**	5	1	7	4	12	8	5	4	1	2
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**201**	34	87	80	**1,640**	18	8	43	29	94	27	40	57	16	48

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Perth County—*cont.*: Perth Burgh	Perth County—*cont.*: Pitlochry Burgh	Perth County—*cont.*: Landward	Renfrew County: Renfrew County	Renfrew County: Barrhead Burgh	Renfrew County: Gourock Burgh	Renfrew County: Greenock Burgh	Renfrew County: Johnstone Burgh	Renfrew County: Paisley Burgh	Renfrew County: Port Glasgow Burgh	Renfrew County: Renfrew Burgh	Renfrew County: Landward
		Population (Estimated), 30th June, 1950	41,052	2,383	61,467	**333,364**	13,173	9,467	80,291	15,961	97,112	21,713	17,731	77,916
		Total Live Births Registered (including Illegitimate)	1,180	11	364	**5,887**	162	36	1,603	183	1,783	336	121	1,663
		,, Corr. for Mother's Resid. (,,) ...	721	55	939	**6,013**	276	125	1,615	350	1,685	545	294	1,123
		,, ,, ,, Male ...	367	21	494	**3,124**	138	73	869	186	845	293	155	565
		,, ,, ,, Female ...	354	34	445	**2,889**	138	52	746	164	840	252	139	558
		,, ,, ,, Illegitimate ...	48	8	67	**217**	7	3	66	13	71	14	3	40
		Still-Births Registered (including Illegitimate) ...	36	—	2	**169**	1	1	52	6	56	9	1	43
		,, Corrected for Mother's Residence ...	15	2	17	**172**	4	4	48	6	58	16	5	31
		Marriages Registered	522	12	220	**2,412**	105	68	621	149	817	152	110	390
		Deaths Registered	654	30	676	**3,830**	113	108	1,047	128	1,254	187	138	855
		,, Corrected for Residence	491	30	739	**4,062**	162	161	944	192	1,175	259	206	963
		,, ,, Male	223	16	359	**2,080**	79	77	504	98	596	159	111	456
		,, ,, Female	268	14	380	**1,982**	83	84	440	94	579	100	95	507
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	12	—	9	**198**	6	7	54	12	67	12	7	33
010-019	2	Tuberculosis, other forms	—	—	2	**29**	1	2	13	2	8	—	1	2
020-029	3	Syphilis and its sequelæ	3	—	1	**10**	1	1	3	—	2	—	1	2
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	**1**	—	—	—	—	1	—	—	—
050-051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	1	**6**	—	—	1	—	3	—	—	2
057	10	Meningococcal infections	—	—	—	**2**	—	1	—	—	1	—	—	—
080	12	Acute poliomyelitis	—	—	1	**7**	2	—	2	1	1	—	—	1
085	14	Measles	—	—	—	**2**	—	—	1	—	—	—	—	1
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	1	—	2	**8**	1	—	—	—	3	1	1	2
140-205	18	Malignant neoplasms	80	3	111	**643**	17	34	145	18	188	41	34	166
210-239	19	Benign and unspecified neoplasms	—	—	3	**16**	—	—	5	—	5	1	1	4
260	20	Diabetes mellitus	7	—	7	**35**	3	1	9	1	10	3	2	6
290-293	21	Anæmias	3	—	—	**26**	1	1	4	2	7	3	2	6
240-254, 270-289, 294-299	46.1	Other general diseases	3	—	6	**33**	2	1	8	2	11	1	—	8
330-334	22	Vascular lesions affecting central nervous system ...	77	5	130	**581**	20	34	118	25	167	33	33	151
340	23	Nonmeningococcal meningitis	—	—	1	**3**	1	1	—	—	1	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	9	1	6	**59**	—	2	17	2	18	3	4	13
400-402	24	Rheumatic fever	—	—	—	**2**	—	—	1	—	1	—	—	—
410-416	25	Chronic rheumatic heart disease	9	—	14	**58**	2	2	10	3	22	4	6	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	138	11	205	**1,088**	40	40	256	51	311	45	52	293
430-434	27	Other diseases of heart	16	1	17	**73**	1	—	15	5	15	10	3	24
440-443	28	Hypertension with heart disease	3	—	5	**23**	2	—	7	—	4	2	1	7
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	2	—	5	**41**	3	—	4	9	8	2	2	13
450-468	46.3	Other circulatory disease	13	—	29	**74**	7	2	11	5	27	3	2	17
480-483	30	Influenza	4	1	4	**18**	4	1	2	—	5	—	—	6
490-493	31	Pneumonia	6	—	24	**121**	8	1	28	11	33	8	7	25
500-502	32	Bronchitis	11	—	10	**131**	9	5	30	4	41	14	7	21
470-475, 510-527	46.4	Other respiratory diseases	7	—	1	**30**	1	1	3	3	12	1	1	8
540, 541	33	Ulcer of stomach and duodenum	7	—	7	**44**	2	—	12	2	15	5	2	6
550-553	34	Appendicitis	1	—	1	**5**	—	—	1	—	2	1	—	1
560, 561, 570	35	Intestinal obstruction and hernia	—	—	6	**17**	—	—	6	—	5	2	1	3
543	36.1	Gastritis and duodenitis	—	—	—	**1**	—	—	—	—	—	1	—	—
571, 572	36.2	Diarrhœa (except of newborn)	2	—	2	**31**	1	—	9	1	8	4	2	6
581	37	Cirrhosis of liver	4	—	—	**10**	—	—	2	—	3	—	1	4
580, 582-586	46.5	Other diseases of liver	1	—	2	**14**	—	—	2	—	5	—	2	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	2	**15**	1	1	4	—	5	1	1	2
590-594	38	Nephritis and nephrosis	3	1	15	**56**	4	1	10	2	22	1	1	15
610	39	Hyperplasia of prostate	4	2	14	**27**	—	1	7	2	9	2	—	6
600-609, 611-637	46.7	Other diseases of genito-urinary system	4	—	4	**18**	1	—	1	2	6	1	1	6
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	**4**	—	—	1	—	1	1	—	1
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	1	—	1	**8**	1	—	1	1	1	3	—	1
690-749	46.8	Diseases of skin and organs of locomotion	3	—	3	**9**	1	—	2	—	3	1	—	2
750-759	41	Congenital malformations	5	—	3	**36**	2	—	10	1	10	4	3	6
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	2	—	2	**42**	2	3	8	6	5	7	2	9
763	43.1	Pneumonia of newborn	4	—	1	**9**	1	—	2	1	2	1	2	—
764	43.2	Diarrhœa of newborn	—	—	—	**3**	—	—	1	—	1	—	—	1
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	5	1	5	**73**	4	—	26	6	17	9	4	7
794	45.0	Senility	10	1	25	**79**	3	6	15	3	23	8	3	18
780-793, 795	45.1	Cause ill-defined and unknown	6	—	9	**79**	4	7	33	2	9	8	4	12
E963, E970-979	E49	Suicide	4	—	3	**22**	—	—	3	2	13	1	—	3
E810-835	E47	Motor vehicle accidents	3	—	14	**32**	2	—	9	2	7	2	1	9
E840-845	E48.0	Other road transport accidents	—	—	—	**3**	—	—	—	—	—	—	2	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	18	3	26	**107**	1	5	32	3	31	9	7	19
		All Causes	491	30	739	**4,062**	162	161	944	192	1,175	259	206	963
		Ages at Death												
		Under 1	17	1	25	**259**	14	4	77	23	63	29	15	34
		1– 4	4	1	6	**53**	3	2	16	1	13	4	3	11
		5– 9	4	—	4	**23**	—	1	4	4	7	2	—	5
		10–14	—	—	—	**8**	—	—	5	—	2	—	1	—
		15–24	3	—	12	**78**	3	1	27	7	25	4	2	9
		25–34	20	—	14	**126**	9	1	30	4	46	9	5	22
		35–44	12	1	24	**194**	7	2	45	13	58	11	17	41
		45–54	48	3	50	**353**	13	11	76	16	115	26	12	84
		55–64	60	3	87	**695**	26	35	147	31	223	40	31	162
		65–74	120	9	190	**1,006**	39	52	253	32	278	56	58	238
		75–84	154	10	243	**1,002**	39	43	217	50	267	66	51	269
		85 and over	49	2	84	**265**	9	9	47	11	78	12	11	88
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		All Ages	491	30	739	**4,062**	162	161	944	192	1,175	259	206	963

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Ross and Cromarty County: Ross and Cromarty County	Cromarty Burgh	Dingwall Burgh	Fortrose Burgh	Invergordon Burgh	Stornoway Burgh	Tain Burgh	Landward	Roxburgh County: Roxburgh County	Hawick Burgh	Jedburgh Burgh	Kelso Burgh	Melrose Burgh	Landward
		Population (Estimated), 30th June, 1950	**63,149**	789	3,404	868	1,541	5,115	1,672	49,760	**47,050**	17,615	3,910	4,106	2,010	19,409
		Total Live Births Registered (including Illegitimate)	**1,031**	43	354	6	5	141	1	481	**558**	300	93	89	2	74
		,, Corr. for Mother's Resid. (,,) ...	**1,056**	16	67	13	21	80	28	831	**702**	266	72	56	25	283
		,, ,, ,, Male ...	**549**	9	29	9	11	44	14	433	**386**	156	34	33	14	149
		,, ,, ,, Female ...	**507**	7	38	4	10	36	14	398	**316**	110	38	23	11	134
		,, ,, ,, Illegitimate ...	**52**	—	2	—	1	4	—	45	**42**	12	2	4	1	23
		Still-Births Registered (including Illegitimate) ...	**19**	—	3	—	—	7	—	9	**13**	5	2	3	—	3
		,, Corrected for Mother's Residence ...	**22**	—	2	—	—	—	—	20	**24**	7	3	2	1	11
		Marriages Registered	**264**	5	32	8	6	34	29	150	**304**	137	37	28	19	83
		Deaths Registered	**776**	10	39	14	14	105	19	575	**512**	208	30	55	62	157
		,, Corrected for Residence	**862**	10	32	17	24	69	27	683	**589**	240	48	41	33	227
		,, ,, Male	**428**	5	16	5	14	28	15	345	**269**	102	25	15	11	116
		,, ,, Female	**434**	5	16	12	10	41	12	338	**320**	138	23	26	22	111
		CAUSES OF DEATH														
001-008	1	Tuberculosis of respiratory system	**18**	—	—	—	—	1	—	17	**8**	5	—	—	1	2
010-019	2	Tuberculosis, other forms	**9**	—	1	—	—	—	—	8	—	—	—	—	—	—
020-029	3	Syphilis and its sequelæ	**2**	—	—	—	—	—	—	2	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	**2**	—	1	—	—	—	—	1	—	—	—	—	—	—
080	12	Acute poliomyelitis	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**2**	—	—	—	—	—	—	2	**3**	2	1	—	—	—
140-205	18	Malignant neoplasms	**144**	2	4	2	6	13	7	110	**92**	48	6	7	3	28
210-239	19	Benign and unspecified neoplasms	**2**	—	1	—	—	1	—	—	**2**	1	—	—	—	1
260	20	Diabetes mellitus	**10**	—	1	—	—	—	—	9	**2**	—	—	—	—	2
290-293	21	Anæmias	**6**	—	—	—	—	—	—	6	**3**	—	—	—	—	3
240-254, 270-289, 294-299	46.1	Other general diseases	**7**	—	1	—	1	—	—	5	**4**	—	—	—	—	4
330-334	22	Vascular lesions affecting central nervous system ...	**116**	1	6	—	4	9	4	92	**90**	39	6	4	3	38
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**19**	—	1	3	—	—	—	15	**9**	2	1	2	1	3
400-402	24	Rheumatic fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**4**	1	—	—	—	1	—	2	**9**	2	1	—	2	4
420-422	26	Arteriosclerotic and degenerative heart disease ...	**260**	—	11	4	5	25	10	205	**198**	86	9	20	17	66
430-434	27	Other diseases of heart	**14**	—	—	1	—	1	—	12	**10**	2	1	—	—	7
440-443	28	Hypertension with heart disease	**9**	—	—	—	1	1	1	6	**2**	—	1	—	—	1
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)	(*o*)	(*p*)	(*q*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
444-447	29	Hypertension without heart disease	**13**	—	—	1	1	—	—	11	**5**	1	—	1	—	3
450-468	46.3	Other circulatory disease	**15**	—	—	—	1	1	—	13	**17**	3	—	1	—	13
480-483	30	Influenza	**9**	—	—	—	—	—	1	8	**4**	2	—	—	—	2
490-493	31	Pneumonia	**29**	1	—	—	1	—	1	26	**6**	—	—	—	—	6
500-502	32	Bronchitis	**14**	3	—	1	—	1	—	9	**16**	8	3	1	1	3
470-475, 510-527	46.4	Other respiratory diseases	**8**	—	—	—	—	—	—	8	**2**	1	—	—	1	—
540, 541	33	Ulcer of stomach and duodenum	**6**	—	—	—	1	—	—	5	**7**	—	1	1	—	5
550-553	34	Appendicitis	—	—	—	—	—	—	—	—	**2**	1	1	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**5**	—	—	—	—	—	—	5	**4**	1	1	—	—	2
543	36.1	Gastritis and duodenitis	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**2**	—	—	1	—	—	—	1	**3**	—	—	1	—	2
581	37	Cirrhosis of liver	**1**	—	1	—	—	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	**1**	—	—	—	—	—	—	1	**3**	1	—	—	—	2
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**1**	—	—	—	—	—	—	1	**1**	1	—	—	—	—
590-594	38	Nephritis and nephrosis	**13**	—	—	—	1	2	—	10	**5**	2	—	—	2	1
610	39	Hyperplasia of prostate	**5**	—	—	—	—	1	—	4	**11**	3	4	—	1	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	**2**	—	—	—	—	—	—	2	**2**	—	—	1	—	1
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	—	—	—	—	**1**	1	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**2**	—	—	—	1	—	—	**1**	—	—	—	—	—	—
750-759	41	Congenital malformations	**6**	—	1	—	—	1	1	3	**4**	2	—	—	—	2
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**6**	—	—	—	—	1	—	5	**6**	2	1	—	—	3
763	43.1	Pneumonia of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**12**	—	—	—	—	5	—	7	**10**	6	2	1	—	1
794	45.0	Senility	**44**	2	1	—	—	—	2	39	**15**	10	1	—	1	3
780-793, 795	45.1	Cause ill-defined and unknown	**17**	—	—	—	—	1	—	16	**13**	1	5	—	—	7
E963, E970-979	E49	Suicide	**3**	—	1	—	—	2	—	—	**1**	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	**5**	—	—	1	—	—	—	4	**6**	3	2	1	—	—
E840-845	E48.0	Other road transport accidents	**1**	—	—	—	—	—	—	1	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**16**	—	1	3	1	2	—	9	**13**	4	1	—	—	8
		ALL CAUSES	**862**	10	32	17	24	69	27	683	**589**	240	48	41	33	227
		AGES AT DEATH														
		Under 1	**34**	1	1	—	—	6	1	25	**23**	12	4	1	—	6
		1– 4	**6**	—	1	—	—	—	—	5	**3**	1	1	—	—	1
		5– 9	**2**	—	—	—	—	—	—	2	**5**	3	—	—	—	2
		10–14	**1**	—	—	—	—	—	—	1	**1**	—	—	—	—	1
		15–24	**11**	—	1	1	—	1	—	8	**6**	1	1	—	—	4
		25–34	**11**	—	1	1	—	—	—	9	**11**	9	1	—	—	1
		35–44	**26**	—	1	1	2	2	—	20	**8**	2	1	2	1	2
		45–54	**61**	2	2	—	1	8	—	48	**47**	25	6	2	4	10
		55–64	**82**	—	5	3	5	6	1	62	**88**	34	4	5	1	44
		65–74	**180**	2	6	5	6	12	5	144	**136**	58	10	13	6	49
		75–84	**304**	4	9	5	7	29	17	233	**205**	70	17	17	16	85
		85 and over	**144**	1	5	1	3	5	3	126	**56**	25	3	1	5	22
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**862**	10	32	17	24	69	27	683	**589**	240	48	41	33	227

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Selkirk County: Selkirk County	Selkirk County: Galashiels Burgh	Selkirk County: Selkirk Burgh	Selkirk County: Landward	Stirling County: Stirling County	Stirling County: Bridge of Allan Burgh	Stirling County: Denny and Dunipace	Stirling County: Falkirk Burgh	Stirling County: Grangemouth Burgh	Stirling County: Kilsyth Burgh	Stirling County: Stirling Burgh	Stirling County: Landward
		Population (Estimated), 30th June, 1950	**22,026**	12,897	5,900	3,229	**189,021**	3,095	6,795	38,206	15,806	10,229	28,098	86,792
		Total Live Births Registered (including Illegitimate)	**432**	309	118	5	**5,334**	106	38	1,299	61	70	821	2,939
		,, Corr. for Mother's Resid. (,,) ...	**337**	186	91	60	**3,427**	55	157	588	240	189	482	1,716
		,, ,, ,, Male ...	**178**	100	51	27	**1,772**	25	76	305	120	98	265	883
		,, ,, ,, Female ...	**159**	86	40	33	**1,655**	30	81	283	120	91	217	833
		,, ,, ,, Illegitimate ...	**13**	5	4	4	**163**	1	7	29	13	2	31	80
		Still-Births Registered (including Illegitimate) ...	**8**	3	5	—	**131**	2	—	39	2	1	36	51
		,, Corrected for Mother's Residence ...	**10**	3	5	2	**82**	1	4	19	2	5	14	37
		Marriages Registered	**151**	96	47	8	**1,323**	25	49	352	112	74	241	470
		Deaths Registered	**423**	182	71	170	**2,332**	41	46	608	124	83	473	957
		,, Corrected for Residence	**331**	188	99	44	**2,112**	50	62	449	173	110	328	940
		,, ,, Male	**169**	98	49	22	**1,110**	26	33	246	89	71	144	501
		,, ,, Female	**162**	90	50	22	**1,002**	24	29	203	84	39	184	439
		CAUSES OF DEATH												
001-008	1	Tuberculosis of respiratory system	**2**	1	1	—	**62**	3	1	10	4	1	9	34
010-019	2	Tuberculosis, other forms	**1**	1	—	—	**12**	—	1	5	—	—	1	5
020-029	3	Syphilis and its sequelæ	—	—	—	—	**5**	—	—	1	1	—	—	3
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	**3**	—	—	1	—	—	1	1
050, 051	7	Scarlet fever and streptococcal sore throat ...	**1**	—	1	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	—	**5**	—	—	1	1	—	—	3
057	10	Meningococcal infections	—	—	—	—	**1**	—	—	—	—	—	—	1
080	12	Acute poliomyelitis	—	—	—	—	**1**	—	—	—	1	—	—	—
085	14	Measles	—	—	—	—	**2**	—	—	—	—	—	—	2
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	—	**8**	—	1	1	—	2	1	3
140-205	18	Malignant neoplasms	**49**	23	18	8	**321**	7	6	79	19	12	47	151
210-239	19	Benign and unspecified neoplasms	—	—	—	—	**6**	—	—	2	1	—	2	1
260	20	Diabetes mellitus	**3**	3	—	—	**24**	—	2	5	1	1	4	11
290-293	21	Anæmias	**1**	1	—	—	**11**	—	—	1	—	1	2	7
240-254, 270-289, 294-299	46.1	Other general diseases	**1**	1	—	—	**21**	—	1	3	3	—	6	8
330-334	22	Vascular lesions affecting central nervous system ...	**55**	31	18	6	**284**	8	8	62	20	8	56	122
340	23	Nonmeningococcal meningitis	—	—	—	—	**3**	—	—	1	—	1	—	1
300-326, 341-398	46.2	Other diseases of nervous system	**3**	3	—	—	**47**	2	—	14	—	—	10	21
400-402	24	Rheumatic fever	—	—	—	—	**1**	—	—	—	—	—	1	—
410-416	25	Chronic rheumatic heart disease	**3**	3	—	—	**20**	1	—	5	1	3	4	6
420-422	26	Arteriosclerotic and degenerative heart disease ...	**122**	70	37	15	**609**	15	22	104	67	41	84	276
430-434	27	Other diseases of heart	**5**	4	—	1	**37**	—	—	6	3	3	10	15
440-443	28	Hypertension with heart disease	—	—	—	—	**19**	—	3	6	1	—	3	6
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
444-447	29	Hypertension without heart disease	**2**	2	—	—	**17**	—	—	7	—	2	1	7
450-468	46.3	Other circulatory disease	**8**	6	1	1	**45**	—	2	17	2	1	6	17
480-483	30	Influenza	**1**	—	1	—	**11**	—	—	—	—	1	—	10
490-493	31	Pneumonia	**11**	8	2	1	**71**	1	2	12	3	2	13	38
500-502	32	Bronchitis	**6**	4	1	1	**81**	2	3	21	16	6	9	24
470-475, 510-527	46.4	Other respiratory diseases	**2**	2	—	—	**27**	1	1	5	2	1	6	11
540, 541	33	Ulcer of stomach and duodenum	**4**	1	1	2	**25**	3	1	10	—	3	3	5
550-553	34	Appendicitis	**1**	—	—	1	**7**	—	—	2	—	1	—	4
560, 561, 570	35	Intestinal obstruction and hernia	**2**	1	1	—	**21**	—	1	4	2	1	5	8
543	36.1	Gastritis and duodenitis	—	—	—	—	**1**	—	—	—	—	—	1	—
571, 572	36.2	Diarrhœa (except of newborn)	**3**	1	—	2	**14**	1	—	1	2	2	1	7
581	37	Cirrhosis of liver	—	—	—	—	**4**	—	—	1	1	1	—	1
580, 582-586	46.5	Other diseases of liver	—	—	—	—	**7**	—	—	3	—	—	1	3
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	**2**	—	—	—	—	—	—	2
590-594	38	Nephritis and nephrosis	**2**	1	1	—	**27**	—	1	7	2	—	6	11
610	39	Hyperplasia of prostate	**6**	3	3	—	**9**	—	1	3	—	—	1	4
600-609, 611-637	46.7	Other diseases of genito-urinary system	**1**	—	1	—	**5**	—	1	4	—	—	—	—
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—	—		—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	—	—	—	—	**4**	—	—	—	—	—	1	3
690-749	46.8	Diseases of skin and organs of locomotion	**1**	—	1	—	**10**	—	—	6	1	—	—	3
750-759	41	Congenital malformations	**3**	1	1	1	**13**	—	—	2	—	2	—	9
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**4**	2	1	1	**21**	1	—	3	—	1	3	13
763	43.1	Pneumonia of newborn	—	—	—	—	**6**	1	1	1	—	1	1	1
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	**1**	—	1	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**3**	1	1	1	**40**	—	1	7	4	4	5	19
794	45.0	Senility	**10**	8	2	—	**35**	2	—	2	5	2	9	15
780-793, 795	45.1	Cause ill-defined and unknown	**1**	1	—	—	**25**	—	—	5	1	1	4	14
E963, E970-979	E49	Suicide	**1**	—	1	—	**8**	1	1	—	1	—	—	5
E810-835	E47	Motor vehicle accidents	**2**	—	1	1	**19**	—	—	7	2	—	1	9
E840-845	E48.0	Other road transport accidents	—	—	—	—	**1**	—	—	—	—	—	—	1
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**11**	5	4	2	**53**	1	—	12	6	5	10	19
		ALL CAUSES	**331**	188	99	44	**2,112**	50	62	449	173	110	328	940
		AGES AT DEATH												
		Under 1	**11**	6	3	2	**132**	2	3	19	12	9	16	71
		1– 4	**4**	3	1	—	**24**	—	1	7	3	—	2	11
		5– 9	**2**	—	—	2	**12**	1	—	5	—	—	—	6
		10–14	**1**	1	—	—	**8**	—	—	2	—	2	1	3
		15–24	**2**	2	—	—	**32**	—	—	11	3	—	5	13
		25–34	**4**	2	2	—	**51**	2	2	5	3	2	12	25
		35–44	**8**	4	3	1	**104**	2	2	20	4	9	14	53
		45–54	**18**	11	3	4	**194**	3	6	44	17	9	30	85
		55–64	**39**	23	10	6	**309**	9	6	76	34	20	47	117
		65–74	**85**	52	23	10	**559**	7	17	129	45	31	81	249
		75–84	**118**	61	44	13	**545**	22	20	109	38	27	90	239
		85 and over	**39**	23	10	6	**142**	2	5	22	14	1	30	68
		Not stated	—	—	—	—	—	—	—	—	—	—	—	—
		ALL AGES	**331**	188	99	44	**2,112**	50	62	449	173	110	328	940

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Sutherland County: Sutherland County	Sutherland County: Dornoch Burgh	Sutherland County: Landward	West Lothian County: West Lothian County	West Lothian County: Armadale Burgh	West Lothian County: Bathgate Burgh	West Lothian County: Bo'ness Burgh	West Lothian County: Linlithgow Burgh	West Lothian County: Queensferry Burgh	West Lothian County: Whitburn Burgh	West Lothian County: Landward
		Population (Estimated), 30th June, 1950	**13,951**	732	13,219	**87,645**	5,819	10,779	10,546	3,810	2,276	4,534	49,881
		Total Live Births Registered (including Illegitimate)	**180**	10	170	**1,533**	65	107	102	14	15	57	1,173
		,, Corr. for Mother's Resid. (,,) ...	**235**	10	225	**1,851**	132	205	213	79	49	120	1,053
		,, ,, ,, Male ...	**108**	3	105	**962**	65	110	111	35	24	64	553
		,, ,, ,, Female ...	**127**	7	120	**889**	67	95	102	44	25	56	500
		,, ,, ,, Illegitimate ...	**19**	—	19	**79**	8	7	10	3	3	4	44
		Still-Births Registered (including Illegitimate) ...	**4**	1	3	**36**	—	—	3	—	—	1	32
		,, Corrected for Mother's Residence ...	**4**	1	3	**48**	1	6	8	3	1	4	25
		Marriages Registered	**63**	11	52	**690**	74	104	80	39	24	31	338
		Deaths Registered	**181**	7	174	**908**	36	67	93	35	19	28	630
		,, Corrected for Residence	**201**	12	189	**892**	54	115	121	50	25	40	487
		,, ,, Male	**102**	5	97	**448**	26	56	63	20	10	20	253
		,, ,, Female	**99**	7	92	**444**	28	59	58	30	15	20	234
		CAUSES OF DEATH											
001-008	1	Tuberculosis of respiratory system	**2**	—	2	**39**	2	9	7	—	1	4	16
010-019	2	Tuberculosis, other forms	—	—	—	**5**	1	1	—	—	—	2	1
020-029	3	Syphilis and its sequelæ	—	—	—	—	—	—	—	—	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	**2**	—	—	—	—	—	—	2
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	—	—	—	—	—
056	9	Whooping-cough	—	—	—	**2**	—	—	2	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	—	—	—	—	—	—	—	—	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	—	—	—	**5**	—	—	1	—	—	—	4
140-205	18	Malignant neoplasms	**19**	2	17	**121**	5	20	15	8	2	5	66
210-239	19	Benign and unspecified neoplasms	—	—	—	**1**	1	—	—	—	—	—	—
260	20	Diabetes mellitus	**3**	1	2	**13**	—	2	4	—	—	—	7
290-293	21	Anæmias	**2**	—	2	**8**	—	2	2	—	—	—	4
240-254, 270-289, 294-299	46.1	Other general diseases	**3**	—	3	**7**	—	—	2	1	—	—	4
330-334	22	Vascular lesions affecting central nervous system ...	**16**	2	14	**138**	7	20	19	11	8	5	68
340	23	Nonmeningococcal meningitis	—	—	—	**1**	—	—	—	—	—	—	1
300-326, 341-398	46.2	Other diseases of nervous system	**5**	—	5	**13**	1	1	3	—	—	1	7
400-402	24	Rheumatic fever	—	—	—	**2**	—	—	—	—	—	1	1
410-416	25	Chronic rheumatic heart disease	**2**	—	2	**18**	—	5	3	—	1	—	9
420-422	26	Arteriosclerotic and degenerative heart disease ...	**64**	—	64	**242**	19	27	24	21	7	5	139
430-434	27	Other diseases of heart	**5**	—	5	**16**	2	4	1	—	—	2	7
440-443	28	Hypertension with heart disease	**1**	—	1	**10**	1	2	1	—	—	—	6
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)	(*m*)	(*n*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)
444-447	29	Hypertension without heart disease	**1**	—	1	**11**	1	1	2	—	—	2	5
450-468	46.3	Other circulatory disease	**11**	1	10	**25**	1	2	1	—	—	2	19
480-483	30	Influenza	**3**	—	3	**2**	1	—	—	—	—	—	1
490-493	31	Pneumonia	**4**	—	4	**29**	2	2	3	2	1	2	17
500-502	32	Bronchitis	**3**	—	3	**29**	2	2	8	2	—	—	15
470-475, 510-527	46.4	Other respiratory diseases	**1**	1	—	**9**	—	1	—	1	—	—	7
540, 541	33	Ulcer of stomach and duodenum	**5**	—	5	**14**	1	—	4	2	—	—	7
550-553	34	Appendicitis	**2**	—	2	**1**	—	—	1	—	—	—	—
560, 561, 570	35	Intestinal obstruction and hernia	**3**	1	2	**6**	—	1	—	—	—	—	5
543	36.1	Gastritis and duodenitis	**—**	—	—	**—**	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	**1**	—	1	**2**	—	—	—	—	—	—	2
581	37	Cirrhosis of liver	**—**	—	—	**4**	—	—	1	—	—	—	3
580, 582-586	46.5	Other diseases of liver	**1**	—	1	**6**	—	—	—	—	—	1	5
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	**—**	—	—	**1**	—	—	—	—	—	—	1
590-594	38	Nephritis and nephrosis	**2**	—	2	**7**	—	1	3	1	—	—	2
610	39	Hyperplasia of prostate	**2**	—	2	**6**	1	—	2	—	—	—	3
600-609, 611-637	46.7	Other diseases of genito-urinary system	**2**	—	2	**3**	—	1	—	—	—	—	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	**—**	—	—	**—**	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	**—**	—	—	**—**	—	—	—	—	—	—	—
690-749	46.8	Diseases of skin and organs of locomotion	**—**	—	—	**2**	—	—	1	—	—	—	1
750-759	41	Congenital malformations	**4**	—	4	**12**	1	1	1	—	1	1	7
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	**1**	—	1	**8**	1	—	1	—	1	1	4
763	43.1	Pneumonia of newborn	**1**	—	1	**5**	—	1	—	—	—	—	4
764	43.2	Diarrhœa of newborn	**—**	—	—	**—**	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	**—**	—	—	**1**	1	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	**6**	—	6	**17**	2	1	2	—	1	1	10
794	45.0	Senility	**14**	2	12	**6**	1	1	1	—	—	1	2
780-793, 795	45.1	Cause ill-defined and unknown	**6**	2	4	**9**	—	—	—	—	—	1	8
E963, E970-979	E49	Suicide	**1**	—	1	**2**	—	1	—	—	—	—	1
E810-835	E47	Motor vehicle accidents	**—**	—	—	**7**	—	1	1	—	—	—	5
E840-845	E48.0	Other road transport accidents	**—**	—	—	**1**	—	—	1	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	**5**	—	5	**24**	—	5	4	1	2	3	9
		All Causes	**201**	12	189	**892**	54	115	121	50	25	40	487
		Ages at Death											
		Under 1	**13**	—	13	**55**	5	4	4	1	3	4	34
		1– 4	**3**	—	3	**8**	—	—	1	—	—	4	3
		5– 9	**—**	—	—	**4**	—	—	—	—	—	1	3
		10–14	**—**	—	—	**4**	1	—	1	—	—	—	2
		15–24	**2**	—	2	**17**	1	3	2	—	—	2	9
		25–34	**1**	—	1	**21**	—	2	4	1	2	2	10
		35–44	**3**	1	2	**37**	2	3	8	2	1	3	18
		45–54	**12**	2	10	**92**	5	24	13	4	1	3	42
		55–64	**16**	1	15	**127**	4	24	15	6	3	5	70
		65–74	**37**	2	35	**235**	13	23	39	12	7	8	133
		75–84	**70**	5	65	**226**	15	25	28	20	6	8	124
		85 and over	**44**	1	43	**66**	8	7	6	4	2	—	39
		Not stated	**—**	—	—	**—**	—	—	—	—	—	—	—
		All Ages	**201**	12	189	**892**	54	115	121	50	25	40	487

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 47.—Statistical Abstract—Counties, Burghs and Landward Areas—Scotland, 1950—*continued*

International Classification: Detailed List	International Classification: Intermediate List "B"		Wigtown County: Wigtown County	Wigtown County: Newton-Stewart Burgh	Wigtown County: Stranraer Burgh	Wigtown County: Whithorn Burgh	Wigtown County: Wigtown Burgh	Wigtown County: Landward	Zetland County: Zetland County	Zetland County: Lerwick Burgh	Zetland County: Landward
		Population (Estimated), 30th June, 1950	**32,727**	2,030	8,456	990	1,376	19,875	**19,869**	5,872	13,997
		Total Live Births Registered (including Illegitimate)	**394**	12	96	11	19	256	**306**	220	86
		,, Corr. for Mother's Resid. (,,) ...	**651**	33	155	18	28	417	**308**	92	216
		,, ,, ,, Male ...	**346**	18	80	8	16	224	**167**	45	122
		,, ,, ,, Female ...	**305**	15	75	10	12	193	**141**	47	94
		,, ,, ,, Illegitimate ...	**95**	6	16	5	4	64	**15**	4	11
		Still-Births Registered (including Illegitimate) ...	**8**	—	3	1	—	4	**3**	1	2
		,, Corrected for Mother's Residence ...	**23**	1	6	2	1	13	**3**	—	3
		Marriages Registered	**224**	35	79	20	7	83	**118**	70	48
		Deaths Registered	**330**	25	105	14	23	163	**325**	129	196
		,, Corrected for Residence	**365**	31	103	18	25	188	**342**	89	253
		,, ,, Male	**188**	13	55	14	15	91	**160**	42	118
		,, ,, Female	**177**	18	48	4	10	97	**182**	47	135
		CAUSES OF DEATH									
001-008	1	Tuberculosis of respiratory system	**5**	—	1	—	—	4	**10**	4	6
010-019	2	Tuberculosis, other forms	—	—	—	—	—	—	**1**	—	1
020-029	3	Syphilis and its sequelæ	**1**	—	—	—	—	1	—	—	—
040	4	Typhoid fever	—	—	—	—	—	—	—	—	—
045-048	6	Dysentery, all forms	—	—	—	—	—	—	—	—	—
050, 051	7	Scarlet fever and streptococcal sore throat ...	—	—	—	—	—	—	—	—	—
055	8	Diphtheria	—	—	—	—	—	—	**1**	—	1
056	9	Whooping-cough	—	—	—	—	—	—	—	—	—
057	10	Meningococcal infections	—	—	—	—	—	—	—	—	—
080	12	Acute poliomyelitis	**1**	—	—	—	—	1	—	—	—
085	14	Measles	—	—	—	—	—	—	—	—	—
030-039, 041-044, 049, 052-054, 058-074, 081-084, 086-138	17	Other infectious and parasitic diseases (B5, 11, 13, 15, 16)*	**3**	—	—	—	—	3	**2**	—	2
140-205	18	Malignant neoplasms	**49**	3	15	1	4	26	**53**	17	36
210-239	19	Benign and unspecified neoplasms	—	—	—	—	—	—	**1**	—	1
260	20	Diabetes mellitus	**6**	1	2	—	1	2	**2**	—	2
290-293	21	Anæmias	**1**	—	—	1	—	—	**1**	—	1
240-254, 270-289, 294-299	46.1	Other general diseases	**6**	—	2	—	—	4	**2**	—	2
330-334	22	Vascular lesions affecting central nervous system ...	**53**	6	11	4	3	29	**47**	13	34
340	23	Nonmeningococcal meningitis	—	—	—	—	—	—	—	—	—
300-326, 341-398	46.2	Other diseases of nervous system	**4**	—	2	—	—	2	**13**	3	10
400-402	24	Rheumatic fever	**1**	—	1	—	—	—	—	—	—
410-416	25	Chronic rheumatic heart disease	**10**	2	2	1	1	4	—	—	—
420-422	26	Arteriosclerotic and degenerative heart disease ...	**110**	10	30	5	12	53	**89**	17	72
430-434	27	Other diseases of heart	**2**	—	—	—	—	2	**11**	5	6
440-443	28	Hypertension with heart disease	**1**	—	—	—	—	1	**2**	—	2
(*a*)	(*b*)	(*c*)	(*d*)	(*e*)	(*f*)	(*g*)	(*h*)	(*i*)	(*j*)	(*k*)	(*l*)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)
444-447	29	Hypertension without heart disease	3	—	1	1	—	1	3	1	2
450-468	46.3	Other circulatory disease	5	—	4	—	—	1	6	3	3
480-483	30	Influenza	7	1	3	—	—	3	4	2	2
490-493	31	Pneumonia	10	2	1	—	1	6	7	—	7
500-502	32	Bronchitis	10	2	1	—	—	7	6	—	6
470-475, 510-527	46.4	Other respiratory diseases	1	—	1	—	—	—	5	1	4
540, 541	33	Ulcer of stomach and duodenum	4	—	2	—	—	2	1	—	1
550-553	34	Appendicitis	—	—	—	—	—	—	2	1	1
560, 561, 570	35	Intestinal obstruction and hernia	3	—	—	—	—	3	4	2	2
543	36.1	Gastritis and duodenitis	—	—	—	—	—	—	—	—	—
571, 572	36.2	Diarrhœa (except of newborn)	—	—	—	—	—	—	—	—	—
581	37	Cirrhosis of liver	—	—	—	—	—	—	—	—	—
580, 582-586	46.5	Other diseases of liver	3	—	1	2	—	—	—	—	—
530-539, 542, 544, 545, 573-578, 587	46.6	Other digestive diseases	—	—	—	—	—	—	—	—	—
590-594	38	Nephritis and nephrosis	12	1	8	—	—	3	8	2	6
610	39	Hyperplasia of prostate	4	—	3	—	1	—	3	1	2
600-609, 611-637	46.7	Other diseases of genito-urinary system	3	1	—	—	—	2	3	1	2
640, 641, 651, 681, 682, 684	40.0	Puerperal sepsis including post-abortive sepsis ...	—	—	—	—	—	—	—	—	—
642-650, 652-680, 683, 685-689	40.1	Other puerperal causes	3	—	1	—	—	2	1	—	1
690-749	46.8	Diseases of skin and organs of locomotion	1	—	—	—	—	1	1	1	—
750-759	41	Congenital malformations	5	—	4	—	—	1	1	—	1
760-762	42	Birth injuries, postnatal asphyxia and atelectasis ...	1	—	1	—	—	—	5	3	2
763	43.1	Pneumonia of newborn	2	—	1	—	—	1	—	—	—
764	43.2	Diarrhœa of newborn	—	—	—	—	—	—	—	—	—
765-768	43.3	Other infections of the newborn	—	—	—	—	—	—	—	—	—
769-776	44	Other diseases peculiar to early infancy	13	1	3	1	1	7	4	3	1
794	45.0	Senility	4	—	—	2	—	2	22	3	19
780-793, 795	45.1	Cause ill-defined and unknown	3	—	—	—	—	3	5	—	5
E963, E970-979	E49	Suicide	1	—	—	—	—	1	—	—	—
E810-835	E47	Motor vehicle accidents	1	—	—	—	—	1	1	—	1
E840-845	E48.0	Other road transport accidents	—	—	—	—	—	—	—	—	—
E800-802, E850-962, E964, 965, E980-999	E48.1	Other violence (BE50)	13	1	2	—	1	9	15	6	9
		ALL CAUSES	365	31	103	18	25	188	342	89	253
		AGES AT DEATH									
		Under 1	30	1	9	1	3	16	11	8	3
		1– 4	5	—	—	—	—	5	3	—	3
		5– 9	—	—	—	—	—	—	1	—	1
		10–14	—	—	—	—	—	—	1	—	1
		15–24	4	—	—	—	1	3	6	4	2
		25–34	14	—	6	—	—	8	5	—	5
		35–44	18	—	8	—	2	8	12	6	6
		45–54	26	2	5	4	3	12	13	6	7
		55–64	52	3	17	2	2	28	43	17	26
		65–74	76	5	21	4	5	41	76	18	58
		75–84	108	16	29	5	5	53	108	20	88
		85 and over	31	4	8	2	4	13	63	10	53
		Not stated	1	—	—	—	—	1	—	—	—
		ALL AGES	365	31	103	18	25	188	342	89	253

* Including paratyphoid fever, erysipelas, septicæmia and lethargic encephalitis.

TABLE 48.—Death-rates per Million in Scotland standardised to the Sex and Age Distribution of the Home Population of Great Britain, with Rates for England and Wales for Comparison—1950

International List No.	Causes of Death		Scotland	England and Wales
	ALL CAUSES—	M.	**14,917**	**13,760**
		F.	**11,551**	**9,877**
		P.	**13,039**	**11,577**
001-008	Tuberculosis of respiratory system	M.	559	434
		F.	438	226
		P.	488	319
010-019	Tuberculosis, other forms	M.	64	46
		F.	65	41
		P.	65	43
020-029	Syphilis and its sequelæ	M.	58	62
		F.	17	21
		P.	34	39
057	Meningococcal infections	M.	6	7
		F.	6	6
		P.	6	6
140-205	Malignant neoplasms, including neoplasms of lymphatic and hæmatopoietic tissues ...	M.	2,353	2,275
		F.	1,850	1,679
		P.	2,066	1,932
260	Diabetes mellitus	M.	75	65
		F.	147	98
		P.	118	83
330-334	Vascular lesions affecting the central nervous system	M.	1,759	1,480
		F.	1,843	1,456
		P.	1,803	1,466
400-402	Rheumatic fever	M.	5	12
		F.	17	14
		P.	10	13
410-434	Heart diseases	M.	4,745	4,109
		F.	3,586	2,924
		P.	4,098	3,440
440-447	Hypertensive disease	M.	237	508
		F.	180	398
		P.	203	445
480-483	Influenza	M.	71	98
		F.	84	81
		P.	79	88
490-493, 763	Pneumonia (all forms)	M.	520	494
		F.	387	360
		P.	449	419
590-594	Nephritis and nephrosis	M.	148	177
		F.	139	140
		P.	141	156

TABLE 49.—Method of Celebration, etc. of Marriages in Scotland—1855-1949

Year	Total Marriages: Number	Total Marriages: Proportion per 1,000 of Population	Marriage according to Forms of the: Church of Scotland	Free Church	United Presbyterian Church	Roman Cath. Church	Scottish Episcopal Church	Other Forms	Form not stated	Civil Marriages†	Irregular Marriages
					Decennial Averages						
1855-1860	20,645	6·840	9,586	4,747	2,872	1,846	383	1,058	135	—	19
1860-1870	22,422	7·004	9,929	5,278	3,214	2,071	464	1,324	101	—	41
1871-1880	25,355	7·172	11,549	5,649	3,305	2,286	646	1,633	25	—	263
1881-1890	25,939	6·700	11,971	5,277	3,011	2,558	732	1,728	12	—	650
1891-1900	29,866	7·054	13,497	5,638	3,292	2,934	899	2,179	0	—	1,428
				Un. Free Ch.*							
1901-1910	31,825	6·907	14,414	8,477		3,331	936	2,634	0	—	2,034
1911-1920	35,647	7·451	14,231	8,340		3,964	1,131	2,669	0	—	5,312
1921-1930	33,663	6·923	14,993	6,910		3,911	971	2,591	0	—	4,287
1931-1940	38,963	7·869		24,459		5,051	1,076	3,427	0	4,950	
					Annual Numbers						
1932	33,157	6·790		21,034		4,346	917	2,837	0	—	4,023
1933	34,201	6·962		21,687		4,577	925	3,001	0	—	4,011
1934	36,934	7·485		23,476		4,888	1,040	3,229	0	—	4,301
1935	37,988	7·670		24,069		5,069	1,018	3,470	0	—	4,362
1936	37,896	7·631		23,791		4,925	1,026	3,651	0	—	4,503
1937	38,334	7·703		24,219		4,874	1,004	3,523	0	—	4,714
1938	38,716	7·754		24,012		4,760	1,033	3,427	0	—	5,484
1939	46,236	9·235		27,779		5,729	1,212	3,849	0	—	7,667
1940	53,522	10·609		33,756		7,230	1,715	4,481	0	2,531	3,809
1941	47,620	9·284		30,017		6,282	1,705	4,214	0	5,394	8
1942	47,402	9·215		29,827		6,103	1,671	4,073	0	5,712	16
1943	38,177	7·402		23,377		4,891	1,489	3,230	0	5,176	14
1944	37,017	7·134		22,554		4,831	1,334	3,163	0	5,117	18
1945	48,642	9·432		30,107		6,025	1,745	3,913	0	6,840	12
1946	45,785	8·917		27,599		5,770	1,390	3,490	0	7,522	14
1947	44,360	8·633		26,189		5,714	1,176	3,337	0	7,930	14
1948	43,718	8·457		25,798		5,879	1,243	3,313	0	7,474	11
1949	41,708	8·059		24,590		5,694	1,065	3,177	0	7,176	6
					Rate per hundred Marriages—Decennial						
1855-1860	100·00	—	46·42	23·01	13·92	8·94	1·85	5·12	0·65	—	0·09
1861-1870	100·00	—	44·30	23·54	14·33	9·22	2·07	5·89	0·47	—	0·18
1871-1880	100·00	—	45·56	22·28	13·02	9·02	2·55	6·42	0·11	—	1·04
1881-1890	100·00	—	46·17	20·34	11·61	9·85	2·82	6·66	0·05	—	2·51
1891-1900	100·00	—	45·20	18·91	11·04	9·81	3·00	7·29	—	—	4·78
				Un. Free Ch.*							
1901-1910	100·00	—	45·29	26·63		10·46	2·94	8·28	—	—	6·39
1911-1920	100·00	—	39·92	23·40		11·12	3·17	7·49	—	—	14·90
1921-1930	100·00	—	44·54	20·53		11·62	2·88	7·70	—	—	12·74
1931-1940	100·00	—		62·77		12·96	2·76	8·80	—	—	12·70
					Rate per hundred Marriages—Annual						
1932	100·00	—		63·44		13·11	2·77	8·56	—	—	12·13
1933	100·00	—		63·41		13·38	2·70	8·77	—	—	11·73
1934	100·00	—		63·56		13·23	2·82	8·74	—	—	11·65
1935	100·00	—		63·36		13·34	2·68	9·13	—	—	11·48
1936	100·00	—		62·78		13·00	2·71	9·63	—	—	11·88
1937	100·00	—		63·18		12·71	2·62	9·19	—	—	12·30
1938	100·00	—		62·02		12·29	2·67	8·86	—	—	14·16
1939	100·00	—		60·08		12·39	2·62	8·33	—	—	16·58
1940	100·00	—		63·07		13·51	3·20	8·37	—	4·73	7·12
1941	100·00	—		63·03		13·19	3·58	8·85	—	11·33	0·02
1942	100·00	—		62·92		12·88	3·53	8·59	—	12·05	0·03
1943	100·00	—		61·23		12·81	3·90	8·46	—	13·56	0·04
1944	100·00	—		60·93		13·05	3·60	8·54	—	13·82	0·05
1945	100·00	—		61·90		12·39	3·59	8·04	—	14·06	0·02
1946	100·00	—		60·28		12·60	3·04	7·62	—	16·43	0·03
1947	100·00	—		59·04		12·88	2·65	7·52	—	17·88	0·03
1948	100·00	—		59·01		13·45	2·84	7·58	—	17·10	0·03
1949	100·00	—		58·96		13·65	2·55	7·62	—	17·21	0·01

* The Free Church and the United Presbyterian Church were united on 31st October, 1900, under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October, 1929, under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act, 1939, which came into operation on 1st July, 1940, Irregular Marriages were abolished and Civil Marriages were substituted.

TABLE 50.—Ecclesiastical, Civil and Irregular Marriages in Scotland—1949

		Total Marriages	Numbers: Ecclesiastical Marriages: Banns	Publication of Notice	Banns and Publication	Licence	Civil Marriages: Publication of Notice	Licence	*Irregular Marriages	Percentage of Total Marriages: Ecclesiastical Marriages: Banns	Publication of Notice	Banns and Publication	Licence	Civil Marriages: Publication of Notice	Licence	Irregular Marriages
	SCOTLAND ...	**41,708**	**25,739**	**7,408**	**1,192**	**187**	**6,655**	**521**	**6**	**61·7**	**17·8**	**2·9**	**0·4**	**16·0**	**1·2**	**0·0**
	Counties of Cities	**18,114**	**8,875**	**4,115**	**529**	**82**	**4,145**	**366**	**2**	**49·0**	**22·7**	**2·9**	**0·5**	**22·9**	**2·0**	**0·0**
	Large Burghs ...	**7,866**	**4,826**	**1,413**	**190**	**40**	**1,294**	**103**	—	**61·4**	**18·0**	**2·4**	**0·5**	**16·5**	**1·3**	—
	Counties (Ex Counties of Cities and Large Burghs)	**15,728**	**12,038**	**1,880**	**473**	**65**	**1,216**	**52**	**4**	**76·5**	**12·0**	**3·0**	**0·4**	**7·7**	**0·3**	**0·0**
	Counties (Ex Counties of Cities & Large Burghs)															
01	Aberdeen ...	969	863	30	15	1	58	2	—	89·1	3·1	1·5	0·1	6·0	0·2	—
02	Angus	461	375	15	14	3	51	3	—	81·3	3·3	3·0	0·7	11·1	0·7	—
03	Argyll	330	289	19	5	3	13	1	—	87·6	5·8	1·5	0·9	3·9	0·3	—
04	Ayr	1,746	1,438	173	49	8	77	1	—	82·4	9·9	2·8	0·5	4·4	0·1	—
05	Banff	353	309	11	9	4	17	3	—	87·5	3·1	2·5	1·1	4·8	0·8	—
06	Berwick ...	164	146	4	2	2	8	2	—	89·0	2·4	1·2	1·2	4·9	1·2	—
07	Bute	123	106	1	1	—	15	—	—	86·2	0·8	0·8	—	12·2	—	—
08	Caithness ...	171	157	4	—	2	4	4	—	91·8	2·3	—	1·2	2·3	2·3	—
09	Clackmannan ...	269	191	26	6	1	44	1	—	71·0	9·7	2·2	0·4	16·4	0·4	—
10	Dunbarton ...	618	365	182	22	2	47	—	—	59·1	29·4	3·6	0·3	7·6	—	—
11	Dumfries... ...	414	357	11	6	2	34	—	4	86·2	2·7	1·4	0·5	8·2	—	1·0
12	East Lothian ...	371	269	44	19	2	34	3	—	72·5	11·9	5·1	0·5	9·2	0·8	—
13	Fife	1,548	1,134	171	48	4	188	3	—	73·3	11·0	3·1	0·3	12·1	0·2	—
14	Inverness ...	215	142	45	7	2	15	4	—	66·0	20·9	3·3	0·9	7·0	1·9	—
15	Kincardine ...	159	148	5	5	—	1	—	—	93·1	3·1	3·1	—	0·6	—	—
16	Kinross	56	42	—	1	—	13	—	—	75·0	—	1·8	—	23·2	—	—
17	Kirkcudbright ...	231	210	1	7	2	10	1	—	90·9	0·4	3·0	0·9	4·3	0·4	—
18	Lanark	2,235	1,484	506	85	9	146	5	—	66·4	22·6	3·8	0·4	6·5	0·2	—
19	Midlothian ...	644	472	78	24	2	68	—	—	73·3	12·1	3·7	0·3	10·6	—	—
20	Moray	345	256	12	13	3	60	1	—	74·2	3·5	3·8	0·9	17·4	0·3	—
21	Nairn	61	50	2	2	—	6	1	—	82·0	3·3	3·3	—	9·8	1·6	—
22	Orkney	161	141	2	—	—	16	2	—	87·6	1·2	—	—	9·9	1·2	—
23	Peebles	93	69	6	2	—	16	—	—	74·2	6·5	2·2	—	17·2	—	—
24	Perth	481	411	17	20	1	32	—	—	85·4	3·5	4·2	0·2	6·7	—	—
25	Renfrew	874	567	229	40	4	34	—	—	64·9	26·2	4·6	0·5	3·9	—	—
26	Ross & Cromarty	286	198	57	11	—	19	1	—	69·2	19·9	3·8	—	6·6	0·3	—
27	Roxburgh ...	298	248	15	7	1	23	4	—	83·2	5·0	2·3	0·3	7·7	1·3	—
28	Selkirk	184	129	13	4	1	36	1	—	70·1	7·1	2·2	0·5	19·6	0·5	—
29	Stirling	772	622	100	23	2	24	1	—	80·6	13·0	3·0	0·3	3·1	0·1	—
30	Sutherland ...	63	56	1	1	—	2	3	—	88·9	1·6	1·6	—	3·2	4·8	—
31	West Lothian ...	663	491	93	20	2	57	—	—	74·1	14·0	3·0	0·3	8·6	—	—
32	Wigtown... ...	240	188	4	4	2	42	—	—	78·3	1·7	1·7	0·8	17·5	—	—
33	Zetland	130	115	3	1	—	6	5	—	88·5	2·3	0·8	—	4·6	3·8	—
	Counties of Cities															
18.13	Glasgow	10,429	4,927	2,962	306	61	1,936	236	1	47·2	28·4	2·9	0·6	18·6	2·3	0·0
19.12	Edinburgh ...	4,271	2,055	611	148	14	1,355	87	1	48·1	14·3	3·5	0·3	31·7	2·0	0·0
02.13	Dundee	1,578	803	301	34	5	402	33	—	50·9	19·1	2·2	0·3	25·5	2·1	—
01.10	Aberdeen ...	1,836	1,090	241	41	2	452	10	—	59·4	13·1	2·2	0·1	24·6	0·5	—
	Large Burghs															
25.14	Paisley	847	517	199	21	5	97	8	—	61·0	23·5	2·5	0·6	11·5	0·9	—
25.12	Greenock... ...	628	391	165	12	2	54	4	—	62·3	26·3	1·9	0·3	8·6	0·6	—
18.16	Motherwell & Wishaw ...	616	366	143	9	1	94	3	—	59·4	23·2	1·5	0·2	15·3	0·5	—
10.10	Clydebank ...	375	219	100	12	1	42	1	—	58·4	26·7	3·2	0·3	11·2	0·3	—
13.23	Kirkcaldy ...	462	285	40	9	3	115	10	—	61·7	8·7	1·9	0·6	24·9	2·2	—
18.12	Coatbridge ...	360	180	140	10	—	30	—	—	50·0	38·9	2·8	—	8·3	—	—
04.17	Kilmarnock ...	375	257	56	10	5	44	3	—	68·5	14·9	2·7	1·3	11·7	0·8	—
18.14	Hamilton ...	400	238	90	11	2	53	6	—	59·5	22·5	2·8	0·5	13·3	1·5	—
04.11	Ayr	411	289	24	5	—	84	9	—	70·3	5·8	1·2	—	20·4	2·2	—
29.12	Falkirk	361	239	37	5	—	73	7	—	66·2	10·2	1·4	—	20·2	1·9	—
13.18	Dunfermline ...	440	230	49	17	1	142	1	—	52·3	11·1	3·9	0·2	32·3	0·2	—
24.20	Perth	531	307	38	9	4	162	11	—	57·8	7·2	1·7	0·8	30·5	2·1	—
18.10	Airdrie	285	177	70	7	1	29	1	—	62·1	24·6	2·5	0·4	10·2	0·4	—
18.17	Rutherglen ...	264	180	48	6	2	26	2	—	68·2	18·2	2·3	0·8	9·8	0·8	—
11.11	Dumfries... ...	305	232	8	12	3	48	2	—	76·1	2·6	3·9	1·0	15·7	0·7	—
29.15	Stirling	276	151	41	15	—	68	1	—	54·7	14·9	5·4	—	24·6	0·4	—
14.11	Inverness ...	425	258	37	8	4	87	31	—	60·7	8·7	1·9	0·9	20·5	7·3	—
10.12	Dumbarton ...	182	81	80	4	1	14	2	—	44·5	44·0	2·2	0·5	7·7	1·1	—
25.15	Port Glasgow ...	140	88	40	7	3	2	—	—	62·9	28·6	5·0	2·1	1·4	—	—
02.10	Arbroath... ...	183	141	8	1	2	30	1	—	77·0	4·4	0·5	1·1	16·4	0·5	—

* Registered by Decree of Declaration

TABLE 51.—Marriages in Scotland according to Church of Celebration—1949

		According to Forms of							Civil and Irregular	Percentage of Total Marriages						
		Total Marriages	Church of Scotland	United Free Church	Free Church	Roman Catholic Church	Scottish Episcopal Church	Other Forms		Church of Scotland	United Free Church	Free Church	Roman Catholic Ch.	Scott'h Episcopal Church	Other Forms	Civil and Irregular
	SCOTLAND ...	**41,708**	**24,590**	**462**	**251**	**5,694**	**1,065**	**2,464**	**7,182**	**59·0**	**1·1**	**0·6**	**13·7**	**2·6**	**5·9**	**17·2**
	Counties of Cities ...	**18,114**	**8,984**	**170**	**62**	**2,696**	**527**	**1,162**	**4,513**	**49·6**	**0·9**	**0·3**	**14·9**	**2·9**	**6·4**	**24·9**
	Large Burghs	**7,866**	**4,239**	**72**	**45**	**1,277**	**240**	**596**	**1,397**	**53·9**	**0·9**	**0·6**	**16·2**	**3·1**	**7·6**	**17·8**
	Counties (Ex Counties of Cities and Large Burghs) ...	**15,728**	**11,367**	**220**	**144**	**1,721**	**298**	**706**	**1,272**	**72·3**	**1·4**	**0·9**	**10·9**	**1·9**	**4·5**	**8·1**
	Counties (Ex Counties of Cities and Large Burghs)															
01	Aberdeen ...	969	808	1	—	16	36	48	60	83·4	0·1	—	1·7	3·7	5·0	6·2
02	Angus	461	370	4	—	7	19	7	54	80·3	0·9	—	1·5	4·1	1·5	11·7
03	Argyll	330	263	4	9	19	9	12	14	79·7	1·2	2·7	5·8	2·7	3·6	4·2
04	Ayr	1,746	1,288	50	4	199	19	108	78	73·8	2·9	0·2	11·4	1·1	6·2	4·5
05	Banff	353	271	2	—	20	11	29	20	76·8	0·6	—	5·7	3·1	8·2	5·7
06	Berwick ...	164	137	—	—	7	1	9	10	83·5	—	—	4·3	0·6	5·5	6·1
07	Bute	123	71	8	6	18	2	3	15	57·7	6·5	4·9	14·6	1·6	2·4	12·2
08	Caithness ...	171	134	—	11	1	1	16	8	78·4	—	6·4	0·6	0·6	9·4	4·7
09	Clackmannan	269	172	16	—	26	5	5	45	63·9	5·9	—	9·7	1·9	1·9	16·7
10	Dunbarton ...	618	382	7	2	153	13	14	47	61·8	1·1	0·3	24·8	2·1	2·3	7·6
11	Dumfries ...	414	333	10	—	11	8	14	38	80·4	2·4	—	2·7	1·9	3·4	9·2
12	East Lothian	371	271	—	—	41	13	9	37	73·0	—	—	11·1	3·5	2·4	10·0
13	Fife	1,548	1,157	11	3	132	27	27	191	74·7	0·7	0·2	8·5	1·7	1·7	12·3
14	Inverness ...	215	127	3	16	37	1	12	19	59·1	1·4	7·4	17·2	0·5	5·6	8·8
15	Kincardine ...	159	150	—	—	1	7	—	1	94·3	—	—	0·6	4·4	—	0·6
16	Kinross ...	56	41	—	—	—	2	—	13	73·2	—	—	—	3·6	—	23·2
17	Kirkcudbright	231	195	1	—	14	3	7	11	84·4	0·4	—	6·1	1·3	3·0	4·8
18	Lanark ...	2,235	1,427	33	1	463	18	142	151	63·8	1·5	0·0	20·7	0·8	6·4	6·8
19	Midlothian ...	644	465	12	1	71	11	16	68	72·2	1·9	0·2	11·0	1·7	2·5	10·6
20	Moray	345	237	6	2	16	16	7	61	68·7	1·7	0·6	4·6	4·6	2·0	17·7
21	Nairn	61	41	—	2	2	2	7	7	67·2	—	3·3	3·3	3·3	11·5	11·5
22	Orkney ...	161	118	4	—	—	—	21	18	73·3	2·5	—	—	—	13·0	11·2
23	Peebles ...	93	63	—	—	8	3	3	16	67·7	—	—	8·6	3·2	3·2	17·2
24	Perth	481	402	4	1	23	12	7	32	83·6	0·8	0·2	4·8	2·5	1·5	6·7
25	Renfrew ...	874	572	3	2	174	18	71	34	65·4	0·3	0·2	19·9	2·1	8·1	3·9
26	Ross & Cromarty	286	164	3	75	8	1	15	20	57·3	1·0	26·2	2·8	0·3	5·2	7·0
27	Roxburgh ...	298	227	—	—	18	19	7	27	76·2	—	—	6·0	6·4	2·3	9·1
28	Selkirk ...	184	108	—	—	18	8	13	37	58·7	—	—	9·8	4·3	7·1	20·1
29	Stirling ...	772	590	8	4	99	4	42	25	76·4	1·0	0·5	12·8	0·5	5·4	3·2
30	Sutherland ...	63	52	—	4	—	—	2	5	82·5	—	6·3	—	—	3·2	7·9
31	West Lothian...	663	467	14	1	103	3	18	57	70·4	2·1	0·2	15·5	0·5	2·7	8·6
32	Wigtown ...	240	174	4	—	15	1	4	42	72·5	1·7	—	6·3	0·4	1·7	17·5
33	Zetland ...	130	90	12	—	1	5	11	11	69·2	9·2	—	0·8	3·8	8·5	8·5
	Counties of Cities—															
18.13	Glasgow ...	10,429	5,100	118	48	2,054	174	762	2,173	48·9	1·1	0·5	19·7	1·7	7·3	20·8
19.12	Edinburgh ...	4,271	2,113	38	8	336	164	169	1,443	49·5	0·9	0·2	7·9	3·8	4·0	33·8
02.13	Dundee ...	1,578	674	5	2	227	91	144	435	42·7	0·3	0·1	14·4	5·8	9·1	27·6
01.10	Aberdeen ...	1,836	1,097	9	4	79	98	87	462	59·7	0·5	0·2	4·3	5·3	4·7	25·2
	Large Burghs—															
25.14	Paisley ...	847	506	1	—	158	12	65	105	59·7	0·1	—	18·7	1·4	7·7	12·4
25·12	Greenock ...	628	290	10	1	182	16	71	58	46·2	1·6	0·2	29·0	2·5	11·3	9·2
18.16	Motherwell & Wishaw ...	616	312	4	—	116	9	78	97	50·6	0·6	—	18·8	1·5	12·7	15·7
10.10	Clydebank ...	375	187	3	—	84	8	50	43	49·9	0·8	—	22·4	2·1	13·3	11·5
13.23	Kirkcaldy ...	462	274	12	—	21	4	26	125	59·3	2·6	—	4·5	0·9	5·6	27·1
18.12	Coatbridge ...	360	173	2	4	131	1	19	30	48·1	0·6	1·1	36·4	0·3	5·3	8·3
04.17	Kilmarnock ...	375	242	19	—	39	11	17	47	64·5	5·1	—	10·4	2·9	4·5	12·5
18.14	Hamilton ...	400	217	1	—	93	7	23	59	54·3	0·3	—	23·3	1·8	5·8	14·8
04.11	Ayr	411	251	1	—	26	18	22	93	61·1	0·2	—	6·3	4·4	5·4	22·6
29.12	Falkirk ...	361	214	1	—	33	15	18	80	59·3	0·3	—	9·1	4·2	5·0	22·2
13.18	Dunfermline ...	440	217	4	—	17	21	38	143	49·3	0·9	—	3·9	4·8	8·6	32·5
24.20	Perth	531	266	4	2	37	26	23	173	50·1	0·8	0·4	7·0	4·9	4·3	32·6
18.10	Airdrie ...	285	149	—	—	68	1	37	30	52·3	—	—	23·9	0·4	13·0	10·5
18.17	Rutherglen ...	264	181	1	—	36	2	16	28	68·6	0·4	—	13·6	0·8	6·1	10·6
11.11	Dumfries ...	305	179	4	—	38	25	9	50	58·7	1·3	—	12·5	8·2	3·0	16·4
29.15	Stirling ...	276	145	4	1	39	12	6	69	52·5	1·4	0·4	14·1	4·3	2·2	25·0
14.11	Inverness ...	425	203	—	34	24	9	37	118	47·8	—	8·0	5·6	2·1	8·7	27·8
10.12	Dumbarton ...	182	63	—	3	70	20	10	16	34·6	—	1·6	38·5	11·0	5·5	8·8
25.15	Port Glasgow	140	45	—	—	62	12	19	2	32·1	—	—	44·3	8·6	13·6	1·4
02.10	Arbroath ...	183	125	1	—	3	11	12	31	68·3	0·5	—	1·6	6·0	6·6	16·9

TABLE 52.—Conjugal Condition of Persons Marrying in Scotland—1949

		Conjugal Condition						Percentage of Total Marriages				
		Total Marriages	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	* Divorced (Either Party)	Bachelors and Spinsters	Bachelors and Widows	Widowers and Spinsters	Widowers and Widows	Divorced
	SCOTLAND	**41,708**	**35,985**	**892**	**1,431**	**660**	**2,740**	**86·3**	**2·1**	**3·4**	**1·6**	**6·6**
	Counties of Cities ...	**18,114**	**15,037**	**458**	**671**	**354**	**1,594**	**83·0**	**2·5**	**3·7**	**2·0**	**8·8**
	Large Burghs	**7,866**	**6,816**	**171**	**274**	**112**	**493**	**86·7**	**2·2**	**3·5**	**1·4**	**6·3**
	Counties (Ex Counties of Cities and Large Burghs)	**15,728**	**14,132**	**263**	**486**	**194**	**653**	**89·9**	**1·7**	**3·1**	**1·2**	**4·2**
	Counties ((Ex Counties of Cities and Large Burghs)—											
01	Aberdeen	969	899	12	22	11	25	92·8	1·2	2·3	1·1	2·6
02	Angus	461	404	8	20	4	25	87·6	1·7	4·3	0·9	5·4
03	Argyll	330	290	6	11	9	14	87·9	1·8	3·3	2·7	4·2
04	Ayr	1,746	1,577	26	58	27	58	90·3	1·5	3·3	1·5	3·3
05	Banff	353	319	4	12	2	16	90·4	1·1	3·4	0·6	4·5
06	Berwick	164	155	3	3	2	1	94·5	1·8	1·8	1·2	0·6
07	Bute	123	108	1	3	1	10	87·8	0·8	2·4	0·8	8·1
08	Caithness	171	160	4	3	2	2	93·6	2·3	1·8	1·2	1·2
09	Clackmannan	269	237	7	5	3	17	88·1	2·6	1·9	1·1	6·3
10	Dunbarton	618	551	11	15	10	31	89·2	1·8	2·4	1·6	5·0
11	Dumfries	414	368	12	11	4	19	88·9	2·9	2·7	1·0	4·6
12	East Lothian	371	336	3	11	5	16	90·6	0·8	3·0	1·3	4·3
13	Fife	1,548	1,383	32	45	18	70	89·3	2·1	2·9	1·2	4·5
14	Inverness	215	197	4	6	2	6	91·6	1·9	2·8	0·9	2·8
15	Kincardine	159	143	2	4	2	8	89·9	1·3	2·5	1·3	5·0
16	Kinross	56	51	—	—	1	4	91·1	—	—	1·8	7·1
17	Kirkcudbright	231	206	1	16	3	5	89·2	0·4	6·9	1·3	2·2
18	Lanark	2,235	2,012	35	78	23	87	90·0	1·6	3·5	1·0	3·9
19	Midlothian	644	570	18	19	9	28	88·5	2·8	3·0	1·4	4·3
20	Moray	345	305	11	15	5	9	88·4	3·2	4·3	1·4	2·6
21	Nairn...	61	53	—	6	—	2	86·9	—	9·8	—	3·3
22	Orkney	161	142	2	8	3	6	88·2	1·2	5·0	1·9	3·7
23	Peebles	93	76	—	6	2	9	81·7	—	6·5	2·2	9·7
24	Perth	481	428	3	19	2	29	89·0	0·6	4·0	0·4	6·0
25	Renfrew	874	789	10	25	12	38	90·3	1·1	2·9	1·4	4·3
26	Ross & Cromarty	286	261	6	10	2	7	91·3	2·1	3·5	0·7	2·4
27	Roxburgh	298	272	3	5	2	16	91·3	1·0	1·7	0·7	5·4
28	Selkirk	184	162	4	5	4	9	88·0	2·2	2·7	2·2	4·9
29	Stirling	772	686	14	24	12	36	88·9	1·8	3·1	1·6	4·7
30	Sutherland	63	57	1	1	1	3	90·5	1·6	1·6	1·6	4·8
31	West Lothian	663	614	14	8	7	20	92·6	2·1	1·2	1·1	3·0
32	Wigtown	240	209	5	5	2	19	87·1	2·1	2·1	0·8	7·9
33	Zetland	130	112	1	7	2	8	86·2	0·8	5·4	1·5	6·2
	Counties of Cities—											
18.13	Glasgow	10,429	8,822	235	406	206	760	84·6	2·3	3·9	2·0	7·3
19.12	Edinburgh	4,271	3,350	129	157	83	552	78·4	3·0	3·7	1·9	12·9
02.13	Dundee	1,578	1,314	39	54	30	141	83·3	2·5	3·4	1·9	8·9
01.10	Aberdeen	1,836	1,551	55	54	35	141	84·5	3·0	2·9	1·9	7·7
	Large Burghs—											
25.14	Paisley	847	720	24	35	11	57	85·0	2·8	4·1	1·3	6·7
25.12	Greenock	628	561	9	19	6	33	89·3	1·4	3·0	1·0	5·3
18.16	Motherwell & Wishaw ...	616	546	17	19	8	26	88·6	2·8	3·1	1·3	4·2
10.10	Clydebank	375	329	4	13	5	24	87·7	1·1	3·5	1·3	6·4
13.23	Kirkcaldy	462	386	11	10	12	43	83·5	2·4	2·2	2·6	9·3
18.12	Coatbridge	360	325	8	13	5	9	90·3	2·2	3·6	1·4	2·5
04.17	Kilmarnock	375	326	5	13	9	22	86·9	1·3	3·5	2·4	5·9
18.14	Hamilton	400	356	7	11	4	22	89·0	1·8	2·8	1·0	5·5
04.11	Ayr	411	341	8	17	8	37	83·0	1·9	4·1	1·9	9·0
29.12	Falkirk	361	309	10	13	3	26	85·6	2·8	3·6	0·8	7·2
13.18	Dunfermline	440	377	13	14	5	31	85·7	3·0	3·2	1·1	7·0
24.20	Perth	531	445	9	23	8	46	83·8	1·7	4·3	1·5	8·7
18.10	Airdrie	285	247	9	12	5	12	86·7	3·2	4·2	1·8	4·2
18.17	Rutherglen	264	227	8	13	4	12	86·0	3·0	4·9	1·5	4·5
11.11	Dumfries	305	261	12	7	1	24	85·6	3·9	2·3	0·3	7·9
29·15	Stirling	276	235	8	13	2	18	85·1	2·9	4·7	0·7	6·5
14.11	Inverness	425	370	6	11	7	31	87·1	1·4	2·6	1·6	7·3
10.12	Dumbarton	182	167	2	7	1	5	91·8	1·1	3·8	0·5	2·7
25.15	Por Glasgow	140	130	1	2	4	3	92·9	0·7	1·4	2·9	2·1
02.10	Arbroath	183	158	—	9	4	12	86·3	—	4·9	2·2	6·6

* 1,133 divorced men married spinsters and 192 married widows; 1,004 divorced women married bachelors and 183 married widowers. In 228 cases both parties had been divorced.

TABLE 53

Ages of Men at Marriage in Scotland—1949

TABLE 53.—Ages of Men at Marriage in Scotland—1949

		All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
	SCOTLAND ...	**41708**	**29·0**	**5**	**85**	**324**	**579**	**1326**	**13508**	**13857**	**5251**	**2739**	**1549**	**961**	**524**	**389**	**295**	**195**	**88**	**24**	**7**	**2**
	Counties of Cities...	**18114**	**29·4**	**1**	**43**	**163**	**240**	**600**	**5668**	**5870**	**2291**	**1228**	**732**	**463**	**275**	**216**	**156**	**102**	**50**	**12**	**3**	**1**
	Large Burghs ...	**7866**	**28·6**	**3**	**11**	**51**	**98**	**248**	**2717**	**2578**	**990**	**509**	**249**	**170**	**85**	**56**	**54**	**28**	**16**	**2**	**1**	**–**
	Counties (Ex Counties of Cities and Large Burghs)	**15728**	**28·7**	**1**	**31**	**110**	**241**	**478**	**5123**	**5409**	**1970**	**1002**	**568**	**328**	**164**	**117**	**85**	**65**	**22**	**10**	**3**	**1**
	Counties (Ex Counties of Cities and Large Burghs)—																					
01	Aberdeen	969	28·0	–	4	9	15	29	338	346	109	54	19	18	10	7	4	4	2	–	1	–
02	Angus	461	29·0	–	1	3	5	14	141	164	54	40	15	12	6	2	1	1	2	–	–	–
03	Argyll	330	30·6	–	1	2	1	4	79	121	57	26	10	12	6	3	4	2	2	–	–	–
04	Ayr	1746	28·3	–	1	14	36	57	599	607	205	90	55	29	13	11	15	9	3	1	1	–
05	Banff	353	29·1	–	–	3	7	11	108	113	55	27	12	9	1	3	1	–	1	2	–	–
06	Berwick	164	28·8	–	–	–	–	5	47	65	20	16	7	1	1	–	2	–	–	–	–	–
07	Bute	123	30·3	–	–	2	3	4	33	33	23	11	6	1	3	2	–	1	–	–	–	1
08	Caithness	171	28·1	1	–	5	3	5	60	50	17	15	10	3	–	1	–	1	–	–	–	–
09	Clackmannan ...	269	28·1	–	–	2	4	5	90	104	32	14	9	4	2	1	–	2	–	–	–	–
10	Dunbarton ...	618	29·1	–	1	4	5	21	187	226	73	42	25	13	10	3	4	2	1	1	–	–
11	Dumfries	414	29·3	–	–	3	1	8	121	157	55	29	20	12	1	3	2	2	–	–	–	–
12	East Lothian ...	371	27·5	–	2	4	7	15	132	128	42	17	10	8	2	2	–	2	–	–	–	–
13	Fife	1548	27·9	–	6	15	36	64	548	496	185	91	43	23	16	9	7	7	2	–	–	–
14	Inverness	215	31·7	–	–	1	4	3	37	77	33	23	17	12	2	4	1	1	–	–	–	–
15	Kincardine	159	29·5	–	–	1	4	7	47	49	23	9	8	6	1	–	2	1	–	–	1	–
16	Kinross	56	28·4	–	–	1	2	3	13	17	13	5	1	–	–	–	–	1	–	–	–	–
17	Kirkcudbright ...	231	29·7	–	–	–	2	8	62	84	33	22	6	2	5	6	1	–	–	–	–	–
18	Lanark	2235	28·2	–	8	14	31	64	806	750	268	125	75	34	25	14	9	8	2	2	–	–
19	Midlothian	644	28·7	–	1	4	7	17	211	230	86	28	25	15	10	2	3	3	1	1	–	–
20	Moray	345	29·2	–	–	1	7	14	114	117	34	15	17	9	6	4	6	1	–	–	–	–
21	Nairn...	61	30·2	–	–	–	1	1	17	19	13	2	2	3	2	–	1	–	–	–	–	–
22	Orkney	161	29·5	–	1	2	3	5	48	46	24	17	5	5	1	–	2	1	–	1	–	–
23	Peebles	93	30·8	–	1	–	1	2	25	29	10	12	3	5	1	3	1	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)
24	Perth	481	29·8	–	–	–	8	13	125	169	69	41	25	18	3	6	2	2	–	–	–	–
25	Renfrew	874	28·7	–	–	4	13	27	291	305	111	48	35	11	9	10	6	3	1	–	–	–
26	Ross & Cromarty ...	286	31·8	–	–	3	3	2	62	94	43	28	24	17	2	2	3	1	1	1	–	–
27	Roxburgh	298	27·9	–	–	3	2	11	100	114	38	14	7	4	1	1	–	2	–	1	–	–
28	Selkirk	184	30·5	–	–	–	2	3	45	72	22	16	8	9	–	3	2	–	2	–	–	–
29	Stirling	772	28·9	–	–	2	7	17	252	273	85	64	35	16	12	5	2	2	–	–	–	–
30	Sutherland	63	30·9	–	–	–	–	1	15	21	16	4	–	3	1	1	1	–	–	–	–	–
31	West Lothian ...	663	27·6	–	3	3	8	23	263	211	81	30	17	7	7	4	1	4	1	–	–	–
32	Wigtown	240	28·1	–	1	5	9	10	76	81	25	14	8	4	1	2	1	2	1	–	–	–
33	Zetland	130	30·6	–	–	–	4	5	31	41	16	13	9	3	4	3	1	–	–	–	–	–
	Counties of Cities—																					
18·13	Glasgow	10429	29·3	1	26	90	136	351	3291	3381	1376	665	401	255	156	122	90	48	33	5	1	1
19·12	Edinburgh	4271	30·2	–	9	40	62	120	1196	1398	538	356	203	123	75	55	40	35	12	7	2	–
02·13	Dundee	1578	28·6	–	3	19	22	71	568	495	152	96	51	39	20	19	11	9	3	–	–	–
01·10	Aberdeen	1836	29·1	–	5	14	20	58	613	596	225	111	77	46	24	20	15	10	2	–	–	–
	Large Burghs—																					
25·14	Paisley	847	28·7	–	3	9	8	22	290	285	99	54	38	9	13	7	8	1	–	–	1	–
25·12	Greenock	628	28·1	–	–	5	11	31	238	175	83	37	17	13	7	2	6	1	2	–	–	–
18·16	Motherwell & Wishaw	616	28·5	1	–	7	6	10	204	222	84	38	15	11	6	6	2	2	1	1	–	–
10·10	Clydebank	375	28·3	–	1	1	6	9	125	144	47	12	12	4	6	6	1	–	1	–	–	–
13·23	Kirkcaldy	462	28·7	–	1	1	8	19	181	132	42	30	18	14	4	4	5	2	1	–	–	–
18·12	Coatbridge	360	28·5	–	–	–	2	11	142	110	46	20	12	9	–	3	2	–	3	–	–	–
04·17	Kilmarnock	375	28·2	–	–	2	3	7	158	105	47	23	12	10	2	1	1	4	–	–	–	–
18·14	Hamilton	400	27·6	1	1	2	4	18	146	141	42	17	13	8	3	3	1	–	–	–	–	–
04·11	Ayr	411	29·3	–	–	3	5	10	135	130	64	24	15	7	6	4	6	2	–	–	–	–
29·12	Falkirk	361	28·4	–	1	4	1	6	128	118	53	25	8	10	3	2	1	1	–	–	–	–
13·18	Dunfermline ...	440	28·1	–	–	3	11	21	157	139	42	33	11	9	7	1	2	3	1	–	–	–
24·20	Perth	531	29·7	–	2	4	2	14	154	175	78	50	22	13	5	2	4	6	–	–	–	–
18·10	Airdrie	285	28·4	–	1	–	2	4	111	98	30	17	7	6	2	5	–	–	2	–	–	–
18·17	Rutherglen	264	28·9	1	–	1	4	5	84	96	31	20	7	5	5	2	1	1	1	–	–	–
11·11	Dumfries	305	28·1	–	–	2	3	7	109	104	42	21	8	3	3	1	1	1	–	–	–	–
29·15	Stirling	276	28·5	–	–	1	6	12	99	86	31	15	11	9	–	1	2	2	1	–	–	–
14·11	Inverness	425	30·8	–	1	1	7	14	90	143	74	44	16	16	6	2	6	1	3	1	–	–
10·12	Dumbarton	182	28·5	–	–	–	3	8	48	73	27	10	5	4	1	2	1	–	–	–	–	–
25·15	Port Glasgow ...	140	26·9	–	–	2	3	12	54	49	9	1	1	5	2	1	1	–	–	–	–	–
02·10	Arbroath	183	28·9	–	–	3	3	8	64	53	19	18	1	5	4	1	3	1	–	–	–	–

TABLE 54.—Ages of Women at Marriage in Scotland—1949

		All Ages	Average Age	16	17	18	19	20	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over
	SCOTLAND ...	**41708**	**26·0**	**184**	**784**	**1948**	**3029**	**3859**	**14882**	**9387**	**3154**	**1939**	**1122**	**647**	**383**	**201**	**108**	**59**	**15**	**7**	–	–
	Counties of Cities...	**18114**	**26·4**	**87**	**323**	**806**	**1286**	**1605**	**6180**	**4129**	**1454**	**943**	**550**	**336**	**206**	**95**	**65**	**38**	**7**	**4**	–	–
	Large Burghs ...	**7866**	**25·7**	**29**	**123**	**376**	**577**	**801**	**2871**	**1748**	**567**	**353**	**189**	**105**	**58**	**38**	**20**	**7**	**3**	**1**	–	–
	Counties (Ex Counties of Cities and Large Burghs)	**15728**	**25·5**	**68**	**338**	**766**	**1166**	**1453**	**5831**	**3510**	**1133**	**643**	**383**	**206**	**119**	**68**	**23**	**14**	**5**	**2**	–	–
	Counties (Ex Counties of Cities and Large Burghs)—																					
01	Aberdeen	969	24·6	10	31	71	88	106	355	175	59	34	15	12	6	4	3	–	–	–	–	–
02	Angus	461	25·8	2	15	22	33	31	155	129	31	17	14	5	4	1	1	1	–	–	–	–
03	Argyll	330	27·2	1	6	11	15	16	123	87	28	13	15	5	4	2	2	1	1	–	–	–
04	Ayr	1746	25·3	5	40	83	143	175	664	364	113	74	38	24	9	10	1	–	2	1	–	–
05	Banff	353	25·5	3	7	18	19	29	148	72	25	12	10	4	1	3	1	1	–	–	–	–
06	Berwick	164	25·8	–	1	7	9	12	58	54	10	7	2	2	1	1	–	–	–	–	–	–
07	Bute	123	26·3	3	4	5	9	4	41	31	13	6	3	2	1	1	–	–	–	–	–	–
08	Caithness	171	24·8	1	5	10	16	13	67	33	16	4	2	1	1	2	–	–	–	–	–	–
09	Clackmannan ...	269	24·9	2	5	11	22	33	100	63	11	10	9	2	1	–	–	–	–	–	–	–
10	Dunbarton ...	618	26·0	–	11	37	40	52	218	152	42	24	18	12	10	1	1	–	–	–	–	–
11	Dumfries	414	25·7	1	9	18	20	42	146	108	34	23	3	5	1	4	–	–	–	–	–	–
12	East Lothian ...	371	24·5	3	4	19	24	43	166	64	30	10	2	1	3	2	–	–	–	–	–	–
13	Fife	1548	25·3	5	39	75	136	136	580	328	117	59	36	16	9	7	4	1	–	–	–	–
14	Inverness	215	27·4	–	5	13	11	18	49	57	29	14	9	7	3	–	–	–	–	–	–	–
15	Kincardine	159	26·5	–	5	9	11	19	47	34	14	4	9	2	3	1	–	–	1	–	–	–
16	Kinross	56	25·7	–	–	3	4	4	27	9	3	4	–	–	–	2	–	–	–	–	–	–
17	Kirkcudbright ...	231	25·4	1	10	16	13	24	77	52	17	9	5	2	4	1	–	–	–	–	–	–
18	Lanark	2235	25·1	7	42	83	190	206	882	493	163	78	47	23	12	3	3	2	1	–	–	–
19	Midlothian	644	25·4	5	6	27	48	64	251	143	42	31	13	9	2	1	1	1	–	–	–	–
20	Moray	345	26·4	–	6	26	27	32	114	74	22	11	14	7	2	9	–	1	–	–	–	–
21	Nairn...	61	26·3	–	1	1	6	4	21	13	7	5	3	–	–	–	–	–	–	–	–	–
22	Orkney	161	25·4	2	9	15	13	13	44	34	14	8	4	4	1	–	–	–	–	–	–	–
23	Peebles	93	26·5	–	2	4	7	8	31	19	10	7	1	1	2	1	–	–	–	–	–	–
(a)	(b)	(c)	(d)	(e)	)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)
24	Perth...	481	26·8	–	9	18	35	36	156	120	44	25	18	11	6	2	1	–	–	–	–	–
25	Renfrew	874	25·9	2	7	43	51	75	321	230	64	38	19	7	10	5	2	–	–	–	–	–
26	Ross & Cromarty ...	286	27·4	4	1	8	14	29	85	71	24	25	12	8	4	–	–	–	–	1	–	–
27	Roxburgh	298	24·9	1	6	9	19	32	130	68	15	7	6	2	1	–	–	2	–	–	–	–
28	Selkirk	184	26·6	–	3	10	12	14	76	31	11	8	6	9	3	–	–	1	–	–	–	–
29	Stirling	772	25·7	3	12	29	42	69	320	167	54	32	24	11	6	2	1	–	–	–	–	–
30	Sutherland	63	25·9	–	–	6	4	9	18	17	1	4	2	1	–	–	1	–	–	–	–	–
31	West Lothian ...	663	24·7	3	17	39	58	72	246	144	38	19	11	6	7	–	1	2	–	–	–	–
32	Wigtown	240	25·3	2	14	15	18	21	79	48	20	9	7	3	1	2	–	1	–	–	–	–
33	Zetland	130	26·8	2	6	5	9	12	36	26	12	12	6	2	1	1	–	–	–	–	–	–
	Counties of Cities—																					
18·13	Glasgow	10429	26·3	45	175	470	709	935	3652	2390	837	511	288	186	119	57	29	22	2	2	–	–
19·12	Edinburgh	4271	27·1	23	74	176	298	353	1348	981	382	271	164	92	43	28	23	12	2	1	–	–
02·13	Dundee	1578	26·0	7	33	69	143	153	555	328	103	82	39	24	28	6	5	2	1	–	–	–
01·10	Aberdeen	1836	26·0	12	41	91	136	164	625	430	132	79	59	34	16	4	8	2	2	1	–	–
	Large Burghs—																					
25·14	Paisley	847	25·8	6	13	48	52	87	288	197	61	40	34	14	4	1	2	–	–	–	–	–
25·12	Greenock	628	25·0	5	9	56	49	67	203	140	49	23	15	7	3	1	1	–	–	–	–	–
18·16	Motherwell & Wishaw	616	25·6	1	11	18	38	47	259	151	38	29	6	6	6	3	2	–	–	1	–	–
10·10	Clydebank	375	25·6	3	5	10	25	37	147	92	22	17	6	7	3	1	–	–	–	–	–	–
13·23	Kirkcaldy	462	25·9	–	12	18	33	46	181	95	27	15	18	8	2	3	3	–	1	–	–	–
18·12	Coatbridge	360	25·4	1	–	12	27	37	154	73	28	14	7	2	–	2	–	2	1	–	–	–
04·17	Kilmarnock	375	25·6	–	6	22	25	45	143	64	32	16	10	4	2	4	2	–	–	–	–	–
18·14	Hamilton	400	25·0	–	6	18	41	31	156	95	28	12	6	3	3	–	1	–	–	–	–	–
04·11	Ayr	411	26·4	1	7	12	29	38	153	87	32	26	11	5	6	3	–	–	1	–	–	–
29·12	Falkirk	361	25·7	1	4	12	25	43	127	90	24	15	7	9	3	1	–	–	–	–	–	–
13·18	Dunfermline ...	440	25·3	1	4	28	41	52	162	82	29	20	6	8	2	2	3	–	–	–	–	–
24·20	Perth	531	26·4	1	8	22	39	54	166	134	49	24	18	7	2	3	3	1	–	–	–	–
18·10	Airdrie	285	25·5	1	3	11	14	34	115	70	12	11	3	4	2	4	–	1	–	–	–	–
18·17	Rutherglen	264	25·8	1	4	12	24	28	87	60	17	16	10	1	3	1	–	–	–	–	–	–
11·11	Dumfries	305	25·3	2	8	16	19	34	108	66	22	19	3	4	1	3	–	–	–	–	–	–
29·15	Stirling	276	25·7	1	6	13	25	22	102	55	26	13	5	2	2	1	1	2	–	–	–	–
14·11	Inverness	425	26·8	2	11	15	27	44	128	94	44	32	11	7	6	2	1	1	–	–	–	–
10·12	Dumbarton	182	25·2	–	2	9	15	15	77	38	15	2	5	1	3	–	–	–	–	–	–	–
25·15	Port Glasgow ...	140	24·5	1	2	12	14	17	56	24	3	2	3	3	2	–	1	–	–	–	–	–
02·10	Arbroath	183	25·8	1	2	12	15	23	59	41	9	7	5	3	3	3	–	–	–	–	–	–

TABLE 55.—Ages in Combination of MEN and WOMEN at Marriage in Scotland—1949

Ages of HUSBANDS	Ages of WIVES: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of HUSBANDS
16–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	16–
17–	11	29	25	7	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85	17–
18–	17	66	89	78	31	38	3	1	1	–	–	–	–	–	–	–	–	–	–	–	324	18–
19–	18	73	118	145	88	128	8	1	–	–	–	–	–	–	–	–	–	–	–	–	579	19–
20–	16	96	242	287	305	349	29	–	2	–	–	–	–	–	–	–	–	–	–	–	1,326	20–
21–	89	381	1,067	1,723	2,162	6,559	1,390	107	27	3	–	–	–	–	–	–	–	–	–	–	13,508	21–
25–	28	120	358	666	1,065	6,092	4,613	704	169	34	8	–	–	–	–	–	–	–	–	–	13,857	25–
30–	2	17	30	85	149	1,255	2,156	1,080	360	104	13	–	–	–	–	–	–	–	–	–	5,251	30–
35–	1	2	14	30	40	331	792	723	569	185	38	10	3	–	1	–	–	–	–	–	2,739	35–
40–	1	–	1	5	8	75	265	330	430	305	99	25	5	–	–	–	–	–	–	–	1,549	40–
45–	–	–	2	1	2	37	81	134	218	240	153	73	18	2	–	–	–	–	–	–	961	45–
50–	–	–	1	–	1	8	27	44	85	123	129	85	14	6	–	1	–	–	–	–	524	50–
55–	–	–	–	–	–	1	13	18	48	70	101	74	54	9	–	1	–	–	–	–	389	55–
60–	–	–	–	–	–	1	6	8	18	41	65	58	54	30	11	2	1	–	–	–	295	60–
65–	–	–	–	–	–	1	3	3	10	12	31	38	32	35	28	1	1	–	–	–	195	65–
70–	–	–	–	–	–	1	–	1	1	4	7	13	16	21	17	7	–	–	–	–	88	70–
75–	–	–	–	–	–	–	–	–	–	–	3	5	4	4	2	2	4	–	–	–	24	75–
80–	–	–	–	–	–	–	1	–	–	–	–	2	1	1	–	1	1	–	–	–	7	80–
85– and over	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	2	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	184	784	1,948	3,029	3,859	14,882	9,387	3,154	1,939	1,122	647	383	201	108	59	15	7	–	–	–	41,708	Ttl. Husbands and Wives

Average age—Husbands, 29·0; Wives 26·0

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage. Thus, of 3,029 Wives aged 19, 2 Married Husbands aged 16, 7 married Husbands aged 17, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage. Thus, of 579 Husbands aged 19, 18 married Wives aged 16, 73 married Wives aged 17, etc.

TABLE 56.—Ages in Combination of BACHELORS and SPINSTERS at Marriage in Scotland—1949

Ages of Bachelors	Ages of Spinsters: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16–	1	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	16–
17–	11	29	25	7	8	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85	17–
18–	17	66	88	78	31	37	3	1	–	–	–	–	–	–	–	–	–	–	–	–	321	18–
19–	18	73	118	145	87	126	6	1	–	–	–	–	–	–	–	–	–	–	–	–	574	19–
20–	16	96	242	286	305	347	28	–	1	–	–	–	–	–	–	–	–	–	–	–	1,321	20–
21–	87	379	1,064	1,716	2,156	6,491	1,274	83	22	2	–	–	–	–	–	–	–	–	–	–	13,274	21–
25–	28	116	346	647	1,030	5,881	4,202	550	102	15	4	–	–	–	–	–	–	–	–	–	12,921	25–
30–	2	15	27	75	132	1,118	1,796	775	230	50	5	–	–	–	–	–	–	–	–	–	4,225	30–
35–	1	–	10	26	27	256	570	475	333	94	18	5	–	–	–	–	–	–	–	–	1,815	35–
40–	1	–	–	5	5	46	149	175	221	147	53	9	–	–	–	–	–	–	–	–	811	40–
45–	–	–	1	–	1	27	27	60	94	106	55	20	5	1	–	–	–	–	–	–	397	45–
50–	–	–	1	–	–	2	11	9	16	28	27	31	2	–	–	–	–	–	–	–	127	50–
55–	–	–	–	–	–	1	1	2	15	12	20	8	5	1	–	–	–	–	–	–	65	55–
60–	–	–	–	–	–	–	2	1	5	2	4	–	7	2	1	–	–	–	–	–	24	60–
65–	–	–	–	–	–	1	–	1	2	1	–	–	4	3	2	–	–	–	–	–	14	65–
70–	–	–	–	–	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	4	70–
75–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	2	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	182	774	1,923	2,987	3,782	14,340	8,069	2,133	1,041	457	188	73	24	8	3	1	–	–	–	–	35,985	Ttl. Bachelors and Spinsters

Average age—Husbands, 27·1; Wives, 24·3

TABLE 57.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland—1949

Ages of Bachelors	Ages of Widows: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Bachelors	Ages of Bachelors
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	19–
20–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	20–
21–	–	–	–	–	1	16	42	10	3	–	–	–	–	–	–	–	–	–	–	–	72	21–
25–	–	–	–	–	2	15	95	49	33	10	2	–	–	–	–	–	–	–	–	–	206	25–
30–	–	–	–	–	–	2	53	59	33	17	3	–	–	–	–	–	–	–	–	–	167	30–
35–	–	–	–	–	–	2	18	49	51	31	8	3	3	–	1	–	–	–	–	–	166	35–
40–	–	–	–	–	–	1	11	26	40	25	17	6	1	–	–	–	–	–	–	–	127	40–
45–	–	–	–	1	–	–	–	8	13	11	24	8	4	1	–	–	–	–	–	–	70	45–
50–	–	–	–	–	–	–	1	2	4	6	12	12	1	1	–	1	–	–	–	–	40	50–
55–	–	–	–	–	–	–	1	–	–	4	3	5	8	1	–	–	–	–	–	–	22	55–
60–	–	–	–	–	–	–	–	–	1	–	1	2	2	1	1	–	–	–	–	–	8	60–
65–	–	–	–	–	–	–	–	–	–	–	–	1	1	3	1	–	–	–	–	–	6	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	1	3	39	221	203	179	104	70	37	20	8	6	1	–	–	–	–	892	Ttl. Bachelors and Widows

Average age—Husbands, 36·2; Wives, 36·1

TABLE 58.—Ages in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland—1949

Ages of Widowers	Ages of Spinsters: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	2	–	–	3	2	6	4	–	–	–	–	–	–	–	–	–	–	–	–	–	17	21–
25–	–	2	4	6	13	47	33	6	2	1	–	–	–	–	–	–	–	–	–	–	114	25–
30–	–	1	1	3	1	47	50	26	18	3	–	–	–	–	–	–	–	–	–	–	150	30–
35–	–	1	3	3	6	33	66	42	45	7	3	1	–	–	–	–	–	–	–	–	210	35–
40–	–	–	–	–	2	14	34	44	55	45	8	1	–	–	–	–	–	–	–	–	203	40–
45–	–	–	–	–	1	5	20	27	42	48	31	7	–	–	–	–	–	–	–	–	181	45–
50–	–	–	–	–	1	3	9	13	39	43	35	14	2	1	–	–	–	–	–	–	160	50–
55–	–	–	–	–	–	–	9	8	28	32	33	26	13	1	–	–	–	–	–	–	150	55–
60–	–	–	–	–	–	1	4	5	10	23	30	26	16	5	1	–	–	–	–	–	121	60–
65–	–	–	–	–	–	–	3	2	6	5	13	20	12	5	5	–	1	–	–	–	72	65–
70–	–	–	–	–	–	–	–	–	–	4	3	11	6	8	–	1	–	–	–	–	33	70–
75–	–	–	–	–	–	–	–	–	–	–	1	2	1	4	–	–	2	–	–	–	10	75–
80–	–	–	–	–	–	–	1	–	–	–	–	2	1	–	–	1	1	–	–	–	6	80–
85– and over	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	2	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Spinsters	2	4	8	15	27	157	233	173	246	212	157	110	51	24	6	2	4	–	–	–	1,431	Ttl. Widowers and Spinsters

Average age—Husbands, 46·8; Wives, 37·3

TABLE 59.—Ages in Combination of WIDOWERS and WIDOWS at Marriage in Scotland—1949

Ages of Widowers	Ages of Widows: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Widowers	Ages of Widowers
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	21–
25–	–	–	–	–	–	1	3	2	–	1	–	–	–	–	–	–	–	–	–	–	7	25–
30–	–	–	–	–	–	–	6	6	6	5	–	–	–	–	–	–	–	–	–	–	23	30–
35–	–	–	–	–	–	–	8	11	9	10	1	–	–	–	–	–	–	–	–	–	39	35–
40–	–	–	–	–	–	–	5	8	17	21	5	2	3	–	–	–	–	–	–	–	61	40–
45–	–	–	–	–	–	–	1	6	16	26	18	21	5	–	–	–	–	–	–	–	93	45–
50–	–	–	–	–	–	–	1	2	6	21	30	12	8	3	–	–	–	–	–	–	83	50–
55–	–	–	–	–	–	–	–	2	1	12	29	26	23	6	–	–	–	–	–	–	99	55–
60–	–	–	–	–	–	–	–	1	1	8	23	26	26	17	8	1	1	–	–	–	112	60–
65–	–	–	–	–	–	–	–	–	1	4	16	15	13	20	17	1	–	–	–	–	87	65–
70–	–	–	–	–	–	–	–	–	1	–	3	2	8	12	15	6	–	–	–	–	47	70–
75–	–	–	–	–	–	–	–	–	–	–	–	2	3	–	1	1	2	–	–	–	9	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Widows	–	–	–	–	–	1	24	38	58	108	125	106	89	58	41	9	3	–	–	–	660	Ttl. Widowers and Widows

Average age—Husbands, 55·2; Wives, 49·4

TABLE 59A.—Ages in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1949

Ages of Divorced Men	Ages of Women: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Divorced Men
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18–
19–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	19–
20–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	20–
21–	–	2	3	4	2	12	5	–	1	–	–	–	–	–	–	–	–	–	–	–	29	21–
25–	–	2	8	13	19	101	102	23	8	3	1	–	–	–	–	–	–	–	–	–	280	25–
30–	–	1	2	7	15	72	148	119	31	11	1	–	–	–	–	–	–	–	–	–	407	30–
35–	–	1	1	1	7	36	98	84	80	23	4	1	–	–	–	–	–	–	–	–	336	35–
40–	–	–	1	–	1	13	47	53	72	36	8	4	–	–	–	–	–	–	–	–	235	40–
45–	–	–	1	–	–	4	23	23	40	32	16	11	3	–	–	–	–	–	–	–	153	45–
50–	–	–	–	–	–	3	5	11	13	17	19	7	1	–	–	–	–	–	–	–	76	50–
55–	–	–	–	–	–	–	2	2	2	4	2	4	2	–	–	1	–	–	–	–	19	55–
60–	–	–	–	–	–	–	–	1	–	5	2	1	1	4	–	–	–	–	–	–	14	60–
65–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	4	65–
70–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	70–
75–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	6	16	25	44	241	430	316	247	132	53	28	8	5	1	1	–	–	–	–	1,553	Ttl. Husbands and Wives

Average age—Husbands, 37·1; Wives, 31·7

TABLE 59B.—Ages in Combination of MEN (all conjugal conditions) and of DIVORCED WOMEN at Marriage in Scotland, 1949

Ages of Men	Ages of Divorced Women: 16–	17–	18–	19–	20–	21–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85 and over	Not stated	Total Husbands	Ages of Men
16–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16–
17–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17–
18–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	3	18–
19–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	19–
20–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	20–
21–	–	–	–	–	1	34	65	14	1	1	–	–	–	–	–	–	–	–	–	–	116	21–
25–	–	–	–	–	1	49	191	81	28	5	2	–	–	–	–	–	–	–	–	–	357	25–
30–	–	–	–	–	1	18	121	117	46	21	4	–	–	–	–	–	–	–	–	–	328	30–
35–	–	–	–	–	1	5	47	78	71	26	5	–	–	–	–	–	–	–	–	–	233	35–
40–	–	–	–	–	–	1	26	32	42	40	11	3	1	–	–	–	–	–	–	–	156	40–
45–	–	–	–	–	–	1	14	14	20	25	14	6	2	–	–	–	–	–	–	–	96	45–
50–	–	–	–	–	–	–	1	8	11	10	11	10	–	1	–	–	–	–	–	–	52	50–
55–	–	–	–	–	–	–	–	5	2	7	14	5	3	–	–	–	–	–	–	–	36	55–
60–	–	–	–	–	–	–	–	–	1	3	6	3	3	1	–	1	–	–	–	–	18	60–
65–	–	–	–	–	–	–	–	–	1	1	2	2	1	3	2	–	–	–	–	–	12	65–
70–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	2	70–
75–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	2	75–
80–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	80–
85– and over	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	85– and over
Not stated	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	Not stated
Total Wives	–	–	1	1	4	110	467	350	224	139	70	30	11	5	2	1	–	–	–	–	1,415	Ttl. Husbands and Wives

Average age—Husbands, 35·5; Wives 33·4

NOTE.—The summation of the totals in Tables 56 to 59B exceeds by 228 the total shown in Table 55. This difference represents the number of marriages between Divorced Men and Divorced Women. The former, with their wives, are included in Table 59A, and the latter, with their husbands, in Table 59B, each marriage thus appearing twice.

TABLE 60.—Parliamentary Electors—Scotland

Parliamentary Electors on the March 1950 Register

Parliamentary Constituencies	Total	Parliamentary Electors		
		Ordinary Residence Qualification	Service Voters' Qualification	Votes Cast at By-elections held on March, 1950 Register
1	2	3	4	5
SCOTLAND	*3,404,101*	*3,389,049*	*15,052*	—
County Constituencies	*1,786,925*	*1,779,244*	*7,681*	—
Burgh Constituencies	*1,617,176*	*1,609,805*	*7,371*	—
ABERDEENSHIRE:				
County Constituencies	*92,129*	*91,728*	*401*	—
East Aberdeenshire	51,775	51,590	185	—
West Aberdeenshire	40,354	40,138	216	—
Burgh Constituencies	*121,704*	*121,112*	*592*	—
Aberdeen North	63,525	63,196	329	—
Aberdeen South	58,179	57,916	263	—
ANGUS AND KINCARDINE:				
County Constituencies	*81,902*	*81,351*	*551*	—
North Angus and Mearns	37,414	37,122	292	—
South Angus	44,488	44,229	259	—
Burgh Constituencies	*117,140*	*116,359*	*781*	—
Dundee East	55,664	55,283	381	—
Dundee West	61,476	61,076	400	—
ARGYLL:				
County Constituency				
Argyll	43,514	43,342	172	—
AYRSHIRE AND BUTE:				
County Constituencies	*223,215*	*222,495*	*720*	—
Ayr	43,094	42,914	180	—
Bute and North Ayrshire	44,371	44,201	170	—
Central Ayrshire	45,573	45,426	147	—
Kilmarnock	46,286	46,187	99	—
South Ayrshire	43,891	43,767	124	—
BANFFSHIRE:				
County Constituency				
Banff	33,917	33,738	179	—
BERWICKSHIRE AND EAST LOTHIAN:				
County Constituency				
Berwick and East Lothian	50,530	50,292	238	—
CAITHNESS AND SUTHERLAND:				
County Constituency				
Caithness and Sutherland	26,293	26,171	122	—
DUMFRIESSHIRE:				
County Constituency				
Dumfries	55,868	55,612	256	—
DUNBARTONSHIRE:				
County Constituencies	*106,462*	*106,093*	*369*	—
East Dunbartonshire	58,000	57,821	179	—
West Dunbartonshire	48,462	48,272	190	40,441

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4	5
FIFE:				
County Constituencies	*101,948*	*101,306*	*642*	—
East Fife	50,185	49,852	333	—
West Fife	51,763	51,454	309	—
Burgh Constituencies	*97,823*	*97,049*	*774*	—
Dunfermline Burghs	46,352	45,909	443	—
Kirkcaldy Burghs	51,471	51,140	331	—
INVERNESS-SHIRE AND ROSS AND CROMARTY:				
County Constituencies	*109,278*	*108,857*	*421*	—
Inverness	52,366	52,122	244	—
Ross and Cromarty	28,603	28,464	139	—
Western Isles	28,309	28,271	38	—
KIRKCUDBRIGHTSHIRE AND WIGTOWNSHIRE:				
County Constituency				
Galloway	46,782	46,534	248	—
LANARKSHIRE:				
County Constituencies	*291,377*	*290,403*	*974*	—
Bothwell	54,348	54,186	162	—
Hamilton	51,870	51,696	174	—
Lanark	47,193	46,977	216	—
Motherwell	48,730	48,601	129	—
North Lanarkshire	44,885	44,741	144	—
Rutherglen	44,351	44,202	149	—
Burgh Constituencies	*769,304*	*767,045*	*2,259*	—
Coatbridge and Airdrie	48,057	47,923	134	—
Glasgow, Bridgeton	44,486	44,381	105	—
Camlachie	49,778	49,651	127	—
Cathcart	44,954	44,832	122	—
Central	36,911	36,814	97	—
Gorbals	54,063	53,938	125	—
Govan	49,146	49,022	124	—
Hillhead	46,526	46,366	160	—
Kelvingrove	39,084	38,959	125	—
Maryhill	44,705	44,501	204	—
Pollok	56,598	56,427	171	—
Scotstoun	49,321	49,155	166	36,349
Shettleston	51,874	51,736	138	—
Springburn	56,377	56,208	169	—
Tradeston	54,069	53,925	144	—
Woodside	43,355	43,207	148	—
MIDLOTHIAN AND PEEBLESSHIRE:				
County Constituency				
Midlothian and Peebles	61,552	61,196	356	—
Burgh Constituencies	*345,210*	*342,904*	*2,306*	—
Edinburgh, Central	46,760	46,467	293	—
East	54,717	54,316	401	—
Leith	45,909	45,686	223	—
North	43,898	43,599	299	—
Pentlands	55,974	55,579	395	—
South	43,436	43,126	310	—
West	54,516	54,131	385	—
MORAY AND NAIRNSHIRE:				
County Constituency				
Moray and Nairn	34,858	34,598	260	—
ORKNEY AND ZETLAND:				
County Constituency				
Orkney and Zetland	29,740	29,665	75	—

TABLE 60.—Parliamentary Electors—Scotland—*continued*

1	2	3	4	5
PERTHSHIRE AND KINROSS-SHIRE:				
County Constituencies	*91,034*	*90,419*	*615*	—
Kinross and West Perthshire	36,392	36,163	229	—
Perth and East Perthshire	54,642	54,256	386	—
RENFREWSHIRE:				
County Constituencies	*112,007*	*111,687*	*320*	—
East Renfrewshire	61,996	61,842	154	—
West Renfrewshire	50,011	49,845	166	—
Burgh Constituencies	*111,962*	*111,569*	*393*	—
Greenock	49,549	49,362	187	—
Paisley	62,413	62,207	206	—
ROXBURGHSHIRE AND SELKIRK-SHIRE:				
County Constituency				
Roxburgh and Selkirk	47,646	47,471	175	—
STIRLINGSHIRE AND CLACK-MANNANSHIRE:				
County Constituencies	*91,378*	*91,030*	*348*	—
Clackmannan and East Stirlingshire ...	49,132	48,970	162	—
West Stirlingshire	42,246	42,060	186	—
Burgh Constituency				
Stirling and Falkirk Burghs	54,033	53,767	266	—
WEST LOTHIAN:				
County Constituency				
West Lothian	55,495	55,256	239	—

TABLE 61.—Local Government Electors and Analysis of Local Elections on the March, 1950 Register

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SCOTLAND	**3,444,617**	**301**	**645**	**2,028,033**	**896,961**	**44·2**
Counties of Cities	**1,306,983**	**8**	**81**	**1,180,400**	**480,970**	**40·7**
Other Large Burghs ...	**551,226**	**30**	**148**	**461,636**	**222,060**	**48·1**
Small Burghs	**572,972**	**263**	**416**	**385,997**	**193,931**	**50·2**
Landward Areas	**1,013,436**	—	—	—	—	—
Districts	**1,007,676**	—	—	—	—	—
ABERDEEN COUNTY:						
County of City:						
Aberdeen	122,575	—	12	122,575	48,094	39·2
Small Burghs	**27,842**	**6**	**36**	**26,255**	**11,541**	**44·0**
Ballater	940	—	4	940	385	41·0
Ellon	1,038	3	—	—	—	—
Fraserburgh	6,762	—	5	6,762	2,853	42·2
Huntly	2,796	—	3	2,796	1,271	45·5
Inverurie	3,513	—	4	3,565	1,834	51·4
Kintore	601	3	—	—	—	—
Oldmeldrum	771	—	7	771	351	45·5
Peterhead	8,575	—	5	8,575	3,916	45·7
Rosehearty	793	—	3	793	283	35·7
Turriff	2,053	—	5	2,053	648	31·6
Landward	**65,773**	—	—	—	—	—
Districts	**65,773**	—	—	—	—	—
Aberdeen	16,846	—	—	—	—	—
Alford	6,250	—	—	—	—	—
Deer	14,755	—	—	—	—	—
Deeside	5,966	—	—	—	—	—
Ellon	7,162	—	—	—	—	—
Garioch	5,602	—	—	—	—	—
Huntly	3,750	—	—	—	—	—
Turriff	5,442	—	—	—	—	—
ANGUS COUNTY:						
County of City:						
Dundee	118,601	—	12	118,601	62,654	52·8
Other Large Burgh:						
Arbroath	13,054	2	4	8,694	3,368	38·7
Small Burghs	**29,862**	**12**	**12**	**17,336**	**7,120**	**41·1**
Brechin	5,327	—	4	5,327	1,753	32·9
Carnoustie	4,056	—	4	4,056	2,032	50·1
Forfar	7,136	6	—	—	—	—
Kirriemuir	2,721	3	—	—	—	—
Monifieth	2,669	3	—	—	—	—
Montrose	7,953	—	4	7,953	3,335	41·9
Landward	**22,234**	—	—	—	—	—
Districts	**22,234**	—	—	—	—	—
Brechin	3,397	—	—	—	—	—
Carnoustie	3,198	—	—	—	—	—
Forfar	5,027	—	—	—	—	—
Kirriemuir	3,180	—	—	—	—	—
Monifieth	4,270	—	—	—	—	—
Montrose	3,162	—	—	—	—	—
ARGYLL COUNTY:						
Small Burghs	**16,850**	**3**	**20**	**11,894**	**6,274**	**52·7**
Campbeltown	4,412	—	6	4,412	2,131	48·3

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Argyll County—*continued*						
Dunoon	6,795	3	1	1,839	1,007	54·8
Inveraray	342	—	4	342	188	55·0
Lochgilphead	787	—	3	787	419	53·2
Oban	4,005	—	3	4,005	2,228	55·6
Tobermory	509	—	3	509	301	59·1
Landward	**26,871**	—	—	—	—	—
Districts	**26,871**	—	—	—	—	—
Ardnamurchan	1,347	—	—	—	—	—
Cowal	5,877	—	—	—	—	—
Islay	2,725	—	—	—	—	—
Jura and Colonsay ...	388	—	—	—	—	—
Kintyre	4,025	—	—	—	—	—
Lorn, North	3,117	—	—	—	—	—
South	3,058	—	—	—	—	—
Mid-Argyll	3,759	—	—	—	—	—
Mull	1,465	—	—	—	—	—
Tiree and Coll	1,110	—	—	—	—	—
AYR COUNTY:						
Large Burghs	**57,716**	**4**	**10**	**38,563**	**20,663**	**53·6**
Ayr	28,928	2	4	17,819	8,332	46·8
Kilmarnock	28,788	2	6	20,744	12,331	59·4
Small Burghs	**70,344**	**12**	**39**	**53,395**	**29,560**	**55·4**
Ardrossan	5,689	—	4	5,689	3,489	61·3
Cumnock and Holmhead ...	3,025	3	—	—	—	—
Darvel	2,426	—	3	2,426	1,235	50·9
Galston	3,218	3	—	—	—	—
Girvan	4,039	—	4	4,039	2,051	50·8
Irvine	9,680	—	6	9,680	6,482	67·0
Kilwinning	4,080	—	4	4,080	2,325	57·0
Largs	6,526	2	1	2,143	1,496	69·8
Maybole	3,125	—	4	3,125	1,574	50·4
Newmilns and Greenholm ...	2,938	—	3	2,938	1,346	45·8
Prestwick	8,080	2	2	4,424	2,272	51·4
Saltcoats	8,453	—	3	8,453	4,578	54·2
Stewarton	1,984	—	3	1,984	1,111	56·0
Troon	7,081	2	2	4,414	1,601	36·3
Landward	**84,997**	—	—	—	—	—
Districts	**84,997**	—	—	—	—	—
Ayr	8,350	—	—	—	—	—
Cumnock	19,281	—	—	—	—	—
Dalmellington	7,635	—	—	—	—	—
Girvan	3,468	—	—	—	—	—
Irvine	5,811	—	—	—	—	—
Kilbirnie	14,277	—	—	—	—	—
Kilmarnock	9,882	—	—	—	—	—
Maybole	3,824	—	—	—	—	—
Newmilns	1,101	—	—	—	—	—
Saltcoats	11,368	—	—	—	—	—
BANFF COUNTY:						
Small Burghs	**19,936**	**32**	**13**	**8,974**	**3,643**	**40·6**
Aberchirder	572	5	—	—	—	—
Banff	2,353	—	4	2,353	860	36·5
Buckie	5,447	—	4	5,447	2,147	39·4

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Banff County—*continued*						
Aberlour	607	4	—	—	—	—
Cullen	1,174	—	5	1,174	636	54·2
Dufftown	989	4	—	—	—	—
Findochty	1,159	3	—	—	—	—
Keith...	3,010	5	—	—	—	—
Macduff	2,400	3	—	—	—	—
Portknockie	1,058	5	—	—	—	—
Portsoy	1,167	3	—	—	—	—
Landward	**14,089**	—	—	—	—	—
Districts	**14,089**	—	—	—	—	—
Aberchirder	1,632	—	—	—	—	—
Banff	3,511	—	—	—	—	—
Buckie	1,910	—	—	—	—	—
Cullen	1,468	—	—	—	—	—
Dufftown	2,733	—	—	—	—	—
Keith...	2,835	—	—	—	—	—
BERWICK COUNTY:						
Small Burghs	**4,634**	**8**	**11**	**2,425**	**863**	**35·6**
Coldstream	931	4	1	235	123	52.3
Duns	1,513	4	—	—	—	—
Eyemouth	1,675	—	6	1,675	499	29·8
Lauder	515	—	4	515	241	46·8
Landward	**13,441**	—	—	—	—	—
Districts	**13,441**	—	—	—	—	—
East	5,279	—	—	—	—	—
Middle	4,553	—	—	—	—	—
West	3,609	—	—	—	—	—
BUTE COUNTY:						
Small Burghs	**8,014**	**4**	**5**	**3,899**	**1,922**	**49·3**
Millport	1,556	—	3	1,556	692	44·5
Rothesay	6,458	4	2	2,343	1,230	52·5
Landward	**4,854**	—	—	—	—	—
Districts	**4,854**	—	—	—	—	—
Arran	3,114	—	—	—	—	—
Bute	1.701	—	—	—	—	—
Cumbrae	39	—	—	—	—	—
CAITHNESS COUNTY:						
Small Burghs	**7,035**	—	**9**	**7,035**	**3,369**	**47·9**
Thurso	2,200	—	3	2,200	1,476	67·1
Wick	4,835	—	6	4,835	1,893	39·2
Landward	**9,071**	—	—	—	—	—
Districts	**9,071**	—	—	—	—	—
Central	1,311	—	—	—	—	—
Eastern	2,058	—	—	—	—	—
Northern	1,406	—	—	—	—	—
Southern	1,946	—	—	—	—	—
Western	2,350	—	—	—	—	—
CLACKMANNAN COUNTY:						
Small Burghs	**15,731**	**6**	**7**	**12,200**	**6,040**	**49·5**
Alloa	9,081	—	4	9,081	4,598	50·6
Alva	3,119	—	3	3,119	1,442	46·2

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Clackmannan County—*cont.*						
Dollar	1,098	3	—	—	—	—
Tillicoultry	2,433	3	—	—	—	—
Landward	**8,795**	—	—	—	—	—
Districts	**8,795**	—	—	—	—	—
Alloa	6,541	—	—	—	—	—
Hillfoots	2,254	—	—	—	—	—
DUMFRIES COUNTY:						
Large Burgh:						
Dumfries	18,685	6	21	14,642	7,326	50·0
Small Burghs	**10,573**	**7**	**15**	**8,253**	**4,210**	**51·0**
Annan	3,166	—	5	3,166	1,147	36·2
Langholm	1,772	—	4	1,772	730	41·2
Lochmaben	773	4	—	—	—	—
Lockerbie	1,948	—	3	1,948	1,222	62·7
Moffat	1,547	3	—	—	—	—
Sanquhar	1,367	—	3	1,367	1,111	81·3
Landward	**27,794**	—	—	—	—	—
Districts	**27,794**	—	—	—	—	—
Annan	3,133	—	—	—	—	—
Dumfries	6,964	—	—	—	—	—
Gretna	3,740	—	—	—	—	—
Langholm	1,776	—	—	—	—	—
Lockerbie	2,838	—	—	—	—	—
Moffat	1,091	—	—	—	—	—
Sanquhar	3,308	—	—	—	—	—
Thornhill	4,944	—	—	—	—	—
DUNBARTON COUNTY:						
Large Burghs	**44,173**	—	**21**	**44,173**	**21,065**	**47·7**
Clydebank	28,783	—	6	28,783	11,068	38·5
Dumbarton	15,390	—	15	15,390	9,997	65·0
Small Burghs	**21,766**	**4**	**11**	**14,205**	**8,247**	**58·1**
Cove and Kilcreggan ...	755	—	4	755	451	59·7
Helensburgh...	6,168	3	1	1,594	1,008	63·2
Kirkintilloch	9,363	1	3	6,376	4,188	65·7
Milngavie	5,480	—	3	5,480	2,600	47·4
Landward	**40,821**	—	—	—	—	—
Districts	**40,821**	—	—	—	—	—
Cumbernauld	3,290	—	—	—	—	—
Helensburgh...	5,307	—	—	—	—	—
Kirkintilloch	2,279	—	—	—	—	—
New Kilpatrick	9,170	—	—	—	—	—
Old Kilpatrick	5,609	—	—	—	—	—
Vale of Leven	15,166	—	—	—	—	—
EAST LOTHIAN COUNTY:						
Small Burghs	**16,553**	**7**	**21**	**10,975**	**6,335**	**57·7**
Cockenzie and Port Seton ...	2,154	—	4	2,154	1,355	62·9
Dunbar	2,805	4	—	—	—	—
East Linton	760	—	4	760	449	59·1
Haddington	2,829	—	6	2,829	1,488	52·6
North Berwick	2,773	3	—	—	—	—
Prestonpans	1,750	—	3	1,750	835	47·7
Tranent	3,482	—	4	3,482	2,208	63·4

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
East Lothian County—*contd.*						
Landward	**17,033**	—	—	—	—	—
Districts	**17,033**	—	—	—	—	—
Dunbar	2,603	—	—	—	—	—
Haddington	3,110	—	—	—	—	—
North Berwick	3,593	—	—	—	—	—
Prestonpans	3,498	—	—	—	—	—
Tranent	4,229	—	—	—	—	—
FIFE COUNTY:						
Large Burghs	**62,256**	**1**	**18**	**59,003**	**28,225**	**47·8**
Dunfermline	29,252	—	8	29,252	15,740	53·8
Kirkcaldy	33,004	1	10	29,751	12,485	42·0
Small Burghs	**72,670**	**32**	**52**	**43,793**	**19,091**	**43·6**
Auchtermuchty	968	—	5	968	389	40·2
Buckhaven and Methil ...	13,049	3	1	5,045	1,241	24·6
Burntisland	4,164	—	4	4,164	2,381	57·2
Cowdenbeath	8,865	1	2	6,415	2,739	42·7
Crail	893	—	—	—	—	—
Culross	388	—	3	388	301	77·6
Cupar	3,918	—	5	3,918	1,069	27·3
Elie and Earlsferry ...	879	3	—	—	—	—
Falkland	748	4	—	—	—	—
Inverkeithing	2,541	—	4	2,541	925	36·4
Kilrenny, Anstruther Easter and Anstruther Wester ...	2,385	—	5	1,998	880	44·0
Kinghorn	1,637	—	4	1,637	782	47·8
Ladybank	915	—	4	915	237	25·9
Leslie...	1,882	—	3	1,882	1,096	58·2
Leven	6,195	—	3	6,195	3,438	55·5
Lochgelly	6,133	6	—	—	—	—
Markinch	1,665	—	3	1,665	622	37·4
Newburgh	1,723	3	—	—	—	—
Newport	2,581	3	—	—	—	—
Pittenweem	1,201	5	—	—	—	—
St. Andrews	6,378	1	3	3,693	1,829	49·5
St. Monance...	1,193	3	—	—	—	—
Tayport	2,369	—	3	2,369	1,162	49·1
Landward	**67,782**	—	—	—	—	—
Districts	**67,782**	—	—	—	—	—
Anstruther	4,042	—	—	—	—	—
Cupar	9,103	—	—	—	—	—
Dunfermline	15,138	—	—	—	—	—
Kirkcaldy	7,384	—	—	—	—	—
Lochgelly	20,236	—	—	—	—	—
St. Andrews	3,971	—	—	—	—	—
Wemyss	7,908	—	—	—	—	—
INVERNESS COUNTY:						
Large Burgh:						
Inverness	18,675	5	2	5,187	1,792	34·5
Small Burghs	**2,978**	**5**	—	—	—	—
Fort William	2,115	3	—	—	—	—
Kingussie	863	2	—	—	—	—
Landward	**40,675**	—	—	—	—	—
Districts	**40,675**	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Inverness County—*continued*						
Aird	6,973	—	—	—	—	—
Badenoch	4,538	—	—	—	—	—
Barra...	1,561	—	—	—	—	—
Harris	3,441	—	—	—	—	—
Inverness	5,858	—	—	—	—	—
Lochaber	6,586	—	—	—	—	—
North Uist	1,727	—	—	—	—	—
Skye	7,290	—	—	—	—	—
South Uuist	2,701	—	—	—	—	—
KINCARDINE COUNTY:						
Small Burghs	**6,468**	**3**	**13**	**5,785**	**3,357**	**58·0**
Banchory	1,478	—	5	1,478	1,038	70·2
Inverbervie	683	3	—	—	—	—
Laurencekirk	1,071	—	3	1,071	374	34·9
Stonehaven	3,236	—	5	3,236	1,945	60·1
Landward	**11,964**	—	—	—	—	—
Districts	**11,964**	—	—	—	—	—
Laurencekirk	2,818	—	—	—	—	—
Lower Deeside	2,151	—	—	—	—	—
St. Cyrus	2,507	—	—	—	—	—
Stonehaven	2,661	—	—	—	—	—
Upper Deeside	1,827	—	—	—	—	—
KINROSS COUNTY:						
Small Burgh:						
Kinross	1,698	—	3	1,698	1,041	61·3
Landward	**3,143**	—	—	—	—	—
Districts—None	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY:						
Small Burghs	**8.050**	**5**	**16**	**5,165**	**2,420**	**46·9**
Castle Douglas	2,607	3	—	—	—	—
Dalbeattie	2,491	—	5	2,491	971	39·0
Gatehouse	736	—	4	736	407	55·3
Kirkcudbright	1,938	—	7	1,938	1,042	53·8
New Galloway	278	2	—	—	—	—
Landward	**14,992**	—	—	—	—	—
Districts	**14,992**	—	—	—	—	—
Castle Douglas	2,475	—	—	—	—	—
Creetown	2,394	—	—	—	—	—
Dalbeattie	3,038	—	—	—	—	—
Eastern	2,154	—	—	—	—	—
Glenkens	2,014	—	—	—	—	—
Kirkcudbright	2,917	—	—	—	—	—
LANARK COUNTY:						
County of City						
Glasgow	729,363	3	36	674,225	269,948	40·0
Other Large Burghs ...	**138,093**	**2**	**40**	**130,904**	**65,301**	**49·9**
Airdrie	19,273	1	4	14,972	6,551	43·8
Coatbridge	29,142	—	6	29,142	16,356	56·1
Hamilton	26,369	—	15	26,369	14,123	53·6
Motherwell and Wishaw ...	45,718	—	10	45,718	20,262	44·3
Rutherglen	17,591	1	5	14,703	8,009	54·5

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
Lanark County—*continued*						
Small Burghs	**5,738**	**5**	**5**	**4,600**	**2,612**	**56·8**
Biggar	1,138	5	—	—	—	—
Lanark	4,600	—	5	4,600	2,612	56·8
Landward	**200,120**	—	—	—	—	—
Districts	**200,120**	—	—	—	—	—
No. 1	5,085	—	—	—	—	—
No. 2	9,837	—	—	—	—	—
No. 3	15,313	—	—	—	—	—
No. 4	23,266	—	—	—	—	—
No. 5	15,120	—	—	—	—	—
No. 6	38,049	—	—	—	—	—
No. 7	23,892	—	—	—	—	—
No. 8	27,202	—	—	—	—	—
No. 9	42,356	—	—	—	—	—
MIDLOTHIAN COUNTY:						
County of City:						
Edinburgh	336,444	5	21	264,999	100,274	37·8
Small Burghs	**28,059**	—	**17**	**28,059**	**17,103**	**61·0**
Bonnyrigg and Lasswade ...	3,729	—	3	3,729	2,709	72·6
Dalkeith	5,926	—	3	5,926	3,783	63·8
Loanhead	3,190	—	4	3,190	1,759	55·1
Musselburgh	12,077	—	4	12,077	7,427	61·5
Penicuik	3,137	—	3	3,137	1,425	45·4
Landward	**35,624**	—	—	—	—	—
Districts	**35,624**	—	—	—	—	—
Currie	4,017	—	—	—	—	—
East Calder	4,036	—	—	—	—	—
Gala Water	4,484	—	—	—	—	—
Lasswade	2,805	—	—	—	—	—
Musselburgh	4,031	—	—	—	—	—
Newbattle	8,337	—	—	—	—	—
Penicuik	2,978	—	—	—	—	—
West Calder	4,936	—	—	—	—	—
MORAY COUNTY:						
Small Burghs	**16,220**	**13**	**15**	**9,003**	**3,590**	**39·9**
Burghead	942	3	—	—	—	—
Elgin	7,080	—	7	7,080	2,665	37·6
Forres	3,061	6	—	—	—	—
Grantown-on-Spey	1,074	—	5	1,074	491	45·7
Lossiemouth & Branderburgh	3,214	4	—	—	—	—
Rothes	849	—	3	849	434	51·1
Landward	**13,234**	—	—	—	—	—
Districts	**13,234**	—	—	—	—	—
Cromdale	807	—	—	—	—	—
Duffus and Drainie ...	2,021	—	—	—	—	—
Elgin	3,475	—	—	—	—	—
Fochabers	2,635	—	—	—	—	—
Forres	3,147	—	—	—	—	—
Rothes and Knockando ...	1,149	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
NAIRN COUNTY:						
Small Burgh:						
Nairn...	3,303	9	—	—	—	—
Landward	**2,617**	—	—	—	—	—
Districts—None						
ORKNEY COUNTY:						
Small Burghs	**4,286**	**10**	—	—	—	—
Kirkwall	3,144	5	—	—	—	—
Stromness	1,142	5	—	—	—	—
Landward	**11,349**	—	—	—	—	—
Districts	**11,349**	—	—	—	—	—
Eday	228	—	—	—	—	—
Hoy and Walls	1,013	—	—	—	—	—
Mainland	6,108	—	—	—	—	—
North Ronaldsay	180	—	—	—	—	—
Rousay	314	—	—	—	—	—
Sanday	644	—	—	—	—	—
Shapinsay	376	—	—	—	—	—
South Ronaldsay	1,100	—	—	—	—	—
Stronsay	479	—	—	—	—	—
Westray	907	—	—	—	—	—
PEEBLES COUNTY:						
Small Burghs	**6,120**	**3**	**4**	**4,412**	**2,543**	**57·6**
Innerleithen	1,708	3	—	—	—	—
Peebles	4,412	—	4	4,412	2,543	57·6
Landward	**4,647**	—	—	—	—	—
Districts	**4,647**	—	—	—	—	—
Broughton	860	—	—	—	—	—
Innerleithen	1,248	—	—	—	—	—
Linton	1,399	—	—	—	—	—
Peebles	1,140	—	—	—	—	—
PERTH COUNTY:						
Large Burgh:						
Perth...	27,989	2	7	21,708	9,031	41·6
Small Burghs	**19,303**	**19**	**19**	**9,344**	**4,623**	**49·5**
Aberfeldy	1,095	—	3	1,095	757	69·1
Abernethy	494	3	—	—	—	—
Alyth...	1,416	3	—	—	—	—
Auchterarder	1,695	—	3	1,695	1,021	60·2
Blairgowrie and Rattray ...	3,718	4	—	—	—	—
Callander	1,189	3	—	—	—	—
Coupar Angus	1,536	3	—	—	—	—
Crieff	3,822	—	4	3,822	1,324	34·6
Doune	617	—	4	617	432	70·0
Dunblane	2,115	—	5	2,115	1,089	51·5
Pitlochry	1,606	3	—	—	—	—
Landward	**40,309**	—	—	—	—	—
Districts	**40,309**	—	—	—	—	—
Central	6,356	—	—	—	—	—
Eastern	6,091	—	—	—	—	—
Highland	7,934	—	—	—	—	—
Perth	14,187	—	—	—	—	—
Western	5,741	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
RENFREW COUNTY:						
Large Burghs	**125,977**	**2**	**19**	**114,374**	**55,598**	**48·6**
Greenock	50,108	—	9	50,108	23,972	47·8
Paisley	63,281	1	7	53,909	24,477	45·4
Port Glasgow	12,588	1	3	10,357	7,149	69·0
Small Burghs	**42,118**	**1**	**14**	**40,410**	**20,221**	**50·0**
Barrhead	9,577	1	3	7,869	3,273	41·6
Gourock	7,831	—	3	7,831	4,091	52·2
Johnstone	11,414	—	4	11,414	6,384	55·9
Renfrew	13,296	—	4	13,296	6,473	48·7
Landward	**58,512**	—	—	—	—	—
Districts	**58,512**	—	—	—	—	—
No. 1	29,700	—	—	—	—	—
No. 2	9,774	—	—	—	—	—
No. 3	3,613	—	—	—	—	—
No. 4	11,214	—	—	—	—	—
No. 5	4,211	—	—	—	—	—
ROSS AND CROMARTY COUNTY:						
Small Burghs	**9,964**	**18**	**7**	**1,211**	**519**	**42·9**
Cromarty	669	2	—	—	—	—
Dingwall	2,585	5	—	—	—	—
Fortrose	719	5	—	—	—	—
Invergordon	1,157	3	—	—	—	—
Stornoway	3,623	3	—	—	—	—
Tain	1,211	—	7	1,211	519	42·9
Landward	**37,793**	—	—	—	—	—
Districts	**37,793**	—	—	—	—	—
Avoch	2,309	—	—	—	—	—
Dingwall	2,682	—	—	—	—	—
Fearn	2,242	—	—	—	—	—
Fortrose	981	—	—	—	—	—
Gairloch	1,619	—	—	—	—	—
Invergordon	2,558	—	—	—	—	—
Lewis...	15,300	—	—	—	—	—
Lochbroom	1,425	—	—	—	—	—
Lochcarron	1,357	—	—	—	—	—
Muir-of-Ord	4,148	—	—	—	—	—
South-West	1,633	—	—	—	—	—
Tain	1,539	—	—	—	—	—
ROXBURGH COUNTY:						
Small Burghs	**19,568**	**12**	**6**	**5,308**	**1,753**	**33·0**
Hawick	12,382	4	1	2,456	1,075	43·8
Jedburgh	2,852	—	5	2,852	678	23·8
Kelso	2,994	4	—	—	—	—
Melrose	1,340	4	—	—	—	—
Landward	**13,109**	—	—	—	—	—
Districts	**13,109**	—	—	—	—	—
Hawick	3,210	—	—	—	—	—
Jedburgh	2,784	—	—	—	—	—
Kelso	3,379	—	—	—	—	—
Melrose	3,736	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
SELKIRK COUNTY:						
Small Burghs	**13,916**	**10**	**2**	**4,019**	**1,202**	**29·9**
Galashiels	9,471	3	2	4,019	1,202	29·9
Selkirk	4,445	7	—	—	—	—
Landward	**2,248**	—	—	—	—	—
Districts	**2,248**	—	—	—	—	—
North	1,356	—	—	—	—	—
South	892	—	—	—	—	—
STIRLING COUNTY:						
Large Burghs	**44,608**	**6**	**6**	**24,388**	**9,691**	**39·7**
Falkirk	26,069	2	3	16,264	7.197	44·3
Stirling	18,539	4	3	8,124	2,494	30·7
Small Burghs	**23,291**	**3**	**12**	**14,922**	**9,365**	**62·8**
Bridge of Allan	2,334	—	5	2,334	1,278	54·8
Denny and Dunipace ...	4,311	—	3	4,311	2,946	68·3
Grangemouth	10,177	3	1	1,808	1,033	57·1
Kilsyth	6,469	—	3	6,469	4,108	63·5
Landward	**55,033**	—	—	—	—	—
Districts	**55,033**	—	—	—	—	—
Central No. 1	10,224	—	—	—	—	—
No. 2	8,880	—	—	—	—	—
Eastern No. 1	11,689	—	—	—	—	—
No. 2	8,486	—	—	—	—	—
No. 3	4,999	—	—	—	—	—
Western No. 1	1,174	—	—	—	—	—
No. 2	4,688	—	—	—	—	—
No. 3	4,893	—	—	—	—	—
SUTHERLAND COUNTY:						
Small Burgh:						
Dornoch	588	4	—	—	—	—
Landward	**9,608**	—	—	—	—	—
Districts	**9,608**	—	—	—	—	—
Assynt	724	—	—	—	—	—
Dornoch and Creich ...	1,972	—	—	—	—	—
Edrachillis and Durness ...	860	—	—	—	—	—
Golspie, Rogart and Lairg ...	2,070	—	—	—	—	—
Kildonan, Loth and Clyne	2,314	—	—	—	—	—
Tongue and Farr	1,668	—	—	—	—	—
WEST LOTHIAN COUNTY:						
Small Burghs	**24,923**	**2**	**20**	**20,372**	**11,341**	**55·7**
Armadale	3,800	—	3	3,800	2,016	53·1
Bathgate	7,210	—	4	7,210	4,234	58·7
Bo'ness	6,751	2	2	2,200	1,225	55·7
Linlithgow	2,735	—	5	2,735	1,235	45·2
Queensferry	1,627	—	3	1,627	1,011	62·1
Whitburn	2,800	—	3	2,800	1,620	57·9
Landward	**30,894**	—	—	—	—	—
Districts	**30,894**	—	—	—	—	—
Bo'ness	2,638	—	—	—	—	—

TABLE 61—*continued*

	Local Government Electors	Analysis of Local Elections				
		Number of Councillors returned unopposed	Contested Elections			
			Number of Councillors returned	Electorate in contested Electoral Divisions or Wards	Number of Ballot Papers in Ballot Boxes	Percentage of Electorate Voting
West Lothian Co.—*continued*						
Linlithgow	1,994	—	—	—	—	—
Queensferry	3,986	—	—	—	—	—
Torphichen and Bathgate ...	4,088	—	—	—	—	—
Uphall	7,833	—	—	—	—	—
Whitburn and Livingstone...	10,355	—	—	—	—	—
WIGTOWN COUNTY:						
Small Burghs	**10,576**	**8**	**8**	**7,055**	**2,662**	**37·7**
Newton-Stewart	1,638	3	—	—	—	—
Stranraer	7,055	—	8	7,055	2,662	37·7
Whithorn	792	3	—	—	—	—
Wigtown	1,091	2	—	—	—	—
Landward	**13,691**	—	—	—	—	—
Districts	**13,691**	—	—	—	—	—
Machars	5,139	—	—	—	—	—
Rhins	8,552	—	—	—	—	—
ZETLAND COUNTY:						
Small Burgh:						
Lerwick	3,995	—	4	3,995	1,364	34·1
Landward	**10,319**	—	—	—	—	—
Districts	**10,319**	—	—	—	—	—
Bressay	267	—	—	—	—	—
Delting	627	—	—	—	—	—
Dunrossness	1,826	—	—	—	—	—
Fetlar	123	—	—	—	—	—
Lerwick (Landward) ...	792	—	—	—	—	—
Nesting	453	—	—	—	—	—
Northmaven...	779	—	—	—	—	—
Sandsting	941	—	—	—	—	—
Tingwall	1,177	—	—	—	—	—
Unst	765	—	—	—	—	—
Walls	707	—	—	—	—	—
Whalsay	712	—	—	—	—	—
Yell	1,150	—	—	—	—	—

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950

	1939	1946	1947	1948	1949	1950
SCOTLAND	**1,294,872**	**1,328,410**	**1,347,718**	**1,374,387**	**1,398,576**	**1,420,411**
Counties of Cities ...	**507,110**	**518,233**	**521,723**	**529,864**	**536,926**	**544,710**
Large Burghs	**199,651**	**206,094**	**211,205**	**216,832**	**222,198**	**225,567**
Small Burghs	**213,511**	**221,111**	**226,961**	**232,055**	**235,792**	**240.115**
Landward Areas ...	**374,600**	**382,972**	**387,829**	**395,636**	**403,660**	**410,019**
ABERDEEN COUNTY	**83,224**	**84,509**	**86,370**	**88,117**	**89,123**	**89,866**
County of City of Aberdeen	**46,516**	**47,701**	**48,807**	**49,966**	**50,537**	**51,027**
Small Burghs	**10,386**	**10,554**	**10,891**	**11,102**	**11,298**	**11,405**
Ballater...	394	395	399	401	409	407
Ellon	389	398	423	427	437	442
Fraserburgh	2,410	2,431	2,534	2,580	2,609	2,638
Huntly	1,106	1,119	1,127	1,156	1,161	1,153
Inverurie	1,306	1,338	1,378	1,435	1,468	1,474
Kintore	231	233	232	242	247	262
Oldmeldrum	293	301	323	333	338	342
Peterhead	3,177	3,239	3,362	3,399	3,460	3,451
Rosehearty	308	303	301	320	334	355
Turriff	772	797	812	809	835	881
Landward	**26,322**	**26,254**	**26,672**	**27,049**	**27,288**	**27,434**
ANGUS COUNTY ...	**78,121**	**79,400**	**80,358**	**82,524**	**83,445**	**84,388**
County of City of Dundee	**49,416**	**50,240**	**50,939**	**52,569**	**53,178**	**53,780**
Large Burgh	**5,806**	**6,067**	**6,065**	**6,182**	**6,293**	**6,415**
Arbroath	5,806	6,067	6,065	6,182	6,293	6,415
Small Burghs	**12,612**	**13,023**	**13,284**	**13,533**	**13,664**	**13,859**
Brechin	2,161	2,303	2,382	2,413	2,457	2,486
Carnoustie	1,603	1,669	1,770	1,776	1,788	1,822
Forfar	3,156	3,223	3,248	3,309	3,347	3,372
Kirriemuir	1,187	1,260	1,256	1,281	1,284	1,288
Monifieth	1,038	1,066	1,064	1,124	1,138	1,187
Montrose	3,467	3,502	3,564	3,630	3,650	3,704
Landward	**10,287**	**10,070**	**10,070**	**10,240**	**10,310**	**10,334**
ARGYLL COUNTY ...	**18,889**	**19,331**	**19,883**	**19,972**	**20,006**	**19,864**
Small Burghs	**7,487**	**7,734**	**7,857**	**7,870**	**7,954**	**8,067**
Campbeltown	1,745	1,914	1,882	1,902	1,942	2,006
Dunoon	3,501	3,550	3,588	3,616	3,637	3,610
Inveraray	153	149	154	154	152	152
Lochgilphead	370	386	384	385	395	417
Oban	1,472	1,481	1,565	1,573	1,591	1,627
Tobermory	246	254	284	240	237	255
Landward	**11,402**	**11,597**	**12,026**	**12,102**	**12,052**	**11,797**
AYR COUNTY	**75,984**	**78,794**	**80,606**	**82,389**	**84,419**	**85,672**
Large Burghs	**20,424**	**21,280**	**21,658**	**22,192**	**22,738**	**22,989**
Ayr	9,981	10,475	10,557	10,765	10,980	11,095
Kilmarnock	10,443	10,805	11,101	11,427	11,758	11,894
Small Burghs	**25,787**	**27,037**	**27,726**	**28,539**	**29,001**	**29,541**
Ardrossan	1,951	2,095	2,133	2,208	2,243	2,266
Cumnock and Holmhead	1,089	1,102	1,156	1,176	1,197	1,220
Darvel	1,003	998	1,021	1,024	1,034	1,066
Galston	1,247	1,310	1,352	1,368	1,387	1,401
Girvan	1,634	1,664	1,705	1,711	1,732	1,767
Irvine	3,074	3,316	3,471	3,682	3,744	3,846
Kilwinning	1,320	1,455	1,459	1,560	1,618	1,618
Largs	2,882	2,936	3,003	3,025	3,045	3,078

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950—*cont.*

	1939	1946	1947	1948	1949	1950
Ayr County—*continued*						
Maybole	1,202	1,253	1,251	1,358	1,335	1,334
Newmilns & Greenholm	1,237	1,267	1,291	1,313	1,329	1,359
Prestwick	2,934	3,057	3,123	3,188	3,248	3,322
Saltcoats	2,980	3,118	3,234	3,334	3,441	3,513
Stewarton	795	830	832	875	878	880
Troon	2,439	2,636	2,695	2,717	2,770	2,871
Landward	**29,773**	**30,477**	**31,222**	**31,658**	**32,680**	**33,142**
BANFF COUNTY ...	**13,217**	**13,420**	**13,594**	**13,821**	**13,562**	**13,709**
Small Burghs	**7,545**	**7,745**	**7,861**	**7,992**	**7,672**	**7,768**
Aberchirder	259	259	259	259	258	264
Aberlour	229	232	233	233	228	236
Banff	932	953	971	982	985	996
Buckie	1,912	1,976	2,004	2,046	1,794	1,802
Cullen	479	479	502	503	493	501
Dufftown	425	424	424	426	417	428
Findochty	371	371	393	412	407	407
Keith	1,144	1,183	1,185	1,217	1,211	1,215
Macduff...	896	967	967	973	958	958
Portknockie	407	416	418	434	423	423
Portsoy	491	485	505	507	498	538
Landward	**5,672**	**5,675**	**5,733**	**5,829**	**5,890**	**5,941**
BERWICK COUNTY ...	**7,856**	**7,871**	**7,965**	**8,048**	**7,761**	**7,647**
Small Burghs	**1,862**	**1,894**	**1,994**	**2,017**	**2,037**	**2,029**
Coldstream	417	422	446	448	452	451
Duns	606	612	627	649	650	644
Eyemouth	624	644	704	706	710	711
Lauder	215	216	217	214	225	223
Landward	**5,994**	**5,977**	**5,971**	**6,031**	**5,724**	**5,618**
BUTE COUNTY ...	**7,338**	**7,419**	**7,469**	**7,512**	**7,481**	**7,499**
Small Burghs	**4,470**	**4,571**	**4,621**	**4,656**	**4,571**	**4.589**
Millport	1,207	1,203	1,203	1,213	1,159	1,159
Rothesay	3,263	3,368	3,418	3,443	3,412	3,430
Landward	**2,868**	**2,848**	**2,848**	**2,856**	**2,910**	**2,910**
CAITHNESS COUNTY	**7,211**	**7,317**	**7,436**	**7,581**	**7,698**	**7,825**
Small Burghs	**2,846**	**2,942**	**3,054**	**3,190**	**3,260**	**3,340**
Thurso	852	890	898	967	985	1,018
Wick	1,994	2,052	2,156	2,223	2,275	2,322
Landward	**4,365**	**4,375**	**4,382**	**4,391**	**4,438**	**4,485**
CLACKMANNAN CO.	**9,025**	**9,473**	**9,787**	**9,893**	**10,321**	**10,794**
Small Burghs	**6,094**	**6,320**	**6,554**	**6,635**	**6,756**	**6,908**
Alloa	3,423	3,551	3,648	3,691	3,772	3,837
Alva	1,198	1,228	1,327	1,331	1,338	1,318
Dollar	456	459	461	489	511	504
Tillicoultry	1,017	1,082	1,118	1,124	1,135	1,249
Landward	**2,931**	**3,153**	**3,233**	**3,258**	**3,565**	**3,886**
DUMFRIES COUNTY	**21,490**	**21,861**	**22,594**	**23,049**	**23,527**	**23,842**
Large Burgh	**6,381**	**6,616**	**6,976**	**7,227**	**7,265**	**7,384**
Dumfries	6,381	6,616	6,976	7,227	7,265	7,384
Small Burghs	**4,002**	**4,188**	**4,411**	**4,477**	**4,610**	**4,732**
Annan	1,057	1,093	1,244	1,272	1,302	1,349
Langholm	784	824	853	852	872	879
Lochmaben	292	313	313	318	322	333
Lockerbie	760	777	801	815	842	838
Moffat	611	630	652	664	678	678
Sanquhar	498	551	548	556	594	655
Landward	**11,107**	**11,057**	**11,207**	**11,345**	**11,652**	**11,726**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950—*cont.*

	1939	1946	1947	1948	1949	1950
DUNBARTON COUNTY	**39,258**	**38,162**	**39,215**	**41,175**	**43,001**	**43,911**
Large Burghs	**16,977**	**14,552**	**15,078**	**16,285**	**17,552**	**17,753**
Clydebank	11,572	8,660	9,169	10,139	11,210	11,397
Dumbarton	5,405	5,892	5,909	6,146	6,342	6 356
Small Burghs	**7,732**	**8,398**	**8,620**	**8,858**	**9,072**	**9,252**
Cove and Kilcreggan ...	351	364	363	350	350	391
Helensburgh	2,405	2,506	2,559	2,601	2,654	2,693
Kirkintilloch	3,242	3,459	3,598	3,686	3,750	3,788
Milngavie	1,734	2,069	2,100	2,221	2,318	2,380
Landward	**14,549**	**15,212**	**15,517**	**16,032**	**16,377**	**16,906**
EAST LOTHIAN CO....	**12,767**	**12,972**	**13,435**	**13,670**	**13,917**	**14,061**
Small Burghs	**6,301**	**6,371**	**6,542**	**6,703**	**6,899**	**7,000**
Cockenzie & Port Seton	738	760	783	861	895	899
Dunbar	1,163	1,148	1,148	1,167	1,193	1,229
East Linton	284	305	309	310	322	333
Haddington	1,168	1,185	1,200	1,230	1,227	1,208
North Berwick... ...	1,005	1,019	1,075	1,095	1,131	1,166
Prestonpans	672	685	705	706	722	726
Tranent...	1,271	1,269	1,322	1,334	1,409	1,439
Landward	**6,466**	**6,601**	**6,893**	**6,967**	**7,018**	**7,061**
FIFE COUNTY... ...	**75,928**	**79,021**	**80,888**	**83,456**	**84,895**	**87,055**
Large Burghs	**22,997**	**25,017**	**25,508**	**25,925**	**26,484**	**26,985**
Dunfermline	10,309	11,730	11,885	12,120	12,433	12,531
Kirkcaldy	12,688	13,287	13,623	13,805	14,051	14,454
Small Burghs	**27,768**	**28,640**	**29,284**	**29,936**	**30,792**	**31,426**
Auchtermuchty ...	414	422	422	433	440	440
Buckhaven and Methil	4,516	4,752	4,899	5,102	5,299	5,412
Burntisland	1,621	1,633	1,695	1,718	1,730	1,732
Cowdenbeath	3,108	3,302	3,359	3,460	3,672	3,754
Crail	397	403	403	404	411	423
Culross	134	138	140	151	147	162
Cupar	1,558	1,575	1,614	1,655	1,703	1,731
Elie and Earlsferry ...	485	483	485	491	496	502
Falkland	294	301	304	304	326	354
Inverkeithing	881	935	1,004	1,002	1,044	1,055
Kilrenny, Anstruther Easter & Anstruther Wester	1,119	1,107	1,109	1,114	1,119	1,125
Kinghorn	698	697	699	709	728	758
Ladybank	391	392	388	398	400	406
Leslie	782	785	799	806	818	831
Leven	2,345	2,476	2,559	2,580	2,639	2,697
Lochgelly	2,118	2,193	2,242	2,329	2,399	2,496
Markinch	652	669	694	687	706	724
Newburgh	770	759	713	759	769	772
Newport	1,009	1,012	1,049	1,068	1,086	1,098
Pittenweem	534	530	533	532	537	576
St. Andrews	2,379	2,503	2,589	2,590	2,668	2,724
St. Monance	561	556	558	576	587	585
Tayport	1,002	1,017	1,027	1,068	1,068	1,069
Landward	**25,163**	**25,364**	**26,096**	**27,595**	**27,619**	**28,644**
INVERNESS COUNTY	**20,773**	**21,163**	**21,470**	**21,571**	**22,098**	**22,884**
Large Burgh	**6,089**	**6,265**	**6,436**	**6,657**	**6,987**	**7,251**
Inverness	6,089	6,265	6,436	6,657	6,987	7,251
Small Burghs	**944**	**928**	**935**	**981**	**999**	**1,036**
Fort William	636	621	628	668	670	688
Kingussie	308	307	307	313	329	348
Landward	**13,740**	**13,970**	**14,099**	**13,933**	**14,112**	**14,597**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950—*cont.*

	1939	1946	1947	1948	1949	1950
KINCARDINE COUNTY	**7,119**	**7,196**	**7,339**	**7,406**	**7,571**	**7,608**
Small Burghs	**2,553**	**2,608**	**2,683**	**2,705**	**2,745**	**2,753**
Banchory	514	529	585	584	584	582
Inverbervie	268	263	262	262	264	264
Laurencekirk	468	467	486	501	499	503
Stonehaven	1,303	1,349	1,350	1,358	1,398	1,404
Landward	**4,566**	**4,588**	**4,656**	**4,701**	**4,826**	**4,855**
KINROSS COUNTY ...	**2,057**	**2,101**	**2,122**	**2,140**	**2,144**	**2,196**
Small Burgh	**716**	**715**	**722**	**731**	**737**	**754**
Kinross	716	715	722	731	737	754
Landward	**1,341**	**1,386**	**1,400**	**1,409**	**1,407**	**1,442**
KIRKCUDBRIGHT CO.	**8,315**	**8,482**	**8,625**	**8,641**	**8,598**	**8,626**
Small Burghs	**2,801**	**2,829**	**2,859**	**2,861**	**2,904**	**2,962**
Castle Douglas ...	876	899	899	902	928	953
Dalbeattie	868	876	873	858	875	889
Gatehouse	252	259	271	279	276	283
Kirkcudbright	663	678	694	703	707	718
New Galloway	142	117	122	119	118	119
Landward	**5,514**	**5,653**	**5,766**	**5,780**	**5,694**	**5,664**
LANARK COUNTY ...	**400,057**	**412,123**	**414,778**	**421,047**	**427,627**	**434,957**
County of City of Glasgow	**283,011**	**287,998**	**288,325**	**290,869**	**293,627**	**299,038**
Large Burghs	**47,604**	**50,797**	**52,374**	**53,868**	**54,654**	**55,559**
Airdrie	6,276	6,789	6,995	7,399	7,597	7,728
Coatbridge	10,082	10,808	11,106	11,541	11,692	11,943
Hamilton	8,639	9,244	9,527	9,748	9,872	10,035
Motherwell & Wishaw	15,925	17,047	17,740	18,172	18,428	18,602
Rutherglen	6,682	6,909	7,006	7,008	7,065	7,251
Small Burghs	**1,988**	**2,127**	**2,188**	**2,223**	**2,261**	**2,304**
Biggar	415	443	449	471	482	487
Lanark	1,573	1,684	1,739	1,752	1,779	1,817
Landward	**67,454**	**71,201**	**71,891**	**74,087**	**77,085**	**78,056**
MIDLOTHIAN COUNTY	**150,274**	**155,671**	**157,423**	**161,180**	**165,663**	**167,713**
County of City of Edinburgh	**128,167**	**132,294**	**133,652**	**136,460**	**139,584**	**140,865**
Small Burghs	**9,949**	**10,791**	**10,610**	**11,048**	**11,379**	**11,579**
Bonnyrigg and Lasswade	1,453	1,524	1,472	1,553	1,557	1,594
Dalkeith	1,901	2,228	2,092	2,193	2,376	2,416
Loanhead	959	1,041	1,048	1,126	1,264	1,293
Musselburgh	4,399	4,640	4,654	4,758	4,796	4,885
Penicuik	1,237	1,358	1,344	1,418	1,386	1,391
Landward	**12,158**	**12,586**	**13,161**	**13,672**	**14,700**	**15,269**
MORAY COUNTY ...	**11,031**	**11,144**	**11,322**	**11,491**	**11,742**	**12,105**
Small Burghs	**5,787**	**6,035**	**6,181**	**6,260**	**6,391**	**6,503**
Burghead	378	377	377	382	395	387
Elgin	2,474	2,692	2,751	2,798	2,851	2,899
Forres	1,148	1,148	1,195	1,205	1,213	1,222
Grantown-on-Spey ...	418	428	431	428	436	448
Lossiemouth and Branderburgh ...	1,033	1,054	1,088	1,108	1,151	1,201
Rothes	336	336	339	339	345	346
Landward	**5,244**	**5,109**	**5,141**	**5,231**	**5,351**	**5,602**
NAIRN COUNTY ...	**2,281**	**2,272**	**2,339**	**2,409**	**2,402**	**2,417**
Small Burgh	**1,239**	**1,257**	**1,310**	**1,338**	**1,335**	**1,350**
Nairn	1,239	1,257	1,310	1,338	1,335	1,350
Landward	**1,042**	**1,015**	**1,029**	**1,071**	**1,067**	**1,067**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950—*cont.*

	1939	1946	1947	1948	1949	1950
ORKNEY COUNTY ...	**6,087**	**6,110**	**6,221**	**6,295**	**6,292**	**6,366**
Small Burgh	**1,487**	**1,522**	**1,598**	**1,612**	**1,637**	**1,689**
Kirkwall	1,044	1,057	1,121	1,136	1,161	1,208
Stromness	443	465	477	476	476	481
Landward	**4,600**	**4,588**	**4,623**	**4,683**	**4,655**	**4,677**
PEEBLES COUNTY ...	**4,318**	**4,399**	**4,481**	**4,567**	**4,664**	**4,696**
Small Burghs	**2,475**	**2,519**	**2,575**	**2,620**	**2,651**	**2,716**
Innerleithen	697	723	742	755	763	780
Peebles	1,778	1,796	1,833	1,865	1,888	1,936
Landward	**1,843**	**1,880**	**1,906**	**1,947**	**2,013**	**1980**
PERTH COUNTY ...	**34,217**	**35,017**	**35,594**	**36,203**	**36,888**	**37,419**
Large Burgh	**10,286**	**10,788**	**11,094**	**11,453**	**11,789**	**12,035**
Perth	10,286	10,788	11,094	11,453	11,789	12,035
Small Burghs	**7,128**	**7,322**	**7,960**	**8,101**	**8,286**	**8,398**
Aberfeldy	437	452	465	463	484	485
Abernethy	199	200	211	213	210	217
Alyth	601	610	613	618	630	631
Auchterarder	680	687	704	732	735	757
Blairgowrie and Rattray	1,519	1,575	1,589	1,595	1,648	1,663
Callander	447	484	484	505	523	543
Coupar Angus	601	623	625	648	667	687
Crieff	1,559	1,587	1,598	1,610	1,636	1,654
Doune	253	251	252	252	261	256
Dunblane	832	853	861	884	887	891
Pitlochry	Burgh constituted 1947		558	581	605	614
Landward	**16,803**	**16,907**	**16,540**	**16,649**	**16,813**	**16,986**
RENFREW COUNTY ...	**81,383**	**84,333**	**85,509**	**86,707**	**88,390**	**89,445**
Large Burghs	**46,882**	**48,312**	**49,316**	**50,161**	**51,389**	**51,943**
Greenock	18,239	18,452	18,682	19,034	19,470	19,861
Paisley	24,284	25,170	25,844	26,223	26,738	26,773
Port Glasgow	4,359	4,690	4,790	4,904	5,181	5,309
Small Burghs	**13,408**	**13,964**	**14,403**	**14,595**	**14,818**	**14,948**
Barrhead	3,014	3,130	3,345	3,374	3,392	3,497
Gourock	2,693	2,679	2,703	2,743	2,803	2,826
Johnstone	3,373	3,671	3,795	3,881	3,934	3,922
Renfrew	4,328	4,484	4,560	4,597	4,689	4,703
Landward	**21,093**	**22,057**	**21,790**	**21,951**	**22,183**	**22,554**
ROSS AND CROMARTY COUNTY	**15,993**	**15,774**	**15,992**	**16,126**	**16,200**	**16,483**
Small Burghs	**3,197**	**3,287**	**3,422**	**3,461**	**3,498**	**3,640**
Cromarty	268	259	261	264	266	270
Dingwall	714	747	797	819	824	842
Fortrose	285	283	287	297	296	305
Invergordon	424	437	453	454	454	475
Stornoway	1,084	1,106	1,155	1,156	1,182	1,251
Tain	422	455	469	471	476	497
Landward	**12,796**	**12,487**	**12,570**	**12,665**	**12,702**	**12,843**
ROXBURGH COUNTY	**12,972**	**12,940**	**13,234**	**13,685**	**13,844**	**13,984**
Small Burghs	**7,512**	**7,638**	**7,910**	**8,195**	**8,341**	**8,430**
Hawick	4,978	5,006	5,108	5,248	5,287	5,371
Jedburgh	1,041	1,032	1,131	1,222	1,260	1,245
Kelso	1,120	1,116	1,182	1,232	1,287	1,292
Melrose	473	484	489	493	507	522
Landward	**5,360**	**5,302**	**5,324**	**5,490**	**5,503**	**5,554**

TABLE 62.—Return of Inhabited Houses in Scotland, 1939 and 1946 to 1950—*cont.*

	1939	1946	1947	1948	1949	1950
SELKIRK COUNTY ...	**6,666**	**6,730**	**6,808**	**6,869**	**6,958**	**6,992**
Small Burghs	**5,697**	**5,790**	**5,875**	**6,030**	**6,083**	**6,136**
Galashiels	3,985	4,033	4,067	4,082	4,128	4,170
Selkirk	1,712	1,757	1,808	1,948	1,955	1,966
Landward	**969**	**940**	**933**	**839**	**875**	**856**
STIRLING COUNTY ...	**43,522**	**44,438**	**45,350**	**46,408**	**47,515**	**48,457**
Large Burghs	**16,205**	**16,400**	**16,700**	**16,882**	**17,047**	**17,253**
Falkirk	9,490	9,590	9,698	9,812	9,920	10,028
Stirling	6,715	6,810	7,002	7,070	7,127	7,225
Small Burghs	**8,112**	**8,392**	**8,675**	**8,857**	**9,013**	**9,167**
Bridge of Allan ...	787	795	809	840	867	887
Denny and Dunipace ...	1,443	1,472	1,507	1,581	1,640	1,675
Grangemouth	3,690	3,736	3,890	3,914	3,945	3,998
Kilsyth	2,192	2,389	2,469	2,522	2,561	2,607
Landward	**19,205**	**19,646**	**19,975**	**20,669**	**21,455**	**22,037**
SUTHERLAND COUNTY	**4,725**	**4,705**	**4,702**	**4,706**	**4,712**	**4,775**
Small Burgh	**225**	**220**	**222**	**221**	**223**	**239**
Dornoch	225	220	222	221	223	239
Landward	**4,500**	**4,485**	**4,480**	**4,485**	**4,489**	**4,536**
WEST LOTHIAN CO.	**19,476**	**20,654**	**21,191**	**22,035**	**22,477**	**23,174**
Small Burghs	**8,867**	**9,134**	**9,401**	**9,919**	**10,143**	**10,594**
Armadale	1,281	1,341	1,364	1,492	1,553	1,562
Bathgate	2,569	2,731	2,834	2,941	2,923	3,158
Bo'ness	2,538	2,510	2,516	2,618	2,660	2,674
Linlithgow	959	993	1,047	1,130	1,129	1,173
Queensferry	542	535	565	628	649	679
Whitburn	978	1,024	1,075	1,110	1,229	1,348
Landward	**10,609**	**11,520**	**11,790**	**12,116**	**12,334**	**12,580**
WIGTOWN COUNTY	**7,599**	**7,887**	**7,917**	**7,971**	**7,850**	**8,095**
Small Burghs	**2,973**	**3,192**	**3,296**	**3,338**	**3,276**	**3,457**
Newton-Stewart ...	561	572	577	578	585	596
Stranraer	1,769	2,004	2,086	2,077	2,026	2,185
Whithorn	291	266	293	315	297	307
Wigtown	352	350	340	368	368	369
Landward	**4,626**	**4,695**	**4,621**	**4,633**	**4,574**	**4,638**
ZETLAND COUNTY ...	**5,699**	**5,721**	**5,701**	**5,723**	**5,785**	**5,886**
Small Burgh	**1,461**	**1,424**	**1,437**	**1,451**	**1,486**	**1,544**
Lerwick...	1,461	1,424	1,437	1,451	1,486	1,544
Landward	**4,238**	**4,297**	**4,264**	**4,272**	**4,299**	**4,342**

TABLE 63.—Meteorology of Scotland for 1950; also the Number of Births, Still-Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1950

	Year	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean of Maximum Temperature ...	53·1°	44·0°	43·9°	50·9°	50·0°	57·9°	66·0°	65·1°	64·5°	58·2°	53·1°	45·1°	38·2°
Mean of Minimum Temperature ...	41·3°	35·9°	33·2°	38·7°	37·0°	43·0°	50·2°	51·7°	51·1°	47·3°	42·9°	35·0°	29·4°
Mean Temperature	47·2°	39·9°	38·6°	44·8°	43·5°	50·5°	58·1°	58·4°	57·8°	52·9°	48·0°	40·0°	33·8°
Absolute Maximum	86°	57°	56°	63°	60°	77°	86°	73°	74°	67°	65°	53°	52°
Absolute Minimum	8°	19°	17°	21°	24°	30°	39°	40°	41°	33°	24°	20°	8°
Rainfall (Normal 100)	114	85	127	94	150	66	123	133	115	257	98	103	60
Births (Living Children only) ...	92,530	7,813	7,307	8,422	8,054	8,670	7,922	7,792	7,371	7,335	7,712	6,923	7,209
Still-Births	2,557	220	216	235	223	225	213	190	214	223	197	193	208
Deaths	63,996	6,074	6,548	6,025	4,968	5,381	4,638	4,611	4,337	4,392	4,881	5,587	6,554
Deaths under 1	3,569	401	352	327	283	301	257	240	238	259	280	283	348
Marriages	40,483	2,946	2,802	5,370	3,347	1,396	3,942	4,647	3,456	3,751	2,952	2,224	3,650
Rates per 1000 of Estimated Population: Births	17·9	17·8	18·4	19·2	18·9	19·7	18·6	17·7	16·8	17·2	17·5	16·3	16·4
Still-Births†	27	27	29	27	27	25	26	24	28	30	25	27	28
Deaths	12·4	13·8	16·5	13·7	11·7	12·2	10·9	10·5	9·9	10·3	11·1	13·1	14·9
Infant Mortality* ...	39	51	48	39	35	35	32	31	32	35	36	41	48
Marriages	7·8	6·7	7·1	12·2	7·9	3·2	9·3	10·6	7·9	8·8	6·7	5·2	8·3

* Rate per 1,000 live births. † Rate per 1,000 births (including still-births).

TABLE 64.—Deaths, Temperature and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1950

No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches	No. of Week	Week ended	Deaths (corrected for Transfers)	Death-rate (corrected per 1,000 of Population)	Temperature Max. °	Temperature Min. °	Temperature Mean °	Rain in inches
1	January 7 ...	720	14·5	54	33	44·0	1·39	27	July 8 ...	527	10·6	72	40	56·9	0·30
2	14 ...	652	13·1	57	35	47·6	0·46	28	15 ...	514	10·3	73	44	58·8	2·08
3	21 ...	653	13·1	50	24	38·3	0·32	29	22 ...	550	11·0	72	49	60·4	1·64
4	28 ...	733	14·7	40	21	31·7	0·05	30	29 ...	478	9·6	71	42	57·6	0·53
5	February 4 ...	800	16·1	48	22	36·3	1·38	31	August 5 ...	499	10·0	74	43	58·7	0·75
6	11 ...	876	17·6	46	25	37·3	1·11	32	12 ...	503	10·1	72	42	59·3	0·78
7	18 ...	864	17·4	56	29	42·0	1·35	33	19 ...	481	9·7	68	45	56·2	1·05
8	25 ...	778	15·6	50	27	37·3	0·30	34	26 ...	484	9·7	69	41	57·9	1·79
9	March 4 ...	758	15·2	59	17	40·1	0·42	35	September 2 ...	500	10·0	70	41	55·9	0·52
10	11 ...	722	14·5	59	30	45·1	0·05	36	9 ...	507	10·2	67	41	54·3	1·52
11	18 ...	675	13·6	56	21	41·3	1·40	37	16 ...	492	9·9	64	32	53·8	2·20
12	25 ...	640	12·9	59	34	45·5	0·74	38	23 ...	534	10·7	63	40	51·2	1·39
								39	30 ...	589	11·8	64	33	49·9	2·33
13	April 1 ...	612	12·3	63	31	46·7	0·44								
14	8 ...	536	10·8	54	28	43·7	0·94	40	October 7 ...	546	11·0	65	38	52·2	0·66
15	15 ...	618	12·4	54	27	41·4	0·55	41	14 ...	534	10·7	62	37	48·5	1·15
16	22 ...	605	12·2	60	33	46·4	0·40	42	21 ...	565	11·4	61	36	49·5	0·62
17	29 ...	648	13·0	59	24	40·8	0·32	43	28 ...	555	11·1	54	32	44·6	0·20
18	May 6 ...	599	12·0	64	36	50·0	0·56	44	November 4 ...	602	12·1	53	24	41·9	0·57
19	13 ...	588	11·8	79	36	54·4	0·00	45	11 ...	635	12·8	51	28	42·6	0·96
20	20 ...	604	12·1	62	30	46·7	0·67	46	18 ...	649	13·0	47	22	37·2	0·61
21	27 ...	587	11·8	62	34	48·9	0·44	47	25 ...	736	14·8	46	22	38·4	0·90
22	June 3 ...	627	12·6	79	42	57·4	0·06	48	December 2 ...	773	15·5	50	20	37·6	0·89
23	10 ...	584	11·7	88	44	61·8	0·05	49	9 ...	771	15·5	52	20	36·5	0·55
24	17 ...	491	9·9	84	39	56·4	0·59	50	16 ...	789	15·9	50	8	31·8	0·20
25	24 ...	551	11·1	68	39	53·9	0·52	51	23 ...	791	15·9	43	13	34·4	0·62
								52	30 ...	882	17·7	40	17	31·5	0·06
26	July 1 ...	491	9·9	73	48	59·2	0·71								

METEOROLOGICAL TABLES, 1950

TABLE 1.—District Values of Air Temperature, Rainfall and Sunshine

District	1950	Air Temperature			Rainfall		Sunshine	Normal Values			
		Highest	Lowest	Deviation from Average Daily Mean	Percentage of Normal	Number of Days Deviation from Normal	Percentage of Average Duration	Daily Mean Temperature	Total Rainfall	Number of Days	Daily Sunshine
		°F.	°F.	°F.	%		%	°F.	Ins.		Hours
North Scotland	Jan.	58	18	+2·2	102	− 3	97	38·4	5·79	23	0·84
	Feb.	51	18	−1·8	119	0	132	38·3	4·57	21	1·89
	Mar.	60	17	+3·1	90	− 3	80	39·2	4·41	23	3·05
	April	60	17	−0·7	155	+ 6	100	42·9	3·23	19	4·55
	May	77	23	+0·5	63	− 4	120	48·1	2·80	19	5·36
	June	80	31	+1·9	145	+ 3	77	52·4	2·72	16	5·17
	July	72	32	+0·8	126	+ 3	125	54·7	3·35	19	4·18
	Aug.	72	31	+1·7	123	0	129	54.6	4·18	21	3·69
	Sept.	68	33	−0·4	201	+ 7	85	51·8	3·78	19	3·49
	Oct.	65	18	+0·5	106	− 1	98	46·4	5·00	22	2·50
	Nov.	54	19	−1·9	111	+ 2	121	41·8	5·63	23	1·22
	Dec.	53	−1	−5·7	85	0	117	39·1	6·18	24	0·61
	Year	**80**	**−1**	**0·0**	**116**	**+10**	**105**	**45·6**	**51·64**	**249**	**3·05**
East Scotland	Jan.	59	7	+1·4	84	− 3	98	37·2	2·57	17	1·37
	Feb.	56	6	−1·0	132	+ 1	137	37·4	2·24	16	2·50
	Mar.	65	18	+4·4	94	− 4	114	39·2	2·48	19	3·51
	April	62	18	−0·5	125	+ 3	100	43·2	1·85	16	4·94
	May	74	27	0·0	84	− 3	97	48·2	2·24	16	5·76
	June	86	34	+4·0	101	− 1	103	53·7	2·13	14	6·03
	July	74	32	+0·8	115	+ 5	105	56·4	2·87	17	5·09
	Aug.	74	32	+0·8	88	+ 1	115	55·8	3·15	18	4·70
	Sept.	71	28	−0·7	236	+ 7	97	52·3	2·24	15	4·06
	Oct.	66	21	+0·2	54	− 2	106	46·5	3·27	19	2·80
	Nov.	54	14	−1·6	153	+ 2	107	41·1	3·11	19	1·73
	Dec.	51	5	−5·2	70	− 1	91	37·9	3·11	19	1·04
	Year	**86**	**5**	**+0·2**	**109**	**+ 5**	**106**	**45·7**	**31·26**	**205**	**3·63**
West Scotland	Jan.	58	15	+1·0	84	− 3	84	39·4	4·57	20	1·17
	Feb.	56	12	−0·7	125	+ 3	132	39·3	3·94	18	2·10
	Mar.	61	17	+3·3	111	− 2	93	40·7	3·58	19	3·51
	April	60	20	−1·0	145	+ 6	97	44·7	2·76	16	5·15
	May	80	28	+1·3	57	− 3	103	49·7	2·91	16	6·16
	June	88	33	+2·4	110	− 1	101	55·0	2·87	15	6·32
	July	74	39	+0·3	166	+ 4	109	57·1	3·46	17	5·73
	Aug.	74	40	+0·5	138	+ 5	105	56·6	4·41	18	4·99
	Sept.	68	32	−0·5	297	+12	79	53·5	3·66	16	4·24
	Oct.	66	23	0·0	115	+ 3	91	47·9	4·69	19	2·68
	Nov.	54	18	−1·6	89	− 3	122	43·2	5·16	19	1·59
	Dec.	52	8	−5·6	46	− 4	153	40·6	5·63	22	0·96
	Year	**88**	**7**	**0·0**	**119**	**+16**	**102**	**47·3**	**47·64**	**215**	**3·67**

TABLE II.—Summary Table of Mean Values of Air Temperature at the Principal Stations (Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Prestwick and Dunfermline), together with extremes of Temperature for Scotland as a whole, and generalised figures for the United Kingdom

1950	AIR TEMPERATURES								RAINFALL		
	Means of		Mean of A and B	Difference of Mean from Normal	Daily Range		Absolute Extremes		Percentage of Normal		
	Maximum A	Minimum B			Mean A—B	Difference from Normal	Highest	Lowest	Scotland	England and Wales	Northern Ireland
January ...	44·0	35·9	39·9	+1·0	8·1	−0·8	57	19	85	54	71
February ...	43·9	33·2	38·6	−0·7	10·7	+1·2	56	17	127	220	117
March ...	50·9	38·7	44·8	+4·0	12·2	−0·9	63	21	94	60	65
April ...	50·0	37·0	43·5	−0·9	13·0	−0·6	60	24	150	135	189
May ...	57·9	43·0	50·5	+0·7	14·9	+0·5	77	30	66	90	54
June ...	66·0	50·2	58·1	+3·3	15·8	+0·5	86	39	123	77	96
July ...	65·1	51·7	58·4	+0·1	13·4	−0·9	73	40	133	137	191
August ...	64·5	51·1	57·8	+0·4	13·4	+0·1	74	41	115	147	135
September	58·2	47·3	52·9	−0·5	10·9	−2·3	67	33	257	196	256
October ...	53·1	42·9	48·0	−0·1	10·2	−1·1	65	24	98	44	109
November...	45·1	35·0	40·0	−1·6	10·1	−0·2	53	20	103	172	79
December ...	38·2	29·4	33·8	−5·7	8·8	+0·1	52	8	60	76	97
Means and Extremes	53·1	41·3	47·2	0·0	11·8	−0·4	86	8	114	114	120

TABLE III.—Number of Hours Bright Sunshine

	No. of Hours												Year Total Hours
	January	February	March	April	May	June	July	August	September	October	November	December	
North Scotland													
Lerwick ...	21	60	86	179	216	130	216	154	129	52	50	24	1317
Grimsetter ...	31	78	100	163	213	149	217	197	112	96	65	32	1453
Wick	47	87	109	171	198	159	163	188	118	106	67	24	1437
Stornoway ...	22	74	73	141	238	118	168	187	103	83	63	26	1296
Skye, Duntulm	25	59	74	96	202	116	148	148	59	65	52	29	1073
Strathy ...	41	72	84	129	200	137	150	174	91	107	41	13	1239
Fortrose ...	59	93	108	143	179	161	160	168	95	113	58	16	1353
Dalwhinnie ...	31	69	82	96	148	150	121	120	74	77	36	12	1016
Fort William ...	12	58	58	91	176	109	138	106	51	51	29	8	887
Inverness ...	57	92	111	126	168	158	165	187	87	113	49	19	1332
Onich	26	67	64	101	170	120	141	108	55	68	55	32	1007
East Scotland													
Nairn	66	99	105	134	167	144	169	176	101	125	59	16	1361
Gordon Castle	53	92	104	144	176	169	186	181	118	117	62	17	1419
Forres	63	95	109	137	189	172	181	188	102	125	67	22	1450
Lossiemouth ...	55	93	117	161	193	196	212	197	124	118	64	18	1548
Banff	56	100	109	159	160	180	198	173	126	112	68	21	1462
Glenlivet ...	55	90	108	143	164	162	168	170	109	128	59	18	1374
Dyce	50	119	132	155	174	184	182	184	132	121	81	41	1555
Braemar ...	29	75	97	124	153	171	142	130	79	93	36	18	1147
Craibstone ...	50	121	134	158	177	189	189	192	128	121	80	44	1583
Stonehaven ...	48	107	124	142	164	177	169	169	116	107	81	43	1447
Arbroath ...	46	123	146	153	177	218	222	189	125	102	80	54	1635
Dundee ...	34	96	125	135	161	186	171	140	136	82	67	41	1374
Montrose ...	35	111	124	131	148	188	198	168	101	97	81	38	1420
Perth	24	92	123	147	170	213	180	134	115	80	53	34	1365
Dunfermline ...	35	84	120	136	175	206	154	130	108	73	51	44	1316
Kirkcaldy ...	34	104	128	144	169	237	195	161	121	81	59	50	1483
Leuchars ...	34	112	143	165	183	236	214	181	145	95	81	47	1636
St. Andrews ...	36	109	145	169	180	237	218	173	144	93	77	40	1621
Balerno ...	58	93	123	124	150	215	160	151	122	100	52	45	1393
Boghall ...	53	86	119	127	138	211	155	155	122	96	56	47	1365
Edinburgh (R.O.)	57	93	135	130	162	241	172	171	129	107	60	46	1503
Penicuik ...	49	86	127	140	139	222	171	160	115	86	50	43	1388
Edinburgh (B.G.)	34	82	123	125	170	235	172	159	134	90	45	38	1407
North Berwick	44	103	118	146	151	236	189	159	120	73	56	40	1435
Peebles ...	32	76	105	105	147	200	147	136	93	79	38	22	1180
Marchmont ...	32	76	129	124	131	209	158	146	113	71	58	36	1283
West of Scotland													
Dunoon (Benmore)	20	57	76	107	120	158	115	74	67	34	44	39	911
Oban	25	81	93	134	201	167	188	148	77	76	78	49	1317
Tiree	19	67	100	171	225	177	225	203	106	84	83	36	1496
Rothesay ...	33	73	89	139	187	191	156	117	90	69	65	62	1271
Helensburgh ...	27	68	94	133	185	176	158	105	79	56	53	33	1167
Greenock ...	14	61	89	135	178	196	175	131	91	67	44	25	1206
Paisley ...	31	72	102	137	183	192	171	147	101	71	41	35	1283
Renfrew ...	31	75	105	148	194	203	178	141	100	68	40	42	1325
Glasgow ...	32	67	86	126	180	196	152	127	85	58	38	34	1181
Kilmarnock ...	44	69	90	120	215	195	160	126	89	68	54	40	1270
Prestwick ...	50	78	113	144	229	215	172	151	99	79	65	42	1437
Dumfries ...	39	78	96	143	185	196	167	142	95	85	60	45	1331
Eskdalemuir ...	34	69	91	113	144	186	126	115	80	67	57	51	1133
Ruthwell ...	43	80	104	151	188	199	161	146	106	91	61	49	1379

TABLE IV.—Monthly and Annual Amounts of Rainfall and Number of Days of Rain at Selected Stations

1950	January	February	March	April	May	June	July	August	September	October	November	December	Year	Rain Days	>·04″
North Scotland—															
Lerwick	4·14	5·09	3·36	2·71	1·40	4·01	3·49	4·37	5·58	6·13	4·98	3·27	48·53	265	205
Grimsetter	5·73	3·54	3·38	3·40	1·10	3·82	2·16	2·85	6·27	3·40	4·71	3·30	43·66	255	199
Benbecula	5·07	4·91	4·26	4·03	1·24	3·04	5·99	5·21	11·64	6·94	4·11	5·40	61·84	288	226
Stornoway	3·55	3·87	3·44	4·87	·98	2·62	3·13	3·54	7·09	4·37	4·27	6·63	48·36	278	228
Duntulm	4·46	5·49	5·32	4·57	1·96	4·04	3·74	5·66	9·62	5·74	6·63	2·88	60·11	284	232
Cape Wrath	4·80	4·13	3·90	4·60	2·25	4·74	2·88	2·61	8·23	5·04	5·70	3·81	52·69	273	227
Wick	3·47	1·90	2·61	2·44	·72	1·96	3·56	3·44	4·81	1·75	4·11	4·56	35·33	236	161
Strathy	4·52	3·48	2·62	5·01	1·16	3·18	3·02	1·60	8·11	3·31	5·17	4·47	45·65	272	221
Achnashellach	8·53	7·43	6·18	11·15	2·06	8·02	5·13	6·91	15·87	10·03	6·18	6·48	93·97	288	241
Fortrose	2·29	1·98	1·11	2·93	1·80	1·59	1·95	2·72	4·20	1·10	3·35	1·49	26·51	180	145
Dalwhinnie	4·79	5·81	3·61	4·25	1·61	2·30	4·49	5·29	8·70	5·11	4·57	2·53	53·06	232	180
Fort William	9·85	11·13	5·69	7·47	2·87	5·80	7·96	7·67	14·85	11·51	6·29	3·29	94·38	266	216
Inverness	2·47	2·55	1·22	3·27	1·83	2·06	1·88	3·29	4·86	1·59	3·90	1·73	30·65	214	147
Onich	8·26	9·64	6·31	8·11	2·54	8·20	11·06	8·85	15·55	9·92	5·74	3·78	97·96	266	243
East Scotland—															
Nairn	1·76	1·80	1·20	2·45	2·02	1·80	1·98	1·82	3·87	1·01	3·12	1·75	24·58	207	136
Forres	1·59	1·71	1·44	2·54	1·33	2·02	1·95	1·65	3·44	·83	2·88	2·18	23·56	203	132
Lossiemouth	1·51	1·67	1·71	2·79	·79	1·81	1·94	2·14	3·82	·63	3·18	1·39	23·38	180	122
Gordon Castle	1·61	2·38	1·99	2·74	·83	1·97	2·79	1·92	6·22	1·08	3·47	3·09	30·09	205	167
Banff	2·40	3·45	2·72	2·04	·99	2·03	2·67	2·57	6·26	1·54	4·75	2·95	34·37	230	169
Glenlivet	2·02	3·05	1·44	3·80	1·15	2·12	4·28	2·27	7·14	·83	4·84	2·74	35·68	187	138
Balmoral...	1·61	2·95	1·97	3·40	1·22	·82	2·92	2·81	5·97	·84	3·41	2·51	30·43	234	156
Braemar	1·74	3·99	2·27	4·11	1·43	1·20	4·26	3·58	6·62	2·02	3·51	1·84	36·57	214	160
Craibstone	2·37	3·40	2·82	1·90	1·44	1·80	4·43	3·18	6·10	2·02	3·96	2·38	35·80	201	145
Dyce	2·53	3·44	2·84	1·76	1·38	1·68	4·15	2·94	5·96	1·99	3·62	3·05	35·34	206	149
Logie Coldstone	1·70	2·41	1·62	2·57	1·19	·71	2·79	2·48	5·64	·80	3·21	2·07	27·19	197	140
Stonehaven	2·49	3·24	2·53	1·63	1·09	1·12	3·96	2·11	6·11	1·45	3·08	2·05	30·86	189	138
Arbroath...	1·00	1·89	2·11	1·33	1·33	·81	3·09	2·09	4·57	1·35	2·77	·89	23·23	168	116
Buddonness	1·14	1·86	2·11	1·32	1·65	1·20	3·27	2·74	5·32	1·22	3·28	1·24	26·35	183	123
Dundee	1·67	2·03	2·09	1·38	1·74	1·76	3·82	3·26	6·63	1·15	3·35	1·34	30·22	186	137
Montrose...	1·33	1·74	1·70	1·13	1·08	·82	3·60	2·62	5·33	1·24	2·82	1·63	25·04	171	118
Perth	2·26	2·69	2·00	2·16	1·58	1·56	4·06	3·60	6·73	1·57	2·87	1·30	32·38	205	148
Cupar	1·38	2·28	2·37	1·71	1·81	1·65	3·95	2·95	5·35	1·95	3·72	1·30	30·42	186	144
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
Dunfermline	1·45	2·37	2·42	2·68	1·62	1·93	5·66	3·48	6·22	1·77	3·24	1·96	34·80	204	156
Donibristle	1·47	2·28	2·09	3·02	1·41	2·19	3·49	3·30	4·24	1·96	3·30	2·44	31·19	198	153
Leuchars	1·23	1·81	2·39	1·24	1·91	1·18	3·37	2·45	5·87	1·58	3·35	1·03	27·41	174	125
St. Andrews	1·18	1·95	2·58	1·48	2·26	1·05	2·87	3·26	6·48	1·84	3·73	1·14	29·82	168	133
Balerno	1·77	4·11	2·80	3·23	2·05	1·70	4·20	3·40	6·33	3·04	4·84	1·64	39·11	220	170
Boghall	1·78	4·19	2·93	3·37	2·25	1·37	2·93	3·23	5·83	2·86	4·56	2·02	37·32	231	165
Edinburgh	1·26	2·68	2·20	1·98	1·89	1·69	3·11	2·32	4·75	2·07	3·37	1·56	28·88	209	155
Penicuik	2·14	4·19	2·90	3·32	2·42	1·72	3·14	3·69	6·76	3·32	4·97	2·15	40·72	223	174
North Berwick	·99	1·79	2·11	1·61	1·58	2·53	3·11	2·77	4·50	2·09	3·33	1·69	28·10	199	138
Marchmont	1·32	2·57	1·80	2·55	1·55	2·60	2·71	2·72	4·16	1·69	6·05	1·91	31·63	218	147
St. Abb's Head	·91	2·13	1·55	1·99	1·89	1·39	2·45	2·54	3·89	1·26	5·09	1·33	26·42	176	127
West Linton	2·48	4·06	3·19	4·07	1·90	2·86	4·14	3·29	8·06	3·04	4·77	1·77	43·63	229	177
Peebles	2·03	3·70	2·83	2·66	1·30	1·95	3·29	3·36	7·36	1·81	4·17	1·59	36·05	204	156
Kelso	1·37	3·07	1·67	1·71	1·19	1·72	2·39	3·04	4·31	1·50	4·54	1·27	27·78	196	157
West Scotland—															
Colonsay	5·04	6·13	2·87	3·72	1·90	3·31	7·42	5·40	11·22	7·28	5·28	4·09	63·66	250	220
Dunoon	7·37	7·14	4·66	5·28	1·72	2·83	7·76	7·49	14·31	9·31	(5·50)	2·25	75·62	225	202
Dunoon (Benmore)	7·98	8·94	5·79	6·23	2·44	3·61	8·43	8·61	18·32	11·47	5·60	4·02	91·44	229	214
Glenbranter	8·72	9·99	6·18	6·83	2·51	4·45	9·07	10·86	18·29	11·23	6·74	3·67	98·54	250	219
Oban	6·29	7·39	3·57	4·17	1·98	5·18	5·26	6·34	9·86	8·09	5·60	2·84	66·57	237	205
Rothesay	3·61	4·78	3·31	4·04	1·44	2·65	6·40	5·70	11·43	7·35	5·42	2·11	58·24	232	195
Largs	3·90	5·29	2·78	3·75	1·31	2·32	5·20	5·65	9·23	4·94	3·75	1·69	49·81	227	179
Tiree	3·83	5·16	3·35	3·42	1·26	2·91	6·91	4·88	9·15	6·90	4·68	4·11	56·56	251	209
Helensburgh	5·04	5·77	3·41	3·31	1·52	3·09	7·05	6·23	10·79	7·29	3·42	3·00	59·92	230	198
Balfron	3·93	5·40	3·14	3·83	1·74	2·44	5·65	6·50	9·68	5·32	3·89	2·11	53·63	235	192
Stirling	2·23	4·11	2·62	2·42	1·22	1·44	4·76	5·32	9·35	2·88	2·91	1·50	40·76	201	160
Falkirk	3·08	4·06	2·66	2·75	1·70	2·14	5·29	3·76	7·22	3·18	3·64	1·80	41·28	207	180
Greenock	5·45	7·24	4·02	4·18	1·57	2·21	5·96	7·43	10·10	7·19	4·93	2·07	62·35	239	195
Paisley	3·76	4·72	2·53	3·09	1·17	1·63	5·84	5·08	8·22	3·91	3·40	1·40	44·75	219	177
Renfrew	2·94	4·30	2·25	2·80	1·09	1·65	5·66	4·93	8·20	3·59	3·01	1·43	41·85	213	173
Auchincruive	3·38	2·94	3·36	2·98	1·44	2·38	4·63	3·54	8·69	3·74	3·38	1·37	41·83	205	169
Colmonell	2·48	3·38	2·14	3·21	1·95	2·58	3·43	5·01	11·33	4·63	4·39	2·57	47·10	205	178
Kilmarnock	2·79	3·63	3·37	3·20	1·66	2·33	5·00	5·11	9·80	3·01	3·40	1·60	44·90	216	169
Prestwick	2·64	2·77	2·12	2·75	1·31	2·16	4·41	3·04	7·74	3·57	2·89	1·08	36·48	209	158
Dumfries...	2·39	3·02	4·33	3·36	1·98	2·77	4·30	6·52	8·47	2·55	2·90	1·90	44·49	217	165
Eskdalemuir	4·74	6·37	6·78	6·25	2·26	5·19	5·88	8·24	12·12	4·69	4·81	2·52	69·85	258	205
Ruthwell...	1·85	3·04	4·16	2·74	1·96	2·86	3·69	6·14	7·96	2·35	2·58	1·81	41·14	209	166
Tongland	2·76	4·36	5·33	4·15	1·86	3·74	3·82	7·85	9·95	3·70	4·16	2·37	54·05	205	180
Glenlee	4·32	5·96	5·44	4·56	1·82	3·61	5·16	7·45	13·99	5·25	4·93	2·56	65·05	232	194
West Freugh	2·09	4·16	2·54	2·93	1·49	2·48	3·17	3·82	7·81	3·33	3·39	2·19	39·40	213	170

Printed in Great Britain under the authority of HER MAJESTY'S STATIONERY OFFICE
By the Herald Printing Works, York.
E1030. Wt.71216. K4 2/53. (H.P.W.—36739). Gp. 180.

MONTHLY DIGEST OF STATISTICS

The Digest, which is prepared by the Central Statistical Office in collaboration with the Statistics Divisions of Government Departments, provides industrialists and business executives with invaluable statistics relating to the economic situation in the United Kingdom. Where available, pre-war figures are given as well as those for the war years, which were not then published for security reasons. Monthly figures are given for the last two years.

Statistical information is at present arranged under the following headings and the scope is revised from time to time to include new statistical information as it becomes available.

POPULATION AND VITAL STATISTICS
LABOUR
NATIONAL INSURANCE
INDUSTRIAL PRODUCTION: INTERIM INDEX
FUEL AND POWER
RAW MATERIALS
MANUFACTURED GOODS
BUILDING
FOOD AND AGRICULTURE
EXTERNAL TRADE
MERCHANT SHIPPING
CIVIL AVIATION
INLAND TRANSPORT
FINANCE
WAGES AND PRICES
FINAL CONSUMPTION

Price **4*s*. 6*d*.** per copy
[4*s*. 10*d*. post free]

DEFINITIONS of Items and Units employed in the DIGEST 2*s*. 0*d*.
[2*s*. 2*d*. post free]

Annual Subscription £3 0s. 0d. post free (including a copy of the Definitions)

OBTAINABLE FROM

HER MAJESTY'S STATIONERY OFFICE

at the addresses on page 4 of cover or through any bookseller

MAP
showing the Stations
from which returns are made by
THE METEOROLOGICAL OFFICE
to the
Registrar General for Scotland.

Note.— The line ... indicates the boundaries of the Districts named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1952.
Crown Copyright Reserved.



MAP
showing the Stations
from which returns are made by
THE METEOROLOGICAL OFFICE
to the
Registrar General for Scotland.

Note.—The line ... indicates the boundaries of the Districts named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1952.
Crown Copyright Reserved.

WELLCOME
LIBRARY
INSTITUTE